CORRECTED VERSION

(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 28 February 2002 (28.02.2002)

PCT

(10) International Publication Number WO 02/016655 A2

(51) International Patent Classification⁷: C12Q 1/68

(21) International Application Number: PCT/US01/26685

(22) International Filing Date: 24 August 2001 (24.08.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/227,866 24 August 2000 (24.08.2000) US 60/264,647 26 January 2001 (26.01.2001) US 60/300,111 22 June 2001 (22.06.2001) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/227,866 (CIP)
Filed on 24 August 2000 (24.08.2000)
US 60/264,647 (CIP)
Filed on 26 January 2001 (26.01.2001)
US 60/300,111 (CIP)
Filed on 22 June 2001 (22.06.2001)

- (71) Applicants (for all designated States except US):

 THE SCRIPPS RESEARCH INSTITUTE [US/US];
 10550 North Torrey Pines Road, La Jolla, CA 92037

 (US). SYNGENTA PARTICIPATIONS AG [CH/CH];
 Schwarzwaldallee 215, CH-4058 Basel (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): HARPER, Jeffrey, F. [US/US]; 2825 Camino del Mar, Apt. 64, Del Mar, CA 92014 (US). KREPS, Joel [US/US]; 2582 Luciernaga Street, Carlsbad, CA 92009 (US). WANG, Xun [CN/US]; 12524 Caminito Vista Soledad, San Diego, CA 92130 (US). ZHU, Tong [CN/US]; 5260 Caminito Exquisito, San Diego, CA 92130 (US).

- (74) Agent: HAILE, Lisa, A.; Gray Cary Ware & Friedenrich LLP, Suite 1100, 4365 Executive Drive, San Diego, CA 92121-2133 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau
- (48) Date of publication of this corrected version:

9 January 2003

(15) Information about Correction:

see PCT Gazette No. 02/2003 of 9 January 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: STRESS-REGULATED GENES OF PLANTS, TRANSGENIC PLANTS CONTAINING SAME, AND METHODS OF USE

(57) Abstract: The present invention relates to clusters of plant genes that are regulated in response to one or more stress conditions. The present invention also relates to isolated plant stress-regulated genes, including portions thereof comprising a coding sequence or a regulatory element, and to consensus sequences comprising a plant stress-regulated regulatory element. In addition, the invention relates to a recombinant polynucleotide, which includes a plant stress-regulated gene, or functional portion thereof, operatively linked to a heterologous mucleotide sequence. The invention further relates to a transgenic plant, which contains a plant stress-regulated gene or functional portion thereof that was introduced into a progenitor cell of the plant. In addition, the invention relates to methods of using a plant stress-regulated gene to confer upon a plant a selective advantage to a stress condition. The invention also relates to a method of identifying an agent that modulates the activity of a plant stress-regulated regulatory element.



1

STRESS-REGULATED GENES OF PLANTS, TRANSGENIC PLANTS CONTAINING SAME, AND METHODS OF USE

BACKGROUND OF THE INVENTION FIELD OF THE INVENTION

The present invention relates generally to plant genes, the expression of which are regulated in response to stress, and more specifically to the gene regulatory elements involved in a stress-induced response in plants, to uses of the coding sequences and regulatory elements of such plant stress-regulated genes, and to transgenic plants genetically modified to express such a coding sequence or to express a heterologous polynucleotide from such a regulatory element.

5

10

15

20

25

BACKGROUND INFORMATION

Microarray technology is a powerful tool that can be used to identify the presence and level of expression of a large number of polynucleotides in a single assay. A microarray is formed by linking a large number of discrete polynucleotide sequences, for example, a population of polynucleotides representative of a genome of an organism, to a solid support such as a microchip, glass slide, or the like, in a defined pattern. By contacting the microarray with a nucleic acid sample obtained from a cell of interest, and detecting those polynucleotides expressed in the cell can hybridize specifically to complementary sequences on the chip, the pattern formed by the hybridizing polynucleotides allows the identification of clusters of genes that are expressed in the cell. Furthermore, where each polynucleotide linked to the solid support is known, the identity of the hybridizing sequences from the nucleic acid sample can be identified.

A strength of microarray technology is that it allows the identification of differential gene expression simply by comparing patterns of hybridization. For example, by comparing the hybridization pattern of nucleic acid molecules obtained from cells of an individual suffering from a disease with the nucleic acids obtained from the corresponding cells of a healthy individual, genes that are differentially expressed can be identified. The identification of such differentially expressed genes

2

provides a means to identify new genes, and can provide insight as to the etiology of a disease.

Microarray technology has been widely used to identify patterns of gene expression associated with particular stages of development or of disease conditions in animal model systems, and is being applied to the identification of specific patterns of gene expression in humans. The recent availability of information for the genomes of plants provides a means to adapt microarray technology to the study of plant gene expression.

5

10

15

20

25

30

Plants and plant products provide the primary sustenance, either directly or indirectly, for all animal life, including humans. For the majority of the world's human population and for many animals, plants and plant products provide the sole source of nutrition. As the world population increases, the best hope to prevent widespread famine is to increase the quantity and improve the quality of food crops, and to make the crops available to the regions of the world most in need of food.

Throughout history, a continual effort has been made to increase the yield and nutritious value of food crops. For centuries, plants having desirable characteristics such as greater resistance to drought conditions or increased size of fruit were crossbred and progeny plants exhibiting the desired characteristics were selected and used to produce seed or cuttings for propagation. Using such classical genetic methods, plants having, for example, greater disease resistance, increased yield, and better flavor have been obtained. The identification of plant genes involved in conferring a selective advantage on the plant to an environmental challenge would facilitate the generation and yield of plants, thereby increasing the available food supply to an increasing world population. The involvement of these genes in a single organism to responses to multiple stress conditions, however, remains unknown. Thus, a need exists to identify plant genes and polynucleotides that are involved in modulating the response of a plant to changing environmental conditions. The present invention satisfies this need and provides additional advantages.

SUMMARY OF THE INVENTION

The present invention relates to clusters of genes that are regulated in response to a stress condition in plants. Such clusters include, for example, plant polynucleotides

3

whose expression is altered in response to two or more different stress conditions; and plant polynucleotides the expression of which are altered in response to one stress condition, but not to others. The identification of such clusters, using microarray technology, has allowed the identification of plant stress-regulated genes in Arabidopsis thaliana (see Tables 1 and 2); and homologs and orthologs thereof in other plant species (see Table 32). Thus, the invention provides isolated polynucleotide portions of Arabidopsis plant stress-regulated genes, and homologs and orthologs thereof; variants of such sequences, and polynucleotides encoding substantially similar plant stress-regulated polypeptides expressed therefrom. Such sequences include, for example, sequences encoding transcription factors; enzymes, including kinases; and structural proteins, including channel proteins (see Tables 29-31). Accordingly, the present invention also relates to an isolated polynucleotide comprising all or a portion of a plant stress-regulated gene, and to polynucleotide portions thereof, including a coding region (open reading frame), which encodes all or a portion of a stressregulated polypeptide, for example, as set forth in SEO ID NOS:1-2703; and a regulatory element involved in regulating the response of the plant to a stress condition such exposure to an abnormal level of salt, osmotic pressure, temperature or any combination thereof, for example, as set forth in SEQ ID NOS:2704-5379.

5

10

15

20

25

30

The present invention also relates to a recombinant polynucleotide, which contains a nucleotide sequence of a plant stress-regulated gene or functional portion thereof operatively linked to a heterologous nucleotide sequence. In one embodiment, the recombinant polynucleotide comprises a plant stress-regulated gene regulatory element operatively linked to a heterologous nucleotide sequence, which is not regulated by the regulatory element in a naturally occurring plant. The heterologous nucleotide sequence, when expressed from the regulatory element, can confer a desirable phenotype to a plant cell containing the recombinant polynucleotide. In another embodiment, the recombinant polynucleotide comprises a coding region, or portion thereof, of a plant stress-regulated gene operatively linked to a heterologous promoter. The heterologous promoter provides a means to express an encoded stress-regulated polypeptide constitutively, or in a tissue-specific or phase-specific manner.

Accordingly, in one aspect, the present invention provides an isolated polynucleotide comprising a nucleotide sequence of a plant gene that hybridizes under

4

stringent conditions, preferably high stringency conditions, to any one of SEQ ID NOS:1-5379 (see Tables 1 and 2), including to a coding region (SEQ ID NOS:1-2703) or a regulatory region, which can alter transcription of an operatively linked nucleic acid sequence in response to an abiotic stress (SEQ ID

NOS:2704-5379; see Table 2), or to a complement thereof. Additional aspects provide sequences that hybridize under stringent conditions, preferably high stringency conditions, to the complements of SEQ ID NO 1-1261 (cold responsive genes; Tables 3-6), SEQ ID NOS:2227-2427 (saline responsive genes; Tables 7-10), SEQ ID NOS:2428-2585 (osmotic responsive genes; Tables 11-14), SEQ ID

10

15

NOS:1699-1969 (cold and osmotic responsive genes; Tables 15-17), SEQ ID NOS:1970-2226 (cold and saline responsive genes; Tables 18-20), SEQ ID NOS:2586-2703 (osmotic and saline responsive genes; Tables 21-23), and SEQ ID NOS:1262-1698(cold, osmotic and saline responsive genes; Tables 24-26), and which can comprise regulatory regions that can alter transcription in response to cold stress, osmotic stress, saline stress, or combinations thereof (SEQ ID NOS:2704-5379; see Table 2). Also provided are nucleotide sequences complementary thereto, and

expression cassettes, plants and seeds comprising any of the above isolated sequences.

In another aspect, the present invention provides an isolated polynucleotide comprising a plant nucleotide sequence that hybridizes under stringent conditions. 20 preferably high stringency conditions, to the complement of any one of SEO ID NOS:1-2703 (Table 1), including to a coding region thereof (SEO ID NOS:2704-5379), wherein expression of said coding region is altered in response to an abiotic stress. Additional aspects provide sequences that hybridize under high stringency conditions to the complements of SEQ ID NO 1-1261 (cold responsive 25 genes; Tables 3-6), SEQ ID NOS:2227-2427 (saline responsive genes; Tables 7-10), SEQ ID NOS:2428-2585 (osmotic responsive genes; Tables 11-14), SEQ ID NOS:1699-1969 (cold and osmotic responsive genes; Tables 15-17), SEQ ID NOS:1970-2226 (cold and saline responsive genes; Tables 18-20), SEQ ID NOS:2586-2703 (osmotic and saline responsive genes; Tables 21-23), and SEO ID 30 NOS:1262-1698(cold, osmotic and saline responsive genes; Tables 24-26), and which can comprise a coding region whose transcription is altered in response to cold stress. osmotic stress, saline stress, or a combination thereof. Also provided are nucleotide

5

sequences complementary thereto, and expression cassettes, plants and seeds comprising any of the above sequences.

5

10

15

20

25

30

The invention further relates to a method of producing a transgenic plant, which comprises at least one plant cell that exhibits altered responsiveness to a stress condition. In one embodiment, the method can be performed by introducing a polynucleotide portion of plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cell to a stress condition.

The polynucleotide portion of the plant stress-regulated gene can encode a stress-regulated polypeptide or functional peptide portion thereof (see SEQ ID NOS:1-2703), wherein expression of the stress-regulated polypeptide or functional peptide portion thereof either increases the stress tolerance of the transgenic plant, or decreases the stress tolerance of the transgenic plant. The polynucleotide portion of the plant stress-regulated gene encoding the stress-regulated polypeptide or functional peptide portion thereof can be operatively linked to a heterologous promoter. The polynucleotide portion of the plant stress-regulated gene also can comprise a stressregulated gene regulatory element (see SEQ ID NOS:2704-5379). The stressregulated gene regulatory element can integrate into the plant cell genome in a sitespecific manner, whereupon it can be operatively linked to a heterologous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element; or can be a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stressregulated gene to the stress condition.

In one aspect, the invention provides a method for producing a transgenic plant by introducing into at least one plant cell a recombinant nucleic acid construct comprising i) all or a portion of any one of SEQ ID NOS:1-5379; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to all or a portion of the complement of any one of SEQ ID NOS:1-2703; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to abiotic stress, and that hybridizes under conditions of

high stringency to the complement of any one of SEQ ID NOS:2704-5379; iv) a polynucleotide having at least 90% sequence identity with any one of SEQ ID NO:1-5379; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a nucleotide sequence that alters transcription of an operatively linked coding region in response to abiotic stress; and regenerating a plant from the at least one plant cell.

Another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:1-1261 or 2704-3955; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1-1261; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to cold stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2704-3955; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1-1261 or 2704-3955; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv) wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to cold stress; and regenerating a plant from the at least one plant cell.

In another aspect, the invention provides a method for producing a transgenic plant by introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:2428-2585 or 5108-5263; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2428-2585; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to osmotic stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:5108-5263; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:2428-2585 or 5108-5263; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the

sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to osmotic stress; and regenerating a plant from the at least one plant cell.

Still another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:2227-2427 or 4910-5107; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2227-2427; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2227-2427; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:4910-5107; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv) wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to saline stress; and regenerating a plant from the at least one plant cell.

Yet another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:1699-1969 or 4389-4654; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1699-1969; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of cold and osmotic stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:4389-4654; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1699-1969 or 4389-4654; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of cold and osmotic stress; and regenerating a plant from the at least one plant cell.

Yet another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:1970-2226 or 4655-4909; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1970-2226; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of cold and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:4655-4909; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1970-2226 or 4655-4909; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of cold and saline stress; and regenerating a plant from the at least one plant cell.

A further aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:2586-2703 or 5264-5379; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2586-2703; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of osmotic and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS: 5264-5379; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:2586-2703 or 5264-5379; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of osmotic and saline stress; and regenerating a plant from the at least one plant cell.

Another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct

9

comprising i) any one of SEQ ID NOS:1262-1698 or 3956-4388; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1262-1698; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of cold, osmotic and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:3956-4388; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1262-1698 or 3956-4388; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv) wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of cold, osmotic and saline stress; and regenerating a plant from the at least one plant cell. Further aspects include plants and uniform populations of plants made by the above methods as well as seeds and progeny from such plants.

5

10

15

20

25

30

In another embodiment, a transgene introduced into a plant cell according to a method of the invention can encode a polypeptide that regulates expression from an endogenous plant stress-regulated gene. Such a polypeptide can be, for example, a recombinantly produced polypeptide comprising a zinc finger domain, which is specific for the regulatory element, and an effector domain, which can be a repressor domain or an activator domain. The polynucleotide encoding the recombinant polypeptide can be operatively linked to and expressed from a constitutively active, inducible or tissue specific or phase specific regulatory element. Expression of the recombinant polypeptide from a plant stress-regulated promoter as disclosed herein can be particularly advantageous in that the polypeptide can be coordinately expressed with the endogenous plant stress-regulated genes upon exposure to a stress condition. The invention also provides transgenic plants produced by a method as disclosed, as well as to a plant cell obtained from such transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition; a seed produced by the transgenic plant; and a cDNA or genomic DNA library prepared from the transgenic plant, or from a plant cell from said transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition.

10

In one aspect, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence substantially similar to a sequence of any one of SEQ ID NOS:2704-5379, which can alter transcription of an operatively linked polynucleotide in a plant cell in response to an abiotic stress. Additional aspects of 5 the invention provide isolated polynucleotides, including, for example, sequences substantially similar to any of SEQ ID NOS:2704-3955, which can alter transcription of an operatively linked polynucleotide in response to a cold stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:5108-5263, which can alter transcription of an operatively linked polynucleotide 10 in response to an osmotic stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:4910-5107, which can alter transcription of an operatively linked polynucleotide in response to a saline stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:4389-4654, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold and osmotic stresses; isolated polynucleotides 15 substantially similar to a sequence of any of SEQ ID NOS:4655-4909, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold and saline stresses; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:5264-5379, which can alter transcription of an operatively linked 20 polynucleotide in response to a combination of osmotic and saline stresses; and isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:3956-4388, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold, osmotic and saline stresses.

Related aspects of the invention provide an isolated nucleotide sequences that can alter transcription of an operatively linked polynucleotide in response to an abiotic stress, and that hybridize under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:2704-5379. Additional aspects provide an isolated nucleotide sequence that can alter transcription of an operatively linked polynucleotide in response to cold stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:2704-3955; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to osmotic stress, and that

25

30

11

hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:5108-5263; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4910-5107; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold and osmotic stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4389-4654; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4655-4909; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to an combination of osmotic and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:5264-5379; and a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold, osmotic and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEO ID NOS:3956-4388.

5

10

15

20

25

30

Further aspects provide an expression cassette comprising as operatively linked components any of the above isolated nucleic acid sequences that alter transcription, a coding region, and a termination sequence. Also provided are host cells and seeds comprising such expression cassettes, plants containing such host cells and seeds and progeny of plants containing said host cells. In related aspects, the coding region of the expression cassettes comprise sequences encoding marker proteins and sequences involved in gene silencing such as antisense sequences, double stranded RNAi sequences, a triplexing agent, and sequences comprising dominant negative mutations. In additional related aspects, the coding regions comprise sequences encoding polypeptides that alter the response of a plant to an abiotic stress.

The present invention also relates to a method of modulating the responsiveness of a plant cell to a stress condition. Such a method can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated genes

5

10

15

20

25

30

12

described herein into the plant cell, thereby modulating the responsiveness of the plant cell to a stress condition. Such a method can result in the responsiveness of the plant cell being increased upon exposure to the stress condition, which, in turn, can result in increased or decreased tolerance of the plant cell to a stress condition; or can result in the responsiveness of the plant cell to the stress condition being decreased, which, in turn, can result in increased or decreased tolerance of the plant cell to a stress condition. In one embodiment, the polynucleotide portion of the plant stressregulated gene can integrate into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition. In another embodiment, the polynucleotide portion of the plant stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof, and can be operatively linked to a heterologous promoter. The polynucleotide portion of the plant stress-regulated gene also can contain a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts (knocks-out) an endogenous plant stress-regulated sequence. thereby modulating the responsiveness of the plant cell to the stress condition. Depending on whether the knocked-out gene encodes an adaptive or a maladaptive stress-regulated polypeptide, the responsiveness of the plant will be modulated accordingly. In still another embodiment, the polynucleotide portion of the plant stress-regulated gene can comprise a stress-regulated regulatory element, which can be operatively linked to a heterologous nucleotide sequence, the expression of which can modulate the responsiveness of the plant cell to a stress condition. Such a heterologous nucleotide sequence can encode, for example, a stress-inducible transcription factor such as DREB1A. The heterologous nucleotide sequence also can encode a polynucleotide that is specific for a plant stress-regulated gene, for example, an antisense molecule, an RNAi molecule, a ribozyme, and a triplexing agent, any of which, upon expression in the plant cell, reduces or inhibits expression of a stressregulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant cell to a stress condition, for example, an abnormal level of cold, osmotic pressure, and salinity. Accordingly, the invention also relates to a plant cell obtained by such a method, and to a plant comprising such a plant cell.

The present invention also relates to a method of expressing a heterologous nucleotide sequence in a plant cell. Such a method can be performed, for example, by

introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, whereby, upon exposure of the plant cell to a stress condition, the heterologous nucleotide sequence is expressed in the plant cell. In a preferred embodiment, the stress regulated element is any of the sequences described herein that are capable of altering transcription of an operatively linked sequence in response to an abiotic stress, for example, SEQ ID NOS:2704-5379. The heterologous nucleotide sequence can encode a selectable marker, a diagnostic marker, or a polypeptide that confers a desirable trait upon the plant cell, for example, a polypeptide that improves the nutritional value, digestibility or ornamental value of the plant cell, or a plant comprising the plant cell.

The present invention further relates to a method of modulating the activity of a biological pathway in a plant cell, wherein the pathway involves a stress-regulated polypeptide or a non-protein regulatory molecule. Such a method can be performed by introducing a polynucleotide portion of a plant stress-regulated gene, or a polynucleotide derived therefrom, for example a ribozyme derived from a nucleotide sequence as set forth in any of SEQ ID NOS:1-2703, into the plant cell, thereby modulating the activity of the biological pathway. The method can be performed with respect to a pathway involving any of the stress-regulated polypeptides as disclosed herein or encoded by the polynucleotides disclosed herein, as well as using homologs or orthologs thereof.

The present invention also relates to a method of identifying a polynucleotide that modulates a stress response in a plant cell. In one embodiment the method comprises determining gene expression in a plant exposed to at least one stress to produce an expression profile and identifying sequences whose expression is altered at least two fold compared to plants not exposed to the stress. Such an expression profile can be obtained, for example, by contacting an array of probes representative of a plant cell genome with nucleic acid molecules expressed in a plant cell exposed to the stress; and detecting one or more nucleic acid molecules expressed at a level different from a level of expression in the absence of the stress. The method can further comprise introducing the differentially expressed nucleic acid molecule into a plant cell; and detecting a modulated response of the genetically modified plant cell to a stress, thereby identifying a polynucleotide that modulates a stress response in a

14

plant cell. The stress can be any stress, for example, an abiotic stress such as exposure to an abnormal level of cold, osmotic pressure, and salinity. The contacting is under conditions that allow for selective hybridization of a nucleic acid molecule with probe having sufficient complementarity, for example, under stringent hybridization conditions. Expression of the nucleic acid molecule can increase or decrease the tolerance of the plant cell to the stress, and the nucleic acid molecule can be expressed at a level that is less than or greater than the level of expression in the absence of the stress.

5

The present invention additionally relates to a method of identifying a stress 10 condition to which a plant cell was exposed by comparing an expression profile from a test plant suspected of having been exposed to at least one stress condition to an expression profile obtained from a reference plant, preferably of the same species, which has been exposed to the suspected stress condition. Such a method can be performed, for example, by contacting nucleic acid molecules expressed in the test 15 plant cell with an array of probes representative of the plant cell genome; detecting a profile of expressed nucleic acid molecules characteristic of a stress response, and comparing the expression pattern in the test plant to the expression pattern obtained from a reference plant thereby identifying the stress condition to which the plant cell was exposed. The contacting is under conditions that allow for selective 20 hybridization of a nucleic acid molecule with probes having sufficient complementarity, for example, under stringent hybridization conditions. The profile can be characteristic of exposure to a single stress condition, for example, an abnormal level of cold, osmotic pressure, or salinity, or can be characteristic of exposure to more than one stress condition, for example, cold, increased osmotic pressure and increased salinity. In one embodiment, the nucleotide sequence of a 25 gene whose expression is detected is selected from a polynucleotide comprising any of SEQ ID NOS:1-2703. In further embodiments, the nucleotide sequence of a gene that is expressed in response a particular stress or combination of stresses can comprise a polynucleotide expressed in response to cold stress (SEQ ID NOS:1-1261), osmotic stress (SEQ ID NOS:2428-2585), saline (salt) stress (SEQ ID 30 NOS:2227-2427), a combination of cold and osmotic stress (SEQ ID NOS:1699-1969), a combination of saline and osmotic stress (SEQ ID NOS:1970-

15

2226), a combination of osmotic and saline stress (SEQ ID NOS:2586-2703), or a combination of cold, osmotic and saline stress (SEQ ID NOS:1262-1698).

5

10

15

20

25

30

The present invention further relates to a transgenic plant, which contains a nucleic acid construct comprising a polynucleotide portion of plant stress-regulated polynucleotide. In one embodiment, the transgenic plant exhibits altered responsiveness to a stress condition as compared to a corresponding reference plant not containing the construct. Such a transgenic plant can contain, for example, a construct that disrupts an endogenous stress-regulated gene in the plant, thereby reducing or inhibiting expression of the gene in response to a stress condition. Such a knock-out can increase or decrease tolerance of the plant to a stress condition. The transgene also can comprise a coding sequence of a plant stress-regulated gene, which can be operatively linked to a heterologous regulatory element such as a constitutively active regulatory element, an regulated regulatory element, a tissues specific or phase specific regulatory element, or the like. In another embodiment, the transgenic plant contains a nucleic acid construct comprising a plant stress-regulated regulatory element, which can be operatively linked to a heterologous nucleotide sequence that can encode a polypeptide. Expression of the heterologous polypeptide can confer a desirable characteristic on the plant, for example, can improve the nutritional or ornamental value of the transgenic plant. In still another embodiment, the transgenic plant contains multiple nucleic acid constructs, which can be multiple copies of the same construct, or can be two or more different constructs.

The present invention also relates to a plant stress-regulated regulatory element, which is obtained from a plant stress-regulated polynucleotide disclosed herein for example any of SEQ ID NOS:2704-5379; a homolog or ortholog thereof. The invention also provides a method of identifying an agent, for example a transcription factor, that specifically binds to or activates a plant stress-regulated regulatory element. Such a method can be performed, for example, by contacting the regulatory element with a plant cell extract, and identifying polypeptides that specifically bind to the regulatory element. Confirmation that the specifically binding polypeptide is a transcription factor can be demonstrated using, for example, the stress-regulated regulatory element operably linked to a reporter gene, and detecting expression of the reporter gene. Control constructs comprising a regulatory element, other than a plant stress-regulated regulatory element, operatively linked to a reporter molecule can be used to confirm

16

that the transcription factor is specific for the plant stress-regulated regulatory element. A polynucleotide encoding such a transcription factor also can be obtained.

. 5

10

15

The present invention also relates to a method of using a polynucleotide portion of a plant stress-regulated gene to confer a selective advantage on a plant cell. In one embodiment, such a method is performed by introducing a plant stressregulated regulatory element into a plant cell such as those described herein, wherein, upon exposure of the plant cell to a stress condition to which the regulatory element is responsive, a nucleotide sequence operatively linked to the regulatory element is expressed, thereby conferring a selective advantage to plant cell. The operatively linked nucleotide sequence can be, for example, a transcription factor, the expression of which induces the further expression of polynucleotides involved in a stress response, thereby enhancing the response of a plant to the stress condition. In another embodiment, a coding sequence of a plant stress-regulated gene as disclosed herein is introduced into the cell, thereby providing the plant with a selective advantage in response to a stress condition. In still another embodiment, the method results in the knock-out of a plant stress-regulated gene as disclosed herein in a first population of plants, thereby providing a selective advantage to a stress condition in a second population of plants.

The invention further relates to a method of identifying an agent that 20 modulates the activity of a stress-regulated regulatory element of a plant. In a particular embodiment, is provided a method for identifying an agent that alters the activity of an abiotic stress responsive regulatory element comprising contacting the agent or a composition containing an agent to be tested with at least one abiotic stress responsive regulatory element, preferably selected from the group consisting of SEQ 25 ID NOS:2704-5379 (see Table 2), and determining the effect of the agent on the ability of the regulatory sequence to regulate transcription. In further embodiments, the regulatory elements are associated with particular stresses or combination of stresses such as cold stress (SEQ ID NOS:2704-3955), osmotic stress (SEQ ID NOS:5108-5263), saline stress (SEQ ID NOS:4910-5107), a combination of cold and 30 osmotic stress (SEQ ID NOS:4389-4654), a combination of cold and saline stress (SEQ ID NOS:4655-4909), a combination of osmotic and saline stress (SEQ ID NOS:5264-5379), or a combination of cold, osmotic and saline stress (SEQ ID

17

NOS:3956-4388). In one embodiment, the regulatory element can be operatively linked to a heterologous polynucleotide encoding a reporter molecule, and an agent that modulates the activity of the stress-regulated regulatory element can be identified by detecting a change in expression of the reporter molecule due to contacting the regulatory element with the agent. Such a method can be performed *in vitro* in a plant cell-free system, or in a plant cell in culture or in a plant *in situ*. In another embodiment, the agent is contacted with a transgenic plant containing an introduced plant stress-regulated regulatory element, and an agent that modulates the activity of the regulatory element is identified by detecting a phenotypic change in the transgenic plant. The methods of the invention can be performed in the presence or absence of the stress condition to which the particularly regulatory element is responsive.

5

10

15

20

25

30

Another aspect provides a method for identifying an agent that alters abiotic stress responsive polynucleotide expression in a plant or plant cell comprising contacting a plant or plant cell with a test agent; subjecting the plant cell or plant cell to an abiotic stress or combination of stresses before, during or after contact with the agent to be tested; obtaining an expression profile of the plant or plant cell and comparing the expression profile of the plant or plant cell to an expression profile from a plant or plant cell not exposed to the abiotic stress or combination of stresses. In one embodiment, the expression profile comprises expression data for at least one nucleotide sequence comprising any of SEQ ID NOS:1-5379 (see Tables 1 and 2). In additional embodiments, the expression profile comprises expression data for at least one, and preferably two or more sequences associated with a particular abiotic stress or combination of stresses such as cold stress (SEQ ID NOS:1-1261 and 2704-3955), osmotic stress (SEQ ID NOS:2428-2585 and 5108-5263), saline stress (SEQ ID NOS:2227-2427 and 4910-5107), a combination of cold and osmotic stress (SEQ ID NOS:1699-1969 and 4389-4654), a combination of cold and saline stress (SEQ ID NOS:1970-2226 and 4655-4909), a combination of osmotic and saline stress (SEQ ID NOS:2586-2703 and 5264-5379), or a combination of cold, osmotic and saline stress (SEQ ID NOS:1262-1698 and 3956-4388).

Still another aspect provides nucleotide probes useful for detecting an abiotic stress response in plants, the probes comprising a nucleotide sequence of at least 15, 25, 50 or 100 nucleotides that hybridizes under stringent, preferably highly stringent,

18

conditions to at least one sequence comprising any of SEQ ID NOS:1-2703. Also provided are nucleotide probes comprising at least 15, 25, 50 or 100 nucleotides in length that hybridize under stringent, preferably highly stringent conditions, to at least one gene associated with a particular stress or combination of stresses, for example cold stress, (SEQ ID NOS:1-1261), osmotic stress (SEQ ID NOS:2428-2585), saline stress (SEQ ID NOS:2227-2427), a combination of cold and osmotic stress (SEQ ID NOS:1970-2226), a combination of osmotic and saline stress (SEQ ID NOS:1970-2226), a combination of cold, osmotic, and saline stress (SEQ ID NOS:1262-1698).

10

15

20

25

5

An additional aspect provides a method for marker-assisted breeding to select plants having an altered resistance to abiotic stress comprising obtaining nucleic acid molecules from the plants to be selected; contacting the nucleic acid molecules with one or more probes that selectively hybridize under stringent, preferably highly stringent, conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NOS:1-2703; detecting the hybridization of the one or more probes to the nucleic acid sequences wherein the presence of the hybridization indicates the presence of a gene associated with altered resistance to abiotic stress; and selecting plants on the basis of the presence or absence of such hybridization. Marker-assisted selection can also be accomplished using one or more probes which selectively hybridize under stringent, preferably highly stringent conditions, to a nucleotide sequence comprising a polynucleotide expressed in response associated with a particular stress, for example, a nucleotide sequence comprising any of SEQ ID NOS:1-1261 (cold stress), SEQ ID NOS:2428-2585 (osmotic stress), SEQ ID NOS:2227-2427 (saline stress), SEQ ID NOS:1699-1969 (cold and osmotic stress). SEQ ID NOS:1970-2226 (cold and saline stress), SEQ ID NOS:2586-2703 (osmotic and saline stress), or SEQ ID NOS:1262-1698 (cold, osmotic and saline stress). In each case marker-assisted selection can be accomplished using a probe or probes to a single sequence or multiple sequences. If multiple sequences are used they can be used simultaneously or sequentially.

30

A further aspect provides a method for monitoring a population of plants comprising providing at least one sentinel plant containing a recombinant polynucleotide comprising a stress responsive regulatory sequence selected from the

19

group consisting of SEQ ID NOS:2704-5379 which is operatively linked to a nucleotide sequence encoding a detectable marker, for example a fluorescent protein. Additional aspects provide the use of various regulatory sequences including those associated with cold stress (SEQ ID NOS:2704-3955), osmotic stress (SEQ ID NOS:5108-5263), saline stress (SEQ ID NOS:4910-5107), cold and osmotic stress (SEQ ID NOS:4389-4654), cold and saline stress (SEQ ID NOS:4655-4909), osmotic and saline stress (SEQ ID NOS:5264-5379), and cold, osmotic and saline stress (SEQ ID NOS:3956-4388), or fragments thereof wherein such fragments can alter transcription of an operatively linked nucleotide sequence in response to an abiotic 10 stress.

5

15

20

25

30

A further aspect provides a computer readable medium having stored thereon computer executable instructions for performing a method comprising receiving data on gene expression in a test plant of at least one nucleic acid molecule having at least 70%, preferably at least 80%, more preferably at least 90%, and most preferably at least 95% nucleotide sequence identity to one or more polynucleotide sequences as set forth in any of SEQ ID NOS:1-2703; and comparing expression data from the test plant to expression data for the same polynucleotide sequence or sequences in a plant that has been exposed to at least one abiotic stress.

Yet a further aspect provides a computer readable medium having stored thereon a data structure comprising, sequence data for at least one, and preferably a plurality of nucleic acid molecules having at least 70%, preferably at least 80%, more preferably at least 90%, and most preferably at least 95% nucleotide sequence identity to a polynucleotide comprising any of SEQ ID NOS:1-2703, or the complement thereof; and a module receiving the nucleic acid molecule sequence data which compares the nucleic acid molecule sequence data to at least one other nucleic acid sequence.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to clusters of genes that are induced in response to one or a combination of abiotic stress conditions. Abiotic stress conditions, such as a shortage or excess of solar energy, water and nutrients, and salinity, high and low temperature, or pollution (e.g., heavy metals), can have a major impact on plant growth and can significantly reduce the yield, for example, of cultivars. Under

conditions of abiotic stress, the growth of plant cells is inhibited by arresting the cell cycle in late G1, before DNA synthesis, or at the G2/M boundary (see Dudits, Plant Cell Division, Portland Press Research, Monograph; Francis, Dudits, and Inze, eds., 1997; chap. 2, page 21; Bergounioux, <u>Protoplasma</u> 142:127-136, 1988). The identification of stress-regulated gene clusters, using microarray technology, provides a means to identify plant stress-regulated genes.

As used herein, the term "cluster," when used in reference to stress-regulated genes, refers to nucleotide sequences of genes that have been selected by drawing Venn diagrams, and selecting those genes that are regulated only by a selected stress condition. In general, a cluster of stress-regulated genes includes at least 5, 10, 15, or 20 genes, including polynucleotide portions thereof, each of which is responsive to the same selected stress condition or conditions. The selected stress condition can be a single stress condition, for example, cold, osmotic stress or salinity stress (see Tables 3-14), or can be a selected combination of stress conditions, for example, cold, osmotic stress and salinity stress (see Tables 15-26). In addition, a cluster can be selected based on specifying that all of the genes are coordinately regulated, for example, they all start at a low level and are induced to a higher level. However, a cluster of saline stress-regulated genes, for example, that was selected for coordinate regulation from low to high, also can be decreased in response to cold or mannitol. By varying the parameters used for selecting a cluster of gene nucleotide sequences, those genes that are expressed in a specific manner following a stress can be identified.

As used herein in reference to a polynucleotide or polynucleotide portion of a gene or nucleic acid molecule, the term "isolated" means a polynucleotide, polynucleotide portion of a gene, or nucleic acid molecule that is free of one or both of the nucleotide sequences that normally flank the polynucleotide in a genome of a naturally-occurring organism from which the polynucleotide is derived. The term includes, for example, a polynucleotide or fragment thereof that is incorporated into a vector or expression cassette; into an autonomously replicating plasmid or virus; into the genomic DNA of a prokaryote or eukaryote; or that exists as a separate molecule independent of other polynucleotides. It also includes a recombinant polynucleotide that is part of a hybrid polynucleotide, for example, one encoding a polypeptide sequence.

5

10

15

20

25

30

21

The terms "polynucleotide," "oligonucleotide," and "nucleic acid sequence" are used interchangeably herein to refer to a polymeric (2 or more monomers) form of nucleotides of any length, either ribonucleotides or deoxyribonucleotides. Although nucleotides are usually joined by phosphodiester linkages, the term also includes polymers containing neutral amide backbone linkages composed of aminoethyl glycine units. The terms are used only to refer to the primary structure of the molecule. Thus, the term includes double stranded and single stranded DNA molecules, including a sense strand or an antisense strand, and RNA molecules as well as genomic DNA, cDNA, mRNA and the like. It will be recognized that such polynucleotides can be modified, for example, by including a label such as a radioactive, fluorescent or other tag, by methylation, by the inclusion of a cap structure, by containing a substitution of one or more of the naturally occurring nucleotides with a nucleotide analog, by containing an internucleotide modification such as having uncharged linkages (e.g., methyl phosphonates, phosphotriesters, phosphoramidates, carbamates, or the like), by containing a pendant moiety such as a protein (e.g., a nuclease, toxin, antibody, signal peptide, poly-L-lysine, or the like), by containing an intercalator such as acridine or psoralen, by containing a chelator, which can be a metal such as boron, an oxidative metal, or a radioactive metal, by containing an alkylator, or by having a modified linkage (e.g., an alpha anomeric nucleic acid).

The term "recombinant nucleic acid molecule" refers to a polynucleotide produced by human intervention. A recombinant nucleic acid molecule can contain two or more nucleotide sequences that are linked in a manner such that the product is not found in a cell in nature. In particular, the two or more nucleotide sequences can be operatively linked and, for example, can encode a fusion polypeptide, or can comprise a nucleotide sequence and a regulatory element. A recombinant nucleic acid molecule also can be based on, but different, from a naturally occurring polynucleotide, for example, a polynucleotide having one or more nucleotide changes such that a first codon, which normally is found in the polynucleotide, is replaced with a degenerate codon that encodes the same or a conservative amino acid, or such that a sequence of interest is introduced into the polynucleotide, for example, a

22

restriction endonuclease recognition site or a splice site, a promoter, a DNA replication initiation site, or the like.

5

10

15

20

25

30

As used herein, the term "abiotic stress" or "abiotic stress condition" refers to the exposure of a plant, plant cell, or the like, to a non-living ("abiotic") physical or chemical agent or condition that has an adverse effect on metabolism, growth, development, propagation and/or survival of the plant (collectively "growth"). An abiotic stress can be imposed on a plant due, for example, to an environmental factor such as water (e.g., flooding, drought, dehydration), anaerobic conditions (e.g., a low level of oxygen), abnormal osmotic conditions, salinity or temperature (e.g., hot/heat, cold, freezing, frost), a deficiency of nutrients or exposure to pollutants, or by a hormone, second messenger or other molecule. Anaerobic stress, for example, is due to a reduction in oxygen levels (hypoxia or anoxia) sufficient to produce a stress response. A flooding stress can be due to prolonged or transient immersion of a plant, plant part, tissue or isolated cell in a liquid medium such as occurs during monsoon, wet season, flash flooding or excessive irrigation of plants, or the like. A cold stress or heat stress can occur due to a decrease or increase, respectively, in the temperature from the optimum range of growth temperatures for a particular plant species. Such optimum growth temperature ranges are readily determined or known to those skilled in the art. Dehydration stress can be induced by the loss of water, reduced turgor, or reduced water content of a cell, tissue, organ or whole plant. Drought stress can be induced by or associated with the deprivation of water or reduced supply of water to a cell, tissue, organ or organism. Saline stress (salt stress) can be associated with or induced by a perturbation in the osmotic potential of the intracellular or extracellular environment of a cell. Osmotic stress also can be associated with or induced by a change, for example, in the concentration of molecules in the intracellular or extracellular environment of a plant cell, particularly where the molecules cannot be partitioned across the plant cell membrane.

As disclosed herein, clusters of plant stress-regulated genes (Example 1; see, also, Tables 1-31) and homologs and orthologs thereof (Table 32) have been identified. Remarkably, several of the stress-regulated genes previously were known to encode polypeptides having defined cellular functions, including roles as transcription factors, enzymes such as kinases, and structural proteins such as channel proteins (see

5

Tables 29-31). The identification of *Arabidopsis* stress-regulated genes provides a means to identify homologous and orthologous genes and gene sequences in other plant species using well known procedures and algorithms based on identity (or homology) to the disclosed sequences. Thus, the invention provides polynucleotide sequences comprising plant stress-regulated genes that are homologs or orthologs, variants, or otherwise substantially similar to the polynucleotides disclosed herein, and having an E value $\leq 1 \times 10^{-8}$, which can be identified, for example, by a BLASTN search using the *Arabidopsis* polynucleotides of Tables 1 and 2 (SEQ ID NOS:1-5379) as query sequences (see Table 32).

10 A polynucleotide sequence of a stress-regulated gene as disclosed herein can be particularly useful for performing the methods of the invention on a variety of plants, including but not limited to, corn (Zea mays), Brassica sp. (e.g., B. napus, B. rapa, B. juncea), particularly those Brassica species useful as sources of seed oil, alfalfa (Medicago sativa), rice (Oryza sativa), rye (Secale cereale), sorghum (Sorghum bicolor, Sorghum vulgare), millet (e.g., pearl millet (Pennisetum glaucum), 15 proso millet (Panicum miliaceum), foxtail millet (Setaria italica), finger millet (Eleusine coracana)), sunflower (Helianthus annuus), safflower (Carthamus tinctorius), wheat (Triticum aestivum), soybean (Glycine max), tobacco (Nicotiana tabacum), potato (Solanum tuberosum), peanuts (Arachis hypogaea), cotton 20 (Gossypium barbadense, Gossypium hirsutum), sweet potato (Ipomoea batatus), cassava (Manihot esculenta), coffee (Cofea spp.), coconut (Cocos nucifera), pineapple (Ananas comosus), citrus trees (Citrus spp.), cocoa (Theobroma cacao), tea (Camellia sinensis), banana (Musa spp.), avocado (Persea ultilane), fig (Ficus casica), guava (Psidium guajava), mango (Mangifera indica), olive (Olea europaea), papaya (Carica papaya), cashew (Anacardium occidentale), macadamia (Macadamia 25 integrifolia), almond (Prunus amygdalus), sugar beets (Beta vulgaris), sugarcane (Saccharum spp.), oats, duckweed (Lemna), barley, tomatoes (Lycopersicon esculentum), lettuce (e.g., Lactuca sativa), green beans (Phaseolus vulgaris), lima beans (Phaseolus limensis), peas (Lathyrus spp.), and members of the genus Cucumis such as cucumber (C. sativus), cantaloupe (C. cantalupensis), and musk melon 30 (C. melo). Ornamentals such as azalea (Rhododendron spp.), hydrangea (Macrophylla hydrangea), hibiscus (Hibiscus rosasanensis), roses (Rosa spp.), tulips (Tulipa spp.),

daffodils (Narcissus spp.), petunias (Petunia hybrida), carnation (Dianthus caryophyllus), poinsettia (Euphorbia pulcherrima), and chrysanthemum are also included. Additional ornamentals within the scope of the invention include impatiens, Begonia, Pelargonium, Viola, Cyclamen, Verbena, Vinca, Tagetes, Primula, Saint Paulia, Agertum, Amaranthus, Antihirrhinum, Aquilegia, Cineraria, Clover, Cosmo, Cowpea, Dahlia, Datura, Delphinium, Gerbera, Gladiolus, Gloxinia, Hippeastrum, Mesembryanthemum, Salpiglossos, and Zinnia. Conifers that may be employed in practicing the present invention include, for example, pines such as loblolly pine (Pinus taeda), slash pine (Pinus elliotii), ponderosa pine (Pinus ponderosa), lodgepole pine (Pinus contorta), and Monterey pine (Pinus radiata), Douglas-fir (Pseudotsuga menziesii); Western hemlock (Tsuga ultilane); Sitka spruce (Picea

5

10

15

20

25

30

(Pseudotsuga menziesii); Western hemlock (Tsuga ultilane); Sitka spruce (Picea glauca); redwood (Sequoia sempervirens); true firs such as silver fir (Abies amabilis) and balsam fir (Abies balsamea); and cedars such as Western red cedar (Thuja plicata) and Alaska yellow-cedar (Chamaecyparis nootkatensis).

Leguminous plants which may be used in the practice of the present invention include beans and peas. Beans include guar, locust bean, fenugreek, soybean, garden beans, cowpea, mung bean, lima bean, fava bean, lentils, chickpea, etc. Legumes include, but are not limited to, *Arachis*, e.g., peanuts, *Vicia*, e.g., crown vetch, hairy vetch, adzuki bean, mung bean, and chickpea, *Lupinus*, e.g., lupine, trifolium, *Phaseolus*, e.g., common bean and lima bean, *Pisum*, e.g., field bean, *Melilotus*, e.g., clover, *Medicago*, e.g., alfalfa, Lotus, e.g., trefoil, lens, e.g., lentil, and false indigo. Preferred forage and turf grass for use in the methods of the invention include alfalfa, orchard grass, tall fescue, perennial ryegrass, creeping bent grass, and redtop.

Other plants within the scope of the invention include *Acacia*, aneth, artichoke, arugula, blackberry, canola, cilantro, clementines, escarole, eucalyptus, fennel, grapefruit, honey dew, jicama, kiwifruit, lemon, lime, mushroom, nut, okra, orange, parsley, persimmon, plantain, pomegranate, poplar, radiata pine, radicchio, Southern pine, sweetgum, tangerine, triticale, vine, yams, apple, pear, quince, cherry, apricot, melon, hemp, buckwheat, grape, raspberry, chenopodium, blueberry, nectarine, peach, plum, strawberry, watermelon, eggplant, pepper, cauliflower, Brassica, e.g., broccoli, cabbage, ultilan sprouts, onion, carrot, leek, beet, broad bean,

25

celery, radish, pumpkin, endive, gourd, garlic, snapbean, spinach, squash, turnip, ultilane, chicory, groundnut and zucchini.

5

10

15

20

25

30

As used herein, the term "substantially similar", when used herein with respect to a nucleotide sequence, means a nucleotide sequence corresponding to a reference nucleotide sequence, wherein the corresponding sequence encodes a polypeptide or comprises a regulatory element having substantially the same structure and function as the polypeptide encoded by the reference nucleotide sequence, for example, where only changes in amino acids not affecting the polypeptide function occur. For purposes of the present invention, a reference (or query) sequence is a polynucleotide sequence as set forth in any of SEQ ID NOS:1-2703 or a polypeptide encoded thereby. Desirably, a substantially similar nucleotide sequence encodes the polypeptide encoded by the reference nucleotide sequence. The percentage of identity between the substantially similar nucleotide sequence and the reference nucleotide sequence desirably is at least 60%, more desirably at least 75%, preferably at least 90%, more preferably at least 95%, still more preferably at least 99% and including 100%. A nucleotide sequence is "substantially similar" to reference nucleotide sequence hybridizes to the reference nucleotide sequence in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 2X SSC, 0.1% SDS at 50°C, more desirably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 1X SSC, 0.1% SDS at 50°C (stringent conditions), more desirably still in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.5X SSC, 0.1% SDS at 50°C (high stringency), preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 50°C (very high stringency), more preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 65°C (extremely high stringency).

In addition, the term "substantially similar," when used in reference to a polypeptide sequence, means that an amino acid sequence relative to a reference (query) sequence shares at least about 65% amino acid sequence identity, particularly at least about 75% amino acid sequence identity, and preferably at least about 85%, more

26

preferably at least about 90%, and most preferably at least about 95% or greater amino acid sequence identity. Generally, sequences having an $E \leq 10^{-8}$ are considered to be substantially similar to a query sequence. Such sequence identity can take into account conservative amino acid changes that do not substantially affect the function of a polypeptide. As such, homologs or orthologs of the *Arabidopsis* stress-regulated nucleotide sequences disclosed herein, variants thereof, and polypeptides substantially similar to the polynucleotide sequence of *Arabidopsis* stress-regulated genes set forth in SEQ ID NOS:1-5379 are encompassed within the present invention and, therefore, useful for practicing the methods of the invention (see, for example, Table 32).

10

15

5

Homology or identity is often measured using sequence analysis software such as the Sequence Analysis Software Package of the Genetics Computer Group (University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705). Such software matches similar sequences by assigning degrees of homology to various deletions, substitutions and other modifications. The terms "homology" and "identity," when used herein in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or of nucleotides that are the same when compared and aligned for maximum correspondence over a comparison window or designated region as measured using any number of sequence comparison algorithms or by manual alignment and visual inspection.

20

25

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

30

The term "comparison window" is used broadly herein to include reference to a segment of any one of the number of contiguous positions, for example, about 20 to 600 positions, for example, amino acid or nucleotide position, usually about 50 to about 200 positions, more usually about 100 to about 150 positions, in which a sequence may be compared to a reference sequence of the same number of contiguous positions

27

after the two sequences are optimally aligned. Methods of alignment of sequence for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, for example, by the local homology algorithm of Smith and Waterman (Adv. Appl. Math. 2:482, 1981), by the homology alignment algorithm of 5 Needleman and Wunsch (J. Mol. Biol. 48:443, 1970), by the search for similarity method of Person and Lipman (Proc. Natl. Acad. Sci., USA 85:2444, 1988), each of which is incorporated herein by reference; by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI); or by manual 10 alignment and visual inspection. Other algorithms for determining homology or identity include, for example, in addition to a BLAST program (Basic Local Alignment Search Tool at the National Center for Biological Information), ALIGN, AMAS (Analysis of Multiply Aligned Sequences), AMPS (Protein Multiple Sequence Alignment), ASSET (Aligned Segment Statistical Evaluation Tool), BANDS, BESTSCOR, 15 BIOSCAN (Biological Sequence Comparative Analysis Node), BLIMPS (BLocks IMProved Searcher), FASTA, Intervals & Points, BMB, CLUSTAL V, CLUSTAL W, CONSENSUS, LCONSENSUS, WCONSENSUS, Smith-Waterman algorithm, DARWIN, Las Vegas algorithm, FNAT (Forced Nucleotide Alignment Tool). Framealign, Framesearch, DYNAMIC, FILTER, FSAP (Fristensky Sequence 20 Analysis Package), GAP (Global Alignment Program), GENAL, GIBBS, GenQuest, ISSC (Sensitive Sequence Comparison), LALIGN (Local Sequence Alignment), LCP (Local Content Program), MACAW (Multiple Alignment Construction & Analysis Workbench), MAP (Multiple Alignment Program), MBLKP, MBLKN, PIMA (Pattern-Induced Multi-sequence Alignment), SAGA (Sequence Alignment by 25 Genetic Algorithm) and WHAT-IF. Such alignment programs can also be used to screen genome databases to identify polynucleotide sequences having substantially

A number of genome databases are available for comparison. Several databases containing genomic information annotated with some functional information are maintained by different organizations, and are accessible via the internet, for example, at world wide web addresses (url's) "wwwtigr.org/tdb"; "genetics.wisc.edu";

identical sequences.

30

28

"genome-www.stanford.edu/~ball"; "hiv-web.lanl.gov"; "ncbi.nlm.nih.gov"; "ebi.ac.uk"; "Pasteur.fr/other/biology"; and "genome.wi.mit.edu".

5

10

15

20

25

30

In particular, the BLAST and BLAST 2.0 algorithms using default parameters are particularly useful for identifying polynucleotide and polypeptides encompassed within the present invention (Altschul et al. (Nucleic Acids Res. 25:3389-3402, 1977: J. Mol. Biol. 215:403-410, 1990, each of which is incorporated herein by reference). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra, 1977, 1990). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always >0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectations (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff and Henikoff, Proc. Natl. Acad. Sci., USA 89:10915, 1989) alignments (B) of 50, expectation (E) of 10, M=5, N=4, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, for example, Karlin and Altschul, <u>Proc. Natl. Acad. Sci.</u>, <u>USA</u> 90:5873, 1993, which is incorporated herein by reference). One measure of

similarity provided by BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a references sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Significantly, upon identifying polynucleotides that are substantially similar to those of SEQ ID NOS:1-5379, the identified polynucleotides can be used as query sequences in a BLAST search to identify polynucleotides and polypeptides substantially similar thereto.

5

10

15

20

25

It should be noted that the nucleotide sequences set forth as SEQ ID NOS:1-2703 comprise coding sequences, whereas the nucleotide sequences set forth as SEQ ID NOS:2704-5379 comprise regulatory sequences. In addition, the coding sequences and regulatory sequences are related in that, for example, SEQ ID NO:1 is the coding sequence of a plant cold regulated gene having a 5' upstream (regulatory) sequence set forth as SEQ ID NO:2704 (see Table 2). Similarly, SEQ ID NO:2705 comprises a regulatory region of SEQ ID NO:2, SEQ ID NO:2706 comprises a regulatory region of SEQ ID NO:3, and so forth as shown in Table 2. As such, reference herein, for example, to a "polynucleotide comprising SEQ ID NO:1" can, unless indicated otherwise, include at least SEQ ID NO:2704. In some cases, the entire coding region of a plant stress regulated gene or the 5' upstream sequence has not yet been determined (see, for example, SEQ ID NO:43 in Table 3, where "none" indicates that 5' upstream regulatory sequences have not yet been determined). However, the determination of a complete coding sequence where only a portion is known or of regulatory sequences where a portion of the coding sequence is known can be made using methods as disclosed herein or otherwise known in the art.

In one embodiment, protein and nucleic acid sequence homologies are evaluated using the Basic Local Alignment Search Tool ("BLAST"). In particular, five specific BLAST programs are used to perform the following task:

- (1) BLASTP and BLAST3 compare an amino acid query sequence against a
 30 protein sequence database;
 - (2) BLASTN compares a nucleotide query sequence against a nucleotide sequence database;

30

(3) BLASTX compares the six-frame conceptual translation products of a query nucleotide sequence (both strands) against a protein sequence database;

(4) TBLASTN compares a query protein sequence against a nucleotide sequence database translated in all six reading frames (both strands); and

5

10

15

20

25

30

(5) TBLASTX compares the six-frame translations of a nucleotide query sequence against the six-frame translations of a nucleotide sequence database.

The BLAST programs identify homologous sequences by identifying similar segments, which are referred to herein as "high-scoring segment pairs," between a query amino or nucleic acid sequence and a test sequence which is preferably obtained from a protein or nucleic acid sequence database. High-scoring segment pairs are preferably identified (*i.e.*, aligned) by means of a scoring matrix, many of which are known in the art. Preferably, the scoring matrix used is the BLOSUM62 matrix (Gonnet et al., Science 256:1443-1445, 1992; Henikoff and Henikoff, Proteins 17:49-61, 1993, each of which is incorporated herein by reference). Less preferably, the PAM or PAM250 matrices may also be used (Schwartz and Dayhoff, eds., "Matrices for Detecting Distance Relationships: Atlas of Protein Sequence and Structure" (Washington, National Biomedical Research Foundation 1978)). BLAST programs are accessible through the U.S. National Library of Medicine, for example, on the world wide web at address (url) "ncbi.nlm.nih.gov".

The parameters used with the above algorithms may be adapted depending on the sequence length and degree of homology studied. In some embodiments, the parameters may be the default parameters used by the algorithms in the absence of instructions from the user.

The term "substantially similar" also is used in reference to a comparison of expression profiles of nucleotide sequences, wherein a determination that an expression profile characteristic of a stress response is substantially similar to the profile of nucleic acid molecules expressed in a plant cell being examined ("test plant") is indicative of exposure of the test plant cell to one or a combination of abiotic stress conditions. When used in reference to such a comparison of expression profiles, the term "substantially similar" means that that the individual nucleotide sequences in the test plant cell profile are altered in the same manner as the corresponding nucleotide sequences in the expression profile characteristic of the stress response.

5

10

15

20

25

30

31

By way of example, where exposure to saline results in an increased expression of nucleotide sequences A, B and C, and a decreased expression of nucleotide sequences D and E, as indicated by the expression profile characteristic of a saline stress response, a determination that corresponding nucleotide sequences A, B and C in the test plant cell are increased and that nucleotides sequences D and E are decreased is indicative of exposure of the test plant cell to a saline stress condition. It should be recognized that, where, for example, only nucleotide sequences A, B, D and E are examined in the test plant cell, an increase in A and B and a decrease in D and E expression of the test plant cells is considered to be substantially similar to the expression profile characteristic of a saline stress condition and, therefore, is indicative of exposure of the plant cell to a saline stress condition. Similarly, where the levels of expression of the nucleotide sequences examined in a test plant are altered in the same manner, i.e., are increased or are decreased, as that observed in an expression profile characteristic of a particular stress response, the absolute levels of expression may vary, for example, two-fold, five-fold, ten-fold, or the like. Nevertheless, the expression profile of the test plant cell is considered to be substantially similar to the expression profile characteristic of the particular stress response and, therefore, indicative of exposure of the plant cell to the stress condition.

As disclosed herein, clusters of stress-regulated genes (and their products), some of which also have been described as having cellular functions such as enzymatic activity or roles as transcription factors, are involved in the response of plant cells to various abiotic stresses (see Tables 29-31; see, also, Tables 1 and 32). As such, the polynucleotide sequences comprising the genes in a cluster likely share common stress-regulated regulatory elements, including, for example, cold-regulated regulatory elements (SEQ ID NOS:2704-3955), salinity-regulated regulatory elements (SEQ ID NOS:4910-5107, and osmotic pressure-regulated regulatory elements (SEQ ID NO:5108-5263), as well as regulatory elements that are responsive to a combination of stress conditions, but not to any of the individual stress conditions, alone (SEQ ID NOS:3956-4909 and 5263-5379). The identification of such clusters of genes thus provides a means to identify the stress-regulated regulatory elements that control the level of expression of these genes.

32

As used herein, the term "plant stress-regulated gene" means a polynucleotide sequence of a plant, the transcription of which is altered in response to exposure to a stress condition, and the regulatory elements linked to such a polynucleotide sequence and involved in the stress response, which can be induction or repression. In general, plant stress gene regulatory elements are contained within a sequence including approximately two kilobases upstream (5') of the transcription or translation start site and two kilobases downstream (3') of the transcription or translation termination site. In the absence of an abiotic stress condition, the stress-regulated gene can normally be unexpressed in the cells, can be expressed at a basal level, which is induced to a higher level in response to the stress condition, or can be expressed at a level that is reduced (decreased) in response to the stress condition. The coding region of a plant stress-regulated gene encodes a stress-regulated polypeptide, and also can be the basis for expression of a functional RNA molecule such as an antisense molecule or ribozyme. A stress-regulated polypeptide can have an adaptive effect on a plant, thereby allowing the plant to better tolerate stress conditions; or can have a maladaptive effect, thereby decreasing the ability of the plant to tolerate the stress conditions.

5

10

15

20

25

30

The present invention provides an isolated plant stress-regulated regulatory element, which regulates expression of an operatively linked nucleotide sequence in a plant in response a stress condition. As disclosed herein, a plant stress-regulated regulatory element can be isolated from a polynucleotide sequence of a plant stress-regulated gene comprising a nucleotide sequence as set forth in SEQ ID NOS:1-2703, for example any of SEQ ID NOS:2704-5379 (see Table 2). It is recognized that certain of the polynucleotides set forth as SEQ ID NOS:1-5379 previously have been described as being involved in a stress-regulated response in plants, including SEQ ID NOS:156, 229, 233, 558, 573, 606, 625, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918, and 1928 and, therefore, are not encompassed, in whole or in part, within the compositions of the invention, and are encompassed within only certain particular methods of the invention, for example, methods of making a transgenic plant that is resistant to two or more stress conditions, since, even where such a gene was known to be expressed in response to a single stress condition such as cold or saline (e.g., SEQ ID NO:1263), it was not known

33

prior to the present disclosure that any of these genes was responsive to a combination of stress conditions (for example, a combination of cold and osmotic stress for SEQ ID NOS:1726, 1866, 1918, and 1928; or a combination of cold, osmotic and saline stress for SEQ ID NOS:1263,1386, 1391, 1405, 1445, 1484, 1589, 1609, and 1634).

5

10

15

20

25

30

Methods for identifying and isolating the stress-regulated regulatory element from the disclosed polynucleotides, or genomic DNA clones corresponding thereto, are well known in the art. For example, methods of making deletion constructs or linker-scanner constructs can be used to identify nucleotide sequences that are responsive to a stress condition. Generally, such constructs include a reporter gene operatively linked to the sequence to be examined for regulatory activity. By performing such assays, a plant stress-regulated regulatory element can be defined within a sequence of about 500 nucleotides or fewer, generally at least about 200 nucleotides or fewer, particularly about 50 to 100 nucleotides, and more particularly at least about 20 nucleotides or fewer. Preferably the minimal (core) sequence required for regulating a stress response of a plant is identified.

The nucleotide sequences of the genes of a cluster also can be examined using a homology search engine such as described herein to identify sequences of conserved identity, particularly in the nucleotide sequence upstream of the transcription start site. Since all of the genes in a cluster as disclosed are induced in response to a particular stress condition or a particular combination of stress conditions, some or all of the nucleotide sequences can share conserved stress-regulated regulatory elements. By performing such a homology search, putative stress-regulated regulatory elements can be identified. The ability of such identified sequences to function as a plant stress-regulated regulatory element can be confirmed, for example, by operatively linking the sequence to a reporter gene and assaying the construct for responsiveness to a stress condition.

As used herein, the term "regulatory element" means a nucleotide sequence that, when operatively linked to a coding region of a gene, effects transcription of the coding region such that a ribonucleic acid (RNA) molecule is transcribed from the coding region. A regulatory element generally can increase or decrease the amount of transcription of a nucleotide sequence, for example, a coding sequence, operatively linked to the element with respect to the level at which the nucleotide sequence would

be transcribed absent the regulatory element. Regulatory elements are well known in the art and include promoters, enhancers, silencers, inactivated silencer intron sequences, 3'-untranslated or 5'-untranslated sequences of transcribed sequence, for example, a poly-A signal sequence, or other protein or RNA stabilizing elements, or other gene expression control elements known to regulate gene expression or the amount of expression of a gene product. A regulatory element can be isolated from a naturally occurring genomic DNA sequence or can be synthetic, for example, a synthetic promoter.

Regulatory elements can be constitutively expressed regulatory element, which maintain gene expression at a relative level of activity (basal level), or can be regulated regulatory elements. Constitutively expressed regulatory elements can be expressed in any cell type, or can be tissue specific, which are expressed only in particular cell types, phase specific, which are expressed only during particular developmental or growth stages of a plant cell, or the like. A regulatory element such as a tissue specific or phase specific regulatory element or an inducible regulatory element useful in constructing a recombinant polynucleotide or in a practicing a method of the invention can be a regulatory element that generally, in nature, is found in a plant genome. However, the regulatory element also can be from an organism other than a plant, including, for example, from a plant virus, an animal virus, or a cell from an animal or other multicellular organism.

A regulatory element useful for practicing method of the present is a promoter element. Useful promoters include, but are not limited to, constitutive, inducible, temporally regulated, developmentally regulated, spatially-regulated, chemically regulated, stress-responsive, tissue-specific, viral and synthetic promoters. Promoter sequences are known to be strong or weak. A strong promoter provides for a high level of gene expression, whereas a weak promoter provides for a very low level of gene expression. An inducible promoter is a promoter that provides for the turning on and off of gene expression in response to an exogenously added agent, or to an environmental or developmental stimulus. A bacterial promoter such as the P_{tac} promoter can be induced to varying levels of gene expression depending on the level of isothiopropylgalactoside added to the transformed bacterial cells. An isolated promoter sequence that is a strong promoter for heterologous nucleic acid is

35

advantageous because it provides for a sufficient level of gene expression to allow for easy detection and selection of transformed cells and provides for a high level of gene expression when desired.

Within a plant promoter region there are several domains that are necessary for full function of the promoter. The first of these domains lies immediately upstream of the structural gene and forms the "core promoter region" containing consensus sequences, normally 70 base pairs immediately upstream of the gene. The core promoter region contains the characteristic CAAT and TATA boxes plus surrounding sequences, and represents a transcription initiation sequence that defines the transcription start point for the structural gene.

5

10

15

20

25

30

The presence of the core promoter region defines a sequence as being a promoter: if the region is absent, the promoter is non-functional. The core promoter region, however, is insufficient to provide full promoter activity. A series of regulatory sequences upstream of the core constitute the remainder of the promoter. These regulatory sequences determine expression level, the spatial and temporal pattern of expression and, for an important subset of promoters, expression under inductive conditions (regulation by external factors such as light, temperature, chemicals, hormones).

To define a minimal promoter region, a DNA segment representing the promoter region is removed from the 5' region of the gene of interest and operably linked to the coding sequence of a marker (reporter) gene by recombinant DNA techniques well known to the art. The reporter gene is operably linked downstream of the promoter, so that transcripts initiating at the promoter proceed through the reporter gene. Reporter genes generally encode proteins which are easily measured, including, but not limited to, chloramphenicol acetyl transferase (CAT), beta-glucuronidase (GUS), green fluorescent protein (GFP), 9-galactosidase (9-GAL), and luciferase.

The construct containing the reporter gene under the control of the promoter is then introduced into an appropriate cell type by transfection techniques well known to the art. To assay for the reporter protein, cell lysates are prepared and appropriate assays, which are well known in the art, for the reporter protein are performed. For example, if CAT were the reporter gene of choice, the lysates from cells transfected with constructs containing CAT under the control of a promoter under study are

36

mixed with isotopically labeled chloramphenicol and acetyl-coenzyme A (acetyl-CoA). The CAT enzyme transfers the acetyl group from acetyl-CoA to the 2-position or 3-position of chloramphenicol. The reaction is monitored by thin layer chromatography, which separates acetylated chloramphenicol from unreacted material. The reaction products are then visualized by autoradiography.

5

10

15

20

25

30

The level of enzyme activity corresponds to the amount of enzyme that was made, which in turn reveals the level of expression from the promoter of interest. This level of expression can be compared to other promoters to determine the relative strength of the promoter under study. In order to be sure that the level of expression is determined by the promoter, rather than by the stability of the mRNA, the level of the reporter mRNA can be measured directly, for example, by northern blot analysis. Once activity is detected, mutational and/or deletional analyses may be employed to determine the minimal region and/or sequences required to initiate transcription. Thus, sequences can be deleted at the 5' end of the promoter region and/or at the 3' end of the promoter region, and nucleotide substitutions introduced. These constructs are then introduced to cells and their activity determined.

The choice of promoter will vary depending on the temporal and spatial requirements for expression, and also depending on the target species. In some cases, expression in multiple tissues is desirable. While in others, tissue-specific, e.g., leaf-specific, seed-specific, petal-specific, anther-specific, or pith-specific, expression is desirable. Although many promoters from dicotyledons have been shown to be operational in monocotyledons and *vice versa*, ideally dicotyledonous promoters are selected for expression in dicotyledons, and monocotyledonous promoters for expression in monocotyledons. There is, however, no restriction to the origin or source of a selected promoter. It is sufficient that the promoters are operational in driving the expression of a desired nucleotide sequence in the particular cell.

A range of naturally-occurring promoters are known to be operative in plants and have been used to drive the expression of heterologous (both foreign and endogenous) genes and nucleotide sequences in plants: for example, the constitutive 35S cauliflower mosaic virus (CaMV) promoter, the ripening-enhanced tomato polygalacturonase promoter (Bird et al., 1988), the E8 promoter (Diekman and Fischer, 1988) and the fruit specific 2A1 promoter (Pear et al., 1989). Many other

promoters, e.g., U2 and U5 snRNA promoters from maize, the promoter from alcohol dehydrogenase, the Z4 promoter from a gene encoding the Z4 22 kD zein protein, the Z10 promoter from a gene encoding a 10 kD zein protein, a Z27 promoter from a gene encoding a 27 kD zein protein, the A20 promoter from the gene encoding a 19 kD zein protein, inducible promoters, such as the light inducible promoter derived from the pea rbcS gene and the actin promoter from rice, e.g., the actin 2 promoter (WO 00/70067); seed specific promoters, such as the phaseolin promoter from beans, may also be used. The nucleotide sequences of the stress-regulated genes of this invention can also be expressed under the regulation of promoters that are chemically regulated. This enables the nucleic acid sequence or encoded polypeptide to be synthesized only when the crop plants are treated with the inducing chemicals. Chemical induction of gene expression is detailed in EP 0 332 104 and U.S. Pat. 5,614,395.

5

10

15

25

30

In some instances it may be desirable to link a constitutive promoter to a polynucleotide comprising a stress regulated gene of the invention. Examples of some constitutive promoters include the rice actin 1 (Wang et al., 1992; U.S. Pat. No. 5,641,876), CaMV 35S (Odell et al., 1985), CaMV 19S (Lawton et al., 1987), nos, Adh, sucrose synthase; and the ubiquitin promoters.

In other situations it may be desirable to limit expression of stress-related 20 sequences to specific tissues or stages of development. As used herein, the term "tissue specific or phase specific regulatory element" means a nucleotide sequence that effects transcription in only one or a few cell types, or only during one or a few stages of the life cycle of a plant, for example, only for a period of time during a particular stage of growth, development or differentiation. The terms "tissue specific" and "phase specific" are used together herein in referring to a regulatory element because a single regulatory element can have characteristics of both types of regulatory elements. For example, a regulatory element active only during a particular stage of plant development also can be expressed only in one or a few types of cells in the plant during the particular stage of development. As such, any attempt to classify such regulatory elements as tissue specific or as phase specific can be difficult. Accordingly, unless indicated otherwise, all regulatory elements having the

characteristic of a tissue specific regulatory element, or a phase specific regulatory element, or both are considered together for purposes of the present invention.

5

10

15

20

25

30

Examples of tissue specific promoters which have been described include the lectin (Vodkin, 1983; Lindstrom et al., 1990) corn alcohol dehydrogenase 1 (Vogel et al., 1989; Dennis et al., 1984), corn light harvesting complex (Simpson, 1986; Bansal et al., 1992), corn heat shock protein (Odell et al., 1985), pea small subunit RuBP carboxylase (Poulsen et al., 1986), Ti plasmid mannopine synthase and Ti plasmid nopaline synthase (Langridge et al., 1989), petunia chalcone isomerase (vanTunen et al., 1988), bean glycine rich protein 1 (Keller et al., 1989), truncated CaMV 35s (Odell et al., 1985), potato patatin (Wenzler et al., 1989), root cell (Yamamoto et al., 1990), maize zein (Reina et al., 1990; Kriz et al., 1987; Wandelt et al., 1989; Langridge et al., 1983; Reina et al., 1990), globulin-1 (Belanger et al., 1991), α-tubulin, cab (Sullivan et al., 1989), PEPCase (Hudspeth & Grula, 1989), R gene complex-associated promoters (Chandler et al., 1989), histone, and chalcone synthase promoters (Franken et al., 1991). Tissue specific enhancers are described by Fromm et al. (1989).

Several other tissue-specific regulated genes and/or promoters have been reported in plants, including genes encoding seed storage proteins such as napin, cruciferin, beta-conglycinin, and phaseolin, zein or oil body proteins such as oleosin, genes involved in fatty acid biosynthesis, including acyl carrier protein, stearoyl-ACP desaturase, fatty acid desaturases (fad 2-1), and other genes expressed during embryonic development such as Bce4 (see, for example, EP 255378 and Kridl et al., 1991). Particularly useful for seed-specific expression is the pea vicilin promoter (Czako et al., 1992). (See also U.S. Pat. No. 5,625,136, which is incorporated herein by reference.) Other useful promoters for expression in mature leaves are those that are switched on at the onset of senescence, such as the SAG promoter from Arabidopsis (Gan et al., 1995).

A class of fruit-specific promoters expressed at or during antithesis through fruit development, at least until the beginning of ripening, is discussed in U.S. Pat. No. 4,943,674. cDNA clones that are preferentially expressed in cotton fiber have been isolated (John et al., 1992). cDNA clones from tomato displaying differential expression during fruit development have been isolated and characterized (Mansson et

WO 02/016655

5

10

15

20

25

30

39

PCT/US01/26685

al., 1985, Slater et al., 1985). The promoter for polygalacturonase gene is active in fruit ripening. The polygalacturonase gene is described in U.S. Pat. Nos. 4,535,060, 4,769,061, 4,801,590, and 5,107,065, each of which is incorporated herein by reference.

Other examples of tissue-specific promoters include those that direct expression in leaf cells following damage to the leaf (for example, from chewing insects), in tubers (for example, patatin gene promoter), and in fiber cells (an example of a developmentally-regulated fiber cell protein is E6 (John et al., 1992). The E6 gene is most active in fiber, although low levels of transcripts are found in leaf, ovule and flower.

Additional tissue specific or phase specific regulatory elements include, for example, the AGL8/FRUITFULL regulatory element, which is activated upon floral induction (Hempel et al., Development 124:3845-3853, 1997, which is incorporated herein by reference); root specific regulatory elements such as the regulatory elements from the RCP1 gene and the LRP1 gene (Tsugeki and Fedoroff, Proc. Natl. Acad., <u>USA</u> 96:12941-12946, 1999; Smith and Fedoroff, <u>Plant Cell</u> 7:735-745, 1995, each of which is incorporated herein by reference); flower specific regulatory elements such as the regulatory elements from the LEAFY gene and the APETELA1 gene (Blazquez et al., <u>Development 124:3835-3844</u>, 1997, which is incorporated herein by reference: Hempel et al., supra, 1997); seed specific regulatory elements such as the regulatory element from the oleosin gene (Plant et al., Plant Mol. Biol. 25:193-205, 1994, which is incorporated herein by reference), and dehiscence zone specific regulatory element. Additional tissue specific or phase specific regulatory elements include the Zn13 promoter, which is a pollen specific promoter (Hamilton et al., Plant Mol. Biol. 18:211-218, 1992, which is incorporated herein by reference); the UNUSUAL FLORAL ORGANS (UFO) promoter, which is active in apical shoot meristem; the promoter active in shoot meristems (Atanassova et al., Plant J. 2:291, 1992, which is incorporated herein by reference), the cdc2a promoter and cyc07 promoter (see, for example, Ito et al., Plant Mol. Biol. 24:863, 1994; Martinez et al., Proc. Natl. Acad. Sci., USA 89:7360, 1992; Medford et al., Plant Cell 3:359, 1991; Terada et al., Plant J. 3:241, 1993; Wissenbach et al., <u>Plant J.</u> 4:411, 1993, each of which is incorporated herein by reference); the promoter of the APETELA3 gene, which is active in floral

40

meristems (Jack et al., <u>Cell</u> 76:703, 1994, which is incorporated herein by reference; Hempel et al., *supra*, 1997); a promoter of an agamous-like (AGL) family member, for example, AGL8, which is active in shoot meristem upon the transition to flowering (Hempel et al., *supra*, 1997); floral abscission zone promoters; L1-specific promoters; and the like.

5

10

15

20

25

30

The tissue-specificity of some "tissue-specific" promoters may not be absolute and may be tested by one skilled in the art using the diphtheria toxin sequence. One can also achieve tissue-specific expression with "leaky" expression by a combination of different tissue-specific promoters (Beals et al., 1997). Other tissue-specific promoters can be isolated by one skilled in the art (see U.S. 5,589,379). Several inducible promoters ("gene switches") have been reported, many of which are described in the review by Gatz (1996) and Gatz (1997). These include tetracycline repressor system, *Lac* repressor system, copper inducible systems, salicylate inducible systems (such as the PR1a system), glucocorticoid (Aoyama et al., 1997) and ecdysone inducible systems. Also included are the benzene sulphonamide (U.S. Pat. No. 5,364,780) and alcohol (WO 97/06269 and WO 97/06268) inducible systems and glutathione S-transferase promoters.

In some instances it might be desirable to inhibit expression of a native DNA sequence within a plant's tissues to achieve a desired phenotype. In this case, such inhibition might be accomplished with transformation of the plant to comprise a constitutive, tissue-independent promoter operably linked to an antisense nucleotide sequence, such that constitutive expression of the antisense sequence produces an RNA transcript that interferes with translation of the mRNA of the native DNA sequence.

Inducible regulatory elements also are useful for purposes of the present invention. As used herein, the term "inducible regulatory element" means a regulatory element that, when exposed to an inducing agent, effects an increased level of transcription of a nucleotide sequence to which it is operatively linked as compared to the level of transcription, if any, in the absence of an inducing agent. Inducible regulatory elements can be those that have no basal or constitutive activity and only effect transcription upon exposure to an inducing agent, or those that effect a basal or constitutive level of transcription, which is increased upon exposure to an inducing

41

agent. Inducible regulatory elements that effect a basal or constitutive level of expression generally are useful in a method or composition of the invention where the induced level of transcription is substantially greater than the basal or constitutive level of expression, for example, at least about two-fold greater, or at least about five-fold greater. Particularly useful inducible regulatory elements do not have a basal or constitutive activity, or increase the level of transcription at least about ten-fold greater than a basal or constitutive level of transcription associated with the regulatory element.

5

10

15

20

25

30

Inducible promoters that have been described include the ABA- and turgor-inducible promoters, the promoter of the auxin-binding protein gene (Schwob et al., 1993), the UDP glucose flavonoid glycosyl-transferase gene promoter (Ralston et al., 1988), the MPI proteinase inhibitor promoter (Cordero et al., 1994), and the glyceraldehyde-3-phosphate dehydrogenase gene promoter (Kohler et al., 1995; Quigley et al., 1989; Martinez et al., 1989).

The term "inducing agent" is used to refer to a chemical, biological or physical agent or environmental condition that effects transcription from an inducible regulatory element. In response to exposure to an inducing agent, transcription from the inducible regulatory element generally is initiated *de novo* or is increased above a basal or constitutive level of expression. Such induction can be identified using the methods disclosed herein, including detecting an increased level of RNA transcribed from a nucleotide sequence operatively linked to the regulatory element, increased expression of a polypeptide encoded by the nucleotide sequence, or a phenotype conferred by expression of the encoded polypeptide.

An inducing agent useful in a method of the invention is selected based on the particular inducible regulatory element. For example, the inducible regulatory element can be a metallothionein regulatory element, a copper inducible regulatory element or a tetracycline inducible regulatory element, the transcription from which can be effected in response to metal ions, copper or tetracycline, respectively (Furst et al., Cell 55:705-717, 1988; Mett et al., Proc. Natl. Acad. Sci., USA 90:4567-4571, 1993; Gatz et al., Plant J. 2:397-404, 1992; Roder et al., Mol. Gen. Genet. 243:32-38, 1994, each of which is incorporated herein by reference). The inducible regulatory element also can be an ecdysone regulatory element or a glucocorticoid regulatory

42

element, the transcription from which can be effected in response to ecdysone or other steroid (Christopherson et al., Proc. Natl. Acad. Sci., USA 89:6314-6318, 1992; Schena et al., Proc. Natl. Acad. Sci., USA 88:10421-10425, 1991, each of which is incorporated herein by reference). In addition, the regulatory element can be a cold responsive regulatory element or a heat shock regulatory element, the transcription of which can be effected in response to exposure to cold or heat, respectively (Takahashi et al., Plant Physiol. 99:383-390, 1992, which is incorporated herein by reference). Additional regulatory elements useful in the methods or compositions of the invention include, for example, the spinach nitrite reductase gene regulatory element (Back et al., Plant Mol. Biol. 17:9, 1991, which is incorporated herein by reference); a light inducible regulatory element (Feinbaum et al., Mol. Gen. Genet. 226:449, 1991; Lam and Chua, Science 248:471, 1990, each of which is incorporated herein by reference), a plant hormone inducible regulatory element (Yamaguchi-Shinozaki et al., Plant Mol. Biol. 15:905, 1990; Kares et al., Plant Mol. Biol. 15:225, 1990, each of which is incorporated herein by reference), and the like.

5

10

15

20

25

30

An inducible regulatory element also can be a plant stress-regulated regulatory element of the invention. In addition to the known stress conditions that specifically induce or repress expression from such elements, the present invention provides methods of identifying agents that mimic a stress condition. Accordingly, such stress mimics are considered inducing or repressing agents with respect to a plant stressregulated regulatory element. In addition, a recombinant polypeptide comprising a zinc finger domain, which is specific for the regulatory element, and an effector domain, particularly an activator, can be useful as an inducing agent for a plant stressregulated regulatory element. Furthermore, such a recombinant polypeptide provides the advantage that the effector domain can be a repressor domain, thereby providing a repressing agent, which decreases expression from the regulatory element. In addition, use of such a method of modulating expression of an endogenous plant stress-regulated gene provides the advantage that the polynucleotide encoding the recombinant polypeptide can be introduced into cells of the plant, thus providing a transgenic plant that can be regulated coordinately with the endogenous plant stressregulated gene upon exposure to a stress condition. A polynucleotide encoding such a

43

recombinant polypeptide can be operatively linked to and expressed from a constitutively active, inducible or tissue specific or phase specific regulatory element.

5

10

15

20

25

30

In one embodiment, the promoter may be a gamma zein promoter, an oleosin ole16 promoter, a globulin I promoter, an actin I promoter, an actin cl promoter, a sucrose synthetase promoter, an INOPS promoter, an EXM5 promoter, a globulin2 promoter, a b-32, ADPG-pyrophosphorylase promoter, an LtpI promoter, an Ltp2 promoter, an oleosin ole 17 promoter, an oleosin ole 18 promoter, an actin 2 promoter. a pollen-specific protein promoter, a pollen-specific pectate lyase promoter, an antherspecific protein promoter (Huffman), an anther-specific gene RTS2 promoter, a pollen- specific gene promoter, a tapeturn-specific gene promoter, tapeturn- specific gene RAB24 promoter, a anthranilate synthase alpha subunit promoter, an alpha zein promoter, an anthranilate synthase beta subunit promoter, a dihydrodipicolinate synthase promoter, a Thi 1 promoter, an alcohol dehydrogenase promoter, a cab binding protein promoter, an H3C4 promoter, a RUBISCO SS starch branching enzyme promoter, an ACCase promoter, an actin3 promoter, an actin7 promoter, a regulatory protein GF14-12 promoter, a ribosomal protein L9 promoter, a cellulose biosynthetic enzyme promoter, an S-adenosyl-L-homocysteine hydrolase promoter, a superoxide dismutase promoter, a C-kinase receptor promoter, a phosphoglycerate mutase promoter, a root-specific RCc3 mRNA promoter, a glucose-6 phosphate isomerase promoter, a pyrophosphate-fructose 6-phosphatelphosphotransferase promoter, an ubiquitin promoter, a beta-ketoacyl-ACP synthase promoter, a 33 kDa photosystem 11 promoter, an oxygen evolving protein promoter, a 69 kDa vacuolar ATPase subunit promoter, a metallothionein-like protein promoter, a glyceraldehyde-3-phosphate dehydrogenase promoter, an ABA- and ripening- inducible-like protein promoter, a phenylalanine ammonia lyase promoter, an adenosine triphosphatase S-adenosyl-L-homocysteine hydrolase promoter, an a-tubulin promoter, a cab promoter, a PEPCase promoter, an R gene promoter, a lectin promoter, a light harvesting complex promoter, a heat shock protein promoter, a chalcone synthase promoter, a zein promoter, a globulin-1 promoter, an ABA promoter, an auxinbinding protein promoter, a UDP glucose flavonoid glycosyl-transferase gene promoter, an NTI promoter, an actin promoter, an opaque 2 promoter, a b70 promoter, an oleosin promoter, a CaMV 35S promoter, a CaMV 19S promoter, a histone

44

promoter, a turgor-inducible promoter, a pea small subunit RuBP carboxylase promoter, a Ti plasmid mannopine synthase promoter, Ti plasmid nopaline synthase promoter, a petunia chalcone isomerase promoter, a bean glycine rich protein I promoter, a CaMV 35S transcript promoter, a potato patatin promoter, or a S-E9 small subunit RuBP carboxylase promoter.

5

10

15

20

25

30

In addition to promoters, a variety of 5N and 3N transcriptional regulatory sequences are also available for use in the present invention. Transcriptional terminators are responsible for the termination of transcription and correct mRNA polyadenylation. The 3'-untranslated regulatory DNA sequence preferably includes from about 50 to about 1,000, more preferably about 100 to about 1,000, nucleotide base pairs and contains plant transcriptional and translational termination sequences. Appropriate transcriptional terminators and those which are known to function in plants include the CaMV 35S terminator, the tml terminator, the nopaline synthase terminator, the pea rbcS E9 terminator, the terminator for the T7 transcript from the octopine synthase gene of Agrobacterium tumefaciens, and the 3N end of the protease inhibitor I or II genes from potato or tomato, although other 3N elements known to those of skill in the art can also be employed. Alternatively, one also could use a gamma coixin, oleosin 3 or other terminator from the genus Coix. Preferred 3' elements include those from the nopaline synthase gene of Agrobacterium tumefaciens (Bevan et al., 1983), the terminator for the T7 transcript from the octopine synthase gene of Agrobacterium tumefaciens, and the 3' end of the protease inhibitor I or II genes from potato or tomato.

As the DNA sequence between the transcription initiation site and the start of the coding sequence, i.e., the untranslated leader sequence, can influence gene expression, one may also wish to employ a particular leader sequence. Preferred leader sequences are contemplated to include those that include sequences predicted to direct optimum expression of the attached sequence, i.e., to include a preferred consensus leader sequence that may increase or maintain mRNA stability and prevent inappropriate initiation of translation. The choice of such sequences will be known to those of skill in the art in light of the present disclosure. Sequences that are derived from genes that are highly expressed in plants will be most preferred.

45

Other sequences that have been found to enhance gene expression in transgenic plants include intron sequences (e.g., from *Adh1*, *bronze1*, *actin1*, *actin 2* (WO 00/760067), or the sucrose synthase intron) and viral leader sequences (e.g., from TMV, MCMV and AMV). For example, a number of non-translated leader sequences derived from viruses are known to enhance expression. Specifically, leader sequences from tobacco mosaic virus (TMV), maize chlorotic mottle virus (MCMV), and alfalfa mosaic virus (AMV) have been shown to be effective in enhancing expression (e.g., Gallie et al., 1987; Skuzeski et al., 1990). Other leaders known in the art include but are not limited to picornavirus leaders, for example, EMCV leader (encephalomyocarditis virus 5' non-coding region; Elroy-Stein et al., 1989); potyvirus leaders, for example, TEV leader (tobacco etch virus); MDMV leader (maize dwarf mosaic virus); human immunoglobulin heavy chain binding protein (BiP) leader, (Macejak et al., 1991); untranslated leader from the coat protein mRNA of AMV (AMV RNA 4; Jobling et al., 1987), TMV (Gallie et al., 1989), and MCMV (Lommel et al., 1991; see also, della Cioppa et al., 1987).

5

10

15

20

25

30

Regulatory elements such as Adh intron 1 (Callis et al., 1987), sucrose synthase intron (Vasil et al., 1989) or TMV omega element (Gallie, et al., 1989), may further be included where desired. Examples of enhancers include elements from the CaMV 35S promoter, octopine synthase genes (Ellis et al., 1987), the rice actin I gene, the maize alcohol dehydrogenase gene (Callis et al., 1987), the maize shrunken I gene (Vasil et al., 1989), TMV Omega element (Gallie et al., 1989) and promoters from non-plant eukaryotes (e.g. yeast; Ma et al., 1988).

Vectors for use in accordance with the present invention may be constructed to include the ocs enhancer element, which was first identified as a 16 bp palindromic enhancer from the octopine synthase (ocs) gene of ultilane (Ellis et al., 1987), and is present in at least 10 other promoters (Bouchez et al., 1989). The use of an enhancer element, such as the ocs element and particularly multiple copies of the element, will act to increase the level of transcription from adjacent promoters when applied in the context of monocot transformation.

The methods of the invention provide genetically modified plant cells, which can contain, for example, a coding region, or peptide portion thereof, of a plant stress-regulated gene operatively linked to a heterologous inducible regulatory element; or a

5

10

15

20

25

30

46

plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence encoding a polypeptide of interest. In such a plant, the expression from the inducible regulatory element can be effected by exposing the plant cells to an inducing agent in any of numerous ways depending, for example, on the inducible regulatory element and the inducing agent. For example, where the inducible regulatory element is a cold responsive regulatory element present in the cells of a transgenic plant, the plant can be exposed to cold conditions, which can be produced artificially, for example, by placing the plant in a thermostatically controlled room, or naturally, for example, by planting the plant in an environment characterized, at least in part, by attaining temperatures sufficient to induce transcription from the promoter but not so cold as to kill the plants. By examining the phenotype of such transgenic plants, those plants that ectopically express a gene product that confers increased resistance of the plant to cold can be identified. Similarly, a transgenic plant containing a metallothionein promoter can be exposed to metal ions such as cadmium or copper by watering the plants with a solution containing the inducing metal ions, or can be planted in soil that is contaminated with a level of such metal ions that is toxic to most plants. The phenotype of surviving plants can be observed, those expressing desirable traits can be selected.

As used herein, the term "phenotype" refers to a physically detectable characteristic. A phenotype can be identified visually by inspecting the physical appearance of a plant following exposure, for example, to increased osmotic conditions; can be identified using an assay to detecting a product produced due to expression of reporter gene, for example, an RNA molecule, a polypeptide such as an enzyme, or other detectable signal such as disclosed herein; or by using any appropriate tool useful for identifying a phenotype of a plant, for example, a microscope, a fluorescence activated cell sorter, or the like.

A transgenic plant containing an inducible regulatory element such as a steroid inducible regulatory element can be exposed to a steroid by watering the plants with a solution containing the steroid. The use of an inducible regulatory element that is induced upon exposure to a chemical or biological inducing agent that can be placed in solution or suspension in an aqueous medium can be particularly useful because the inducing agent can be applied conveniently to a relatively large crop of transgenic

47

plants containing the inducible regulatory element, for example, through a watering system or by spraying the inducing agent over the field. As such, inducible regulatory elements that are responsive to an environmental inducing agent, for example, cold; heat; metal ions or other potentially toxic agents such as a pesticides, which can contaminate a soil; or the like; or inducible regulatory elements that are regulated by inducing agents that conveniently can be applied to plants, can be particularly useful in a method or composition of the invention, and allow the identification and selection of plants that express desirable traits and survive and grow in environments that otherwise would not support growth of the plants.

As disclosed herein, the present invention provides plant stress-regulated regulatory elements, which are identified based on the expression of clusters of plant genes in response to stress. As used herein, the term "stress-regulated regulatory element of a plant" or "plant stress-regulated regulatory element" means a nucleotide sequence of a plant genome that can respond to a stress such that expression of a gene product encoded by a gene comprising the regulatory element (a stress-inducible gene) is increased above or decreased below the level of expression of the gene product in the absence of the stress condition. The regulatory element can be any gene regulatory element, including, for example, a promoter, an enhancer, a silencer, or the like. In one embodiment, the plant stress-regulated regulatory element is a plant stress-regulated promoter.

10

15

20

25

30

For purposes of modulating the responsiveness of a plant to a stress condition, it can be useful to introduce a modified plant stress-regulated regulatory element into a plant. Such a modified regulatory element can have any desirable characteristic, for example, it can be inducible to a greater level than the corresponding wild-type promoter, or it can be inactivated such that, upon exposure to a stress, there is little or no induction of expression of a nucleotide sequence operatively linked to the mutant element. A plant stress-regulated regulatory element can be modified by incorporating random mutations using, for example, *in vitro* recombination or DNA shuffling (Stemmer et al., Nature 370: 389-391, 1994; U.S. Pat. No. 5,605,793, each of which is incorporated herein by reference). Using such a method, millions of mutant copies of the polynucleotide, for example, stress-regulated regulatory element,

48

can be produced based on the original nucleotide sequence, and variants with improved properties, such as increased inducibility can be recovered.

5

10

15

20

25

30

A mutation method such as DNA shuffling encompasses forming a mutagenized double-stranded polynucleotide from a template double-stranded polynucleotide, wherein the template double-stranded polynucleotide has been cleaved into double stranded random fragments of a desired size, and comprises the steps of adding to the resultant population of double-stranded random fragments one or more single or double stranded oligonucleotides, wherein the oligonucleotides comprise an area of identity and an area of heterology to the double stranded template polynucleotide; denaturing the resultant mixture of double stranded random fragments and oligonucleotides into single stranded fragments; incubating the resultant population of single stranded fragments with a polymerase under conditions that result in the annealing of the single stranded fragments at the areas of identity to form pairs of annealed fragments, the areas of identity being sufficient for one member of a pair to prime replication of the other, thereby forming a mutagenized double-stranded polynucleotide; and repeating the second and third steps for at least two further cycles, wherein the resultant mixture in the second step of a further cycle includes the mutagenized double-stranded polynucleotide from the third step of the previous cycle, and the further cycle forms a further mutagenized double-stranded polynucleotide. Preferably, the concentration of a single species of double stranded random fragment in the population of double stranded random fragments is less than 1% by weight of the total DNA. In addition, the template double stranded polynucleotide can comprise at least about 100 species of polynucleotides. The size of the double stranded random fragments can be from about 5 base pairs to 5 kilobase pairs. In a further embodiment, the fourth step of the method comprises repeating the second and the third steps for at least 10 cycles.

A plant stress-regulated regulatory element of the invention is useful for expressing a nucleotide sequence operatively linked to the element in a cell, particularly a plant cell. As used herein, the term "expression" refers to the transcription and/or translation of an endogenous gene or a transgene in plants. In the case of an antisense molecule, for example, the term "expression" refers to the transcription of the polynucleotide encoding the antisense molecule.

49

As used herein, the term "operatively linked," when used in reference to a plant stress-regulated regulatory element, means that the regulatory element is positioned with respect to a second nucleotide sequence such that the regulatory element effects transcription or transcription and translation of the nucleotide sequence in substantially the same manner, but not necessarily to the same extent, as it does when the regulatory element is present in its natural position in a genome. Transcriptional promoters, for example, generally act in a position and orientation dependent manner and usually are positioned at or within about five nucleotides to about fifty nucleotides 5' (upstream) of the start site of transcription of a gene in nature. In comparison, enhancers and silencers can act in a relatively position or orientation independent manner and, therefore, can be positioned several hundred or thousand nucleotides upstream or downstream from a transcription start site, or in an intron within the coding region of a gene, yet still be operatively linked to a coding region so as to effect transcription.

15

20

25

30

10

5

The second nucleotide sequence, i.e., the sequence operatively linked to the plant stress-regulated regulatory element, can be any nucleotide sequence, including, for example, a coding region of a gene or cDNA; a sequence encoding an antisense molecule, an RNAi molecule, ribozyme, triplexing agent (see, for example, Frank-Kamenetskii and Mirkin, Ann. Rev. Biochem. 64:65-95, 1995), or the like; or a sequence that, when transcribed, can be detected in the cell using, for example, by hybridization or amplification, or when translated produces a detectable signal. The term "coding region" is used broadly herein to include a nucleotide sequence of a genomic DNA or a cDNA molecule comprising all or part of a coding region of the coding strand. A coding region can be transcribed from an operatively linked regulatory element, and can be translated into a full length polypeptide or a peptide portion of a polypeptide. It should be recognized that, in a nucleotide sequence comprising a coding region, not all of the nucleotides in the sequence need necessarily encode the polypeptide and, particularly, that a gene transcript can contain one or more introns, which do not encode an amino acid sequence of a polypeptide but, nevertheless, are part of the coding region, particularly the coding strand, of the gene.

The present invention also relates to a recombinant polynucleotide, which contains a polynucleotide portion of a plant stress-regulated gene operatively linked to

50

a heterologous nucleotide sequence. As used herein, the term "polynucleotide portion of plant stress-regulated sequence" means a contiguous nucleotide sequence of the plant stress-regulated gene that provides a function. The portion can be any portion of the sequence, particularly a coding sequence, or a sequence encoding a peptide portion of the stress-regulated polypeptide; the stress-regulated regulatory element; a sequence useful as an antisense molecule or triplexing agent; or a sequence useful for disrupting (knocking-out) an endogenous plant stress-regulated gene.

5

10

15

20

25

30

A heterologous nucleotide sequence is a nucleotide sequence that is not normally part of the plant stress-regulated gene from which the polynucleotide portion of the plant stress-regulated gene-component of the recombinant polynucleotide is obtained; or, if it is a part of the plant stress-regulated gene from which the polynucleotide portion is obtained, it is an orientation other than it would normally be in, for example, is an antisense sequence, or comprises at least partially discontinuous as compared to the genomic structure, for example, a single exon operatively linked to the regulatory element. In general, where the polynucleotide portion of the plant stress-regulated gene comprises the coding sequence in a recombinant polynucleotide of the invention, the heterologous nucleotide sequence will function as a regulatory element. The regulatory element can be any heterologous regulatory element. including, for example, a constitutively active regulatory element, an inducible regulatory element, or a tissue specific or phase specific regulatory element, as disclosed above. Conversely, where the polynucleotide portion of the plant stressregulated polynucleotide comprises the stress-regulated regulatory element of a recombinant polynucleotide of the invention, the heterologous nucleotide sequence generally will be a nucleotide sequence that can be transcribed and, if desired, translated. Where the heterologous nucleotide sequence is expressed from a plant stress-regulated regulatory element, it generally confers a desirable phenotype to a plant cell containing the recombinant polynucleotide, or provides a means to identify a plant cell containing the recombinant polynucleotide. It should be recognized that a "desirable" phenotype can be one that decreases the ability of a plant cell to compete where the plant cell, or a plant containing the cell, is an undesired plant cell. Thus, a heterologous nucleotide sequence can allow a plant to grow, for example, under conditions in which it would not normally be able to grow.

51

A heterologous nucleotide sequence can be, or encode, a selectable marker. As used herein, the term "selectable marker" is used herein to refer to a molecule that, when present or expressed in a plant cell, provides a means to identify a plant cell containing the marker. As such, a selectable marker can provide a means for screening a population of plants, or plant cells, to identify those having the marker. A selectable marker also can confer a selective advantage to the plant cell, or a plant containing the cell. The selective advantage can be, for example, the ability to grow in the presence of a negative selective agent such as an antibiotic or herbicide, compared to the growth of plant cells that do not contain the selectable marker. The selective advantage also can be due, for example, to an enhanced or novel capacity to utilize an added compound as a nutrient, growth factor or energy source. A selectable advantage can be conferred, for example, by a single polynucleotide, or its expression product, or to a combination of polynucleotides whose expression in a plant cell gives the cell with a positive selective advantage, a negative selective advantage, or both.

5

10

15 Examples of selectable markers include those that confer antimetabolite resistance, for example, dihydrofolate reductase, which confers resistance to methotrexate (Reiss, Plant Physiol. (Life Sci. Adv.) 13:143-149, 1994); neomycin phosphotransferase, which confers resistance to the aminoglycosides neomycin, kanamycin and paromycin (Herrera-Estrella, EMBO J. 2:987-995, 1983) and hygro, which confers resistance to hygromycin (Marsh, Gene 32:481-485, 1984), trpB, which 20 allows cells to utilize indole in place of tryptophan; hisD, which allows cells to utilize histinol in place of histidine (Hartman, Proc. Natl. Acad. Sci., USA 85:8047, 1988); mannose-6-phosphate isomerase which allows cells to utilize mannose (WO 94/20627); ornithine decarboxylase, which confers resistance to the ornithine decarboxylase inhibitor, 2-(difluoromethyl)-DL-ornithine (DFMO; McConlogue, 25 1987, In: Current Communications in Molecular Biology, Cold Spring Harbor Laboratory ed.); and deaminase from Aspergillus terreus, which confers resistance to Blasticidin S (Tamura, Biosci. Biotechnol. Biochem. 59:2336-2338, 1995). Additional selectable markers include those that confer herbicide resistance, for 30 example, phosphinothricin acetyltransferase gene, which confers resistance to phosphinothricin (White et al., Nucl. Acids Res. 18:1062, 1990; Spencer et al., Theor. Appl. Genet. 79:625-631, 1990), a mutant EPSPV-synthase, which confers glyphosate

resistance (Hinchee et al., <u>Bio/Technology</u> 91:915-922, 1998), a mutant acetolactate synthase, which confers imidazolione or sulfonylurea resistance (Lee et al., <u>EMBO J.</u> 7:1241-1248, 1988), a mutant psbA, which confers resistance to atrazine (Smeda et al., <u>Plant Physiol.</u> 103:911-917, 1993), or a mutant protoporphyrinogen oxidase (see U.S. Pat. No. 5,767,373), or other markers conferring resistance to an herbicide such as glufosinate. In addition, markers that facilitate identification of a plant cell containing the polynucleotide encoding the marker include, for example, luciferase (Giacomin, <u>Plant Sci.</u> 116:59-72, 1996; Scikantha, <u>J. Bacteriol.</u> 178:121, 1996), green fluorescent protein (Gerdes, <u>FEBS Lett.</u> 389:44-47, 1996) or fl-glucuronidase (Jefferson, <u>EMBO J.</u> 6:3901-3907, 1997), and numerous others as disclosed herein or otherwise known in the art. Such markers also can be used as reporter molecules.

A heterologous nucleotide sequence can encode an antisense molecule, particularly an antisense molecule specific for a nucleotide sequence of a plant stress-regulated gene, for example, the gene from which the regulatory component of the recombinant polynucleotide is derived. Such a recombinant polynucleotide can be useful for reducing the expression of a plant stress-regulated polypeptide in response to a stress condition because the antisense molecule, like the polypeptide, only will be induced upon exposure to the stress. A heterologous nucleotide sequence also can be, or can encode, a ribozyme or a triplexing agent. In addition to being useful as heterologous nucleotide sequences, such molecules also can be used directly in a method of the invention, for example, to modulate the responsiveness of a plant cell to a stress condition. Thus, an antisense molecule, ribozyme, or triplexing agent can be contacted directly with a target cell and, upon uptake by the cell, can effect their antisense, ribozyme or triplexing activity; or can be encoded by a heterologous nucleotide sequence that is expressed in a plant cell from a plant stress-regulated regulatory element, whereupon it can effect its activity.

An antisense polynucleotide, ribozyme or triplexing agent is complementary to a target sequence, which can be a DNA or RNA sequence, for example, messenger RNA, and can be a coding sequence, a nucleotide sequence comprising an intron-exon junction, a regulatory sequence such as a Shine-Delgarno-like sequence, or the like. The degree of complementarity is such that the polynucleotide, for example, an antisense polynucleotide, can interact specifically with the target sequence in a cell.

53

Depending on the total length of the antisense or other polynucleotide, one or a few mismatches with respect to the target sequence can be tolerated without losing the specificity of the polynucleotide for its target sequence. Thus, few if any mismatches would be tolerated in an antisense molecule consisting, for example, of twenty nucleotides, whereas several mismatches will not affect the hybridization efficiency of an antisense molecule that is complementary, for example, to the full length of a target mRNA encoding a cellular polypeptide. The number of mismatches that can be tolerated can be estimated, for example, using well known formulas for determining hybridization kinetics (see Sambrook et al., "Molecular Cloning; A Laboratory Manual" 2nd Edition (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY; 1989)) or can be determined empirically using methods as disclosed herein or otherwise known in the art, particularly by determining that the presence of the antisense polynucleotide, ribozyme, or triplexing agent in a cell decreases the level of the target sequence or the expression of a polypeptide encoded by the target sequence in the cell.

5

10

15

20

25

30

A nucleotide sequence useful as an antisense molecule, a ribozyme or a triplexing agent can inhibit translation or cleave a polynucleotide encoded by plant stress-regulated gene, thereby modulating the responsiveness of a plant cell to a stress condition. An antisense molecule, for example, can bind to an mRNA to form a double stranded molecule that cannot be translated in a cell. Antisense oligonucleotides of at least about 15 to 25 nucleotides are preferred since they are easily synthesized and can hybridize specifically with a target sequence, although longer antisense molecules can be expressed from a recombinant polynucleotide introduced into the target cell. Specific nucleotide sequences useful as antisense molecules can be identified using well known methods, for example, gene walking methods (see, for example, Seimiya et al., J. Biol. Chem. 272:4631-4636 (1997), which is incorporated herein by reference). Where the antisense molecule is contacted directly with a target cell, it can be operatively associated with a chemically reactive group such as iron-linked EDTA, which cleaves a target RNA at the site of hybridization. A triplexing agent, in comparison, can stall transcription (Maher et al., Antisense Res. Devel. 1:227 (1991); Helene, Anticancer Drug Design 6:569 (1991).

54

A plant stress-regulated regulatory element can be included in an expression cassette. As used herein, the term "expression cassette" refers to a nucleotide sequence that can direct expression of an operatively linked polynucleotide. Thus, a plant stress-regulated regulatory element can constitute an expression cassette, or component thereof. An expression cassette is particularly useful for directing expression of a nucleotide sequence, which can be an endogenous nucleotide sequence or a heterologous nucleotide sequence, in a cell, particularly a plant cell. If desired, an expression cassette also can contain additional regulatory elements, for example, nucleotide sequences required for proper translation of a polynucleotide sequence into a polypeptide. In general, an expression cassette can be introduced into a plant cell such that the plant cell, a plant resulting from the plant cell, seeds obtained from such a plant, or plants produced from such seeds are resistant to a stress condition.

5

10

15

20

25

30

Additional regulatory sequences as disclosed above or other desirable sequences such as selectable markers or the like can be incorporated into an expression cassette containing a plant stress-regulated regulatory element (see, for example, WO 99/47552). Examples of suitable markers include dihydrofolate reductase (DHFR) or neomycin resistance for eukaryotic cells and tetracycline or ampicillin resistance for E. coli. Selection markers in plants include bleomycin, gentamycin, glyphosate, hygromycin, kanamycin, methotrexate, phleomycin, phosphinotricin, spectinomycin, streptomycin, sulfonamide and sulfonylureas resistance (see, for example, Maliga et al., Methods in Plant Molecular Biology, Cold Spring Harbor Laboratory Press, 1995, page 39). The selection marker can have its own promoter or its expression can be driven by the promoter operably linked to the sequence of interest. Additional sequences such as intron sequences (e.g. from Adh1 or bronze1) or viral leader sequences (e.g. from TMV, MCMV and AIVIV), all of which can enhance expression, can be included in the cassette. In addition, where it is desirable to target expression of a nucleotide sequence operatively linked to the stressregulated regulatory element, a sequence encoding a cellular localization motif can be included in the cassette, for example, such that an encoded transcript or translation product is translocated to and localizes in the cytosol, nucleus, a chloroplast, or another subcellular organelle. Examples of useful transit peptides and transit peptide

55

sequences can be found in Von Heijne et al., Plant Mol. Biol. Rep. 9: 104, 1991;
Clark et al., J. Biol. Chem. 264:17544, 1989; della Cioppa et al., Plant Physiol.
84:965, 1987; Romer et al., Biochem. Biophys. Res. Comm. 196:1414, 1993; Shah et al., Science 233:478, 1986; Archer et al., J. Bioenerg Biomemb. 22:789, 1990;

Scandalios, Prog. Clin. Biol. Res. 344:515, 1990; Weisbeek et al., J. Cell Sci. Suppl. 11:199, 1989; Bruce, Trends Cell Biol. 10:440, 2000. The present invention can utilize native or heterologous transit peptides. The encoding sequence for a transit peptide can include all or a portion of the encoding sequence for a particular transit peptide, and may also contain portions of the mature protein encoding sequence
10 associated with a particular transit peptide.

A polynucleotide portion of a plant stress-regulated plant gene, or an expression cassette, can be introduced into a cell as a naked DNA molecule, can be incorporated in a matrix such as a liposome or a particle such as a viral particle, or can be incorporated into a vector. Such vectors can be cloning or expression vectors, but other uses are within the scope of the present invention. A cloning vector is a selfreplicating DNA molecule that serves to transfer a DNA segment into a host cell. The three most common types of cloning vectors are bacterial plasmids, phages, and other viruses. An expression vector is a cloning vector designed so that a coding sequence inserted at a particular site will be transcribed and translated into a protein. Incorporation of the polynucleotide into a vector can facilitate manipulation of the polynucleotide, or introduction of the polynucleotide into a plant cell. A vector can be derived from a plasmid or a viral vector such as a T-DNA vector (Horsch et al., Science 227:1229-1231, 1985, which is incorporated herein by reference). If desired, the vector can comprise components of a plant transposable element, for example, a Ds transposon (Bancroft and Dean, Genetics 134:1221-1229, 1993, which is incorporated herein by reference) or an Spm transposon (Aarts et al., Mol. Gen. Genet. 247:555-564, 1995, which is incorporated herein by reference).

15

20

25

30

In addition to containing the polynucleotide portion of a plant stress-regulated gene, a vector can contain various nucleotide sequences that facilitate, for example, rescue of the vector from a transformed plant cell; passage of the vector in a host cell, which can be a plant, animal, bacterial, or insect host cell; or expression of an encoding nucleotide sequence in the vector, including all or a portion of a rescued

coding region. As such, the vector can contain any of a number of additional transcription and translation elements, including constitutive and inducible promoters, enhancers, and the like (see, for example, Bitter et al., Meth. Enzymol. 153:516-544, 1987). For example, a vector can contain elements useful for passage, growth or expression in a bacterial system, including a bacterial origin of replication; a promoter, which can be an inducible promoter; and the like. In comparison, a vector that can be passaged in a mammalian host cell system can have a promoter such as a metallothionein promoter, which has characteristics of both a constitutive promoter and an inducible promoter, or a viral promoter such as a retrovirus long terminal repeat, an adenovirus late promoter, or the like. A vector also can contain one or more restriction endonuclease recognition and cleavage sites, including, for example, a polylinker sequence, to facilitate rescue of a nucleotide sequence operably linked to the polynucleotide portion.

The present invention also relates to a method of using a polynucleotide portion of a plant stress-regulated gene to confer a selective advantage on a plant cell. Such a method can be performed by introducing, for example, a plant stress-regulated regulatory element into a plant cell, wherein, upon exposure of the plant cell to a stress condition to which the regulatory element is responsive, a nucleotide sequence operatively linked to the regulatory element is expressed, thereby conferring a selective advantage to plant cell. The operatively linked nucleotide sequence can be a heterologous nucleotide sequence, which can be operatively linked to the regulatory element prior to introduction of the regulatory sequence into the plant cell; or can be an endogenous nucleotide sequence into which the regulatory element was targeted by a method such as homologous recombination. The selective advantage conferred by the operatively linked nucleotide sequence can be such that the plant is better able to tolerate the stress condition; or can be any other selective advantage.

As used herein, the term "selective advantage" refers to the ability of a particular organism to better propagate, develop, grow, survive, or otherwise tolerate a condition as compared to a corresponding reference organism that does not contain a plant-stress regulated polynucleotide portion of the present invention. In one embodiment, a selective advantage is exemplified by the ability of a desired plant, plant cell, or the like, that contains an introduced plant stress-regulated regulatory

57

element, to grow better than an undesired plant, plant cell, or the like, that does not contain the introduced regulatory element. For example, a recombinant polynucleotide comprising a plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence encoding an enzyme that inactivates an herbicide can be introduced in a desired plant. Upon exposure of a mixed population of plants comprising the desired plants, which contain the recombinant polynucleotide, and one or more other populations of undesired plants, which lack the recombinant polynucleotide, to a stress condition that induces expression of the regulatory element and to the herbicide, the desired plants will have a greater likelihood of surviving exposure to the toxin and, therefore, a selective advantage over the undesired plants.

5

10

15

20

25

30

In another embodiment, a selective advantage is exemplified by the ability of a desired plant, plant cell, or the like, to better propagate, develop, grow, survive, or otherwise tolerate a condition as compared to an undesired plant, plant cell, or the like, that contains an introduced plant stress-regulated regulatory element. For example, a recombinant polynucleotide comprising a plant stress-regulated regulatory element operatively linked to a plant cell toxin can be introduced into cells of an undesirable plant present in a mixed population of desired and undesired plants, for example, food crops and weeds, respectively, then the plants can be exposed to stress conditions that induce expression from the plant stress-regulated regulatory element, whereby expression of the plant cell toxin results in inhibition of growth or death of the undesired plants, thereby providing a selective advantage to the desired plants, which no longer have to compete with the undesired plants for nutrients, light, or the like. In another example, a plant stress-regulated regulatory element operatively linked to a plant cell toxin can be introduced into cells of plants used as a nurse crop. Nurse crops, also called cover or companion crops, are planted in combination with plants of interest to provide, among other things, shade and soil stability during establishment of the desired plants. Once the desired plants have become established, the presence of the nurse crop may no longer be desirable. Exposure to conditions inducing expression of the gene linked to the plant stress-regulated regulatory element allows elimination of the nurse crop. Alternatively nurse crops can be made less tolerate to abiotic stress by the inhibition of any of the stress-regulated sequences

58

disclosed herein. Inhibition can be accomplished by any of the method described herein. Upon exposure of the nurse crop to the stress, the decreased ability of the nurse crop to respond to the stress will result in elimination of the nurse crop, leaving only the desired plants.

5

10

15

20

25

30

The invention also provides a means of producing a transgenic plant, which comprises plant cells that exhibit altered responsiveness to a stress condition. As such, the present invention further provides a transgenic plant, or plant cells or tissues derived therefrom, which are genetically modified to respond to stress differently than a corresponding wild-type plant or plant not containing constructs of the present invention would respond. As used herein, the term "responsiveness to a stress condition" refers to the ability of a plant to express a plant stress-regulated gene upon exposure to the stress condition. A transgenic plant cell contains a polypeptide portion of a plant stress-regulated gene, or a mutant form thereof, for example, a knock-out mutant. A knock-out mutant form of a plant stress-regulated gene can contain, for example, a mutation such that a STOP codon is introduced into the reading frame of the translated portion of the gene such that expression of a functional stress-regulated polypeptide is prevented; or a mutation in the stress-regulated regulatory element such that inducibility of the element in response to a stress condition is inhibited. Such transgenic plants of the invention can display any of various idiotypic modifications is response to an abiotic stress, including altered tolerance to the stress condition, as well as increased or decreased plant growth, root growth, yield, or the like, as compared to the corresponding wild-type plant.

The term "plant" is used broadly herein to include any plant at any stage of development, or to part of a plant, including a plant cutting, a plant cell, a plant cell culture, a plant organ, a plant seed, and a plantlet. A plant cell is the structural and physiological unit of the plant, comprising a protoplast and a cell wall. A plant cell can be in the form of an isolated single cell or a cultured cell, or can be part of higher organized unit, for example, a plant tissue, plant organ, or plant. Thus, a plant cell can be a protoplast, a gamete producing cell, or a cell or collection of cells that can regenerate into a whole plant. As such, a seed, which comprises multiple plant cells and is capable of regenerating into a whole plant, is considered plant cell for purposes of this disclosure. A plant tissue or plant organ can be a seed, protoplast, callus, or

any other groups of plant cells that is organized into a structural or functional unit. Particularly useful parts of a plant include harvestable parts and parts useful for propagation of progeny plants. A harvestable part of a plant can be any useful part of a plant, for example, flowers, pollen, seedlings, tubers, leaves, stems, fruit, seeds, roots, and the like. A part of a plant useful for propagation includes, for example, seeds, fruits, cuttings, seedlings, tubers, rootstocks, and the like.

5

10

15

20

25

30

A transgenic plant can be regenerated from a transformed plant cell. As used herein, the term "regenerate" means growing a whole plant from a plant cell; a group of plant cells; a protoplast; a seed; or a piece of a plant such as a callus or tissue. Regeneration from protoplasts varies from species to species of plants. For example, a suspension of protoplasts can be made and, in certain species, embryo formation can be induced from the protoplast suspension, to the stage of ripening and germination. The culture media generally contains various components necessary for growth and regeneration, including, for example, hormones such as auxins and cytokinins; and amino acids such as glutamic acid and proline, depending on the particular plant species. Efficient regeneration will depend, in part, on the medium, the genotype, and the history of the culture. If these variables are controlled, however, regeneration is reproducible.

Regeneration can occur from plant callus, explants, organs or plant parts. Transformation can be performed in the context of organ or plant part regeneration. (see Meth. Enzymol. Vol. 118; Klee et al. Ann. Rev. Plant Physiol. 38:467, 1987, which is incorporated herein by reference). Utilizing the leaf disk-transformation-regeneration method, for example, disks are cultured on selective media, followed by shoot formation in about two to four weeks (see Horsch et al., *supra*, 1985). Shoots that develop are excised from calli and transplanted to appropriate root-inducing selective medium. Rooted plantlets are transplanted to soil as soon as possible after roots appear. The plantlets can be repotted as required, until reaching maturity.

In vegetatively propagated crops, the mature transgenic plants are propagated utilizing cuttings or tissue culture techniques to produce multiple identical plants. Selection of desirable transgenotes is made and new varieties are obtained and propagated vegetatively for commercial use. In seed propagated crops, the mature transgenic plants can be self-crossed to produce a homozygous inbred plant. The

60

resulting inbred plant produces seeds that contain the introduced plant stress-induced regulatory element, and can be grown to produce plants that express a polynucleotide or polypeptide in response to a stress condition that induces expression from the regulatory element. As such, the invention further provides seeds produced by a transgenic plant obtained by a method of the invention.

5

10

15

20

25

30

In addition, transgenic plants comprising different recombinant sequences can be crossbred, thereby providing a means to obtain transgenic plants containing two or more different transgenes, each of which contributes a desirable characteristic to the plant. Methods for breeding plants and selecting for crossbred plants having desirable characteristics or other characteristics of interest are well known in the art.

A method of the invention can be performed by introducing a polynucleotide portion of a plant stress-regulated gene into the plant. As used herein, the term "introducing" means transferring a polynucleotide into a plant cell. A polynucleotide can be introduced into a cell by a variety of methods well known to those of ordinary skill in the art. For example, the polynucleotide can be introduced into a plant cell using a direct gene transfer method such as electroporation or microprojectile mediated transformation, or using *Agrobacterium* mediated transformation. Non-limiting examples of methods for the introduction of polynucleotides into plants are provided in greater detail herein. As used herein, the term "transformed" refers to a plant cell containing an exogenously introduced polynucleotide portion of a plant stress-regulated gene that is or can be rendered active in a plant cell, or to a plant comprising a plant cell containing such a polynucleotide.

It should be recognized that one or more polynucleotides, which are the same or different can be introduced into a plant, thereby providing a means to obtain a genetically modified plant containing multiple copies of a single transgenic sequence, or containing two or more different transgenic sequences, either or both of which can be present in multiple copies. Such transgenic plants can be produced, for example, by simply selecting plants having multiple copies of a single type of transgenic sequence; by cotransfecting plant cells with two or more populations of different transgenic sequences and identifying those containing the two or more different transgenic sequences; or by crossbreeding transgenic plants, each of which contains

61

one or more desired transgenic sequences, and identifying those progeny having the desired sequences.

5

10

15

20

25

30

Methods for introducing a polynucleotide into a plant cell to obtain a transformed plant also include direct gene transfer (see European Patent A 164 575), injection, electroporation, biolistic methods such as particle bombardment, pollenmediated transformation, plant RNA virus-mediated transformation, liposomemediated transformation, transformation using wounded or enzyme-degraded immature embryos, or wounded or enzyme-degraded embryogenic callus, and the like. Transformation methods using Agrobacterium tumefaciens tumor inducing (Ti) plasmids or root-inducing (Ri) plasmids, or plant virus vectors are well known in the art (see, for example, WO 99/47552; Weissbach & Weissbach, "Methods for Plant Molecular Biology" (Academic Press, NY 1988), section VIII, pages 421-463; Grierson and Corey, "Plant Molecular Biology" 2d Ed. (Blackie, London 1988), Chapters 7-9, each of which is incorporated herein by reference; Horsch et al., supra, 1985). The wild-type form of Agrobacterium, for example, contains a Ti plasmid, which directs production of tumorigenic crown gall growth on host plants. Transfer of the tumor inducing T-DNA region of the Ti plasmid to a plant genome requires the Ti plasmid-encoded virulence genes as well as T-DNA borders, which are a set of direct DNA repeats that delineate the region to be transferred. An Agrobacterium based vector is a modified form of a Ti plasmid, in which the tumor inducing functions are replaced by a nucleotide sequence of interest that is to be introduced into the plant host.

Methods of using Agrobacterium mediated transformation include cocultivation of Agrobacterium with cultured isolated protoplasts; transformation of plant cells or tissues with Agrobacterium; and transformation of seeds, apices or meristems with Agrobacterium. In addition, in planta transformation by Agrobacterium can be performed using vacuum infiltration of a suspension of Agrobacterium cells (Bechtold et al., C.R. Acad. Sci. Paris 316:1194, 1993, which is incorporated herein by reference).

Agrobacterium mediated transformation can employ cointegrate vectors or binary vector systems, in which the components of the Ti plasmid are divided between a helper vector, which resides permanently in the Agrobacterium host and carries the

virulence genes, and a shuttle vector, which contains the gene of interest bounded by T-DNA sequences. Binary vectors are well known in the art (see, for example, De Framond, BioTechnology 1:262, 1983; Hoekema et al., Nature 303:179, 1983, each of which is incorporated herein by reference) and are commercially available (Clontech; Palo Alto CA). For transformation, Agrobacterium can be cocultured, for example, with plant cells or wounded tissue such as leaf tissue, root explants, hypocotyledons, stem pieces or tubers (see, for example, Glick and Thompson, "Methods in Plant Molecular Biology and Biotechnology" (Boca Raton FL, CRC Press 1993), which is incorporated herein by reference). Wounded cells within the plant tissue that have been infected by Agrobacterium can develop organs de novo when cultured under the appropriate conditions; the resulting transgenic shoots eventually give rise to transgenic plants, which contain an exogenous polynucleotide portion of a plant stress-regulated gene.

Agrobacterium mediated transformation has been used to produce a variety of transgenic plants, including, for example, transgenic cruciferous plants such as Arabidopsis, mustard, rapeseed and flax; transgenic leguminous plants such as alfalfa, pea, soybean, trefoil and white clover; and transgenic solanaceous plants such as eggplant, petunia, potato, tobacco and tomato (see, for example, Wang et al., "Transformation of Plants and Soil Microorganisms" (Cambridge, University Press 1995), which is incorporated herein by reference). In addition, Agrobacterium mediated transformation can be used to introduce an exogenous polynucleotide sequence, for example, a plant stress-regulated regulatory element into apple, aspen, belladonna, black currant, carrot, celery, cotton, cucumber, grape, horseradish, lettuce, morning glory, muskmelon, neem, poplar, strawberry, sugar beet, sunflower, walnut, asparagus, rice and other plants (see, for example, Glick and Thompson, supra, 1993; Hiei et al., Plant J. 6:271-282, 1994; Shimamoto, Science 270:1772-1773, 1995).

Suitable strains of *Agrobacterium tumefaciens* and vectors as well as transformation of Agrobacteria and appropriate growth and selection media are well known in the art (GV3101, pMK90RK), Koncz, <u>Mol. Gen. Genet.</u> 204:383-396, 1986; (C58C1, pGV3850kan), Deblaere, <u>Nucl. Acid Res.</u> 13:4777, 1985; Bevan, <u>Nucl. Acid Res.</u> 12:8711, 1984; Koncz, <u>Proc. Natl. Acad. Sci. *USA*</u> 86:8467-8471, 1986; Koncz, <u>Plant Mol. Biol.</u> 20:963-976, 1992; Koncz, Specialized vectors for gene tagging and

63

expression studies. In: Plant Molecular Biology Manual Vol. 2, Gelvin and Schilperoort (Eds.), Dordrecht, The Netherlands: Kluwer Academic Publ. (1994), 1-22; European Patent A-1 20 516; Hoekema: The Binary Plant Vector System, Offsetdrukkerij Kanters B. V., Alblasserdam (1985), Chapter V; Fraley, Crit. Rev. Plant. Sci., 4:1-46; An, EMBO J. 4:277-287, 1985).

5

10

15

20

25

30

Where a polynucleotide portion of a plant stress-regulated gene is contained in vector, the vector can contain functional elements, for example "left border" and "right border" sequences of the T-DNA of *Agrobacterium*, which allow for stable integration into a plant genome. Furthermore, methods and vectors that permit the generation of marker-free transgenic plants, for example, where a selectable marker gene is lost at a certain stage of plant development or plant breeding, are known, and include, for example, methods of co-transformation (Lyznik, <u>Plant Mol. Biol.</u> 13:151-161, 1989; Peng, <u>Plant Mol. Biol.</u> 27:91-104, 1995), or methods that utilize enzymes capable of promoting homologous recombination in plants (see, e.g., W097/08331; Bayley, <u>Plant Mol. Biol.</u> 18:353-361, 1992; Lloyd, <u>Mol. Gen. Genet.</u> 242:653-657, 1994; Maeser, <u>Mol. Gen. Genet.</u> 230:170-176, 1991; Onouchi, <u>Nucl. Acids Res.</u> 19:6373-6378, 1991; see, also, Sambrook et al., *supra*, 1989).

A direct gene transfer method such as electroporation also can be used to introduce a polynucleotide portion of a plant stress-regulated gene into a cell such as a plant cell. For example, plant protoplasts can be electroporated in the presence of the regulatory element, which can be in a vector (Fromm et al., Proc. Natl. Acad. Sci., USA 82:5824, 1985, which is incorporated herein by reference). Electrical impulses of high field strength reversibly permeabilize membranes allowing the introduction of the nucleic acid. Electroporated plant protoplasts reform the cell wall, divide and form a plant callus. Microinjection can be performed as described in Potrykus and Spangenberg (eds.), Gene Transfer To Plants (Springer Verlag, Berlin, NY 1995). A transformed plant cell containing the introduced polynucleotide can be identified by detecting a phenotype due to the introduced polynucleotide, for example, increased or decreased tolerance to a stress condition.

Microprojectile mediated transformation also can be used to introduce a polynucleotide into a plant cell (Klein et al., <u>Nature</u> 327:70-73, 1987, which is incorporated herein by reference). This method utilizes microprojectiles such as gold

64

or tungsten, which are coated with the desired nucleic acid molecule by precipitation with calcium chloride, spermidine or polyethylene glycol. The microprojectile particles are accelerated at high speed into a plant tissue using a device such as the BIOLISTIC PD-1000 (BioRad; Hercules CA).

5

10

15

20

25

30

Microprojectile mediated delivery ("particle bombardment") is especially useful to transform plant cells that are difficult to transform or regenerate using other methods. Methods for the transformation using biolistic methods are well known (Wan, Plant Physiol. 104:37-48, 1984; Vasil, Bio/Technology 11:1553-1558, 1993; Christou, Trends in Plant Science 1:423-431, 1996). Microprojectile mediated transformation has been used, for example, to generate a variety of transgenic plant species, including cotton, tobacco, corn, hybrid poplar and papaya (see Glick and Thompson, supra, 1993). Important cereal crops such as wheat, oat, barley, sorghum and rice also have been transformed using microprojectile mediated delivery (Duan et al., Nature Biotech. 14:494-498, 1996; Shimamoto, Curr. Opin. Biotech. 5:158-162, 1994). A rapid transformation regeneration system for the production of transgenic plants such as a system that produces transgenic wheat in two to three months (see European Patent No. EP 0709462A2, which is incorporated herein by reference) also can be useful for producing a transgenic plant using a method of the invention, thus allowing more rapid identification of gene functions. The transformation of most dicotyledonous plants is possible with the methods described above. Transformation of monocotyledonous plants also can be transformed using, for example, biolistic methods as described above, protoplast transformation, electroporation of partially permeabilized cells, introduction of DNA using glass fibers, Agrobacterium mediated transformation, and the like.

Plastid transformation also can be used to introduce a polynucleotide portion of a plant stress-regulated gene into a plant cell (U.S. Patent Nos. 5,451,513, 5,545,817, and 5,545,818; WO 95/16783; McBride et al., <u>Proc. Natl. Acad. Sci., USA</u> 91:7301-7305, 1994). Chloroplast transformation involves introducing regions of cloned plastid DNA flanking a desired nucleotide sequence, for example, a selectable marker together with polynucleotide of interest into a suitable target tissue, using, for example, a biolistic or protoplast transformation method (e.g., calcium chloride or PEG mediated transformation). One to 1.5 kb flanking regions ("targeting

25

30

sequences") facilitate homologous recombination with the plastid genome, and allow the replacement or modification of specific regions of the plastome. Using this method, point mutations in the chloroplast 16S rRNA and rps12 genes, which confer resistance to spectinomycin and streptomycin, can be utilized as selectable markers 5 for transformation (Svab et al., Proc. Natl. Acad. Sci., USA 87:8526-8530, 1990; Staub and Maliga, Plant Cell 4:39-45, 1992), resulted in stable homopiasmic transformants; at a frequency of approximately one per 100 bombardments of target leaves. The presence of cloning sites between these markers allowed creation of a plastid targeting vector for introduction of foreign genes (Staub and Maliga, EMBO J. 10 12:601-606, 1993). Substantial increases in transformation frequency are obtained by replacement of the recessive rRNA or r-protein antibiotic resistance genes with a dominant selectable marker, the bacterial aadA gene encoding the spectinomycindetoxifying enzyme aminoglycoside-3'-adenyltransf erase (Svab and Maliga, Proc. Natl. Acad. Sci., USA 90:913-917, 1993). Approximately 15 to 20 cell division 15 cycles following transformation are generally required to reach a homoplastidic state. Plastid expression, in which genes are inserted by homologous recombination into all of the several thousand copies of the circular plastid genome present in each plant cell, takes advantage of the enormous copy number advantage over nuclear-expressed genes to permit expression levels that can readily exceed 10% of the total soluble 20 plant protein.

Plants suitable to treatment according to a method of the invention can be monocots or dicots and include, but are not limited to, corn (Zea mays), Brassica sp. (e.g., B. napus, B. rapa, B. juncea), particularly those Brassica species useful as sources of seed oil, alfalfa (Medicago sativa), rice (Oryza sativa), rye (Secale cereale), sorghum (Sorghum bicolor, Sorghum vulgare), millet (e.g., pearl millet (Pennisetum glaucum), proso millet (Panicum miliaceum), foxtail millet (Setaria italica), finger millet (Eleusine coracana)), sunflower (Helianthus annuus), safflower (Carthamus tinctorius), wheat (Triticum aestivum), soybean (Glycine max), tobacco (Nicotiana tabacum), potato (Solanum tuberosum), peanuts (Arachis hypogaea), cotton (Gossypium barbadense, Gossypium hirsutum), sweet potato (Ipomoea batatus), cassava (Manihot esculenta), coffee (Cofea spp.), coconut (Cocos nucifera), pineapple (Ananas comosus), citrus trees (Citrus spp.), cocoa (Theobroma cacao), tea

66

(Camellia sinensis), banana (Musa spp.), avocado (Persea ultilane), fig (Ficus casica), guava (Psidium guajava), mango (Mangifera indica), olive (Olea europaea), papaya (Carica papaya), cashew (Anacardium occidentale), macadamia (Macadamia integrifolia), almond (Prunus amygdalus), sugar beets (Beta vulgaris), sugarcane (Saccharum spp.), oats, duckweed (Lemna), barley, tomatoes (Lycopersicon esculentum), lettuce (e.g., Lactuca sativa), green beans (Phaseolus vulgaris), lima beans (Phaseolus limensis), peas (Lathyrus spp.), and members of the genus Cucumis such as cucumber (C. sativus), cantaloupe (C. cantalupensis), and musk melon (C. melo).

5

30

Ornamentals such as azalea (*Rhododendron* spp.), hydrangea (*Macrophylla hydrangea*), hibiscus (*Hibiscus rosasanensis*), roses (*Rosa* spp.), tulips (*Tulipa* spp.), daffodils (*Narcissus* spp.), petunias (*Petunia hybrida*), carnation (*Dianthus caryophyllus*), poinsettia (*Euphorbia pulcherrima*), and chrysanthemum are also included. Additional ornamentals within the scope of the invention include impatiens, Begonia, Pelargonium, Viola, Cyclamen, Verbena, Vinca, Tagetes, Primula, Saint Paulia, Agertum, Amaranthus, Antihirrhinum, Aquilegia, Cineraria, Clover, Cosmo, Cowpea, Dahlia, Datura, Delphinium, Gerbera, Gladiolus, Gloxinia, Hippeastrum, Mesembryanthemum, Salpiglossos, and Zinnia.

Conifers that may be employed in practicing the present invention include, for example, pines such as loblolly pine (*Pinus taeda*), slash pine (*Pinus elliotii*), ponderosa pine (*Pinus ponderosa*), lodgepole pine (*Pinus contorta*), and Monterey pine (*Pinus radiata*), Douglas-fir (*Pseudotsuga menziesii*); Western hemlock (*Tsuga ultilane*); Sitka spruce (*Picea glauca*); redwood (*Sequoia sempervirens*); true firs such as silver fir (*Abies amabilis*) and balsam fir (*Abies balsamea*); and cedars such as Western red cedar (*Thuja plicata*) and Alaska yellow-cedar (*Chamaecyparis nootkatensis*).

Leguminous plants which may be used in the practice of the present invention include beans and peas. Beans include guar, locust bean, fenugreek, soybean, garden beans, cowpea, mungbean, lima bean, fava bean, lentils, chickpea, etc. Legumes include, but are not limited to, *Arachis*, e.g., peanuts, *Vicia*, e.g., crown vetch, hairy vetch, adzuki bean, mung bean, and chickpea, *Lupinus*, e.g., lupine, trifolium, *Phaseolus*, e.g., common bean and lima bean, *Pisum*, e.g., field bean, *Melilotus*, e.g.,

clover, *Medicago*, e.g., alfalfa, Lotus, e.g., trefoil, lens, e.g., lentil, and false indigo. Preferred forage and turf grass for use in the methods of the invention include alfalfa, orchard grass, tall fescue, perennial ryegrass, creeping bent grass, and redtop. Other plants within the scope of the invention include *Acacia*, aneth, artichoke, arugula, blackberry, canola, cilantro, clementines, escarole, eucalyptus, fennel, grapefruit, honey dew, jicama, kiwifruit, lemon, lime, mushroom, nut, okra, orange, parsley, persimmon, plantain, pomegranate, poplar, radiata pine, radicchio, Southern pine, sweetgum, tangerine, triticale, vine, yams, apple, pear, quince, cherry, apricot, melon, hemp, buckwheat, grape, raspberry, chenopodium, blueberry, nectarine, peach, plum, strawberry, watermelon, eggplant, pepper, cauliflower, Brassica, e.g., broccoli, cabbage, ultilan sprouts, onion, carrot, leek, beet, broad bean, celery, radish, pumpkin, endive, gourd, garlic, snapbean, spinach, squash, turnip, ultilane, chicory, groundnut and zucchini.

Angiosperms are divided into two broad classes based on the number of cotyledons, which are seed leaves that generally store or absorb food; a monocotyledonous angiosperm has a single cotyledon, and a dicotyledonous angiosperm has two cotyledons. Angiosperms produce a variety of useful products including materials such as lumber, rubber, and paper; fibers such as cotton and linen; herbs and medicines such as quinine and vinblastine; ornamental flowers such as roses and orchids; and foodstuffs such as grains, oils, fruits and yegetables.

Angiosperms encompass a variety of flowering plants, including, for example, cereal plants, leguminous plants, oilseed plants, hardwood trees, fruit-bearing plants and ornamental flowers, which general classes are not necessarily exclusive. Cereal plants, which produce an edible grain cereal, include, for example, corn, rice, wheat, barley, oat, rye, orchardgrass, guinea grass, sorghum and turfgrass. Leguminous plants include members of the pea family (*Fabaceae*) and produce a characteristic fruit known as a legume. Examples of leguminous plants include, for example, soybean, pea, chickpea, moth bean, broad bean, kidney bean, lima bean, lentil, cowpea, dry bean, and peanut, as well as alfalfa, birdsfoot trefoil, clover and sainfoin. Oilseed plants, which have seeds that are useful as a source of oil, include soybean, sunflower, rapeseed (canola) and cottonseed.

68

Angiosperms also include hardwood trees, which are perennial woody plants that generally have a single stem (trunk). Examples of such trees include alder, ash, aspen, basswood (linden), beech, birch, cherry, cottonwood, elm, eucalyptus, hickory, locust, maple, oak, persimmon, poplar, sycamore, walnut, sequoia, and willow. Trees are useful, for example, as a source of pulp, paper, structural material and fuel.

5

10

15

20

25

30

Angiosperms are fruit-bearing plants that produce a mature, ripened ovary, which generally contains seeds. A fruit can be suitable for human or animal consumption or for collection of seeds to propagate the species. For example, hops are a member of the mulberry family that are prized for their flavoring in malt liquor. Fruit-bearing angiosperms also include grape, orange, lemon, grapefruit, avocado, date, peach, cherry, olive, plum, coconut, apple and pear trees and blackberry, blueberry, raspberry, strawberry, pineapple, tomato, cucumber and eggplant plants. An ornamental flower is an angiosperm cultivated for its decorative flower. Examples of commercially important ornamental flowers include rose, orchid, lily, tulip and chrysanthemum, snapdragon, camellia, carnation and petunia plants. The skilled artisan will recognize that the methods of the invention can be practiced using these or other angiosperms, as desired, as well as gymnosperms, which do not produce seeds in a fruit.

A method of producing a transgenic plant can be performed by introducing a polynucleotide portion of plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cell to a stress condition, thereby producing a transgenic plant, which comprises plant cells that exhibit altered responsiveness to the stress condition. In one embodiment, the polynucleotide portion of the plant stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof, wherein expression of the stress-regulated polypeptide or functional peptide portion thereof either increases the stress tolerance of the transgenic plant, or decreases the stress tolerance of the transgenic plant. The polynucleotide portion of the plant stress-regulated gene encoding the stress-regulated polypeptide or functional peptide portion thereof can be operatively linked to a heterologous promoter.

In another embodiment, the polynucleotide portion of the plant stressregulated gene comprises a stress-regulated regulatory element. The stress-regulated

regulatory element can integrate into the plant cell genome in a site-specific manner, whereupon it can be operatively linked to an endogenous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element; or can be a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stress-regulated gene to the stress condition. Accordingly, the invention also provides genetically modified plants, including transgenic plants, produced by such a method, and a plant cell obtained from such genetically modified plant, wherein said plant cell exhibits altered responsiveness to the stress condition; a seed produced by a transgenic plant; and a cDNA library prepared from a transgenic plant.

Also provided is a method of modulating the responsiveness of a plant cell to a stress condition. Such a method can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, thereby modulating the responsiveness of the plant cell to a stress condition. As disclosed herein, the responsiveness of the plant cell can be increased or decreased upon exposure to the stress condition, and the altered responsiveness can result in increased or decreased tolerance of the plant cell to a stress condition. The polynucleotide portion of the plant stress-regulated gene can, but need not, be integrated into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition. Accordingly, the invention also provide a genetically modified plant, including a transgenic plant, which contains an introduced polynucleotide portion of a plant stress-regulated gene, as well as plant cells, tissues, and the like, which exhibit modulated responsiveness to a stress condition.

The polynucleotide portion of the plant stress-regulated gene can encode a stress-regulated polypeptide or functional peptide portion thereof, which can be operatively linked to a heterologous promoter. As used herein, reference to a "functional peptide portion of a plant stress-regulated polypeptide" means a contiguous amino acid sequence of the polypeptide that has an activity of the full length polypeptide, or that has an antagonist activity with respect to the full length polypeptide, or that presents an epitope unique to the polypeptide. Thus, by

70

expressing a functional peptide portion of a plant stress-regulated polypeptide in a plant cell, the peptide can act as an agonist or an antagonist of the polypeptide, thereby modulating the responsiveness of the plant cell to a stress condition.

5

10

15

20

25

30

A polynucleotide portion of the plant stress-regulated nucleotide sequence also can contain a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts (knocks-out) an endogenous plant stress-regulated nucleotide sequence, thereby modulating the responsiveness of said plant cell to the stress condition. Depending on whether the knocked-out gene encodes an adaptive or a maladaptive stress-regulated polypeptide, the responsiveness of the plant will be modulated accordingly. Thus, a method of the invention provides a means of producing a transgenic plant having a knock-out phenotype of a plant stress-regulated nucleotide sequence.

Alternatively, the responsiveness of a plant or plant cell to a stress condition can be modulated by use of a suppressor construct containing dominant negative mutation for any of the stress-regulated sequences described herein. Expression of a suppressor construct containing a dominant mutant mutation generates a mutant transcript that, when coexpressed with the wild-type transcript inhibits the action of the wild-type transcript. Methods for the design and use of dominant negative constructs are well known (see, for example, in Herskowitz, Nature 329:219-222, 1987; Lagna and Hemmati-Brivanlou, Curr. Topics Devel. Biol. 36:75-98, 1998).

The polynucleotide portion of the plant stress-regulated gene also can comprise a stress-regulated regulatory element, which can be operatively linked to a heterologous nucleotide sequence, which, upon expression from the regulatory element in response to a stress condition, modulates the responsiveness of the plant cell to the stress condition. Such a heterologous nucleotide sequence can encode, for example, a stress-inducible transcription factor such as DREB1A, which, upon exposure to the stress condition, is expressed such that it can amplify the stress response (see Kasuga et al., *supra*, 1999). The heterologous nucleotide sequence also can encode a polynucleotide that is specific for a plant stress-regulated gene, for example, an antisense molecule, a ribozyme, and a triplexing agent, either of which, upon expression in the plant cell, reduces or inhibits expression of a stress-regulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant

71

cell to a stress condition, for example, an abnormal level of cold, osmotic pressure, and salinity. As used herein, the term "abnormal," when used in reference to a condition such as temperature, osmotic pressure, salinity, or any other condition that can be a stress condition, means that the condition varies sufficiently from a range generally considered optimum for growth of a plant that the condition results in an induction of a stress response in a plant. Methods of determining whether a stress response has been induced in a plant are disclosed herein or otherwise known in the art.

5

30

A plant stress-regulated regulatory element can be operatively linked to a 10 heterologous polynucleotide sequence, such that the regulatory element can be introduced into a plant genome in a site-specific matter by homologous recombination. For example, a mutant plant stress-regulated regulatory element for a maladaptive stress-induced polypeptide can be transformed into a plant genome in a site specific manner by in vivo mutagenesis, using a hybrid RNA-DNA oligonucleotide ("chimeroplast" (TIBTECH 15:441-447, 1997; W0 95/15972; Kren, Hepatology 15 25:1462-1468, 1997; Cole-Strauss, Science 273:1386-1389, 1996, each of which is incorporated herein by reference). Part of the DNA component of the RNA-DNA oligonucleotide is homologous to a nucleotide sequence comprising the regulatory element of the maladaptive gene, but includes a mutation or contains a heterologous 20 region which is surrounded by the homologous regions. By means of base pairing of the homologous regions of the RNA-DNA oligonucleotide and of the endogenous nucleic acid molecule, followed by a homologous recombination the mutation contained in the DNA component of the RNA-DNA oligonucleotide or the heterologous region can be transferred to the plant genome, resulting in a "mutant" 25 gene that, for example, is not induced in response to a stress and, therefore, does not confer the maladaptive phenotype. Such a method similarly can be used to knock-out the activity of a stress-regulated gene, for example, in an undesirable plant. Such a method can provide the advantage that a desirable wild-type plant need not compete with the undesirable plant, for example, for light, nutrients, or the like.

A method of modulating the responsiveness of a plant cell to a stress condition also can be performed by introducing a mutation in the chromosomal copy of a plant stress-regulated gene, for example, in the stress-regulated regulatory element, by

72

transforming a cell with a chimeric oligonucleotide composed of a contiguous stretch of RNA and DNA residues in a duplex conformation with double hairpin caps on the ends. An additional feature of the oligonucleotide is the presence of 2'-0- methylation at the RNA residues. The RNA/DNA sequence is designed to align with the sequence of a chromosomal copy of the target regulatory element and to contain the desired nucleotide change (see U.S. Pat. No. 5,501,967, which is incorporated herein by reference).

5

30

A plant stress-regulated regulatory element also can be operatively linked to a heterologous polynucleotide such that, upon expression from the regulatory element in 10 the plant cell, confers a desirable phenotype on the plant cell. For example, the heterologous polynucleotide can encode an aptamer, which can bind to a stress-induced polypeptide. Aptamers are nucleic acid molecules that are selected based on their ability to bind to and inhibit the activity of a protein or metabolite. Aptamers can be obtained by the SELEX (Systematic Evolution of Ligands by Exponential 15 Enrichment) method (see U.S. Pat. No. 5,270,163), wherein a candidate mixture of single stranded nucleic acids having regions of randomized sequence is contacted with a target, and those nucleic acids having a specific affinity to the target are partitioned from the remainder of the candidate mixture, and amplified to yield a ligand enriched mixture. After several iterations a nucleic acid molecule (aptamer) 20 having optimal affinity for the target is obtained. For example, such a nucleic acid molecule can be operatively linked to a plant stress-regulated regulatory element and introduced into a plant. Where the aptamer is selected for binding to a polypeptide that normally is expressed from the regulatory element and is involved in an adaptive response of the plant to a stress, the recombinant molecule comprising the aptamer 25 can be useful for inhibiting the activity of the stress-regulated polypeptide, thereby decreasing the tolerance of the plant to the stress condition.

The invention provides a genetically modified plant, which can be a transgenic plant, that is tolerant or resistant to a stress condition. As used herein, the term "tolerant" or "resistant," when used in reference to a stress condition of a plant, means that the particular plant, when exposed to a stress condition, shows less of an effect, or no effect, in response to the condition as compared to a corresponding reference plant (naturally occurring wild-type plant or a plant not containing a construct of the

73

present invention). As a consequence, a plant encompassed within the present invention grows better under more widely varying conditions, has higher yields and/or produces more seeds. Thus, a transgenic plant produced according to a method of the invention can demonstrate protection (as compared to a corresponding reference plant) from a delay to complete inhibition of alteration in cellular metabolism, or reduced cell growth or cell death caused by the stress. Preferably, the transgenic plant is capable of substantially normal growth under environmental conditions where the corresponding reference plant shows reduced growth, metabolism or viability, or increased male or female sterility.

5

10

15

20

25

30

The determination that a plant modified according to a method of the invention has increased resistance to a stress-inducing condition can be made by comparing the treated plant with a control (reference) plant using well known methods. For example, a plant having increased tolerance to saline stress can be identified by growing the plant on a medium such as soil, which contains a higher content of salt in the order of at least about 10% compared to a medium the corresponding reference plant is capable of growing on. Advantageously, a plant treated according to a method of the invention can grow on a medium or soil containing at least about 50%, or more than about 75%, particularly at least about more than 100%, and preferably more than about 200% salt than the medium or soil on which a corresponding reference plant can grow. In particular, such a treated plant can grow on medium or soil containing at least 40 mM, generally at least 100 mM, particularly at least 200 mM, and preferably at least 300 mM salt, including, for example, a water soluble inorganic salt such as sodium sulfate, magnesium sulfate, calcium sulfate, sodium chloride, magnesium chloride, calcium chloride, potassium chloride, or the like; salts of agricultural fertilizers, and salts associated with alkaline or acid soil conditions; particularly NaCl.

In another embodiment, the invention provides a plant that is less tolerant or less resistant to a stress condition as compared to a corresponding reference plant. As used herein, the term "less tolerant" or "less resistant," when used in reference to a stress condition of a plant, means that the particular plant, when exposed to a stress condition, shows an alteration in response to the condition as compared to a corresponding reference plant. As a consequence, such a plant, which generally is an

74

undesirable plant species, is less likely to grow when exposed to a stress condition than an untreated plant.

5

10

15

20

25

The present invention also relates to a method of expressing a heterologous nucleotide sequence in a plant cell. Such a method can be performed, for example, by introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, whereby, upon exposure of the plant cell to stress condition, the heterologous nucleotide sequence is expressed in the plant cell. The heterologous nucleotide sequence can encode a selectable marker, or preferably, a polypeptide that confers a desirable trait upon the plant cell, for example, a polypeptide that improves the nutritional value, digestibility or ornamental value of the plant cell, or a plant comprising the plant cell. Accordingly, the invention provides a transgenic plant that, in response to a stress condition, can produce a heterologous polypeptide from a plant stress-regulated regulatory element. Such transgenic plants can provide the advantage that, when grown in a cold environment for example, expression of the heterologous polypeptide from a plant cold-regulated regulatory element can result in increased nutritional value of the plant.

The present invention further relates to a method of modulating the activity of a biological pathway in a plant cell, wherein the pathway involves a stress-regulated polypeptide. As used herein, reference to a pathway that "involves" a stress-regulated polypeptide means that the polypeptide is required for normal function of the pathway. For example, plant stress-regulated polypeptides as disclosed herein include those acting as kinases or as transcription factors, which are well known to be involved in signal transduction pathways. As such, a method of the invention provides a means to modulate biological pathways involving plant stress-regulated polypeptides, for example, by altering the expression of the polypeptides in response to a stress condition. Thus, a method of the invention can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, thereby modulating the activity of the biological pathway.

A method of the invention can be performed with respect to a pathway
involving any of the stress-regulated polypeptides as encoded by a polynucleotide of
SEQ ID NOS:1-2703, including for example, a stress-regulated transcription factor,
an enzyme, including a kinase, a channel protein (see, for example, Tables 29-31; see,

75

also, Table 1). Pathways in which the disclosed stress-regulated stress factors are involved can be identified, for example, by searching the Munich Information Center for Protein Sequences (MIPS) *Arabidopsis thaliana* database (MATDB), which is at http://www.mips.biochem.mpg.de/proj/thal/.

5

10

15

20

25

30

The present invention also relates to a method of identifying a polynucleotide that modulates a stress response in a plant cell. Such a method can be performed, for example, by contacting an array of probes representative of a plant cell genome and nucleic acid molecules expressed in plant cell exposed to the stress; detecting a nucleic acid molecule that is expressed at a level different from a level of expression in the absence of the stress; introducing the nucleic acid molecule that is expressed differently into a plant cell; and detecting a modulated response of the plant cell containing the introduced nucleic acid molecule to a stress, thereby identifying a polynucleotide that modulates a stress response in a plant cell. The contacting is under conditions that allow for selective hybridization of a nucleic acid molecule with probe having sufficient complementarity, for example, under stringent hybridization conditions.

As used herein, the term "array of probes representative of a plant cell genome" means an organized group of oligonucleotide probes that are linked to a solid support, for example, a microchip or a glass slide, wherein the probes can hybridize specifically and selectively to nucleic acid molecules expressed in a plant cell. Such an array is exemplified herein by a GeneChip® Arabidopsis Genome Array (Affymetrix; see Example 1). In general, an array of probes that is "representative" of a plant genome will identify at least about 30% or the expressed nucleic acid molecules in a plant cell, generally at least about 50% or 70%, particularly at least about 80% or 90%, and preferably will identify all of the expressed nucleic acid molecules. It should be recognized that the greater the representation, the more likely all nucleotide sequences of cluster of stress-regulated genes will be identified.

A method of the invention is exemplified in Example 1, wherein clusters of *Arabidopsis* genes induced to cold, to increased salinity, to increased osmotic pressure, and to a combination of the above three stress conditions were identified. Based on the present disclosure, the artisan readily can obtain nucleic acid samples for *Arabidopsis* plants exposed to other stress conditions, or combinations of stress

conditions, and identify clusters of genes induced in response to the stress conditions. Similarly, the method is readily adaptable to identifying clusters of stress-regulated genes expressed in other plant species, particularly commercially valuable plant species, where a substantial amount of information is known regarding the genome.

5

10

15

20

25

30

The clusters of genes identified herein include those clusters of genes that are induced or repressed in response to a combination of stress conditions, but not to any of the stress conditions alone; and clusters of genes that are induced or repressed in response to a selected stress condition, but not to other stress conditions tested. Furthermore, clusters of genes that respond to a stress condition in a temporally regulated manner are also included, such as gene clusters that are induced early (for example, within about 3 hours), late (for example, after about 8 to 24 hours), or continuously in a stress response. In addition, the genes within a cluster are represented by a variety of cellular proteins, including transcription factors, enzymes such as kinases, channel proteins, and the like (see Tables 1 and 29-31). Thus, the present invention further characterizes nucleotide sequences that previously were known to encode cellular peptides by classifying them within clusters of stress-regulated genes.

The present invention additionally relates to a method of identifying a stress condition to which a plant cell was exposed. Such a method can be performed, for example, by contacting nucleic acid molecules expressed in the plant cell and an array of probes representative of the plant cell genome; and detecting a profile of expressed nucleic acid molecules characteristic of a stress response, thereby identifying the stress condition to which the plant cell was exposed. The contacting generally is under conditions that allow for selective hybridization of a nucleic acid molecule with probe having sufficient complementarity, for example, under stringent hybridization conditions. The profile can be characteristic of exposure to a single stress condition, for example, an abnormal level of cold, osmotic pressure, or salinity (Tables 3-14), or can be characteristic of exposure to more than one stress condition (Tables 15-26, for example, cold, increased osmotic pressure and increased salinity (see Tables 24-26).

The method can be practiced using at least one nucleic acid probe and can identify one or combination of stress conditions by detecting altered expression of one or a plurality of polynucleotides representative of plant stress-regulated genes. As

77

used herein, the term "at least one" includes one, two, three or more, for example, five, ten, twenty, fifty or more polynucleotides, nucleic acid probes, and the like. The term "plurality" is used herein to mean two or more, for example, three, four, five or more, including ten, twenty, fifty or more polynucleotides, nucleic acid probes, and the like.

5

10

15

20

25

30

In a method of the invention, nucleic acid samples from the plant cells to be collected can be contacted with an array, then the profile can be compared with known expression profiles prepared from nucleic acid samples of plants exposed to a known stress condition or combination of stress conditions. By creating a panel of such profiles, representative of various stress conditions, an unknown stress condition to which a plant was exposed can be identified simply by comparing the unknown profile with the known profiles and determining which known profile that matches the unknown profile. Preferably, the comparison is automated. Such a method can be useful, for example, to identify a cause of damage to a crop, where the condition causing the stress is not known or gradually increases over time. For example, accumulation in soils over time of salts from irrigation water can result in gradually decreasing crop yields. Because the accumulation is gradual, the cause of the decreased yield may not be readily apparent. Using the present methods, it is possible to evaluate the stress to which the plants are exposed, thus revealing the cause of the decreased yields.

The present invention, therefore includes a computer readable medium containing executable instructions form receiving expression data for sequences substantially similar to any of those disclosed herein and comparing expression data from a test plant to a reference plant that has been exposed to an abiotic stress. Also provided is a computer-readable medium containing sequence data for sequences substantially similar to any of the sequences described herein, or the complements thereof, and a module for comparing such sequences to other nucleic acid sequences.

Also provided are plants and plant cells comprising plant stress-regulatory elements of the present invention operably linked to a nucleotide sequence encoding a detectable signal. Such plants can be used as diagnostic or "sentinel" plants to provide early warning that nearby plants are being stressed so that appropriate actions can be taken. In one embodiment, the signal is one that alters the appearance of the

78

plant. For example, an osmotic stress regulatory element of the present invention can be operably linked to a nucleotide sequence encoding a fluorescent protein such as green fluorescent protein. When subjected to osmotic stress, the expression of the green fluorescent protein in the sentinel plant provides a visible signal so that appropriate actions can be taken to remove or alleviate the stress. The use of fluorescent proteins in plants is well known (see, for example, in Leffel et al., BioTechniques 23:912, 1997).

5

10

15

20

25

30

The invention further relates to a method of identifying an agent that modulates the activity of a stress-regulated regulatory element of a plant. As used herein, the term "modulate the activity," when used in reference to a plant stress-regulated regulatory element, means that expression of a polynucleotide from the regulatory element is increased or decreased. In particular, expression can be increased or decreased with respect to the basal activity of the promoter, i.e., the level of expression, if any, in the absence of a stress condition that normally induces expression from the regulatory element; or can be increased or decreased with respect to the level of expression in the presence of the inducing stress condition. As such, an agent can act as a mimic of a stress condition, or can act to modulate the response to a stress condition.

Such a method can be performed, for example, by contacting the regulatory element with an agent suspected of having the ability to modulate the activity of the regulatory element, and detecting a change in the activity of the regulatory element. In one embodiment, the regulatory element can be operatively linked to a heterologous polynucleotide encoding a reporter molecule, and an agent that modulates the activity of the stress-regulated regulatory element can be identified by detecting a change in expression of the reporter molecule due to contacting the regulatory element with the agent. Such a method can be performed *in vitro* in a plant cell-free system, or in a plant cell in culture or in a plant *in situ*.

A method of the invention also can be performed by contacting the agent is contacted with a genetically modified cell or a transgenic plant containing an introduced plant stress-regulated regulatory element, and an agent that modulates the activity of the regulatory element is identified by detecting a phenotypic change in the modified cell or transgenic plant.

79

A method of the invention can be performed in the presence or absence of the stress condition to which the particularly regulatory element is responsive. As such, the method can identify an agent that modulates the activity of plant stress-regulated promoter in response to the stress, for example, an agent that can enhance the stress response or can reduce the stress response. In particular, a method of the invention can identify an agent that selectively activates the stress-regulated regulatory elements of a cluster of plant stress-regulated genes, but does not affect the activity of other stress-regulated regulatory genes. As such, the method provides a means to identify an agent that acts as a stress mimic. Such agents can be particularly useful to prepare a plant to an expected stress condition. For example, a agent that acts as a cold mimic can be applied to a field of plants prior to the arrival of an expected cold front. Thus, the cold stress response can be induced prior to the actual cold weather, thereby providing the plants with the protection of the stress response, without the plants suffering from any initial damage due to the cold. Similarly, an osmotic pressure mimic can be applied to a crop of plants prior a field being flooded by a rising river.

5

10

15

20

25

30

In one embodiment, the present invention provides a method for marker-assisted selection. Marker-assisted selection involves the selection of plants having desirable phenotypes based on the presence of particular nucleotide sequences ("markers"). The use of markers allows plants to be selected early in development, often before the phenotype would normally be manifest. Because it allows for early selection, marker-assisted selection decreases the amount of time need for selection and thus allows more rapid genetic progress.

Briefly, marker-assisted selection involves obtaining nucleic acid from a plant to be selected. The nucleic acid obtained is then probed with probes that selectively hybridize under stringent, preferably highly stringent, conditions to a nucleotide sequence or sequences associated with the desired phenotype. In one embodiment, the probes hybridize to any of the stress-responsive genes or regulatory regions disclosed herein, for example, any one of SEQ ID NOS:1-2703. The presence of any hybridization products formed is detected and plants are then selected on the presence or absence of the hybridization products.

The following examples are intended to illustrate but not limit the invention.

80

EXAMPLE 1

PROFILING OF PLANT STRESS-REGULATED GENES

This example demonstrates that clusters of stress-regulated genes can be identified in plant cells exposed to various stress conditions, either alone or in combination.

5

10

15

20

25

30

A GeneChip® Arabidopsis Genome Array (Affymetrix, Santa Clara, CA) was used to identify clusters of genes that were coordinately induced in response to various stress conditions. The GeneChip® Arabidopsis Genome Array contains probes synthesized *in situ* and is designed to measure temporal and spatial gene expression of approximately 8700 genes in greater than 100 EST clusters. The sequences used to develop the array were obtained from GenBank (http://www.ncbi.nlm.nih.gov/) in collaboration with Torrey Mesa Research Institute (San Diego, CA), formerly known as Novartis Agriculture Discovery Institute. Eighty percent of the nucleotide sequences represented on the array are predicted coding sequences from genomic BAC entries; twenty percent are high quality cDNA sequences. The array also contains over 100 EST clusters that share homology with the predicted coding sequences from BAC clones (see, for example, world wide web at address (url) "affymetrix.com/products/Arabidopsis_content.html".

The Affymetrix GeneChip® array was used to define nucleotide sequences/pathways affected by various abiotic stresses and to define which are uniquely regulated by one stress and those that respond to multiple stress, and to identify candidate nucleotide sequences for screening for insertional mutants. Of the approximately 8,700 nucleotide sequences represented on the Affymetrix GeneChip® array, 2862 nucleotide sequences showed at least a 2-fold change in expression in at least one sample, relative to no-treatment controls. Of those 2,862 nucleotide sequences 1,335 were regulated only by cold stress, 166 were regulated only mannitol stress and 209 were regulated only by saline stress. Furthermore, of the 2,862 nucleotide sequences 123 nucleotide sequences were regulated by salt and mannitol stress, 293 were regulated by mannitol and cold stress, 274 were regulated by cold and saline stress and 462 were regulated by cold, mannitol and salt. Of the 2,862 nucleotide sequences, 771 passed the higher stringency of showing at least a

2-fold change in expression in at least 2 samples, relative to control. And, 508 of the 771 nucleotide sequences were found in an in-house collection of insertion mutants.

The following describes in more detail how the experiments were done.

Transcriptional profiling was performed by hybridizing fluorescence labeled cRNA with the oligonucleotides probes on the chip, washing, and scanning. Each gene is represented on the chip by about sixteen oligonucleotides (25-mers). Expression level is related to fluorescence intensity. Starting material contained 1 to 10 Tg total RNA; detection specificity was about 1:10⁶; approximately a 2-fold change was detectable, with less than 2% false positive; the dynamic range was approximately 500x.

5

10

15

20

25

30

Nucleotide sequences having up to 70% to 80% identity could be discriminated using this system.

Seven day old axenic *Arabidopsis* seedlings were transferred to Magenta boxes with rafts floating on MS medium. Three weeks later (28 day old seedlings), stresses were applied as follows: Control - no treatment; Cold - Magenta box placed in ice; Mannitol - medium + 200 mM mannitol; Salt - medium + 100 mM NaCl. Tissue samples were collected at 3 hours and 27 hours into the stress, roots and aerial portions were harvested, RNA was purified, and the samples were analyzed using the GeneChip® Arabidopsis Genome Array (Affymetrix, Santa Clara, CA) following the manufacturer's protocol.

Raw fluorescence values as generated by Affymetrix software were processed as follows: the values were brought into Microsoft Excel and values of 25 or less were set to 25 (an empirically determined baseline, Zhu and Wang, Plant Physiol. 124:1472-1476; 2000). The values from the stressed samples were then converted to fold change relative to control by dividing the values from the stressed samples by the values from the no-treatment control samples. Expression patterns that were altered at least 2-fold with respect to the control were selected. This method gave very robust results and resulted in a larger number of nucleotide sequences called as stress-regulated than previous methods had permitted.

Based on the profiles obtained following hybridization of nucleic acid molecules obtained from plant cells exposed to various stress conditions to the probes in the microarray, clusters of nucleotide sequences that were altered in response to the stress

conditions were identified (see Tables 3-6, cold responsive; Tables 7-10, salt (saline) responsive; Tables 11 to 14, mannitol (osmotic) responsive; Tables 15-17, cold and mannitol responsive; Tables 18-20, 6 salt and cold responsive; Tables 21-23, salt and mannitol responsive; Tables 24-26, cold, salt and mannitol responsive. Examples of plant gene sequences that varied in expression at least two-fold in response to a combination of cold, saline and osmotic stress in root cells and leaf cells are shown in Tables 27 and 28, respectively. In addition, examples of plant gene sequences that encode transcription factors (Table 29), phosphatases (Table 30), and kinases (Table 31) and that varied at least two-fold in response to a combination of cold, saline and osmotic stress are provided.

Affymetrix ID numbers and corresponding SEQ ID NOS: for the respective Arabidopsis nucleotide sequences are provided Tables 3-26, and can be used to determine SEQ ID NOS: for the sequences shown by Affymetrix ID number in Tables 27-31. The Affymetrix ID number refers to a particular nucleotide sequence on the GeneChip® Arabidopsis Genome Array. In some cases, a particular plant stress-regulated gene sequence hybridized to more than one nucleotide sequence on the GeneChip® Arabidopsis Genome Array (see, for example, Table 3, where SEQ ID NO:36 is shown to have hybridized to the 12187_AT and 15920_I_AT nucleotide sequences on the GeneChip®). In addition, it should be recognized that the disclosed sequences are not limited to coding sequences but, in some cases, include 5' untranslated sequences (see Table 2) or a longest coding region. As such, while the sequences set forth as SEQ ID NOS:1-2073 generally start with an ATG codon, in most cases each comprises a longer nucleotide sequence, including a regulatory region (see Table 2).

The results disclosed herein demonstrate that several polynucleotides, some of which were known to function as transcription factors, enzymes, and structural proteins, also are involved in the response of a plant cell to stress. The identification of the clusters of stress-regulated genes as disclosed herein provides a means to identify stress-regulated regulatory elements present in *Arabidopsis thaliana* nucleotide sequences, including consensus regulatory elements. It should be recognized, however that the regulatory elements of the plant genes comprising a sequence as set forth in SEQ ID NOS:156, 229, 233, 558, 573, 606, 625, 635, 787, and 813, which previously have

83

been described as cold regulated genes, are not encompassed within the stress-regulated gene regulatory element of the invention, and the regulatory elements of the plant genes comprising the nucleotide sequences set forth as SEQ ID NOS:1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918, and 1928, which previously have been identified as genes that are responsive to a single stress condition such as cold or saline stress, are not encompassed within the plant stress-regulated gene regulatory elements of the invention to the extent that they confer stress-regulated expression only with respect to the known single stress. Furthermore, the identification of the *Arabidopsis* stress-regulated genes provides a means to identify the corresponding homologs and orthologs in other plants, including commercially valuable food crops such as wheat, rice, soy, and barley, and ornamental plants.

BLASTN and BLASTP searches to identify such sequences revealed the polynucleotide sequences set forth in Table 32.

5

10

15

Although the invention has been described with reference to the above example, it will be understood that modifications and variations are encompassed within the spirit and scope of the invention. Accordingly, the invention is limited only by the claims, which follow Tables 1 to 32.

84

TABLE 1

SEQUENCE DESCRIPTIONS

| SEQUENCE DESCRIPTIONS | | | |
|-----------------------|----------------------------|-----|-----------------------------------|
| Seq | Description | 41 | scarecrow-like 7 (SCL7) |
| ID | | 42 | putative protein |
| 1 | unknown protein | 43 | No function assigned by TIGR |
| 2 | unknown protein | 44 | unknown protein |
| 3 | unknown protein | 45 | unknown protein |
| 4 | putative auxin-induced | | <u>-</u> |
| protein | 1 | SEQ | Description |
| 5 | unknown protein | ID | - |
| 6 | hypothetical protein | 46 | succinyl-CoA-ligase alpha subunit |
| 7 | putative protein | 47 | putative protein |
| 8 | unknown protein | 48 | CLV1 receptor kinase like protein |
| 9 | unknown protein | 49 | putative receptor-like protein |
| 10 | unknown protein | | kinase |
| 11 | putative protein | 50 | putative squalene synthase |
| 12 | Thioredoxin - like protein | 51 | putative receptor protein kinase |
| 13 | putative RNA helicase | 52 | somatic embryogenesis receptor- |
| 14 | putative protein | | like kinase, putative |
| 15 | putative protein | 53 | putative protein |
| 16 | RING zinc finger protein, | 54 | putative beta-glucosidase |
| | putative | 55 | multi-drug resistance protein |
| 17 | putative cyclin | 56 | receptor protein kinase (TMK1), |
| 18 | putative protein | | putative |
| 19 | putative protein | 57 | putative receptor-like protein |
| 20 | unknown protein | | kinase |
| 21 | putative protein | 58 | putative pectate lyase |
| 22 | putative protein | 59 | putative protein kinase |
| 23 | hypothetical protein | 60 | putative peroxidase |
| 24 | unknown protein | 61 | cytochrome P450-like protein |
| 25 | hypothetical protein | 62 | putative beta-amylase |
| 26 | unknown protein | 63 | monosaccharide transporter STP3 |
| 27 | unknown protein | 64 | Lycopersicon esculentum |
| 28 | unknown protein | | proteinase TMP, Pir2:T07617 |
| 29 | unknown protein | 65 | putative receptor-like protein |
| 30 | putative protein | | kinase |
| 31 | putative protein | 66 | G-box-binding factor 1 |
| 32 | putative protein | 67 | amino acid carrier, putative |
| 33 | unknown protein | 68 | myb-related protein |
| 34 | putative ribonuclease III | 69 | No function assigned by TIGR |
| 35 | unknown protein | 70 | SNF1 like protein kinase |
| 36 | unknown protein | 71 | Cu/Zn superoxide dismutase-like |
| 37 | unknown protein | | protein |
| 38 | unknown protein | 72 | putative protein kinase |
| 39 | unknown protein | 73 | small nuclear ribonucleoprotein |
| 40 | putative histidine kinase | | U1A |
| | | | |

85

| 74 | ras-like GTP-binding | 101 | dynein light chain like protein |
|--------|-------------------------------|-----|------------------------------------|
| protei | | 102 | chaperonin CPN10 |
| 75 | oleoyl-[acyl-carrier-protein] | 103 | putative bHLH transcription factor |
| | hydrolase-like protein | 104 | putative glyoxysomal malate |
| 76 | putative heat shock | | dehydrogenase precursor |
| | transcription factor | 105 | ATP-dependent RNA helicase, |
| 77 | putative protein | | putative |
| 78 | membrane-bound small | 106 | chlorophyll synthetase |
| | GTP-binding - like protein | 107 | similar to epoxide hydrolases |
| 79 | putative protein (fragment) | 108 | putative protein |
| 80 | indole-3-acetate beta- | 109 | unknown protein |
| | glucosyltransferase like | 110 | hypothetical protein |
| | protein | 111 | putative membrane transporter |
| 81 | HD-zip transcription factor | 112 | putative tyrosyl-tRNA synthetase |
| | (athb-8) | 113 | ARGININE/SERINE-RICH |
| 82 | putative cAMP-dependent | | SPLICING FACTOR RSP31 |
| | protein kinase | 114 | putative oxidoreductase |
| 83 | glucuronosyl transferase- | 115 | unknown protein |
| | like protein | 116 | linker histone protein, putative |
| 84 | putative leucine-rich repeat | 117 | hypothetical protein |
| | disease resistance protein | 118 | putative protein |
| 85 | 98b like protein | 119 | putative mitochondrial carrier |
| 86 | putative receptor-like | | protein |
| | protein kinase | 120 | putative transcription factor |
| 87 | IAA-Ala hydrolase (IAR3) | 121 | MYB-related protein |
| 88 | putative AP2 domain | 122 | myb-related transcription factor, |
| | transcription factor | | putative |
| 89 | putative expansin | 123 | unknown protein |
| 90 | putative Ap2 domain | 124 | unknown protein |
| prote | | 125 | putative glycine-rich protein |
| 91 | expansin (At-EXP1) | 126 | No function assigned by TIGR |
| 92 | cytochrome P450 - like | 127 | unknown protein |
| prote | in | 128 | unknown protein |
| 93 | putative ATP-dependent | 129 | unknown protein |
| | RNA helicase A | 130 | unknown protein |
| 94 | unknown protein | 131 | putative membrane channel protein |
| 95 | predicted protein | 132 | putative protein |
| 96 | putative glucosyltransferase | 133 | unknown protein |
| 97 | unknown protein | 134 | gamma glutamyl hydrolase, |
| 98 | putative xyloglucan- | | putative |
| | specific glucanase | 135 | 40S ribosomal protein S5 |
| 99 | cysteine synthase | 136 | DnaJ-like protein |
| 100 | clathrin assembly protein | 137 | 40S ribosomal protein S26 |
| | AP19 homolog | 138 | putative WRKY-type DNA binding |
| | · | | protein |

86

| 139 | putative protein | 161 | putative photomorphogenesis |
|-------|---------------------------|-----|--------------------------------------|
| 140 | hypothetical protein | | repressor protein |
| 141 | putative ubiquitin- | 162 | SNF1-like protein kinase (AKin11) |
| | conjugating enzyme | 163 | thioredoxin h |
| 142 | peptidylprolyl isomerase | 164 | thioredoxin |
| ROC1 | | 165 | Ca2+-dependent lipid-binding |
| 143 | glyceraldehyde-3- | | protein, putative |
| | phosphate dehydrogenase C | 166 | putative auxin-induced protein |
| | subunit (GapC) | 167 | putative bZIP transcription factor |
| 144 | No function assigned by | 168 | hypothetical protein |
| TIGR | | 169 | putative AVR9 elicitor response |
| 145 | putative protein | | protein |
| 146 | putative thioredoxin | 170 | putative serine/threonine protein |
| 147 | thioredoxin h, putative | | kinase |
| 148 | thioredoxin-like | 171 | bZIP transcription factor ATB2 |
| 149 | allene oxide synthase | 172 | putative spliceosome associated |
| | (emb CAA73184.1) | | protein |
| 150 | anthranilate synthase | 173 | 3-hydroxyisobutyryl-coenzyme A |
| | component I-1 precursor | | hydrolase - like protein |
| | (sp P32068) | 174 | putative protein |
| 151 | CELL DIVISION | 175 | putative Mutator-like transposase |
| | CONTROL PROTEIN 2 | 176 | putative protein |
| | HOMOLOG A | 177 | unknown protein |
| 152 | protein kinase cdc2 | 178 | putative protein |
| homol | og B | 179 | putative protein |
| 153 | ethylene responsive | 180 | putative galactinol synthase |
| | element binding factor 1 | 181 | putative transcriptional regulator |
| | (frameshift!) | 182 | nuclear matrix constituent protein 1 |
| 154 | ethylene responsive | | (NMCP1)-like |
| | element binding factor 2 | 183 | putative DNA-binding protein |
| | (ATERF2) (sp O80338) | | RAV2 |
| 155 | ethylene responsive | 184 | No function assigned by TIGR |
| | element binding factor 5 | 185 | basic blue protein, 5' partial |
| | (ATERF5) (sp O80341) | 186 | unknown protein |
| 156 | glucose-6-phosphate | 187 | putative calcium-binding protein, |
| | dehydrogenase | | calreticulin |
| 157 | photomorphogenesis | 188 | putative pyrophosphate-fructose-6- |
| | repressor (COP1) | | phosphate 1-phosphotransferase |
| 158 | unknown protein | 189 | ribosomal protein L11, cytosolic |
| 159 | DNA (cytosine-5)- | 190 | putative dTDP-glucose 4-6- |
| | methyltransferase (DNA | | dehydratase |
| | methyltransferase) (DNA | 191 | 40S ribosomal protein S20-like |
| | metase) (sp P34881) | | protein |
| 160 | PROLIFERA | 192 | 60S ribosomal protein L24 |

87

| 193 | coatomer-like protein, | 223 | putative SF16 protein {Helianthus |
|--------|-----------------------------|-----|--------------------------------------|
| 101 | epsilon subunit | | annuus} |
| 194 | glycoprotein(EP1), putative | 224 | unknown protein |
| 195 | putative SPL1-related | 225 | thioredoxin |
| protei | | 226 | trehalose-6-phosphate phosphatase |
| 196 | unknown protein | | (AtTPPB) |
| 197 | putative transport protein | 227 | chlorophyll a/b-binding protein |
| | SEC61 beta-subunit | 228 | class IV chitinase (CHIV) |
| 198 | unknown protein | 229 | chalcone synthase (naringenin- |
| 199 | putative cytochrome P450 | | chalcone synthase) (testa 4 protein) |
| 200 | UTP-glucose | | (sp P13114) |
| | glucosyltransferase - like | 230 | unknown protein |
| | protein | 231 | cinnamyl-alcohol dehydrogenase |
| 201 | 60S ribosomal protein L23 | | ELI3-2 |
| 202 | 40S ribosomal protein S17 | 232 | farnesyl-pyrophosphate synthetase |
| 203 | 40S ribosomal protein S26 | | FPS2 |
| 204 | protein translation factor | 233 | phospholipid hydroperoxide |
| | Suil homolog, putative | | glutathione peroxidase |
| 205 | unknown protein | 234 | heat shock transcription factor |
| 206 | gamma glutamyl hydrolase, | | HSF4 |
| | putative | 235 | heat shock protein 101 |
| 207 | dTDP-glucose 4,6- | 236 | 17.6 kDa heat shock protein (AA |
| | dehydratase, putative | | 1-156) |
| 208 | extensin - like protein | 237 | heat shock protein 17.6A |
| 209 | unknown protein | 238 | heat-shock protein |
| 210 | protein phosphatase 2C - | 239 | HY5 |
| | like protein | 240 | putative auxin-induced protein, |
| 211 | ubiquitin-like protein | | IAA12 |
| 212 | protein phosphatase 2C-like | 241 | early auxin-induced protein, |
| | protein | | IAA19 |
| 213 | unknown protein | 242 | auxin-inducible gene (IAA2) |
| 214 | putative RING zinc finger | 243 | putative protein |
| ankyı | rin protein | 244 | putative choline kinase |
| 215 | unknown protein | 245 | thymidylate kinase - like protein |
| 216 | putative rubisco subunit | 246 | CTP synthase like protein |
| | binding-protein alpha | 247 | putative protein |
| | subunit | 248 | putative amidase |
| 217 | putative acetone- | 249 | 4-alpha-glucanotransferase |
| | cyanohydrin lyase | 250 | hypothetical protein |
| 218 | putative isoamylase | 251 | similar to auxin-induced protein |
| 219 | putative protein | 252 | putative protein |
| 220 | HSP associated protein like | 253 | putative protein |
| 221 | 60S ribosomal protein L39 | 254 | putative protein |
| 222 | unknown protein | 255 | hyuC-like protein |
| | | | |

88

| 256 | putative tetracycline | 287 | unknown protein |
|--------|---------------------------------------|--------|-------------------------------------|
| | transporter protein | 288 | putative esterase D |
| 257 | similar to early nodulins | 289 | predicted protein of unknown |
| 258 | putative protein | functi | <u>-</u> |
| 259 | putative peptidyl-prolyl cis- | 290 | unknown protein |
| | trans isomerase | 291 | putative indole-3-glycerol |
| 260 | unknown protein | | phosphate synthase |
| 261 | unknown protein | 292 | isopentenyl |
| 262 | putative endochitinase | | pyrophosphate:dimethyllallyl |
| 263 | putative ABC transporter | | pyrophosphate isomerase |
| 264 | No function assigned by | 293 | kinase associated protein |
| ΓIGR | , , , , , , , , , , , , , , , , , , , | | phosphatase |
| 265 | CONSTANS-like B-box | 294 | putative K+ channel, beta subunit |
| | zinc finger protein | 295 | KNAT1 homeobox-like protein |
| 266 | unknown protein | 296 | PSI type II chlorophyll a/b-binding |
| 267 | unknown protein | | protein, putative |
| 268 | putative mitochondrial | 297 | transcription factor |
| | processing peptidase alpha | 298 | putative WD-40 repeat protein, |
| | subunit | | MSI2 |
| 269 | putative pre-mRNA | 299 | WD-40 repeat protein (MSI3) |
| | splicing factor | 300 | putative WD-40 repeat protein, |
| 270 | putative phosphatidylserine | | MSI4 |
| • | decarboxylase | 301 | unknown protein |
| 271 | unknown protein | 302 | hypothetical protein |
| 272 | unknown protein | 303 | putative protein |
| 273 | unknown protein | 304 | No function assigned by TIGR |
| 274 | putative casein kinase I | 305 | polyphosphoinositide binding |
| 275 | unknown protein | | protein, putative |
| 276 | 60S ribosomal protein | 306 | hypothetical protein |
| L23A | - | 307 | unknown protein |
| 277 | putative mitochondrial | 308 | chloroplast ribosomal L1 - like |
| | dicarboxylate carrier | | protein |
| | protein | 309 | cold-regulated protein cor15b |
| 278 | enoyl-ACP reductase (enr- | | precursor |
| A) | | 310 | cyanohydrin lyase like protein |
| 279 | putative isoamylase | 311 | putative replication protein A1 |
| 280 | formamidase - like protein | 312 | putative protein |
| 281 | reticuline oxidase - like | 313 | possible apospory-associated like |
| protei | | | protein |
| 282 | unknown protein | 314 | DNA binding protein GT-1, |
| 283 | putative transketolase | | putative |
| precu | • | 315 | AT-hook DNA-binding protein |
| 284 | putative protein | | (AHP1) |
| 285 | unknown protein | 316 | putative phospholipase |
| 286 | unknown protein | 317 | chloroplast FtsH protease, putative |

89

| 318 | enoyl-CoA hydratase like | 348 | putative farnesylated protein |
|--------|-----------------------------|--------|--------------------------------------|
| | protein | 349 | unknown protein |
| 319 | berberine bridge enzyme - | 350 | water stress-induced protein, |
| | like protein | | putative |
| 320 | putative sugar transporter | 351 | unknown protein |
| 321 | unknown protein | 352 | unknown protein |
| 322 | No function assigned by | 353 | PEROXISOMAL MEMBRANE |
| TIGR | | | PROTEIN PMP22 |
| 323 | hypothetical protein | 354 | putative peroxisomal membrane |
| 324 | putative acidic ribosomal | | carrier protein |
| | protein | 355 | putative protein |
| 325 | putative protein | 356 | unknown protein |
| 326 | unknown protein | 357 | putative protein |
| 327 | hypothetical protein | 358 | putative protein |
| 328 | putative protein | 359 | argininosuccinate synthase -like |
| 329 | - | | protein |
| | dihydroxypolypreny | 360 | 1-phosphatidylinositol-4,5- |
| | lbenzoate methyltransferase | bispho | osphate phosphodiesterase |
| 330 | unknown protein | 361 | putative JUN kinase activator |
| 331 | myb-related protein | protei | n |
| 332 | No function assigned by | 362 | putative 60S ribosomal protein L35 |
| TIGR | | 363 | nucleoid DNA-binding protein |
| 333 | putative protein | | cnd41 - like protein |
| 334 | putative disease resistance | 364 | SigA binding protein |
| | response protein | 365 | hypothetical protein |
| 335 | hypothetical protein | 366 | putative protein kinase |
| 336 | No function assigned by | 367 | unknown protein |
| TIGR | | 368 | regulatory protein NPR1-like; |
| 337 | starch branching enzyme II | | transcription factor inhibitor I |
| 338 | No function assigned by | | kappa B-like |
| TIGR | | 369 | putative protein |
| 339 | putative enolase (2- | 370 | hypothetical protein |
| | phospho-D-glycerate | 371 | phosphoribosylanthranilate |
| | hydroylase) | | isomerase |
| 340 | putative protein kinase | 372 | phosphoribosylanthranilate |
| 341 | HD-Zip protein, putative | | isomerase |
| 342 | putative protein kinase | 373 | sterol glucosyltransferase, putative |
| 343 | phenylalanyl-trna | 374 | putative gigantea protein |
| 5 15 | synthetase - like protein | 375 | putative MYB family transcription |
| 344 | putative aconitase | | factor |
| 345 | NAM(no apical meristem) | 376 | hypothetical protein |
| 5 15 | protein, putative | 377 | hypothetical protein |
| 346 | unknown protein | 378 | predicted protein |
| 347 | putative | 379 | cytochrome P450, putative |
| | homannomutase | 2,2 | - J |
| L-roph | | | |

90

| 380 | putative Na+ dependent | 44.6 | chloroplast precursor (sp Q02166) |
|--------|-----------------------------|--------|------------------------------------|
| 201 | ileal bile acid transporter | 416 | phytochrome C (sp P14714) |
| 381 | unknown protein | 417 | putative phytochrome-associated |
| 382 | RING-H2 finger protein | | protein 3 |
| | RHF1a | 418 | receptor serine/threonine kinase |
| 383 | putative protein | | PR5K |
| 384 | unknown protein | 419 | Ran-binding protein (atranbp1a) |
| 385 | putative protein | 420 | small Ras-like GTP-binding |
| 386 | putative auxin-regulated | | protein (gb AAB58478.1) |
| | protein | 421 | sterol-C5-desaturase |
| 387 | hypothetical protein | 422 | tryptophan synthase beta chain 1 |
| 388 | unknown protein | | precursor (sp P14671) |
| 389 | unknown protein | 423 | thioredoxin f2 (gb AAD35004.1) |
| 390 | putative protein | 424 | No function assigned by TIGR |
| 391 | putative protein | 425 | putative WRKY DNA-binding |
| 392 | unknown protein | | protein |
| 393 | histone H1 | 426 | putative protein |
| 394 | Argonaute (AGO1)-like | 427 | unknown protein |
| protei | | 428 | unknown protein |
| 395 | unknown protein | 429 | 14-3-3 protein homolog RCI1 |
| 396 | putative protein with C- | | (pir S47969) |
| | terminal RING finger | 430 | unknown protein |
| 397 | unknown protein | 431 | putative CCCH-type zinc finger |
| 398 | unknown protein | protei | - |
| 399 | unknown protein | 432 | PINHEAD (gb AAD40098.1); |
| 400 | unknown protein | | ation initiation factor |
| 401 | unknown protein | 433 | plasma membrane proton ATPase |
| 402 | putative copper amine | (PMA | • |
| oxida | | 434 | CHLOROPHYLL A-B BINDING |
| 403 | unknown protein | | PROTEIN 4 PRECURSOR |
| 404 | unknown protein | | homolog |
| 405 | unknown protein | 435 | membrane related protein CP5, |
| 406 | putative protein | 155 | putative |
| 407 | putative protein | 436 | ABC transporter (AtMRP2) |
| 408 | unknown protein | 437 | putative embryo-abundant protein |
| 409 | unknown protein | 438 | putative anthocyanidin-3-glucoside |
| 410 | putative protein | 7.50 | rhamnosyltransferase |
| 411 | putative protein | 439 | putative lipid transfer protein |
| 412 | | 440 | unknown protein |
| | unknown protein | | unknown protein |
| 413 | serine/threonine kinase - | 441 | - |
| A1 A | like protein | 442 | galactinol synthase, putative |
| 414 | alcohol dehydrogenase, | 443 | putative protein |
| /1 F | putative | 444 | putative protein |
| 415 | anthranilate | 445 | SCARECROW-like protein |
| | phosphoribosyltransferase. | 446 | unknown protein |

91

| 447 | unknown protein | 476 | phosphoenolpyruvate carboxylase |
|------|-------------------------------|-------|------------------------------------|
| 448 | unknown protein | | (PPC) |
| 449 | unknown protein | 477 | chlorophyll a/b-binding protein - |
| 450 | asparaginetRNA ligase | | like |
| 451 | putative protein | 478 | AtAGP4 |
| 452 | glutamate-1-semialdehyde | 479 | putative cryptochrome 2 apoprotein |
| | 2,1-aminomutase 1 | 480 | type 2 peroxiredoxin, putative |
| | precursor (GSA 1) | 481 | Atpm24.1 glutathione S transferase |
| | (glutamate-1-semialdehyde | 482 | delta tonoplast integral protein |
| | aminotransferase 1) (GSA- | | (delta-TIP) |
| | AT 1) (sp P42799) | 483 | 20S proteasome subunit (PAA2) |
| 453 | hypothetical protein | 484 | dormancy-associated protein, |
| 454 | putative serine protease-like | | putative |
| | protein | 485 | putative cytidine deaminase |
| 455 | No function assigned by | 486 | No function assigned by TIGR |
| TIGR | | 487 | putative phospholipase D-gamma |
| 456 | unknown protein | 488 | cell elongation protein, Dwarfl |
| 457 | unknown protein | 489 | germin-like protein |
| 458 | gamma-adaptin, putative | 490 | hevein-like protein precursor (PR- |
| 459 | UDP rhamnose | | 4) |
| | anthocyanidin-3-glucoside | 491 | rac-like GTP binding protein |
| | rhamnosyltransferase - like | | (ARAC5) |
| | protein | 492 | phosphoprotein phosphatase, type |
| 460 | carbonate dehydratase - like | | 1 catalytic subunit |
| | protein | 493 | ubiquitin-protein ligase UBC9 |
| 461 | putative microtubule- | 494 | xyloglucan endotransglycosylase- |
| | associated protein | | related protein XTR-7 |
| 462 | putative ribophorin I | 495 | cysteine synthase |
| 463 | putative zinc finger protein | 496 | putative villin 2 |
| 464 | chloroplast FtsH protease, | 497 | glutathione S-transferase |
| | putative | 498 | 5-adenylylsulfate reductase |
| 465 | putative protein | 499 | arginine decarboxylase |
| 466 | unknown protein | 500 | ATHP2, putative |
| 467 | putative LEA protein | 501 | ornithine carbamoyltransferase |
| 468 | putative protein | precu | • |
| 469 | putative protein | 502 | puative protein |
| 470 | unknown protein | 503 | putative protein |
| 471 | putative purple acid | 504 | unknown protein |
| | phosphatase | 505 | putative protein |
| 472 | unknown protein | 506 | putative protein |
| 473 | putative protein | 507 | unknown protein |
| 474 | unknown protein | 508 | unknown protein |
| 475 | chlorophyll binding protein, | 509 | unknown protein |
| .,5 | putative | 510 | unknown protein |
| | A | 511 | hypothetical protein |

92

| 512 | putative protein | 552 | putative CCCH-type zinc finger |
|-----|---------------------------|-------|--------------------------------------|
| 513 | putative DnaJ protein | | protein |
| 514 | plastocyanin | 553 | MAP kinase kinase 2 |
| 515 | unknown protein | 554 | ethylene-insensitive3-like1 (EIL1) |
| 516 | unknown protein | 555 | histidine transport protein (PTR2- |
| 517 | unknown protein | | B) . |
| 518 | unknown protein | 556 | putative auxin-induced protein |
| 519 | unknown protein | | AUX2-11 |
| 520 | unknown protein | 557 | hydroxyacylglutathione hydrolase |
| 521 | putative ATP-dependent | | cytoplasmic (glyoxalase II) (GLX |
| | RNA helicase | | II) |
| 522 | non-race specific disease | 558 | delta-8 sphingolipid desaturase |
| | resistance protein (NDR1) | 559 | cellulose synthase catalytic subunit |
| 523 | hypothetical protein | | (Ath-A) |
| 524 | putative protein | 560 | nitrate transporter (NTL1) |
| 525 | putative protein | 561 | DNA-binding homeotic protein |
| 526 | putative protein | | Athb-2 |
| 527 | copper transport protein | 562 | hypothetical protein |
| 528 | putative protein | 563 | aspartate aminotransferase |
| 529 | unknown protein | 564 | 4-coumarate:CoA ligase 1 |
| 530 | unknown protein | 565 | pyruvate dehydrogenase E1 beta |
| 531 | unknown protein | | subunit, putative |
| 532 | putative protein kinase | 566 | nucleotide diphosphate kinase Ia |
| 533 | unknown protein | | (emb CAB58230.1) |
| 534 | putative protein | 567 | chloroplast Cpn21 protein |
| 535 | putative protein | 568 | ATP dependent copper transporter |
| 536 | hypothetical protein | 569 | very-long-chain fatty acid |
| 537 | putative protein | | condensing enzyme (CUT1) |
| 538 | putative AP2 domain | 570 | putative purine-rich single-stranded |
| | transcription factor | | DNA-binding protein |
| 539 | putative nitrilase | 571 | serine/threonine protein |
| 540 | putative protein | | phosphatase (type 2A) |
| 541 | putative tetrahydrofolate | 572 | isopentenyl |
| | synthase | | diphosphate:dimethylallyl |
| 542 | heat-shock protein | | diphosphate isomerase (IPP2) |
| 543 | unkown protein | 573 | putative c2h2 zinc finger |
| 544 | unknown protein | | transcription factor |
| 545 | histone H4 | 574 | putative 20S proteasome beta |
| 546 | hypothetical protein | | nit PBC2 |
| 547 | unknown protein | 575 | nucleoside diphosphate kinase 3 |
| 548 | putative protein | (ndpk | |
| 549 | predicted protein | 576 | ras-related small GTP-binding |
| 550 | putative dihydrolipoamide | prote | |
| | succinyltransferase | 577 | putative 4-coumarate:CoA ligase 2 |
| 551 | actin 3 | | |

93

| 578 | transcription factor HBP-1b homolog (sp P43273) | 609 | photosystem II oxygen-evolving complex protein 3 - like |
|---------|---|--------------|---|
| 579 | biotin synthase (Bio B) | 610 | sedoheptulose-bisphosphatase |
| 580 | homeobox protein HAT22 | - | precursor |
| 581 | putative preprotein | 611 | glutathione S-transferase (GST6) |
| | translocase SECY protein | 612 | geranylgeranyl reductase |
| 582 | carbamoylphosphate | 613 | hypothetical protein |
| | synthetase, putative | 614 | hypothetical protein |
| 583 | putative protein kinase, | 615 | phosphoribulokinase precursor |
| ADK1 | | 616 | high mobility group protein |
| 584 | putative nuclear DNA- | 010 | (HMG1), putative |
| | binding protein G2p | 617 | protease inhibitor II |
| 585 | hypothetical protein | 618 | protease inhibitor II |
| 586 | hypothetical protein | 619 | cytochrome P450 90A1 |
| 587 | unknown protein | | (sp Q42569) |
| 588 | unknown protein | 620 | unknown protein |
| 589 | molybdopterin synthase | 621 | heat shock protein 90 |
| | (CNX2) | 622 | tubulin beta-9 chain |
| 590 | putative ribosomal protein | 623 | putative ubiquitin carboxyl |
| L6 | • | | terminal hydrolase |
| 591 | unknown protein | 624 | protein kinase |
| 592 | En/Spm-like transposon | 625 | DRE/CRT-binding protein |
| proteir | 1 | | DREB1C |
| 593 | putative protein | 626 | histidyl-tRNA synthetase |
| 594 | putative protein | 627 | splicing factor, putative |
| 595 | unknown protein | 628 | glutamyl-tRNA synthetase |
| 596 | hypothetical protein | 629 | putative RING zinc finger protein |
| 597 | unknown protein | 630 | phytochelatin synthase |
| 598 | unknown protein | | (gb AAD41794.1) |
| 599 | putative lysosomal acid | 631 | putative C2H2-type zinc finger |
| lipase | | | protein |
| 600 | unknown protein | 632 | putative ligand-gated ion channel |
| 601 | unknown protein | | protein |
| 602 | NifS-like aminotranfserase | 633 | putative ribosomal-protein S6 |
| 603 | actin 8 | | kinase (ATPK6) |
| 604 | hypothetical protein | 634 | MOLYBDOPTERIN |
| 605 | putative protein | | BIOSYNTHESIS CNX1 |
| 606 | heat-shock protein (At- | | PROTEIN |
| | hsc70-3) | 635 | temperature-sensitive omega-3 |
| 607 | putative protein disulfide | | fatty acid desaturase, chloroplast |
| | isomerase precursor | | precursor (sp P48622) |
| 608 | adenosine nucleotide | 636 | adenylosuccinate synthetase |
| | translocator | 637 | putative 14-3-3 protein |
| | | 638 | putative cytochrome P450 |

94

| 639 | putative two-component | 667 | putative receptor-like protein |
|---------|--|------------|-------------------------------------|
| 640 | response regulator 3 protein putative RING-H2 zinc | 669 | kinase |
| 040 | | 668 660 | putative disease resistance protein |
| 641 | finger protein ATL6 | 669 | receptor-like protein kinase - like |
| TIGR | No function assigned by | 670 | ubiquitin activating enzyme 2 |
| | | C71 | (gb AAB37569.1) |
| 642 | small zinc finger-like | 671 | No function assigned by TIGR |
| protein | | 672 | putative receptor-like protein |
| 643 | hypothetical protein | 650 | kinase |
| 644 | MAP kinase (ATMPK6) | 673 | K+ transporter, AKT1 |
| 645 | vacuolar ATP synthase, | 674 | shaggy-like kinase beta |
| putativ | | 675 | heat shock protein 70 |
| 646 | kinesin-like protein | 676 | plasma membrane intrinsic protein |
| 647 | serine/threonine-specific | | 1a |
| | n kinase NAK | 677 | HSP90-like protein |
| 648 | No function assigned by | 678 | histone H1, putative |
| TIGR | | 679 | unknown protein |
| 649 | ACTIN 2/7 (sp P53492) | 680 | dnaK-type molecular chaperone |
| 650 | phosphoglycerate kinase, | | hsc70.1 - like |
| | putative | 681 | gamma-glutamylcysteine |
| 651 | homeotic protein BEL1 | | synthetase |
| | homolog | 682 | peroxidase (ATP22a) |
| 652 | proline iminopeptidase | 683 | putative serine carboxypeptidase |
| 653 | pasticcino 1 | | precursor |
| 654 | serine/threonine protein | 684 | putative dioxygenase |
| kinase | - | 685 | glucose transporter |
| 655 | cytochrome P450 | 686 | NOI protein, nitrate-induced |
| | monooxygenase | 687 | putative protein |
| | (CYP71B4) | 688 | putative protein |
| 656 | No function assigned by | 689 | unknown protein |
| TIGR | | 690 | putative photosystem I reaction |
| 657 | putative GDSL-motif | | center subunit II precursor |
| | lipase/hydrolase | 691 | putative protein |
| 658 | putative protein | 692 | unknown protein |
| 659 | unknown protein | 693 | cobalamin biosynthesis protein |
| 660 | hypothetical protein | 694 | adenine nucleotide translocase |
| 661 | putative glycosylation | 695 | glutathione transferase, putative |
| enzym | - · · · · · · · · · · · · · · · · · · · | 696 | putative 60S ribosomal protein L21 |
| 662 | No function assigned by | 697 | cytochrome P450 like protein |
| TIGR | Tio function applica by | 698 | cytochrome b245 beta chain |
| 663 | No function assigned by | 0,0 | homolog RbohAp108, putative |
| TIGR | 1 to Imionor applica of | 699 | RNA helicase, DRH1 |
| 664 | unknown protein | 700 | putative aldolase |
| 665 | putative ABC transporter | 701 | farnesyltransferase subunit A |
| 666 | nifU-like protein | /01 | (FTA) |
| 000 | IIIO-IIKo Proteiti | | (+ +44) |

95

| 702 TIGR | No function assigned by | 725 726 | putative protein NBD-like protein |
|-------------|-----------------------------|-------------|--------------------------------------|
| 703 | putative putative sister- | 720 | (gb AAD20643.1) |
| , 00 | chromatide cohesion | 727 | AtHVA22c |
| | protein | 728 | unknown protein |
| 704 | calcium-dependent protein | 729 | phytoene synthase |
| 707 | kinase | 149 | (gb AAB65697.1) |
| 705 | serine/threonine protein | 730 | |
| 703 | | | protein kinase (AME2/AFC1) |
| | phosphatase type 2A, | 731 | hypothetical protein |
| 706 | putative | 732 | cyclin-dependent protein kinase- |
| 706 | 40S ribosomal protein S28 | 722 | like protein |
| 707 | (sp P34789) | 733 | photosystem II stability/assembly |
| 707 | RNA polymerase subunit | 70.1 | factor HCF136 (sp O82660) |
| 708 | DNA-damage- | 734 | hypothetical protein |
| | repair/toleration protein | 735 | DNA binding-like protein |
| | DRT102 | 736 | putative protein |
| 709 | putative C2H2-type zinc | 737 | chorismate mutase |
| | finger protein | 738 | putative LRR receptor protein |
| 710 | putative adenosine | | kinase |
| | phosphosulfate kinase | 739 | putative chalcone synthase |
| 711 | lipase | 740 | putative protein kinase |
| 712 | putative violaxanthin de- | 741 | replicase, putative |
| | epoxidase precursor | 742 | putative cysteine proteinase |
| | (U44133) | 743 | 60S ribosomal protein L36 |
| 713 | aromatic rich glycoprotein, | 744 | unknown protein |
| | putative | 745 | CLC-b chloride channel protein |
| 714 | putative fumarase | 746 | putative ribosomal protein S14 |
| 715 | flavonol synthase (FLS) | 7 47 | histone H2B like protein |
| | 96330) | | (emb CAA69025.1) |
| 716 | response regulator 5, | 748 | 60S ribosomal protein L2 |
| putati | | 749 | 60S ribosomal protein L15 |
| 717 | sulfate transporter | | homolog |
| 718 | putative floral homeotic | 750 | ribosomal protein S27 |
| | n, AGL9 | 751 | ribosomal protein |
| | putative ethylene-inducible | 752 | 60S ribosomal protein L12 |
| 117 | protein | 753 | 60s ribosomal protein L34 |
| 720 | C-8,7 sterol isomerase | 754 | putative ribosomal protein S10 |
| 720 721 | TCH4 protein | 755 | drought-induced protein like |
| 121 | (gb AAA92363.1) | 756 | blue copper-binding protein, 15K. |
| 700 | · - · | 750 | <u> </u> |
| 722 | hypothetical protein | 757 | (lamin) |
| 723 | putative urease accessory | 757 759 | calmodulin-like protein |
| 704 | protein | 758 750 | putative protein |
| 724 | molybdopterin synthase | 759 | No function assigned by TIGR |
| | sulphurylase | 760 | alpha-mannosidase, putative |
| | (gb AAD18050.1) | 761 | uncoupling protein (ucp/PUMP) |

96

TABLE 1 (cont)

| | homeodomain - like protein | 786 | calcium-dependent protein kinase |
|---------|----------------------------|---------|------------------------------------|
| | ribosomal protein S18, | (pir S | 71196) |
| putativ | | 787 | phosphoinositide specific |
| 764 | similar to SOR1 from the | | phospholipase C |
| | fungus Cercospora | 788 | similarity to S-domain receptor- |
| | nicotianae | | like protein kinase, Zea mays |
| 765 | 60S ribosomal protein L13, | 789 | mitosis-specific cyclin 1b |
| | BBC1 protein | 790 | 4-coumarate:CoA ligase 3 |
| 766 | 50S ribosomal protein L24, | 791 | transcription factor IIB (TFIIB) |
| | chloroplast precursor | 792 | unknown protein |
| 767 | putative ribosomal protein | 793 | hypothetical protein |
| 768 | unknown protein | 794 | hypothetical protein |
| 769 | aspartate aminotransferase | 795 | sugar transporter like protein |
| | (AAT1) | 796 | putative trypsin inhibitor |
| 770 | potassium channel protein | 797 | unknown protein |
| | AtKC | 798 | putative multispanning membrane |
| 771 | unknown protein | | protein |
| 772 | peroxisomal targeting | 799 | receptor-like kinase, putative |
| | signal type 2 receptor | 800 | putative inosine-5-monophosphate |
| 773 | putative protein | | dehydrogenase |
| 774 | Ras-related GTP-binding | 801 | inosine-5'-monophosphate |
| | protein (ARA-4) | | dehydrogenase, putative |
| 775 | S-receptor kinase homolog | 802 | amino acid permease 6 |
| | 2 precursor | | (emb CAA65051.1) |
| 776 | pathogenesis-related group | 803 | NADPH-ferrihemoprotein |
| | 5 protein, putative | | reductase (ATR2) |
| 777 | Nitrilase 4 (sp P46011) | 804 | putative WRKY-type DNA binding |
| 778 | biotin carboxyl carrier | | protein |
| | protein of acetyl-CoA | 805 | putative ankyrin |
| | carboxylase precursor | 806 | putative hexose transporter |
| | (BCCP) (sp Q42533) | 807 | aquaporin/MIP - like protein |
| 779 | photosystem I reaction | 808 | Ser/Thr protein kinase isolog |
| | centre subunit psaN | 809 | pectate lyase like protein |
| | precursor (PSI-N) | 810 | putative 60S ribosomal protein L17 |
| | (sp P49107) | 811 | putative protein |
| 780 | 3(2),5-bisphosphate | 812 | unknown protein |
| | nucleotidase | 813 | phenylalanine ammonia-lyase |
| 781 | high affinity Ca2+ | 814 | putative cytochrome P450 |
| antipor | ter | | monooxygenase |
| 782 | putative cytoskeletal | 815 | ARR1 protein, putative |
| protein | | 816 | putative bHLH transcription factor |
| 783 | putative peroxidase | 817 | aminomethyltransferase-like |
| 784 | respiratory burst oxidase | | precursor protein |
| protein | L | 818 | purple acid phosphatase precursor |
| 785 | beta-glucosidase | | |

r,

97

| 819 | AP2 domain containing | 844 | mercaptopyruvate |
|-------------|-------------------------------|--------|------------------------------------|
| | protein, putative | | sulfurtransferase, putative |
| 820 | ubiquitin-conjugating | 845 | putative thiosulfate |
| | enzyme E2-21 kD 1 | | sulfurtransferase |
| | (ubiquitin-protein ligase 4) | 846 | dihydrolipoamide S- |
| | (ubiquitin carrier protein 4) | | acetyltransferase |
| | (sp P42748) | 847 | auxin transport protein REH1, |
| 821 | translation initiation factor | | putative |
| 822 | putative VAMP-associated | 848 | putative auxin transport protein |
| | protein | 849 | apyrase (Atapy1) |
| 823 | spermidine synthase, | 850 | root cap 1 (RCP1) |
| putativ | <i>r</i> e | 851 | hypothetical protein |
| 824 | putative protein | 852 | putative protein |
| 825 | unknown protein | 853 | predicted protein of unknown |
| 826 | AtKAP alpha | functi | |
| 827 | glyceraldehyde-3- | 854 | hypothetical protein |
| | phosphate dehydrogenase, | 855 | hypothetical protein |
| | putative | 856 | hypothetical protein |
| 828 | putative poly(A) binding | 857 | putative aldehyde dehydrogenase |
| | protein | 858 | putative peroxidase |
| 829 | alpha-tubulin, putative | 859 | UDP-glucose 4-epimerase - like |
| 830 | serine/threonine-specific | | protein |
| | protein kinase ATPK64 | 860 | indole-3-acetate beta- |
| | (pir S20918) | | glucosyltransferase like protein |
| 831 | putative aspartate-tRNA | 861 | putative beta-1,3-glucanase |
| ligase | | 862 | disease resistance protein-like |
| 832 | ras-related small GTP- | 863 | putative respiratory burst oxidase |
| | binding protein RAB1c | | protein B |
| 833 | cycloartenol synthase | 864 | ubiquitin-conjugating enzyme |
| 834 | No function assigned by | | UBC3 |
| TIGR | - , | 865 | cytoplasmic aconitate hydratase |
| 835 | cytochrome P450 | 866 | NADPH oxidoreductase, putative |
| 836 | GTPase AtRAB8 | 867 | PROTEIN TRANSPORT |
| 837 | 3-phosphoserine | | PROTEIN SEC61 GAMMA |
| phosp | hatase | | SUBUNIT -like |
| 838 | transcription factor CRC | 868 | putative protein |
| 839 | nuclear cap-binding | 869 | unknown protein |
| | protein; CBP20 | 870 | 60S acidic ribosomal protein P2 |
| | (gb AAD29697.1) | 871 | No function assigned by TIGR |
| 840 | chloroplast membrane | 872 | 1,4-alpha-glucan branching |
| | protein (ALBINO3) | | enzyme protein soform SBE2.2 |
| 841 | biotin holocarboxylase | | precursor |
| | synthetase | 873 | calcium binding protein (CaBP-22) |
| 842 | expansin AtEx6 | 874 | putative phosphoglucomutase |
| 843 | unknown protein | | |

98

| 875 | shaggy-like protein kinase etha (EC 2.7.1) | 901 | putative RAS superfamily GTP- binding protein |
|--------|--|--------|--|
| 876 | pyruvate decarboxylase | 902 | disease resistance protein-like |
| | (gb AAB16855.1) | 903 | protein kinase like protein |
| 877 | hypothetical protein | 904 | glucuronosyl transferase-like |
| 878 | putative protein kinase | 501 | protein |
| 879 | putative protein kinase | 905 | putative homeodomain |
| 880 | putative leucine | | transcription factor |
| | aminopeptidase | 906 | putative flavonol reductase |
| 881 | probable cytochrome P450 | 907 | putative protein |
| 882 | protein kinase 6-like protein | 908 | salt-tolerance protein |
| 883 | arginine methyltransferase | 909 | 40S ribosomal protein S30 |
| | (pam1) | 910 | putative bZIP transcription factor |
| 884 | MYB96 transcription | 911 | putative protein |
| | factor-like protein | 912 | putative cinnamoyl CoA reductase |
| 885 | putative protein | 913 | unknown protein |
| 886 | metal ion transporter | 914 | putative RNA-binding protein |
| 887 | No function assigned by | 915 | phosphatidylinositol synthase |
| TIGR | 1 10 10m20 020 2 020 - B-110 0 0 7 | (PIS1) | · |
| 888 | flax rust resistance protein, | 916 | unknown protein |
| | putative | 917 | hydroxyproline-rich glycoprotein |
| 889 | fructose-2,6- | homo | |
| | bisphosphatase, putative | 918 | 50S ribosomal protein L15, |
| 890 | exonuclease RRP41 | | plast precursor |
| 891 | squamosa promoter binding | 919 | unknown protein |
| | protein-like 2 | 920 | putative YME1 ATP-dependant |
| | (emb CAB56576.1) | | protease |
| 892 | putative squamosa- | 921 | unknown protein |
| | promoter binding protein | 922 | putative ribosomal protein L28 |
| 893 | O-acetylserine(thiol) lyase, | 923 | unknown protein |
| | putative | 924 | putative protein |
| 894 | snoRNA | 925 | protein ch-42 precursor, |
| 895 | snoRNA | | chloroplast |
| 896 | ferredoxin-NADP+ | 926 | protein serine/threonine kinase, |
| reduct | ase | | putative |
| 897 | H+-transporting ATP | 927 | beta-VPE |
| | synthase chain 9 - like | 928 | putative vacuolar sorting receptor |
| | protein | 929 | putative translation initiation factor |
| 898 | photosystem I subunit III | | IF-2 |
| | precursor, putative | 930 | predicted protein of unknown |
| 899 | photosystem I subunit VI | | function |
| | precursor | 931 | putative protein |
| 900 | auxin-binding protein 1 | 932 | hypothetical protein |
| | precursor | 933 | hypothetical protein |
| | - | 934 | phosphate transporter, putative |

99

| 935 | No function assigned by | 961 | unknown protein |
|--------|-----------------------------|---------|-------------------------------------|
| TIGR | | 962 | unknown protein |
| 936 | beta subunit of protein | 963 | unknown protein |
| | farnesyl transferase ERA1 | 964 | myrosinase-associated protein, |
| 937 | putative glutamate | | putative |
| | decarboxylase | 965 | hypothetical protein |
| 938 | putative indole-3-acetate | 966 | hypothetical protein |
| | beta-glucosyltransferase | 967 | No function assigned by TIGR |
| 939 | putative receptor-like | 968 | unknown protein |
| | protein kinase | 969 | hypothetical protein |
| 940 | UDP-galactose 4- | 970 | LAX1 / AUX1 -like permease |
| | epimerase-like protein | 971 | putative UDP-N- |
| 941 | putative proliferating cell | | acetylglucosaminedolichyl- |
| | nuclear antigen, PCNA | | phosphate N- |
| 942 | ubiquitin conjugating | | acetylglucosaminephosphotransfer |
| | enzyme E2 (UBC13) | | ase |
| 943 | cyclophilin (CYP2) | 972 | chorismate mutase CM2 |
| 944 | cystatin | 973 | inner mitochondrial membrane |
| (emb 0 | CAA03929.1) | | protein |
| 945 | putative alcohol | 974 | DEF (CLA1) protein |
| dehyd | rogenase | 975 | decoy |
| 946 | acidic ribosomal protein p1 | 976 | citrate synthase |
| 947 | glutathione transferase | 977 | myosin |
| | AtGST 10 | 978 | 40S ribosomal protein S19 |
| | (emb CAA10457.1) | 979 | ripening-related protein - like |
| 948 | putative tropinone | 980 | putative signal peptidase I |
| reduct | ase | 981 | methionyl-tRNA synthetase |
| 949 | ZIP4, a putative zinc | | (AtcpMetRS) |
| | transporter | 982 | ribosomal protein precursor - like |
| 950 | unknown protein | 983 | 50S ribosomal protein L21 |
| 951 | putative protein | | chloroplast precursor (CL21) |
| 952 | putative protein | 984 | putative MYB family transcription |
| 953 | putative C2H2-type zinc | factor | |
| | finger protein | 985 | cyclophilin - like protein |
| 954 | putative RING zinc finger | 986 | hypothetical protein |
| | protein | 987 | naringenin 3-dioxygenase like |
| 955 | putative microtubule- | proteir | |
| | associated protein | 988 | WD-repeat protein -like protein |
| 956 | unknown protein | 989 | putative serine carboxypeptidase II |
| 957 | putative protein | 990 | prenyltransferase, putative |
| 958 | putative protein | 991 | putative ligand-gated ion channel |
| | hatase-2c | | protein |
| 959 | V-ATPase subunit G (vag2 | 992 | clathrin adaptor medium chain |
| | gene) | | protein MU1B, putative |
| 960 | hypothetical protein | 993 | No function assigned by TIGR |

100

| 994 | putative Tall-like non- | 1025 | putative tropinone reductase |
|---------|------------------------------|---------|-------------------------------------|
| | LTR retroelement protein | 1026 | signal response protein (GAI) |
| 995 | putative 3-isopropylmalate | 1027 | putative steroid sulfotransferase |
| | dehydrogenase | 1028 | hypothetical protein |
| 996 | 3-isopropylmalate | 1029 | nucleic acid binding protein - like |
| | dehydratase, small subunit | 1030 | putative protein |
| 997 | unknown protein | 1031 | blue copper binding protein |
| 998 | unknown protein | 1032 | farnesylated protein (ATFP6) |
| 999 | unknown protein | 1033 | unknown protein |
| 1000 | hypothetical protein | 1034 | putative PCF2-like DNA binding |
| 1001 | putative protein | | protein |
| 1002 | No function assigned by | 1035 | teosinte branched1 - like protein |
| TIGR | • | 1036 | putative protein |
| 1003 | putative beta-glucosidase | 1037 | unknown protein |
| 1004 | putative pectate lyase A11 | 1038 | unknown protein |
| 1005 | putative beta-glucosidase | 1039 | 2-oxoglutarate dehydrogenase, E1 |
| 1006 | HD-Zip protein | | component |
| 1007 | putative ubiquitin | 1040 | unknown protein |
| | conjugating enzyme | 1041 | unknown protein |
| 1008 | homeobox-leucine zipper | 1042 | CCAAT-binding transcription |
| | protein-like | | factor subunit A(CBF-A) |
| 1009 | cytochrome P450 like | 1043 | hypothetical protein |
| protein | • | 1044 | putative growth regulator protein |
| 1010 | putative cysteine proteinase | 1045 | putative presenilin |
| | inhibitor B (cystatin B) | 1046 | putative expansin |
| 1011 | ethylene response sensor | 1047 | ribosomal - like protein |
| (ERS) | - | 1048 | unknown protein |
| 1012 | putative SWH1 protein | 1049 | unknown protein |
| 1013 | putative glutathione S- | 1050 | putative protein |
| | transferase | 1051 | putative protein |
| 1014 | putative protein | 1052 | unknown protein |
| 1015 | unknown protein | 1053 | unknown protein |
| 1016 | putative protein | 1054 | unknown protein |
| | phosphatase 2C | 1055 | unknown protein |
| 1017 | dnaJ protein homolog atj3 | 1056 | unknown protein |
| 1018 | ferredoxin | 1057 | putative protein |
| 1019 | hypothetical protein | 1058 | putative protein |
| 1020 | putative sugar transport | 1059 | argininosuccinate lyase (AtArgH) |
| | protein, ERD6 | 1060 | disease resistance protein homolog |
| 1021 | putative DnaJ protein | 1061 | aldehyde dehydrogenase like |
| 1022 | putative AP2 domain | proteir | n |
| | transcription factor | 1062 | GBF2, G-box binding factor |
| 1023 | putative protein | 1063 | CDPK-related kinase |
| 1024 | putative cyclin-dependent | 1064 | endo-1,4-beta-glucanase |
| | kinase regulatory subunit | 1065 | putative serine protease |

101

| 1066 kinase | serine/threonine-specific lecRK1 precursor,lectin | 1091 | putative ATP-dependent RNA helicase | |
|----------------|---|------------------|--|--|
| | or-like | putative protein | | |
| 1067 | putative MAP kinase | 1092 1093 | putative HMG protein | |
| 1068 | RNase L inhibitor-like | 1094 | squalene monooxygenase 2 | |
| proteir | | 1094 | | |
| 10 69 | | | (squalene epoxidase 2) (SE 2) | |
| TIGR | No function assigned by | 1095 | (sp O65403) | |
| 1070 | AD2 domain transarintian | 1093 | eukaryotic peptide chain release | |
| 1070 | AP2 domain transcription factor | 1006 | factor subunit 1, putative | |
| 1071 | | 1096 | auxin-induced protein - like | |
| 1071 | polygalacturonase | 1097 | putative lipoamide dehydrogenase | |
| | isoenzyme 1 beta subunit, | 1098 | putative protein | |
| | putative | 1099 | unknown protein | |
| 1072 | putative lipid transfer | 1100 | putative oligopeptide transporter | |
| proteir | | 1101 | putative translation elongation | |
| 1073 | putative protein kinase | | factor ts | |
| 1074 | putative protein | 1102 | putative CCAAT-binding | |
| 1075 | ATP-dependent RNA | | transcription factor subunit | |
| | helicase like protein | 1103 | putative ABC transporter | |
| 1076 | putative cyclic nucleotide- | 1104 | putative superoxide-generating | |
| | regulated ion channel | | NADPH oxidase flavocytochrome | |
| | protein | 1105 | aspartate kinase-homoserine | |
| 1077 | COP1 like protein | | dehydrogenase - like protein | |
| 1078 | putative peroxidase | 1106 | putative bHLH transcription factor | |
| 1079 | putative NAK-like ser/thr | 1107 | putative geranylgeranyl transferase | |
| | protein kinase | | type I beta subunit | |
| 1080 | putative cytochrome C | 1108 | putative ARP2/3 protein complex | |
| 1081 | cytochrome c | | subunit p41 | |
| 1082 | putative serine | 1109 | sulphite reductase | |
| | carboxypeptidase II | 1110 | putative auxin-regulated protein | |
| 1083 | acyl-(acyl carrier protein) | 1111 | transcription factor scarecrow-like | |
| | thioesterase | | 14, putative | |
| 1084 | DNA-binding factor, | 1112 | unknown protein | |
| putativ | _ | 1113 | monooxygenase 2 (MO2) | |
| | MAP3K delta-1 protein | | putative amine oxidase | |
| kinase | - | 1115 | zinc finger protein, putative | |
| 1086 | AtMlo-h1-like protein | 1116 | DNA-binding protein, putative | |
| 1087 | No function assigned by | 1117 | putative protein | |
| TIGR | 140 Talletion assigned by | 1118 | putative protein | |
| 1088 | putative expansin | 1119 | Avr9 elicitor response like protein | |
| 1089 | - | | putative protein | |
| 1007 | defender against cell death | 1120 | <u> </u> | |
| 1000 | protein, putative | 1121 | hypothetical protein | |
| 1090 | glycolate oxidase - like | 1122 | putative nucleotide-sugar | |
| protei | 1 | 1100 | dehydratase | |
| | | 1123 | UFD1 like protein | |

102

| 1124 | putative trans- | 1155 | cytochrome c oxidoreductase like |
|---------|-------------------------------|------|------------------------------------|
| | transferase | | protein |
| 1125 | outward rectifying | 1156 | putative |
| | potassium channel KCO | | carboxymethylenebutenolidase |
| 1126 | unknown protein | 1157 | unknown protein |
| 1127 | putative | 1158 | unknown protein |
| pectina | acetylesterase | 1159 | unknown protein |
| 1128 | putative protein | 1160 | unknown protein |
| 1129 | No function assigned by | 1161 | unknown protein |
| TIGR | <i>5</i> , | 1162 | unknown protein |
| 1130 | unknown protein | 1163 | auxin-induced protein (IAA20) |
| 1131 | unknown protein | 1164 | 50S ribosomal protein L4 |
| 1132 | unknown protein | 1165 | putative DNA topoisomerase III |
| 1133 | protein phosphatase | | beta |
| | og (PPH1) | 1166 | No function assigned by TIGR |
| 1134 | unknown protein | 1167 | isp4 like protein |
| 1135 | No function assigned by | 1168 | putative protein kinase |
| TIGR | | 1169 | hypothetical protein |
| 1136 | unknown protein | 1170 | putative pyrophosphatefructose- |
| 1137 | unknown protein | | 6-phosphate 1-phosphotransferase |
| 1138 | unknown protein | 1171 | putative protein |
| 1139 | putative protein | 1172 | putative protein |
| 1140 | unknown protein | 1173 | putative protein |
| 1141 | putative ubiquinol | 1174 | unknown protein |
| | cytochrome-c reductase | 1175 | unknown protein |
| 1142 | unknown protein | 1176 | putative protein |
| 1143 | contains similarity to high- | 1177 | putative protein |
| | glucose-regulated protein 8 | 1178 | unknown protein |
| | GB:AAF08813 GI:6449083 | 1179 | unknown protein |
| | from [Homo sapiens] | 1180 | putative protein |
| 1144 | unknown protein | 1181 | brassinosteroid insensitive 1 gene |
| 1145 | putative cis-Golgi SNARE | | (BRII) |
| | protein | 1182 | putative receptor protein kinase |
| 1146 | unknown protein | 1183 | vacuolar-type H+-translocating |
| 1147 | | | inorganic pyrophosphatase |
| | aminotransferase | 1184 | protein kinase - like protein |
| 1148 | No function assigned by | 1185 | glycyl tRNA synthetase, putative |
| TIGR | | 1186 | subtilisin proteinase - like |
| 1149 | hypothetical protein | 1187 | hypothetical protein |
| 1150 | unknown protein | 1188 | cytochrome P450-like protein |
| 1151 | unknown protein | 1189 | cytochrome p450 like protein |
| 1152 | unknown protein | 1190 | putative protein kinase |
| 1153 | scarecrow-like 3 | 1191 | pectinesterase - like protein |
| 1154 | putative proline-rich protein | 1192 | putative receptor-like protein |
| | r | | kinase |

103

| 1193 | peroxidase ATP17a -like protein | 1219 | putative AP2 domain transcription factor |
|--------|---------------------------------|-------|--|
| 1194 | No function assigned by | 1220 | brassinosteroid receptor kinase, |
| TIGR | | 1001 | putative |
| 1195 | cellulose synthase catalytic | 1221 | TINY-like protein |
| | subunit - like protein | 1222 | glucose-6-phosphate isomerase |
| 1196 | RAS-related protein, RAB7 | 1223 | putative protein |
| 1197 | putative aspartate | 1224 | putative NAM (no apical |
| | aminotransferase | | meristem)-like protein |
| 1198 | cyclophilin | 1225 | unknown protein |
| 1199 | putative SF2/ASF splicing | 1226 | putative nucleotide-binding protein |
| | modulator, Srp30 | 1227 | bZIP transcription factor (POSF21) |
| 1200 | putative cytochrome b5 | 1228 | ubiquitin activating enzyme - like |
| 1201 | glutamyl-tRNA reductase, | | protein |
| | putative | 1229 | telomere repeat-binding protein |
| 1202 | putative MADS-box protein | 1230 | unknown protein |
| 1203 | ammonium transport | 1231 | mevalonate kinase |
| | protein (AMT1) | 1232 | putative protein |
| 1204 | No function assigned by | 1233 | hypothetical protein |
| TIGR | The lower and grow of | 1234 | disease resistance RPP5 like |
| 1205 | putative beta-ketoacyl-CoA | 125 . | protein |
| syntha | 2 | 1235 | putative protein |
| 1206 | thaumatin-like protein | 1236 | putative pectinesterase |
| 1207 | putative methionine | 1237 | Ttg1 protein (emb CAB45372.1) |
| | peptidase | 1238 | FUSCA PROTEIN FUS6 |
| 1208 | putative protein | 1239 | NHE1 Na+/H+ exchanger |
| | natase 2C | 1240 | No function assigned by TIGR |
| 1209 | kinase-like protein | 1241 | Phospholipase like protein |
| 1210 | receptor-associated kinase | 1242 | unknown protein |
| isolog | receptor associated minase | 1243 | unknown protein |
| 1211 | mitochondrial ribosomal | 1244 | unknown protein |
| protei | | 1245 | AUX1-like amino acid permease |
| 1212 | oleosin, 18.5K | 1246 | unknown protein |
| 1213 | chalcone isomerase | 1247 | putative C2H2-type zinc finger |
| | putative cyclin-dependent | 1211 | protein |
| 1211 | kinase regulatory subunit | 1248 | putative protein |
| 1215 | putative thaumatin-like | 1249 | putative protein |
| protei | - | 1250 | putative glucosyltransferase |
| 1216 | putative two-component | 1250 | putative lipase |
| 1210 | response regulator protein | 1251 | putative irpase |
| 1217 | | | putative protein |
| 1217 | TATA binding protein- | 1253 | AIG2-like protein |
| 1010 | associated factor, putative | 1254 | - |
| 1218 | predicted protein of | 1255 | short-chain alcohol dehydrogenase |
| | unknown function | 1000 | like protein |
| | | 1256 | hypothetical protein |

104

| 1057 | | 1007 | 37 0 3 1 11 |
|----------------|-----------------------------|------|-------------------------------------|
| 1257 | putative protein | 1287 | No function assigned by TIGR |
| 1258 | putative protein | 1288 | serine/threonine protein kinase |
| 1259 | glutathione peroxidase - | | ATPK10 |
| 10.00 | like protein | 1289 | putative lipase |
| 1260 | putative protein | 1290 | choline kinase GmCK2p -like |
| 1261 | putative disease resistance | | protein |
| | response protein | 1291 | putative sugar transport protein, |
| 1262 | putative protein | | ERD6 |
| 1263 | senescence-associated | 1292 | MYB27 protein - like |
| | protein (SAG29) | 1293 | DNA-binding protein, putative |
| 1264 | glycolate oxidase, putative | 1294 | similar to cold acclimation protein |
| 1265 | extensin - like protein | | WCOR413 [Triticum aestivum] |
| 1266 | putative protein | 1295 | unknown protein |
| 1267 | unknown protein | 1296 | aquaporin (plasma membrane |
| 1268 | putative disease resistance | | intrinsic protein 2B) |
| | protein | 1297 | No function assigned by TIGR |
| 1269 | putative receptor-like | 1298 | P-Protein - like protein |
| | protein kinase | 1299 | No function assigned by TIGR |
| 1270 | putative receptor-like | 1300 | putative cytochrome P450 |
| | protein kinase | | monooxygenase |
| 1271 | basic chitinase | 1301 | putative cytochrome P450 |
| 1272 | putative pectin | | monooxygenase |
| methylesterase | | 1302 | putative thioredoxin |
| 1273 | peroxidase ATP N | 1303 | stromal ascorbate peroxidase |
| 1274 | class 2 non-symbiotic | 1304 | ethylene responsive element |
| | hemoglobin | | binding factor-like protein |
| 1275 | nitrate transporter | | (AtERF6) |
| 1276 | Ca2+/H+-exchanging | 1305 | auxin transport protein EIR1 |
| | protein-like | | (gb AAC39513.1) |
| 1277 | putative protein | 1306 | putative CONSTANS-like B-box |
| 1278 | hydroxynitrile lyase like | | zinc finger protein |
| protei | • | 1307 | putative protein kinase |
| 1279 | putative AP2 domain | 1308 | mitochondrial Lon protease |
| | ription factor | | homolog 1 precursor (sp O64948) |
| | pectin methylesterase, | 1309 | putative protein |
| putati | | 1310 | heme activated protein, putative |
| 1281 | putative protein | 1311 | putative cytochrome P450 |
| 1282 | beta-glucosidase-like | 1312 | No function assigned by TIGR |
| protei | • | 1313 | putative lipase |
| 1283 | CCAAT box binding factor/ | 1314 | putative protein |
| | ription factor Hap2a | 1315 | putative sugar transporter protein |
| 1284 | putative fibrillin | 1316 | putative sucrose transport protein, |
| 1285 | xyloglucan endo- | 1010 | SUC2 |
| | transglycosylase | 1317 | putative protein |
| 1286 | putative 10kd chaperonin | 1318 | putative protein |
| | | | P |

105

| 1319 | putative endochitinase | 1351 | unknown protein |
|---------|----------------------------|---------|--------------------------------------|
| 1320 | putative acetone- | 1352 | bZIP transcription factor - like |
| | cyanohydrin lyase | proteir | = |
| 1321 | putative protein | 1353 | Medicago nodulin N21-like protein |
| 1322 | calmodulin-like protein | 1354 | putative endo-1,4-beta glucanase |
| 1323 | hypothetical protein | 1355 | 1-aminocyclopropane-1- |
| 1324 | cysteine proteinase like | | carboxylate oxidase |
| proteir | ı | 1356 | putative anion exchange protein |
| 1325 | heat shock protein 17.6-II | 1357 | SRG1-like protein |
| 1326 | heat shock protein 18 | 1358 | putative protein |
| 1327 | Arabidopsis mitochondrion- | 1359 | putative phi-1-like phosphate- |
| | localized small heat shock | | induced protein |
| | protein (AtHSP23.6-mito) | 1360 | putative protein |
| 1328 | unknown protein | 1361 | putative embryo-abundant protein |
| 1329 | putative WRKY-type DNA | 1362 | putative hydrolase |
| | binding protein | 1363 | unknown protein |
| 1330 | No function assigned by | 1364 | unknown protein |
| TIGR | | 1365 | hexose transporter - like protein |
| 1331 | hypothetical protein | 1366 | unknown protein |
| 1332 | putative integral membrane | 1367 | unknown protein |
| | protein nodulin | 1368 | peptide transport - like protein |
| 1333 | putative protein | 1369 | unknown protein |
| 1334 | unknown protein | 1370 | putative peptide transporter |
| 1335 | 3-isopropylmalate | 1371 | disease resistance protein, putative |
| | dehydratase, small subunit | 1372 | cysteine protease component of |
| 1336 | unknown protein | | protease-inhibitor complex |
| 1337 | putative homeodomain | 1373 | putative cytochrome P450 |
| | transcription factor | 1374 | putative protein |
| 1338 | unknown protein | 1375 | hypothetical protein |
| 1339 | putative protein | 1376 | unknown protein |
| 1340 | peroxidase ATP19a | 1377 | putative |
| 1341 | putative Na+/H+- | | phosphoribosylaminoimidazolecar |
| | exchanging protein | | boxamide formyltransferase |
| 1342 | putative auxin-regulated | 1378 | putative protein |
| | protein | 1379 | HSP like protein |
| 1343 | unknown protein | 1380 | unknown protein |
| 1344 | unknown protein | 1381 | unknown protein |
| 1345 | putative trehalose-6- | 1382 | putative cytochrome P450 |
| | phosphate synthase | 1383 | similar to pectinesterase |
| 1346 | putative lectin | 1384 | putative glucosyltransferase |
| 1347 | Mlo protein-like | 1385 | thaumatin-like protein |
| 1348 | unknown protein | 1386 | drought-inducible cysteine |
| 1349 | ethylene response factor, | | proteinase RD19A precursor |
| putati | | 1387 | vegetative storage protein Vsp2 |
| 1350 | unknown protein | 1388 | unknown protein |

106

| 1389 | unknown protein | 1417 | G-box binding bZIP transcription |
|---------|-----------------------------|--------|-----------------------------------|
| 1390 | anthranilate N- | | factor |
| | benzoyltransferase - like | 1418 | putative protein |
| | protein | 1419 | putative protein |
| 1391 | delta-1-pyrroline 5- | 1420 | putative protein |
| | carboxylase synthetase | 1421 | ATFP4-like |
| | (P5C1) | 1422 | unknown protein |
| 1392 | glutathione S-conjugate | 1423 | unknown protein |
| | transporting ATPase | 1424 | putative protein |
| | (AtMRP1) | 1425 | invertase inhibitor homolog |
| 1393 | hypothetical protein | (emb C | CAA73335.1) |
| 1394 | hypothetical protein | 1426 | unknown protein |
| 1395 | unknown protein | 1427 | unknown protein |
| 1396 | putative protein | 1428 | putative cytochrome b5 |
| 1397 | putative protein | 1429 | putative protein |
| 1398 | No function assigned by | 1430 | putative protein |
| TIGR | | 1431 | putative protein |
| 1399 | unknown protein | 1432 | No function assigned by TIGR |
| 1400 | putative protein kinase | 1433 | putative copper/zinc superoxide |
| 1401 | unknown protein | | dismutase |
| 1402 | hypothetical protein | 1434 | protein phosphatase ABI1 |
| 1403 | unknown protein | 1435 | glutamate dehydrogenase 2 |
| 1404 | putative calcium-binding | 1436 | No function assigned by TIGR |
| | EF-hand protein | 1437 | low-temperature-induced protein |
| 1405 | cinnamyl-alcohol | | 78 (sp Q06738) |
| | dehydrogenase ELI3-1 | 1438 | putative myo-inositol 1-phosphate |
| 1406 | putative protein | | synthase |
| 1407 | unknown protein | 1439 | phosphate transporter |
| 1408 | senescence-associated | | (gb AAB17265.1) |
| | protein sen1 | 1440 | 4-hydroxyphenylpyruvate |
| 1409 | hypothetical protein | | dioxygenase (HPD) |
| 1410 | putative cytochrome P450 | 1441 | histone H1 |
| 1411 | proline oxidase, | 1442 | hypothetical protein |
| | mitochondrial precursor | 1443 | No function assigned by TIGR |
| | (osmotic stress-induced | 1444 | neoxanthin cleavage enzyme-like |
| | proline dehydrogenase) | | protein |
| 1412 | putative response regulator | 1445 | dehydration-induced protein RD22 |
| 3 | | 1446 | zinc finger protein ZAT7 |
| 1413 | hypothetical protein | 1447 | unknown protein |
| 1414 | glutamine-dependent | 1448 | unknown protein |
| | asparagine synthetase | 1449 | unknown protein |
| 1415 | lysine-ketoglutarate | 1450 | unknown protein |
| | reductase/saccharopine | 1451 | putative protein |
| 1416 | En/Spm-like transposon | 1452 | putative protein |
| protein | n | 1453 | RNA helicase, putative |
| | | | |

107

| 1454 | putative glycine-rich | 1483 | unknown protein |
|--------|------------------------------|---------|-------------------------------------|
| protei | | 1484 | cold and ÂBA inducible protein |
| 1455 | hypothetical protein | | kin1 |
| 1456 | putative protein | 1485 | gamma-VPE (vacuolar processing |
| 1457 | peroxidase | | enzyme) |
| 1458 | peroxidase ATP3a | 1486 | putative protein 1 photosystem II |
| | (emb CAA67340.1) | | oxygen-evolving complex |
| 1459 | metallothionein-like protein | 1487 | myrosinase-associated protein, |
| 1460 | endomembrane-associated | | putative |
| | protein | 1488 | transcription factor ATMYB4 |
| 1461 | ferritin 1 precursor | 1489 | H-protein promoter binding factor |
| 1462 | dehydrin RAB18-like | | 2a |
| | protein (sp P30185) | 1490 | ammonium transporter, puitative |
| 1463 | HSR201 like protein | 1491 | putative zeta-carotene desaturase |
| 1464 | light regulated protein, | | precursor |
| putati | | 1492 | high-affinity nitrate transporter |
| 1465 | Dr4(protease inhibitor) | | NRT2 |
| 1466 | mitogen activated protein | 1493 | light induced protein like |
| | kinase kinase (nMAPKK) | 1494 | putative AT-hook DNA-binding |
| 1467 | glutathione S-transferase | proteir | 1 |
| 1468 | transcriptional activator | 1495 | putative glycogenin |
| | CBF1/CRT/CRE binding | 1496 | putative light repressible receptor |
| | factor 1 | proteir | kinase |
| 1469 | homeobox-leucine zipper | 1497 | serine/threonine kinase - like |
| | protein ATHB-12 | proteir | 1 |
| 1470 | amino acid permease I | 1498 | putative peroxidase |
| 1471 | MAP kinase (ATMPK7) | 1499 | cytochrome P450 monooxygenase |
| 1472 | potassium channel protein | (CYP8 | 33A1) |
| | AKT3 | 1500 | MYB-related transcription factor |
| 1473 | cytochrome P450 | | (CCA1) |
| | monooxygenase | 1501 | Terminal flower1 (TFL1) |
| | (CYP91A2) | 1502 | sulfate transporter ATST1 |
| 1474 | putative transport protein | 1503 | RING-H2 finger protein RHA3b |
| 1475 | putative protein | 1504 | lipoxygenase, putative |
| 1476 | hypothetical protein | 1505 | serine O-acetyltransferase (EC |
| 1477 | putative protein | | 2.3.1.30) Sat-52 (pir S71207) |
| 1478 | hypothetical protein | 1506 | ferulate-5-hydroxylase (FAH1) |
| 1479 | receptor protein kinase-like | 1507 | En/Spm-like transposon protein, |
| | protein | | putative |
| 1480 | serine/threonine protein | 1508 | calmodulin-binding - like protein |
| | kinase - like protein | 1509 | hypothetical protein |
| 1481 | putative auxin-regulated | 1510 | somatic embryogenesis receptor- |
| | protein | | like kinase -like protein |
| 1482 | amino acid transport protein | 1511 | putative giberellin beta- |
| | AAP2 | | hydroxylase |

108

| 1512 | putative pectinesterase | 1542 | 60S acidic ribosomal protein P0 |
|--------|------------------------------|---------|------------------------------------|
| 1513 | putative protein | 1543 | putative protein |
| 1514 | unknown protein | 1544 | auxin-induced protein, putative |
| 1515 | ribosomal protein | 1545 | unknown protein |
| 1516 | low-temperature-induced | 1546 | hypothetical protein |
| | 65 kD protein (sp Q04980) | 1547 | protein phosphatase 2C ABI2 |
| 1517 | putative glucosyltransferase | | (PP2C) (sp O04719) |
| 1518 | peroxidase | 1548 | peroxidase, prxr2 |
| (emb C | CAA67551.1) | 1549 | putative peroxidase ATP12a |
| 1519 | ankyrin-like protein | 1550 | putative beta-amylase |
| 1520 | ribosomal protein S11 - like | 1551 | putative acetone-cyanohydrin lyase |
| 1521 | hypothetical protein | 1552 | fatty acid elongase 3-ketoacyl-CoA |
| 1522 | glycoprotein(EP1), putative | | synthase 1 |
| 1523 | calnexin - like protein | 1553 | putative citrate synthase |
| 1524 | SRG1-like protein | 1554 | pEARLI 1-like protein |
| 1525 | ethylene response factor 1 | 1555 | putative MYB family transcription |
| | (ERF1) | | factor |
| 1526 | transcriptional activator | 1556 | putative transcription factor |
| | CBF1-like protein | | MYB28 |
| 1527 | xyloglucan endo-1,4-beta- | 1557 | RNA helicase-like protein |
| | D-glucanase (XTR-6) | 1558 | snoRNA |
| 1528 | putative cinnamyl alcohol | 1559 | putative protein kinase |
| | dehydrogenase | 1560 | growth regulator like protein |
| 1529 | gibberellin 3 beta- | 1561 | putative potassium transporter |
| | hydroxylase, putative | 1562 | putative protein |
| 1530 | auxin response transcription | 1563 | 60S ribosomal protein L14 |
| | factor 3 (ETTIN/ARF3) | 1564 | unknown protein |
| 1531 | No function assigned by | 1565 | putative RING-H2 zinc finger |
| TIGR | | proteir | 1 |
| 1532 | putative protein | 1566 | putative pollen surface protein |
| 1533 | similar to avrRpt2-induced | 1567 | unknown protein |
| | protein 1 | 1568 | unknown protein |
| 1534 | unknown protein | 1569 | unknown protein |
| 1535 | hypothetical protein | 1570 | putative Ca2+-ATPase |
| 1536 | putative protein kinase | 1571 | 1-aminocyclopropane-1- |
| 1537 | respiratory burst oxidase - | carbox | xylate synthase -like protein |
| | like protein | 1572 | putative beta-glucosidase |
| 1538 | glucose-6- | 1573 | transcription factor ZAP1 |
| | phosphate/phosphate- | 1574 | oligopeptide transporter, putative |
| | translocator precursor, | 1575 | putative protein |
| | putative | 1576 | putative glucosyltransferase |
| 1539 | class 1 non-symbiotic | 1577 | putative serine/threonine kinase |
| | hemoglobin (AHB1) | 1578 | squalene epoxidase - like protein |
| 1540 | endochitinase isolog | 1579 | similar to 14KD proline-rich |
| 1541 | putative cytochrome P450 | | protein DC2.15 precursor |
| | | | |

109

| | (sp P14009); similar to | 1612 | DnaJ-like protein |
|--------|------------------------------|--------|--------------------------------------|
| | ESTs emb Z17709 and | 1613 | putative inositol polyphosphate-5- |
| | emb Z47685 | | phosphatase |
| 1580 | unknown protein | 1614 | putative cytochrome P450 |
| 1581 | unknown protein | 1615 | putative protein |
| 1582 | hypothetical protein | 1616 | unknown protein |
| 1583 | 60S ribosomal protein L38 | 1617 | putative protein |
| 1584 | flavin-containing | 1618 | hypothetical protein |
| | monooxygenase, putative | 1619 | putative protein |
| 1585 | remorin | 1620 | sucrose-UDP glucosyltransferase |
| 1586 | unknown protein | 1621 | glucose-6-phosphate 1- |
| 1587 | putative protein | | dehydrogenase. |
| 1588 | lipoxygenase | 1622 | unknown protein |
| 1589 | cold-regulated protein | 1623 | mitochondrial chaperonin (HSP60) |
| | COR6.6 (KIN2) | 1624 | sucrose transport protein SUC1 |
| 1590 | Myb transcription factor | 1625 | putative protein disulfide isomerase |
| | homolog (ATR1) | 1626 | putative pollen-specific protein |
| 1591 | putative protein | 1627 | integral membrane protein, |
| 1592 | unknown protein | | putative |
| 1593 | unknown protein | 1628 | rubredoxin, putative |
| 1594 | Ca2+-transporting ATPase | 1629 | putative protein |
| | - like protein | 1630 | disease resistance protein RPS4, |
| 1595 | protein phosphatase 2C | | putative |
| | (AtP2C-HA) | 1631 | putative peptide/amino acid |
| 1596 | peroxidase ATP24a | | transporter |
| 1597 | branched-chain alpha keto- | 1632 | peroxidase, putative |
| | acid dehydrogenase, | 1633 | ethylene receptor, putative (ETR2) |
| | putative | 1634 | protein phosphatase 2C (PP2C) |
| 1598 | putative beta-ketoacyl-CoA | 1635 | putative glutathione S-transferase |
| | synthase | 1636 | homeodomain transcription factor |
| 1599 | putative protein | (ATH | B-7) |
| 1600 | putative beta-galactosidase | 1637 | putative nitrate transporter |
| 1601 | putative protein | 1638 | putative ribosomal protein L9, |
| 1602 | 60S ribosomal protein L27 | cytoso | olic |
| 1603 | putative annexin | 1639 | putative DNA-binding protein |
| 1604 | NAC domain protein, | 1640 | beta-1,3-glucanase-like protein |
| putati | ve | 1641 | putative zinc transporter |
| 1605 | unknown protein | 1642 | transcription factor TINY |
| 1606 | late embryogenesis | 1643 | putative aspartate kinase- |
| | abundant protein LEA like | homos | serine dehydrogenase |
| 1607 | unknown protein | 1644 | ethylene reponse factor-like AP2 |
| 1608 | putative protein | domai | n transcription factor |
| 1609 | dehydrin Xero2 | 1645 | peptide transporter - like protein |
| 1610 | putative zinc finger protein | 1646 | trehalose-6-phosphate synthase like |
| 1611 | unknown protein | | protein |
| | | | |

110

| 1647 | putative ribonuclease | 1676 | pathogenesis-related protein 1 |
|---------|------------------------------|------|----------------------------------|
| 1648 | hypothetical protein | | precursor, 19.3K |
| 1649 | putative DNA-binding | 1677 | R2R3-MYB transcription factor |
| protein | n | 1678 | hypothetical protein |
| 1650 | nodulin-like protein | 1679 | putative chitinase |
| 1651 | trehalose-6-phosphate | 1680 | Mlo protein, putative |
| | phosphatase - like protein | 1681 | putative WRKY-type DNA binding |
| 1652 | succinate dehydrogenase | | protein |
| | flavoprotein alpha subunit | 1682 | putative acyl-CoA synthetase |
| | (emb CAA05025.1) | 1683 | putative pathogenesis-related |
| 1653 | unknown protein | | protein |
| 1654 | stress related protein, | 1684 | putative chitinase |
| putati | ve | 1685 | germin precursor oxalate oxidase |
| 1655 | putative chloroplast | 1686 | endoxyloglucan transferase, |
| | initiation factor 3 | | putative |
| 1656 | putative protein | 1687 | putative protein |
| 1657 | hypothetical protein | 1688 | putative cytochrome P450 |
| 1658 | putative CCCH-type zinc | 1689 | similar to Mlo proteins from H. |
| | finger protein | | vulgare |
| 1659 | similar to harpin-induced | 1690 | putative tropinone reductase |
| | protein hin1 from tobacco | 1691 | extensin-like protein |
| 1660 | unknown protein | 1692 | putative sarcosine oxidase |
| 1661 | unknown protein | 1693 | putative protein |
| 1662 | hypothetical protein | 1694 | hypothetical protein |
| 1663 | No function assigned by | 1695 | late embryogenesis-abundant |
| TIGR | | | protein, putative |
| 1664 | putative protein | 1696 | beta-carotene hydroxylase |
| 1665 | putative glutathione S- | 1697 | putative calcium binding protein |
| | transferase TSI-1 | 1698 | unknown protein |
| 1666 | putative protein | 1699 | unknown protein |
| 1667 | putative PTR2 family | 1700 | predicted glycosyl transferase |
| | peptide transporter | 1701 | hypothetical protein |
| 1668 | receptor kinase-like protein | 1702 | hypothetical protein |
| 1669 | putative sugar transport | 1703 | hypothetical protein |
| | protein, ERD6 | 1704 | putative protein |
| 1670 | putative protein | 1705 | unknown protein |
| 1671 | nodulin-like protein | 1706 | putative protein |
| 1672 | unknown protein | 1707 | putative protein |
| 1673 | putative receptor-like | 1708 | serine/threonine kinase - like |
| | protein kinase | | protein |
| 1674 | glutathione-conjugate | 1709 | No function assigned by TIGR |
| | transporter AtMRP4 | 1710 | putative pectinesterase |
| 1675 | ascorbate oxidase-like | 1711 | peroxidase like protein |
| protei | n | 1712 | No function assigned by TIGR |

111

| 1713 | phenylalanine ammonia | | Coenzyme A 3-O- |
|---------|---------------------------------|------|-------------------------------------|
| lyase (| (PAL1) | | methyltransferase |
| 1714 | peroxidase | 1740 | disease resistance protein EDS1 |
| (emb C | CAA68212.1) | 1741 | putative protein kinase |
| 1715 | putative AMP deaminase | 1742 | Gluthatione reductase, chloroplast |
| 1716 | putative MYB family | | precursor |
| transcı | ription factor | 1743 | putative heat shock protein |
| 1717 | DNA-directed RNA | 1744 | aspartate kinase |
| polym | erase II, third largest subunit | 1745 | putative major intrinsic (channel) |
| 1718 | nucleotide pyrophosphatase | | protein |
| | -like protein | 1746 | matrix metalloproteinase, putative |
| 1719 | putative peroxidase | 1747 | putative GDSL-motif |
| 1720 | calcium sensor homolog | | lipase/hydrolase |
| | (gb AAC26110.1) | 1748 | putative protein |
| 1721 | putative GDSL-motif | 1749 | DAG-like protein |
| | lipase/hydrolase | 1750 | serine/threonine kinase -like |
| 1722 | putative nonspecific lipid- | | protein |
| | transfer protein | 1751 | formamidase - like protein |
| 1723 | acyl-carrier protein (ACP), | 1752 | CER2 |
| | putative | 1753 | 26S proteasome subunit 4 |
| 1724 | putative glycine | 1754 | pectinesterase like protein |
| dehyd: | rogenase | 1755 | putative disease resistance protein |
| 1725 | AIG1 | 1756 | putative RNA methyltransferase |
| 1726 | ACC synthase (AtACS-6) | 1757 | unknown protein |
| 1727 | cyclin delta-3 | 1758 | HOMEOBOX PROTEIN |
| 1728 | putative RING zinc finger | | KNOTTED-1 LIKE 4 (KNAT4) |
| | protein | 1759 | glycine-rich RNA-binding protein |
| 1729 | aldose 1-epimerase - like | | AtGRP2 - like |
| | protein | 1760 | putative acetylornithine |
| 1730 | putative phospholipase | | transaminase |
| 1731 | phosphoenolpyruvate | 1761 | putative Sec24-like COPII protein |
| | carboxylase | 1762 | putative berberine bridge enzyme |
| 1732 | putative galactinol synthase | 1763 | putative GH3-like protein |
| 1733 | unknown protein | 1764 | putative ABC transporter |
| 1734 | putative protein | 1765 | putative reticuline oxidase-like |
| 1735 | 1-aminocyclopropane-1- | | protein |
| | carboxylate oxidase | 1766 | pectate lyase - like protein |
| 1736 | thioredoxin (clone GIF1) | 1767 | protein disulfide-isomerase-like |
| 1,50 | (pir S58118) | | protein |
| 1737 | trehalose-6-phosphate | 1768 | putative protein |
| 1757 | phosphatase | 1769 | putative membrane transporter |
| 1738 | beta-1,3-glucanase 2 (BG2) | 1770 | unknown protein |
| | (PR-2) | 1771 | unknown protein |
| 1739 | putative S-adenosyl-L- | 1772 | putative RING-H2 zinc finger |
| | methionine:trans-caffeoyl- | | protein |
| | | | |

112

| 1773 | unknown protein | 1807 | glycine-rich RNA binding protein |
|---------|------------------------------|------|-----------------------------------|
| 1774 | unknown protein | | 7 |
| 1775 | unknown protein | 1808 | dehydrin, putative |
| 1776 | MADS-box protein | 1809 | putative endoxyloglucan |
| (AGL2 | 20) | | glycosyltransferase |
| 1777 | | 1810 | glutamate decarboxylase 1 (GAD |
| | amidophosphoribosyltransf | | 1) (sp Q42521) |
| erase 2 | 2 precursor | 1811 | delta 9 desaturase |
| 1778 | putative dihydrodipicolinate | 1812 | UDP-glucose glucosyltransferase |
| syntha | | 1813 | CARBONIC ANHYDRASE 2 |
| 1779 | hypothetical protein | 1814 | response reactor 2 (ATRR2) |
| 1780 | ABA-responsive protein - | 1815 | S-adenosyl-methionine-sterol-C- |
| like | • • | | methyltransferase, putative |
| 1781 | putative protein | 1816 | putative DNA-binding protein |
| 1782 | hypothetical protein | | (RAV2-like) |
| 1783 | DNA-binding protein-like | 1817 | gamma glutamyl hydrolase, |
| 1784 | No function assigned by | | putative |
| TIGR | | 1818 | protein phosphatase - like |
| 1785 | transcription factor, | 1819 | unknown protein |
| putativ | - | 1820 | unknown protein |
| 1786 | nitrate reductase, putative | 1821 | unknown protein |
| 1787 | putative protein | 1822 | copper transport protein - like |
| 1788 | putative protein | | protein |
| 1789 | putative protein | 1823 | hypothetical protein |
| 1790 | putative protein | 1824 | unknown protein |
| 1791 | unknown protein | 1825 | putative peptide methionine |
| 1792 | unknown protein | | sulfoxide reductase |
| 1793 | tryptophan synthase beta- | 1826 | putative obtusifoliol 14-alpha |
| | subunit (TSB2) | | demethylase |
| 1794 | hypothetical protein | 1827 | glutamate dehydrogenase (EC |
| 1795 | putative protein | | 1.4.1) 1 (pir S71217) |
| 1796 | putative DNA-binding | 1828 | unknown protein |
| protein | = | 1829 | xyloglucan endo-1,4-beta-D- |
| 1797 | putative 40S ribosomal | | glucanase precursor |
| | protein S10 | 1830 | unknown protein |
| 1798 | putative protein | 1831 | SNF1 related protein kinase |
| 1799 | putative cytochrome P450 | | (ATSRPK1) |
| 1800 | putative protein | 1832 | putative protein |
| 1801 | putative protein | 1833 | putative chloroplast nucleoid DNA |
| 1802 | putative glucosyltransferase | | binding protein |
| 1803 | No function assigned by | 1834 | hypothetical protein |
| TIGR | - - | 1835 | putative protein |
| 1804 | putative protein | 1836 | putative thiamin biosynthesis |
| 1805 | putative protein | | protein |
| 1806 | unknown protein | 1837 | unknown protein |

113

| 1838 | unknown protein | 1869 | putative tyrosine aminotransferase |
|---------|-------------------------------|------|-------------------------------------|
| 1839 | putative RNA helicase | 1870 | thionin |
| 1840 | putative SF21 protein | 1871 | No function assigned by TIGR |
| | {Helianthus annuus} | 1872 | APETALA2 protein |
| 1841 | unknown protein | 1873 | MADS-box protein (AGL3) |
| 1842 | NBS/LRR disease | 1874 | putative monooxygenase |
| | resistance protein, putative | 1875 | ZFP3 zinc finger protein |
| 1843 | hypothetical protein | 1876 | cell division protein FtsZ |
| 1844 | unknown protein | | chloroplast homolog precursor |
| 1845 | No function assigned by | | (sp Q42545) |
| ΓIGR | | 1877 | calreticulin, putative |
| 1846 | glycine-rich protein | 1878 | phosphoserine aminotransferase |
| (AtGR | P2) | 1879 | 12-oxophytodienoate-10,11- |
| 1847 | No function assigned by | | reductase |
| TIGR | - , | 1880 | putative bHLH transcription factor |
| 1848 | putative protein | 1881 | pectin methylesterase (PMEU1), |
| 1849 | putative glucosyltransferase | | putative |
| 1850 | hypothetical protein | 1882 | DNA-binding protein |
| 1851 | hypothetical protein | 1883 | carnitine racemase like protein |
| 1852 | putative protein | 1884 | putative protein |
| 1853 | putative disease resistance | 1885 | endoxyloglucan transferase |
| proteir | = | | (dbj BAA81669.1) |
| 1854 | thaumatin, putative | 1886 | RMA1 RING zinc finger protein |
| 1855 | putative proline-rich protein | 1887 | ammonium transporter |
| 1856 | sterol-C-methyltransferase | 1888 | apyrase (gb AAF00612.1) |
| 1857 | superoxidase dismutase | 1889 | potassium uptake transporter - like |
| 1858 | TINY-like protein | | protein |
| 1859 | calcium-dependent protein | 1890 | putative ABC transporter |
| kinase | , putative | 1891 | potassium transporter-like protein |
| 1860 | hypothetical protein | 1892 | integral membrane protein, |
| 1861 | putative protein kinase | | putative |
| 1862 | DNA-directed RNA | 1893 | putative protein |
| polym | erase (mitochondrial) | 1894 | pyruvate decarboxylase-1 (Pdc1) |
| 1863 | putaive DNA-binding | 1895 | putative malate oxidoreductase |
| proteir | | 1896 | putative histone H2B |
| 1864 | late embryogenesis | 1897 | snoRNA |
| | abundant M17 protein | 1898 | symbiosis-related like protein |
| 1865 | putative protein | 1899 | unknown protein |
| 1866 | delta-1-pyrroline-5- | 1900 | unknown protein |
| | carboxylate synthetase | 1901 | hypothetical protein |
| 1867 | putative 60s ribosomal | 1902 | putative protein |
| | protein L10 | 1903 | copper-binding protein-like |
| 1868 | cytochrome P450 | 1904 | putative protein |
| CYP8 | - | 1905 | unknown protein |
| | | 1906 | putative glyoxalase II |

114

| 1907 | No function assigned by | 1936 | serine/threonine protein kinase, |
|---------|-------------------------------|---------|--------------------------------------|
| TIGR | | putativ | <i>r</i> e |
| 1908 | hypothetical protein | 1937 | potassium transporter - like protein |
| 1909 | flavanone 3-hydroxylase | 1938 | lactate dehydrogenase (LDH1) |
| (FH3) | | 1939 | hypothetical protein |
| 1910 | putative laccase | 1940 | unknown protein |
| 1911 | putative protein kinase | 1941 | putative thaumatin |
| 1912 | myb-related protein, 33.3K | 1942 | putative reticuline oxidase-like |
| | (pir S71284) | | protein |
| 1913 | unknown protein | 1943 | uracil phosphoribosyltransferase, |
| 1914 | endo-xyloglucan transferase | | putative |
| | - like protein | 1944 | transcription factor, putative |
| 1915 | TMV resistance protein N - | 1945 | unknown protein |
| like | • | 1946 | unknown protein |
| 1916 | putative xyloglucan | 1947 | GATA transcription factor 4 |
| | endotransglycosylase | 1948 | unknown protein |
| 1917 | unknown protein | 1949 | unknown protein |
| 1918 | proline transporter 2 | 1950 | senescence-associated protein -like |
| 1919 | resistance protein, putative | 1951 | putative pollen allergen |
| 1920 | actin, putative | 1952 | unknown protein |
| 1921 | putative related to microbial | 1953 | putative protein |
| | divalent cation tolerance | 1954 | glycine-rich protein |
| | proteins | 1955 | putative protein |
| 1922 | unknown protein | 1956 | 3-methyladenine DNA glycosylase, |
| 1923 | putative glycosyl | | putative |
| transfe | | 1957 | endoplasmic reticulum-type |
| 1924 | unknown protein | | calcium-transporting ATPase 4 |
| 1925 | putative protein | 1958 | putative pectinesterase |
| | phosphatase 2C | 1959 | cytochrome P450-like protein |
| 1926 | unknown protein | 1960 | RNA-binding protein (cp33) |
| 1927 | serpin, putative | 1961 | CONSTANS-like 1 |
| 1928 | cinnamyl-alcohol | 1962 | putative small heat shock protein |
| | rogenase CAD1 | 1963 | hypothetical protein |
| 1929 | putative protein import | 1964 | unknown protein |
| recepto | | 1965 | cytochrome P450 - like protein |
| 1930 | unknown protein | 1966 | cysteine proteinase inhibitor like |
| 1931 | unknown protein | 2700 | protein |
| 1932 | putative protein | 1967 | nicotianamine synthase |
| 1933 | putative CDP- | 2,0, | (dbj BAA74589.1) |
| | glycerolglycerol-3- | 1968 | copper amine oxidase like protein |
| phospl | · • · | 1,00 | (fragment2) |
| | hatidyltransferase | 1969 | putative SCARECROW gene |
| 1934 | unknown protein | 1707 | regulator |
| 1935 | putative LRR receptor-like | 1970 | unknown protein |
| | n kinase | 1971 | unknown protein |
| r~~~~ | | | |

115

| 1972 | putative alanine acetyl | 2001 | auxin response factor 1 |
|-----------------|-------------------------------|-------|-----------------------------------|
| | transferase | 2002 | pathogenesis-related protein 1 |
| 1973 | unknown protein | | sor, 18.9K |
| 1974 | unknown protein | 2003 | hypothetical protein |
| 1975 | unknown protein | 2004 | unknown protein |
| 1976 | putative extensin | 2005 | zinc finger protein Zat12 |
| 1977 | putative protein kinase | 2006 | unknown protein |
| 1978 | putative protein kinase | 2007 | unknown protein |
| 1979 | NADPH-dependent | 2008 | cyclin, putative |
| | codeinone reductase, | 2009 | 2-dehydro-3- |
| | putative | | phosphoheptonate aldolase |
| 1980 | peroxidase | 2010 | glutathione synthetase gsh2 |
| 1981 | putative cytochrome P450 | 2011 | heat shock protein 17 |
| 1982 | No function assigned by | 2012 | putative Na+-dependent inorganic |
| ΓIGR | 110 1002012011 00018120 0 0 7 | | phosphate cotransporter |
| 1983 | putative zinc-finger protein | 2013 | No function assigned by TIGR |
| 1,00 | (B-box zinc finger domain) | 2014 | unknown protein |
| 1984 | putative tyrosine | 2015 | putative protein |
| 1,01 | aminotransferase | 2016 | similar to RING-H2 finger protein |
| 1985 | hypothetical protein | 2010 | RHC1a GB:AAC69854 |
| 1986 | DNA binding protein | | GI:3790583 from [Arabidopsis |
| 1987 | putative fatty acid elongase | | thaliana] |
| 1988 | bZIP transcription factor - | 2017 | calcium-binding protein - like |
| 1700 | like protein | 2018 | putative protein |
| 1989 | xyloglucan | 2019 | putative aldehyde dehydrogenase |
| 1707 | fucosyltransferase, putative | 2020 | auxin-responsive GH3 - like |
| 1990 | unknown protein | 2020 | protein |
| 1991 | unknown protein | 2021 | putative protein |
| 1992 | putative protein | 2022 | Phosphoglycerate dehydrogenase - |
| 1993 | myb factor, putative | | like protein |
| 1994 | Myb-family transcription | 2023 | unknown protein |
| 1771 | factor, putative | 2024 | unknown protein |
| 1995 | putative fructose | 2025 | PSI type III chlorophyll a/b- |
| 1775 | bisphosphate aldolase | 2020 | binding protein, putative |
| 1996 | myrosinase-associated | 2026 | putative protein |
| 1770 | protein, putative | 2027 | putative protein |
| 1997 | cytochrome P450 like | 2028 | glutaredoxin, putative |
| protei | • | 2029 | hypothetical protein |
| 1998 | similar to SOR1 from the | 2030 | No function assigned by TIGR |
| 1//0 | fungus Cercospora | 2031 | putative protein |
| | nicotianae | 2032 | jasmonate inducible protein, |
| 1999 | similar to embryo-abundant | 2002 | putative |
| | n GB:L47672 GI:1350530 | 2033 | putative polygalacuronase |
| - | Picea glauca] | 2000 | isoenzyme 1 beta subunit |
| ուսու լ 2000 | | 2034 | putative small heat shock protein |
| ~VVV | arearra darra arakarrasa | ۲∹د∪ت | Paradi i Diamana and Protoni |

116

| 2035 | unknown protein | 2068 | putative chlorophyll A-B binding |
|---------|-----------------------------|--------|-------------------------------------|
| 2036 | putative disease resistance | | protein |
| | protein | 2069 | Lhcb3 chlorophyll a/b binding |
| 2037 | putative protein | | protein (gb AAD28773.1) |
| 2038 | ethylene-responsive | 2070 | luminal binding protein |
| | element binding factor, | (dbj B | AA13948.1) |
| | putative | 2071 | hydroxypyruvate reductase (HPR) |
| 2039 | putative protein | 2072 | epoxide hydrolase (ATsEH) |
| 2040 | Pollen-specific protein | 2073 | putative protein (fragment) |
| | precursor like | 2074 | unknown protein |
| 2041 | putative protein | 2075 | hypothetical protein |
| 2042 | unknown protein | 2076 | putative glucosyl transferase |
| 2043 | EF-Hand containing protein | 2077 | putative glucosyl transferase |
| | -like | 2078 | putative 3-methylcrotonyl-CoA |
| 2044 | unknown protein | carbox | rylase |
| 2045 | puative calcium- | 2079 | putative peroxidase |
| | transporting ATPase | 2080 | acyl-CoA oxidase |
| 2046 | antifungal protein-like | (gb AA | AC13497.1) |
| | (PDF1.2) | 2081 | alternative oxidase 1a precursor |
| 2047 | pathogenesis-related PR-1- | 2082 | putative transcription factor |
| | like protein | | (MYB4) |
| 2048 | similar to Mlo proteins | 2083 | serine acetyltransferase |
| | from H. vulgare | 2084 | ATP-sulfurylase |
| 2049 | putative steroid | 2085 | calreticulin (crt1) |
| sulfota | ansferase | 2086 | putative prohibitin 2 |
| 2050 | trehalase - like protein | 2087 | putative monodehydroascorbate |
| 2051 | thioredoxin fl | | reductase |
| 2052 | unknown protein | 2088 | branched-chain alpha-keto acid |
| 2053 | alanine-glyoxylate | | decarboxylase E1 beta subunit |
| | aminotransferase | 2089 | cytokinin oxidase - like protein |
| 2054 | integral membrane protein, | 2090 | putative receptor-like protein |
| | putative | | kinase |
| 2055 | hypothetical protein | 2091 | unknown protein |
| 2056 | unknown protein | 2092 | hypothetical protein |
| 2057 | hypothetical protein | 2093 | No function assigned by TIGR |
| 2058 | unknown protein | 2094 | putative APG protein |
| 2059 | unknown protein | 2095 | glutathione S-transferase, putative |
| 2060 | unknown protein | 2096 | phytochrome-associated protein 1 |
| 2061 | drought-induced-19-like 1 | | (PAP1) |
| 2062 | unknown protein | 2097 | amidophosphoribosyltransferase |
| 2063 | putative protein | 2098 | nonphototropic hypocotyl 1 |
| 2064 | putative protein | 2099 | 3-keto-acyl-CoA thiolase 2 |
| 2065 | AIG2-like protein | | (gb AAC17877.1) |
| 2066 | Lhca2 protein | 2100 | pEARLI 1 |
| 2067 | phytocyanin | 2101 | glutathione reductase, cytosolic |

117

| 2102 | putative protein | 2128 | putative protein disulfide- |
|--------------|-----------------------------|---------|-------------------------------------|
| 2103 | putative protein | | isomerase |
| 2104 | putative aldehyde oxidase | 2129 | unknown protein |
| 2105 | probable photosystem I | 2130 | beta-1,3-glucanase class I |
| | chain XI precursor | | precursor |
| 2106 | photosystem II polypeptide, | 2131 | homeobox-leucine zipper protein |
| | putative | | HAT5 (HD-ZIP protein 5) (HD- |
| 2107 | photosystem II reaction | | ZIP protein ATHB-1) |
| | center 6.1KD protein | 2132 | putative cyclic nucleotide- |
| 2108 | 33 kDa polypeptide of | | regulated ion channel protein |
| | oxygen-evolving complex | 2133 | P II nitrogen sensing protein GLB I |
| | (OEC) in photosystem II | 2134 | H-protein promoter binding factor- |
| | (emb CAA75629.1) | | 1 (gb AAC24592.1) |
| 2109 | 60S ribosomal protein | 2135 | GAST1-like protein |
| L1 1B | | 2136 | cytochrome P450 GA3 |
| 2110 | extA (emb CAA47807.1) | 2137 | putative protein |
| 2111 | zinc finger protein OBP4 - | 2138 | Myb-related transcription factor- |
| like | | like pr | otein |
| 2112 | sterol delta7 reductase | 2139 | putative phloem-specific lectin |
| 2113 | putative RAS-related | 2140 | protein kinase - like protein |
| | protein, RAB11C | 2141 | unknown protein |
| 2114 | glucosyltransferase like | 2142 | SCARECROW transcriptional |
| proteir | ı | regulat | tor-like |
| 2115 | zinc finger protein (PMZ), | 2143 | unknown protein |
| | putative | 2144 | unknown protein |
| 2116 | 6,7-dimethyl-8- | 2145 | putative protein |
| | ribityllumazine synthase | 2146 | calnexin homolog |
| | precursor | 2147 | PP1/PP2A phosphatases |
| 2117 | putative protein | | opic regulator PRL2 |
| 2118 | osmotin precursor | 2148 | xyloglucan endotransglycosylase, |
| 2119 | No function assigned by | putativ | |
| TIGR | | 2149 | putative calmodulin |
| 2120 | ferredoxin precusor isolog | 2150 | spermine synthase (ACL5) |
| 2121 | GH3 like protein | 2151 | snoRNA |
| 2122 | non-specific lipid transfer | 2152 | |
| | protein | | putative |
| 2123 | homeodomain transcription | 2153 | putative potassium transporter |
| | factor (HAT9) | 2154 | Homeodomain - like protein |
| 2124 | putative cytochrome P450 | 2155 | putative protein |
| | monooxygenase | 2156 | unknown protein |
| 2125 | putative protein kinase | 2157 | CALMODULIN-RELATED |
| 2126 | putative protein | | PROTEIN 2, TOUCH-INDUCED |
| 2127 | glyceraldehyde-3- | | (TCH2) |
| | phosphate dehydrogenase | 2158 | putative protein phosphatase 2C |
| | | | |

118

| 2159 | monosaccharide transport | 2187 | defender against cell death protein |
|--------------|---|---------|--|
| | protein, STP4 | 2188 | AP2 domain containing protein, |
| 2160 | hypothetical protein | | putative |
| 2161 | unknown protein | 2189 | actin depolymerizing factor - like |
| 2162 | hypothetical protein | | protein |
| 2163 2164 | putative protein kinase putative serine/threonine | 2190 | putative calcium-dependent protein kinase (U90439) |
| 210. | protein kinase | 2191 | phosphoribosylanthranilate |
| 2165 | jasmonate inducible | 2171 | transferase, putative |
| | protein, putative | 2192 | oligopeptide transporter, putative |
| 2166 | similar to several small | 2193 | calmodulin-like protein |
| | proteins (~100 aa) that are | 2194 | putative protease inhibitor |
| | induced by heat, auxin, | 2195 | MAP kinase |
| | ethylene and wounding | 2196 | DNA binding protein MybSt1, |
| | such as Phaseolus aureus | | putative' |
| | indole-3-acetic acid | 2197 | putative protein |
| | induced protein ARG | 2198 | putative protein |
| | (SW:32292) | 2199 | unknown protein |
| 2167 | unknown protein | 2200 | unknown protein |
| 2168 | MYB-like protein | 2201 | unknown protein |
| 2169 | putative protein kinase | 2202 | putative protein |
| 2170 | unknown protein | 2203 | unknown protein |
| 2171 | CLC-d chloride channel | 2204 | unknown protein |
| protei | n | 2205 | hypothetical protein |
| 2172 | cytochrome P450-like | 2206 | uncharacterized protein |
| protei | n | 2207 | putative protein |
| 2173 | putative glutathione S- | 2208 | hypothetical protein |
| | transferase | 2209 | peroxidase (emb CAA66967.1) |
| 2174 | putative mandelonitrile | 2210 | putative flavonol 3-O- |
| lyase | | glucos | yltransferase |
| 2175 | hypothetical protein | 2211 | putative flavonol 3-O- |
| 2176 | putative trypsin inhibitor | glucos | yltransferase |
| 2177 | male sterility 2-like protein | 2212 | putative protein |
| | (emb CAA68191.1) | 2213 | glycerol-3-phosphate |
| 2178 | unknown protein | acyltra | nsferase |
| 2179 | unknown protein | 2214 | putative beta-1,3-glucanase |
| 2180 | putative protein | 2215 | putative ethylene response element |
| 2181 | putative peroxidase | bindin | g protein (EREBP) |
| 2182 | putative thromboxane-A | 2216 | putative CONSTANS-like B-box |
| | synthase | zinc fi | nger protein |
| 2183 | putative cytochrome P450 | 2217 | putative protein |
| 2184 | peroxidase ATP21a | 2218 | unknown protein |
| 2185 | unknown protein | 2219 | putative trehalose-6-phosphate |
| 2186 | putative glutathione S- | phosp | hatase (AtTPPA) |
| | transferase | 2220 | putative protein |

119

| 2221 | putative protein | 2251 | lysine and histidine specific |
|---------|-------------------------------|---------|-------------------------------------|
| 2222 | unknown protein | | transporter, putative |
| 2223 | unknown prptein | 2252 | putative protein |
| 2224 | unknown protein | 2253 | putative protein |
| 2225 | hypothetical protein | 2254 | putative sugar transporter protein |
| 2226 | putative metal-binding | 2255 | 12S cruciferin seed storage protein |
| protein | 1 | 2256 | putative auxin-induced protein, |
| 2227 | putative | | IAA17/AXR3-1 |
| | phosphoribosylglycinamide | 2257 | putative cyclin D |
| | synthetase | 2258 | farnesyl diphosphate synthase |
| 2228 | unknown protein | | precursor (gb AAB49290.1) |
| 2229 | putative protein | 2259 | putative potassium transport |
| 2230 | unknown protein | | protein (TRH1) |
| 2231 | unknown protein | 2260 | putative NPK1-related MAP kinase |
| 2232 | putative beta-galactosidase | 2261 | putative protein |
| 2233 | putative protein kinase | 2262 | putative ABC transporter |
| 2234 | putative protein | 2263 | putative DNA-directed RNA |
| 2235 | putative protein | | polymerase subunit |
| | phosphatase 2C | 2264 | putative small nuclear |
| 2236 | putative growth regulator | | ribonucleoprotein E |
| | protein | 2265 | unknown protein |
| 2237 | putative ABC transporter | 2266 | reticuline oxidase - like protein |
| 2238 | chloride channel | 2267 | putative 1-aminocyclopropane-1- |
| | (emb CAA70310.1) | | carboxylate oxidase |
| 2239 | adrenodoxin - like protein | 2268 | similar to Mlo proteins from H. |
| 2240 | NAM (no apical meristem)- | | vulgare |
| | like protein | 2269 | long-chain-fatty-acidCoA ligase- |
| 2241 | putative transcription factor | | like protein |
| | MYB41 | 2270 | putative protein |
| 2242 | Myb DNA binding protein - | 2271 | chromatin remodelling complex |
| like | | • | ATPase chain ISWI -like protein |
| 2243 | AtMYB84 | 2272 | hypothetical protein |
| 2244 | photosystem II type I | 2273 | latex-abundant protein, putative |
| | chlorophyll a/b binding | 2274 | N-acetylornithine deacetylase-like |
| | protein | | protein, fragment |
| 2245 | putative aspartic proteinase | 2275 | putative DNA-binding protein |
| 2246 | jasmonate inducible | 2276 | putative anthranilate N- |
| | protein, putative | | hydroxycinnamoyl/benzoyltransfer |
| 2247 | putative protein | | ase |
| 2248 | No function assigned by | 2277 | putative DNA binding protein |
| TIGR | | 2278 | cytochrome P450 - like protein |
| 2249 | putative phosphatidylserine | 2279 | putative DNA-binding protein |
| | synthase | 2280 | putative peptide transporter |
| 2250 | putative nicotianamine | 2281 | putative reticuline oxidase-like |
| | synthase | proteir | n |

120

| 2282 | thioredoxin, putative | 2313 | putative protein kinase |
|---------|------------------------------|------|---------------------------------------|
| 2283 | nodulin-like protein | 2314 | indoleacetic acid (IAA)-inducible |
| 2284 | UDP-galactose transporter - | | gene (IAA7) |
| like pı | rotein | 2315 | ATP-dependent Clp protease |
| 2285 | putative fibrillin | | regulatory subunit CLPX |
| 2286 | unknown protein | 2316 | DNA-binding protein RAV1 |
| 2287 | unknown protein | 2317 | putative protein |
| 2288 | unknown protein | 2318 | hypothetical protein |
| 2289 | hypothetical protein | 2319 | unknown protein |
| 2290 | glyceraldehyde 3-phosphate | 2320 | unknown protein |
| | dehydrogenase A subunit | 2321 | putative protein |
| | (GapA) | 2322 | putative thioredoxin reductase |
| 2291 | predicted protein of | 2323 | unknown protein |
| | unknown function | 2324 | putative lectin |
| 2292 | putative protein | 2325 | No function assigned by TIGR |
| 2293 | putative protein | 2326 | beta-fructosidase |
| 2294 | myb-like protein | 2327 | chlorophyll a/b-binding protein |
| 2295 | hypothetical protein | | CP29 |
| 2296 | putative U5 small nuclear | 2328 | photosystem I subunit PSI-E - like |
| | ribonucleoprotein, an RNA | | protein |
| | helicase | 2329 | peroxidase ATP8a |
| 2297 | unknown protein | 2330 | putative fructose bisphosphate |
| 2298 | cinnamyl alcohol | | aldolase |
| | dehydrogenase - like | 2331 | zinc finger protein ATZF1, |
| | protein | | putative |
| 2299 | hypothetical protein similar | 2332 | DegP protease precursor |
| | to extensin-like protein | 2333 | transcription factor-like protein |
| 2300 | unknown protein | 2334 | calcium-dependent protein kinase |
| 2301 | putative chlorophyll a/b | 2335 | hypothetical protein |
| | binding protein | 2336 | putative protein |
| 2302 | probable plasma membrane | 2337 | glucose-1-phosphate |
| | intrinsic protein 1c | | adenylyltransferase (APL3) |
| 2303 | hexokinase (ATHXK2) | 2338 | No function assigned by TIGR |
| 2304 | calcium-dependent protein | 2339 | putative Eukaryotic initiation factor |
| | kinase | | 4A |
| 2305 | 5'-adenylylphosphosulfate | 2340 | No function assigned by TIGR |
| | reductase, putative | 2341 | unknown protein |
| 2306 | Erd1 protein precursor | 2342 | beta tubulin 1, putative |
| | (sp P42762) | 2343 | one helix protein (OHP) |
| 2307 | putative protein | 2344 | No function assigned by TIGR |
| 2308 | putative protein | 2345 | zinc finger protein 5, ZFP5 |
| 2309 | unknown protein | 2346 | putative MYB family transcription |
| 2310 | BCS1 protein-like protein | | factor |
| 2311 | putative protein | 2347 | putative amino acid transporter |
| 2312 | putative protein | | protein |

121

| 2348 | putative potassium | 2374 | putative PHD-type zinc finger |
|---------|---------------------------------------|------|------------------------------------|
| transpo | orter | | protein |
| 2349 | protein kinase (AFC2) | 2375 | nuclear RNA binding protein A- |
| 2350 | putative protein | | like protein |
| 2351 | No function assigned by | 2376 | unknown protein |
| TIGR | | 2377 | unknown protein |
| 2352 | putative ubiquitin- | 2378 | unknown protein |
| conjug | ating enzyme E2 | 2379 | putative amino-cyclopropane- |
| 2353 | unknown protein | | carboxylic acid oxidase (ACC |
| 2354 | cytochrome P450 | | oxidase) |
| monoo | oxygenase (CYP71B3) | 2380 | hypothetical protein |
| 2355 | putative myrosinase- | 2381 | indole-3-acetate beta- |
| | g protein | | glucosyltransferase like protein |
| | putative vacuolar sorting | 2382 | predicted protein |
| recepto | - | 2383 | unknown protein |
| | uridine diphosphate glucose | 2384 | No function assigned by TIGR |
| epimei | | 2385 | putative photosystem I reaction |
| 2358 | | | center subunit IV |
| | , ASK-GAMMA | 2386 | putative homeodomain |
| | ankyrin repeat protein | | transcription factor |
| EMB5 | | 2387 | putative purple acid phosphatase |
| 2360 | putative beta-alanine- | | precursor |
| | pyruvate aminotransferase | 2388 | No function assigned by TIGR |
| 2361 | putative alcohol | 2389 | nitrate reductase 1 (NR1) |
| | rogenase | 2390 | putative casein kinase II beta |
| 2362 | putative receptor-like | | subunit |
| | protein kinase | 2391 | pEARLI 1-like protein |
| 2363 | unknown protein | 2392 | putative protein |
| 2364 | putative methylmalonate | 2393 | No function assigned by TIGR |
| | semi-aldehyde | 2394 | unknown protein |
| | dehydrogenase | 2395 | putative cell wall-plasma |
| 2365 | hypothetical protein | | membrane disconnecting CLCT |
| 2366 | unknown protein | | protein (AIR1A) |
| 2367 | peroxidase ATP13a | 2396 | unknown protein |
| 2368 | putative glutathione | 2397 | scarecrow-like 11 - like |
| peroxi | | 2398 | putative anthocyanidin synthase |
| 2369 | squamosa promoter binding | 2399 | putative AP2 domain transcription |
| | protein-like 7 | | factor |
| 2370 | photosystem II core | 2400 | caffeoyl-CoA O-methyltransferase |
| | complex protein, putative | | - like protein |
| 2371 | snoRNA | 2401 | unknown protein |
| 2372 | photosystem I subunit X | 2402 | putative protein kinase |
| _ | precursor | 2403 | cytochrome P450 -like protein |
| 2373 | MYB transcription factor | 2404 | putative MADS-box protein ANR1 |
| | (Atmyb2) | 2405 | putative glutathione S-transferase |
| | · · · · · · · · · · · · · · · · · · · | | - |

122

| 2406 | hypothetical protein | 2437 | putative protein |
|--------|---------------------------------|-------|---------------------------------------|
| 2407 | similar to gibberellin- | 2438 | unknown protein |
| | regulated proteins | 2439 | unknown protein |
| 2408 | unknown protein | 2440 | putative protein |
| 2409 | putative sensory | 2441 | No function assigned by TIGR |
| | transduction histidine | 2442 | MADS-box protein AGL14 |
| | kinase | 2443 | No function assigned by TIGR |
| 2410 | similar to late | 2444 | peptidylprolyl isomerase |
| | embryogenesis abundant | 2445 | putative s-adenosylmethionine |
| | proteins | | synthetase |
| 2411 | unknown protein | 2446 | peroxidase |
| 2412 | putative protein | 2447 | ferrochelatase-I |
| 2413 | putative ATP-dependent | 2448 | putative eukaryotic initiation factor |
| | RNA helicase | | 4, eIF4 |
| 2414 | putative protein | 2449 | drought-inducible cysteine |
| 2415 | putative sucrose synthetase | | proteinase RD21A precursor -like |
| 2416 | beta-fructofuranosidase 1 | | protein |
| 2417 | putative indole-3-acetate | 2450 | unknown protein |
| | lucosyltransferase | 2451 | unknown protein |
| 2418 | hypothetical protein | 2452 | No function assigned by TIGR |
| 2419 | DNA-directed RNA | 2453 | No function assigned by TIGR |
| | erase II, third largest subunit | 2454 | salt-inducible like protein |
| 2420 | putative transcription factor | 2455 | glucose-6-phosphate 1- |
| 2421 | homeobox-leucine zipper | | dehydrogenase |
| | n ATHB-5 (HD-zip protein | 2456 | 3-hydroxy-3-methylglutaryl CoA |
| | 3-5) (sp P46667) | | reductase (AA 1-592) |
| | putative ftsH chloroplast | 2457 | hypothetical protein |
| protea | - | 2458 | putative protein |
| 2423 | replication protein A1 - like | 2459 | putative putative 60S ribosomal |
| 2424 | hypothetical protein | _,,,, | protein L17 |
| 2425 | unknown protein | 2460 | putative inorganic pyrophosphatase |
| 2426 | unknown protein | 2461 | putative gamma- |
| 2427 | putative methionine | | glutamyltransferase |
| , | aminopeptidase | 2462 | heat shock transcription factor - |
| 2428 | unknown protein | | like protein |
| 2429 | fatty acid elongase - like | 2463 | mitochondrial chaperonin hsp60 |
| رد. د | protein (cer2-like) | 2464 | unknown protein |
| 2430 | unknown protein | 2465 | putative zinc finger protein |
| 2431 | putative disease resistance | | identical to T10M13.22 |
| 2.51 | response protein | 2466 | putative uridylyl transferase |
| 2432 | putative protein | 2467 | nodulin-like protein |
| 2433 | unknown protein | 2468 | putative B-box zinc finger protein |
| 2434 | putative protein | 2469 | No function assigned by TIGR |
| 2435 | putative protein | 2470 | putative metalloproteinase |
| 2436 | unknown protein | 2170 | Paratro memoprosentase |
| | | | |

123

| 2471 | putative cellular apoptosis | 2504 | unknown protein |
|---------|-----------------------------|------|--------------------------------------|
| | susceptibility protein | 2505 | unknown protein |
| 2472 | hypothetical protein | 2506 | 60S ribosomal protein L10A |
| 2473 | hypothetical protein | 2507 | putative protein |
| 2474 | scarecrow-like 13 (SCL13) | 2508 | receptor protein kinase (IRK1), |
| 2475 | putative nucleoside | | putative |
| | triphosphatase | 2509 | putative nematode-resistance |
| 2476 | unknown protein | | protein |
| 2477 | No function assigned by | 2510 | tubulin alpha-5 chain-like protein |
| TIGR | | 2511 | putative DNA-binding protein |
| 2478 | hypothetical protein | 2512 | unknown protein |
| 2479 | putative phospholipase | 2513 | putative RGA1, giberellin repsonse |
| 2480 | putative snRNP protein | | modulation protein |
| 2481 | putative protein | 2514 | non phototropic hypocotyl 1-like |
| 2482 | putative lipase | 2515 | RING-H2 finger protein RHA1b |
| 2483 | putative nonsense-mediated | 2516 | putative myb-protein |
| | mRNA decay protein | 2517 | hydroperoxide lyase (HPOL) like |
| 2484 | No function assigned by | | protein |
| TIGR | | 2518 | serine/threonine-protein kinase, |
| 2485 | protochlorophyllide | | PK7 |
| | reductase precursor | 2519 | putative vacuolar proton-ATPase |
| 2486 | No function assigned by | | subunit |
| TIGR | | 2520 | putative polygalacturonase |
| 2487 | trehalose-6-phosphate | 2521 | putative ribosomal protein L8 |
| | synthase, putative | 2522 | putative adenylate kinase |
| 2488 | unknown protein | 2523 | germin-like protein (GLP10) |
| 2489 | germin-like protein | 2524 | putative chlorophyll a/b binding |
| 2490 | plastid protein | | protein |
| 2491 | putative protein | 2525 | chloroplast single subunit DNA- |
| 2492 | hypothetical protein | | dependent RNA polymerase |
| 2493 | unknown protein | 2526 | putative protein |
| 2494 | unknown protein | 2527 | hypothetical protein |
| 2495 | histone deacetylase-like | 2528 | hypothetical protein |
| proteir | 1 | 2529 | b-keto acyl reductase, putative |
| 2496 | unknown protein | 2530 | cellulose synthase catalytic subunit |
| 2497 | unknown protein | 2531 | putative 1-aminocyclopropane-1- |
| 2498 | putative protein | | carboxylate oxidase |
| 2499 | putative protein | 2532 | S-linalool synthase, putative |
| 2500 | No function assigned by | 2533 | phosphoribosyl-ATP |
| TIGR | | | pyrophosphohydrolase (At-IE) |
| 2501 | putative zinc transporter | 2534 | disease resistance RPP5 like |
| ZIP2 - | like | | protein (fragment) |
| 2502 | unknown protein | 2535 | putative protein |
| 2503 | putative ribosomal-protein | 2536 | beta-galactosidase like protein |
| | S6 kinase (ATPK19) | | |

124

| 2537 | putative translation | 2566 | unknown protein |
|---------|---------------------------------|---------|--------------------------------------|
| | initiation factor eIF-2, | 2567 | unknown protein |
| | gamma subunit | 2568 | unknown protein |
| 2538 | ankyrin like protein | 2569 | serine/threonine kinase - like |
| 2539 | histone H2A- like protein | proteir | 1 |
| 2540 | putative protein | 2570 | peroxidase (emb CAA66960.1) |
| 2541 | salt-tolerance zinc finger | 2571 | putative protein |
| | protein | 2572 | hypothetical protein |
| 2542 | unknown protein | 2573 | glycine-rich protein 2 (GRP2) |
| 2543 | putative protein | 2574 | unknown protein |
| 2544 | fructose-bisphosphate | 2575 | berberine bridge enzyme-like |
| aldola | se . | proteir | 1 |
| 2545 | peroxidase | 2576 | unknown protein |
| (emb | CAA66964.1) | 2577 | putative WD-repeat protein |
| 2546 | patatin-like protein | 2578 | serine/threonine kinase - like |
| 2547 | salt-inducible protein | | protein |
| homol | og | 2579 | serine /threonine kinase - like |
| 2548 | hypothetical protein | | protein |
| 2549 | xyloglucan endo- | 2580 | Cu2+-transporting ATPase-like |
| | transglycosylase-like | | protein |
| | protein | 2581 | translation initiation factor eIF4E |
| 2550 | trihelix DNA-binding | 2582 | O-methyltransferase - like protein |
| | protein (GT2) | 2583 | translation initiation factor eIF3 - |
| 2551 | ubiquitin-conjugating | | like protein |
| | enzyme 16, putative | 2584 | No function assigned by TIGR |
| 2552 | homeobox protein | 2585 | unknown protein |
| 2553 | envelope Ca2+-ATPase | 2586 | hypothetical protein |
| 2554 | snap25a | 2587 | unknown protein |
| 2555 | putative annexin | 2588 | unknown protein |
| 2556 | putative protein | 2589 | glycine-rich protein like |
| 2557 | homeodomain transcription | 2590 | putative disease resistance protein |
| | factor (ATHB-14) | 2591 | putative Na+/Ca2+ antiporter |
| 2558 | heat shock protein, putative | 2592 | putative hydroxymethylglutaryl- |
| 2559 | peroxidase ATP23a | | CoA lyase |
| 2560 | p68 RNA helicase, putative | 2593 | putative |
| | potassium transporter, | | phosphoribosylaminoimidazole |
| putativ | | | carboxylase |
| 2562 | * | 2594 | SAR DNA-binding protein - like |
| | ation initiation factor 2 alpha | 2595 | response regulator, putative |
| | it, eIF2 | 2596 | fibrillin precursor-like protein |
| 2563 | hypothetical protein | 2597 | beta-ketoacyl-CoA synthase |
| 2564 | carnitine racemase like | | (FIDDLEHEAD) |
| proteii | | 2598 | lectin like protein |
| 2565 | No function assigned by | 2599 | No function assigned by TIGR |
| TIGR | | | |

125

| 2600 | acidic endochitinase | 2629 | unknown protein |
|--------|-------------------------------|---------|-------------------------------------|
| | (dbj BAA21861.1) | 2630 | unknown protein |
| 2601 | unknown protein | 2631 | unknown protein |
| 2602 | hypothetical protein | 2632 | nucleosome assembly protein I-like |
| 2603 | predicted OR23 protein of | protein | |
| | unknown function | 2633 | membrane channel like protein |
| 2604 | putative protein | 2634 | anthocyanin2, putative |
| 2605 | hypothetical protein | 2635 | TWIN SISTER OF FT (TSF) |
| 2606 | glycerol-3-phosphate | 2636 | putative myb-related transcription |
| | dehydrogenase | factor | |
| 2607 | hypothetical protein | 2637 | hypothetical protein |
| 2608 | tat-binding protein, putative | 2638 | putative RING zinc finger protein |
| 2609 | putative protein | 2639 | amino acid transport protein AAT1 |
| 2610 | putative trehalose-6- | 2640 | putative protein |
| | phosphate phosphatase | 2641 | putative protein |
| 2611 | hypothetical protein | 2642 | xanthine dehydrogenase |
| 2612 | putative flavonol 3-O- | 2643 | xanthine dehydrogenase - like |
| | glucosyltransferase | proteir | |
| 2613 | 60S ribosomal protein L30 | 2644 | receptor protein kinase (IRK1), |
| 2614 | putative auxin-induced | | putative |
| protei | \mathbf{n} | 2645 | dehydrin-like protein |
| 2615 | putative nonspecific lipid- | 2646 | unknown protein |
| | transfer protein precursor | 2647 | aldehyde dehydrogenase homolog, |
| 2616 | AtRer1Â | | putative |
| 2617 | putative aquaporin | 2648 | Ran binding protein (AtRanBP1b) |
| | (tonoplast infrinsic protein | 2649 | putative squamosa-promoter |
| | gamma) | | binding protein |
| 2618 | hypothetical protein | 2650 | putative protein |
| 2619 | putative alanine acetyl | 2651 | kinesin like protein |
| | transferase | 2652 | putative cellulose synthase |
| 2620 | putative NADP-dependent | 2653 | calmodulin (cam2) |
| | glyceraldehyde-3- | 2654 | fibrillarin - like protein |
| | phosphate dehydrogenase | 2655 | putative transmembrane protein |
| 2621 | putative DNA binding | | G5p |
| protei | n | 2656 | putative peroxidase |
| 2622 | putative cystathionine | 2657 | putative SNF1-related protein |
| | gamma-synthase | | kinase |
| 2623 | unknown protein | 2658 | glutathione S-transferase, putative |
| 2624 | malate oxidoreductase | 2659 | unknown protein |
| | (malic enzyme) | 2660 | hypothetical protein |
| 2625 | unknown protein | 2661 | putative protein |
| 2626 | cyclic nucleotide-gated | 2662 | phosphatidylinositol-4-phosphate |
| | cation channel | | 5-kinase isolog |
| 2627 | glyoxalase II, putative | 2663 | putative tyrosine decarboxylase |
| 2628 | putative trypsin inhibitor | 2664 | unknown protein |
| | | | |

126

| 2665 | SGP1 monomeric G-protein (emb CAB54517.1) | 2691 | putative pyrophosphate-dependent phosphofructokinase alpha subunit |
|---------|---|------|--|
| 2666 | putative serine | 2692 | putative flavonol |
| | carboxypeptidase II | | glucosyltransferase |
| 2667 | putative L5 ribosomal | 2693 | peroxidase ATP20a |
| protein | • | | (emb CAA67338.1) |
| 2668 | putative glucosyltransferase | 2694 | TOPP8 serine/threonine protein |
| 2669 | flavonoid 3,5-hydroxylase | | phosphatase type one |
| | like protein | 2695 | auxin regulated protein IAA18, |
| 2670 | putative protein | | putative |
| 2671 | putative protein | 2696 | putative WRKY-type DNA binding |
| 2672 | putative Fe(II)/ascorbate | | protein |
| | oxidase | 2697 | putative glucan synthase |
| 2673 | putative anthocyanin 5- | 2698 | squalene monooxygenase |
| | aromatic acyltransferase | 2699 | putative proline-rich protein |
| 2674 | casein kinase I | 2700 | G2484-1 protein |
| 2675 | putative 2,3- | 2701 | heat shock protein 70 like protein |
| | bisphosphoglycerate- | 2702 | unknown protein |
| | independent | 2703 | unknown protein |
| | phosphoglycerate mutase | | |
| 2676 | putative glutathione S- | | |
| _0,0 | transferase TSI-1 | | |
| 2677 | ATP-dependent RNA | | |
| helicas | <u>-</u> | | |
| 2678 | putative cytochrome P450 | | |
| 2679 | putative WD-40 repeat | | |
| protein | - | | |
| 2680 | No function assigned by | | |
| TIGR | , | | |
| 2681 | No function assigned by | | |
| TIGR | | | |
| 2682 | putative protein | | |
| 2683 | putative extensin | | |
| 2684 | nodulin-26 - like protein | | |
| 2685 | RNA helicase | | |
| | (emb CAA09212.1) | | |
| 2686 | predicted protein of | | |
| | unknown function | | |
| 2687 | putative berberine bridge | | |
| | enzyme | | |
| 2688 | thioredoxin, putative | | |
| 2689 | putative serine | | |
| | carboxypeptidase I | | |
| 2690 | cytochrome P450-like | | |
| protein | • | | |

127

TABLE 2

ABIOTIC STRESS RESPONSIVE GENE REGULATORY SEQUENCES

| SEO RE | GULATORY | SEQ | REGULATORY | SEQ | REGULATORY |
|----------|--------------|-----------|----------------------|------------|--------------|
| ID NO: | REGION | ID NO: | REGION | ID NO: | REGION |
| 1 | 2704 | 51 | 2753 | 101 | 2802 |
| 2 | 2705 | 52 | 2754 | 102 | 2802 |
| 3 | 2706 | 53 | 2755 | 103 | 2803 |
| 4 | 2707 | 54 | 2756 | 103 | 2805 |
| 5 | 2708 | 55 | 2757 | 104 | 2806 |
| 6 | 2709 | 56 | 2758 | 105 | 2807 |
| 7 | 2710 | 57 | 2759 | 107 | |
| 8 | 2711 | 58 | 2760 | 107 | 2808 |
| | | | | | 2809 |
| 9 10 | 2712 2713 | 59 60 | 2761 | 109 | 2810 |
| | | | 2762 | 110 | 2811 |
| 11 | 2714 | 61 | 2763 | 111 | 2812 |
| 12 | 2715 | 62 | 2764 | 112 | 2813 |
| 13 | 2716 | 63 | 2765 | 113 | 2814 |
| 14 | 2717 | 64 | 2766 | 114 | 2815 |
| 15 | 2718 | 65 | 2767 | 115 | 2816 |
| 16 | 2719 | 66 | 2768 | 116 | 2817 |
| 17 | 2720 | 67 | 2769 | 117 | 2818 |
| 18 | 2721 | 68 | 2770 | 118 | 2819 |
| 19 | 2722 | 69 | NONE | 119 | 2820 |
| 20 | 2723 | 70 | 2771 | 120 | 2821 |
| 21 | 2724 | 71 | 2772 | 121 | 2822 |
| 22 | 2725 | 72 | 2773 | 122 | 2823 |
| 23 | 2726 | 73 | 2774 | 123 | 2824 |
| 24 | 2727 | 74 | 2775 | 124 | 2825 |
| 25 | 2728 | 75 | 2776 | 125 | 2826 |
| 26 | 2729 | 76 | 2777 | 126 | 2827 |
| 27 | 2730 | 77 | 2778 | 127 | 2828 |
| 28 | 2731 | 78 | 2779 | 128 | 2829 |
| 29 | 2732 | 79 | 2780 | 129 | 2830 |
| 30 | 2733 | 80 | 2781 | 130 | 2831 |
| 31 | 2734 | 81 | 2782 | 131 | 2832 |
| 32 | 2735 | 82 | 2783 | 132 | 2833 |
| 33 | 2736 | 83 | 2784 | 133 | 2834 |
| 34 | 2737 | 84 | 2785 | 134 | 2835 |
| 35 | 2738 | 85 | 2786 | 135 | 2836 |
| 36 | 2739 | 86 | 2787 | 136 | 2837 |
| 37 | 2740 | 87 | 2788 | 137 | 2838 |
| 38 | 2741 | 88 | 2789 | 138 | 2839 |
| 39 | 2742 | 89 | 2790 | 139 | 2840 |
| 40 | 2743 | 90 | 2791 | 140 | 2841 |
| 41 | 2744 | 91 | 2792 | 141 | 2842 |
| 42 | 2745 | 92 | 2793 | 142 | 2843 |
| 43 | NONE | 93 | 2794 | 143 | 2844 |
| 44 | 2746 | 94 | 2795 | 144 | NONE |
| 45 | 2747 | 95 | 2796 | 145 | 2845 |
| 43 46 | | 95 96 | 2790 2797 | 145 | 2845 2846 |
| | 2748 | | 2798 | 140 | 2847 |
| 47 48 | 2749 | 97 08 | 279 8 2799 | 147 | 2848 |
| 48 40 | 2750 | 98 00 | 2800 | 148 149 | 2849 |
| 49 50 | 2751 | 99 100 | | | |
| 50 | 2752 | 100 | 2801 | 150 | 2850 |

128

| 151 | 2851 | 205 | 2905 | 259 | 2959 |
|--------------|--------------|------------|--------------|------------------------|--------------|
| 152 | 2852 | 206 | 2906 | 260 | 2960 |
| 153 | 2853 | 207 | 2907 | 261 | 2961 |
| 154 | 2854 | 208 | 2908 | 262 | 2962 |
| 155 | 2855 | 209 | 2909 | 263 | 2963 |
| 156 | 2856 | 210 | 2910 | 264 | 2964 |
| 1 57 | 2857 | 211 | 2911 | 265 | 2965 |
| 158 | 2858 | 212 | 2912 | 266 | 2966 |
| 159 | 2859 | 213 | 2913 | 267 | 2967 |
| 160 | 2860 | 214 | 2914 | 268 | 2968 |
| 161 | 2861 | 215 | 2915 | 269 | 2969 |
| 162 | 2862 | 216 | 2916 | 270 | 2970 |
| 163 | 2863 | 217 | 2917 | 271 | 2971 |
| 1 6 4 | 2864 | 218 | 2918 | 272 | 2972 |
| 165 | 2865 | 219 | 2919 | 273 | 2973 |
| 166 | 2866 | 220 | 2920 | 274 | 2974 |
| 1 67 | 2867 | 221 | 2921 | 275 | 2975 |
| 168 | 2868 | 222 | 2922 | 276 | 2976 |
| 169 | 2869 | 223 | 2923 | 277 | 2977 |
| 170 | 2870 | 224 | 2924 | 278 | 2978 |
| 1 71 | 2871 | 225 - | 2925 | 279 | 2979 |
| 172 | 2872 | 226 | 2926 | 280 | 2980 |
| 173 | 2873 | 227 | 2927 | 281 | 2981 |
| 174 | 2874 | 228 | 2928 | 282 | 2982 |
| 175 | 2875 | 229 | 2929 | 283 | 2983 |
| 176 | 2876 | 230 | 2930 | 284 | 2984 |
| 1 77 | 2877 | 231 | 2931 | 285 | 2985 |
| 178 | 2878 | 232 | 2932 | 286 | 2986 |
| 179 | 2879 | 233 | 2933 | 287 | 2987 |
| 180 | 2880 | 234 | 2934 | 288 | 2988 |
| 181 | 2881 | 235 | 2935 | 289 | 2989 |
| 182 | 2882 | 236 | 2936 | 290 | 2990 |
| 183 | 2883 | 237 | 2937 | 291 | 2991 |
| 184 | 2884 | 238 | 2938 | 292 | 2992 |
| 185 | 2885 | 239 | 2939 | 293 | 2993 |
| 186 | 2886 | 240 | 2940 | 294 | 2994 |
| 187 | 2887 | 241 | 2941 | 295 | 2995 |
| 188 | 2888 | 242 | 2942 | 296 | 2996 |
| 189 | 2889 | 243 | 2943 | 297 | 2997 |
| 190 | 2890 | 244 | 2944 | 298 | 2998 |
| 191 | 2891 | 245 | 2945 | 299 | 2999 |
| 192 | 2892 | 246 | 2946 | 300 | 3000 |
| 193 | 2893 | 247 | 2947 | 301 | 3001 |
| 194 | 2894 | 248 | 2948 | 302 | 3002 |
| 195 | 2895 | 249 | 2949 | 303 | 3003 |
| 196 | 2896 | 250 | 2950 | 304 | NONE |
| 197 | 2897 | 251 252 | 2951 | 305 306 | 3004 3005 |
| 198 | 2898 | 252 | 2952 | 30 0 307 | 3005 |
| 199 | 2899 2900 | 253 254 | 2953 | 307 | 3007 |
| 200 | 2900 2901 | | 2954 2955 | 308 | 3007 |
| 201 | 2901 | 255 256 | 2955 2956 | 310 | 3008 |
| 202 | 2902 | 250 257 | 2956 2957 | 311 | 3010 |
| 203 | 2903 | 257 258 | 2957 2958 | 312 | 3010 |
| 204 | 47U4 | 438 | 4930 | 314 | 3011 |

129

| 313 | 3012 | 367 | 3066 | 421 | 3120 |
|------------|------|-----|------|-----|------|
| 314 | 3013 | 368 | 3067 | 422 | 3121 |
| 315 | 3014 | 369 | 3068 | 423 | 3122 |
| 316 | 3015 | 370 | 3069 | 424 | 3123 |
| 317 | 3016 | | | 425 | |
| | | 371 | 3070 | | 3124 |
| 318 | 3017 | 372 | 3071 | 426 | 3125 |
| 319 | 3018 | 373 | 3072 | 427 | 3126 |
| 320 | 3019 | 374 | 3073 | 428 | 3127 |
| 321 | 3020 | 375 | 3074 | 429 | 3128 |
| 322 | 3021 | 376 | 3075 | 430 | 3129 |
| 323 | 3022 | 377 | 3076 | 431 | 3130 |
| 324 | 3023 | 378 | 3077 | 432 | 3131 |
| 325 | 3024 | 379 | 3078 | 433 | 3132 |
| 326 | 3025 | 380 | 3079 | 434 | 3133 |
| 327 | 3026 | 381 | 3080 | 435 | 3134 |
| 328 | 3027 | 382 | 3081 | 436 | 3135 |
| | | | | | |
| 329 | 3028 | 383 | 3082 | 437 | 3136 |
| 330 | 3029 | 384 | 3083 | 438 | 3137 |
| 331 | 3030 | 385 | 3084 | 439 | 3138 |
| 332 | 3031 | 386 | 3085 | 440 | 3139 |
| 333 | 3032 | 387 | 3086 | 441 | 3140 |
| 334 | 3033 | 388 | 3087 | 442 | 3141 |
| 335 | 3034 | 389 | 3088 | 443 | 3142 |
| 336 | 3035 | 390 | 3089 | 444 | 3143 |
| 337 | 3036 | 391 | 3090 | 445 | 3144 |
| 338 | 3037 | 392 | 3091 | 446 | 3145 |
| 339 | 3038 | 393 | 3092 | 447 | 3146 |
| 340 | 3039 | 394 | 3093 | 448 | 3147 |
| 341 | 3040 | 395 | 3094 | 449 | 3148 |
| | | 396 | 3095 | 450 | 3149 |
| 342 | 3041 | | | | 3150 |
| 343 | 3042 | 397 | 3096 | 451 | |
| 344 | 3043 | 398 | 3097 | 452 | 3151 |
| 345 | 3044 | 399 | 3098 | 453 | 3152 |
| 346 | 3045 | 400 | 3099 | 454 | 3153 |
| 347 | 3046 | 401 | 3100 | 455 | 3154 |
| 348 | 3047 | 402 | 3101 | 456 | 3155 |
| 349 | 3048 | 403 | 3102 | 457 | 3156 |
| 350 | 3049 | 404 | 3103 | 458 | 3157 |
| 351 | 3050 | 405 | 3104 | 459 | 3158 |
| 352 | 3051 | 406 | 3105 | 460 | 3159 |
| 353 | 3052 | 407 | 3106 | 461 | 3160 |
| 354 | 3053 | 408 | 3107 | 462 | 3161 |
| 355 | 3054 | 409 | 3108 | 463 | 3162 |
| | | 410 | 3109 | 464 | 3163 |
| 356 357 | 3055 | | | 465 | 3164 |
| 357 | 3056 | 411 | 3110 | | 3165 |
| 358 | 3057 | 412 | 3111 | 466 | |
| 359 | 3058 | 413 | 3112 | 467 | 3166 |
| 360 | 3059 | 414 | 3113 | 468 | 3167 |
| 361 | 3060 | 415 | 3114 | 469 | 3168 |
| 362 | 3061 | 416 | 3115 | 470 | 3169 |
| 363 | 3062 | 417 | 3116 | 471 | 3170 |
| 364 | 3063 | 418 | 3117 | 472 | 3171 |
| 365 | 3064 | 419 | 3118 | 473 | 3172 |
| 366 | 3065 | 420 | 3119 | 474 | 3173 |
| | | | | | |

130

| 475 | 3174 | 529 | 3228 | 583 | 3282 |
|-------------|------|------------|------|-----|--------------|
| 476 | 3175 | 530 | 3229 | 584 | 3283 |
| 477 | 3176 | 531 | 3230 | 585 | 3284 |
| 478 | 3177 | 532 | 3231 | 586 | 3285 |
| 479 | 3178 | 533 | 3232 | 587 | 3286 |
| 480 | 3179 | 534 | 3233 | 588 | 3287 |
| 481 | 3180 | 535 | 3234 | 589 | 3288 |
| 482 | 3181 | 536 | | | |
| | | | 3235 | 590 | 3289 |
| 483 | 3182 | 537 | 3236 | 591 | 3290 |
| 484 | 3183 | 538 | 3237 | 592 | 3291 |
| 485 | 3184 | 539 | 3238 | 593 | 3292 |
| 486 | 3185 | 540 | 3239 | 594 | 3293 |
| 487 | 3186 | 541 | 3240 | 595 | 3294 |
| 488 | 3187 | 542 | 3241 | 596 | 3295 |
| 489 | 3188 | 543 | 3242 | 597 | 3296 |
| 490 | 3189 | 544 | 3243 | 598 | 3297 |
| 491 | 3190 | 545 | 3244 | 599 | 3298 |
| 492 | 3191 | 546 | 3245 | 600 | 3299 |
| 493 | 3192 | 547 | 3246 | 601 | 3300 |
| 494 | 3193 | 548 | 3247 | 602 | 3301 |
| 495 | 3194 | 549 | 3248 | 603 | 3302 |
| 496 | 3195 | 550 | 3249 | 604 | 3303 |
| 490 | 3196 | 551 | 3250 | 605 | 3304 |
| | | | | | |
| 498 | 3197 | 552 553 | 3251 | 606 | 3305 3306 |
| 499 | 3198 | 553 | 3252 | 607 | |
| 500 | 3199 | 554 | 3253 | 608 | 3307 |
| 50 1 | 3200 | 555 | 3254 | 609 | 3308 |
| 502 | 3201 | 556 | 3255 | 610 | . 3309 |
| 503 | 3202 | 557 | 3256 | 611 | 3310 |
| 504 | 3203 | 558 | 3257 | 612 | 3311 |
| 505 | 3204 | 559 | 3258 | 613 | 3312 |
| 506 | 3205 | 560 | 3259 | 614 | 3313 |
| 507 | 3206 | 561 | 3260 | 615 | 3314 |
| 508 | 3207 | 562 | 3261 | 616 | 3315 |
| 509 | 3208 | 563 | 3262 | 617 | 3316 |
| 510 | 3209 | 564 | 3263 | 618 | 3317 |
| 511 | 3210 | 565 | 3264 | 619 | 3318 |
| 512 | 3211 | 566 | 3265 | 620 | 3319 |
| 512 | 3212 | 567 | 3266 | 621 | 3320 |
| 514 | 3213 | 568 | 3267 | 622 | 3321 |
| | 3214 | 569 | 3268 | 623 | 3322 |
| 515 | | | 3269 | 624 | 3323 |
| 516 | 3215 | 570 | | | |
| 517 | 3216 | 571 | 3270 | 625 | 3324 |
| 518 | 3217 | 572 | 3271 | 626 | 3325 |
| 519 | 3218 | 573 | 3272 | 627 | 3326 |
| 520 | 3219 | 574 | 3273 | 628 | 3327 |
| 521 | 3220 | 575 | 3274 | 629 | 3328 |
| 522 | 3221 | 576 | 3275 | 630 | 3329 |
| 523 | 3222 | 577 | 3276 | 631 | 3330 |
| 524 | 3223 | 578 | 3277 | 632 | 3331 |
| 525 | 3224 | 579 | 3278 | 633 | 3332 |
| 526 | 3225 | 580 | 3279 | 634 | 3333 |
| 527 | 3226 | 581 | 3280 | 635 | 3334 |
| 528 | 3227 | 582 | 3281 | 636 | 3335 |
| 520 | | | | : = | |

131

| 637 | 3336 | 691 | 3390 | 745 | 3444 |
|-----|------|-----|------|--------------|------|
| 638 | 3337 | 692 | 3391 | 746 | 3445 |
| 639 | 3338 | 693 | 3392 | 747 | 3446 |
| 640 | 3339 | 694 | 3393 | 748 | 3447 |
| | | | | | |
| 641 | 3340 | 695 | 3394 | 749 | 3448 |
| 642 | 3341 | 696 | 3395 | 750 | 3449 |
| 643 | 3342 | 697 | 3396 | 751 | 3450 |
| 644 | 3343 | 698 | 3397 | 752 | 3451 |
| 645 | 3344 | 699 | 3398 | 753 | 3452 |
| 646 | 3345 | 700 | 3399 | 754 | 3453 |
| | | | | | |
| 647 | 3346 | 701 | 3400 | 755 | 3454 |
| 648 | 3347 | 702 | 3401 | 756 | 3455 |
| 649 | 3348 | 703 | 3402 | 757 | 3456 |
| 650 | 3349 | 704 | 3403 | 758 | 3457 |
| 651 | 3350 | 705 | 3404 | 759 | 3458 |
| 652 | 3351 | 706 | 3405 | 760 | 3459 |
| | | | | | |
| 653 | 3352 | 707 | 3406 | 761 | 3460 |
| 654 | 3353 | 708 | 3407 | 762 | 3461 |
| 655 | 3354 | 709 | 3408 | 763 | 3462 |
| 656 | 3355 | 710 | 3409 | 764 | 3463 |
| 657 | 3356 | 711 | 3410 | 765 | 3464 |
| 658 | 3357 | 712 | 3411 | 766 | 3465 |
| | | | 3412 | , 760 767 | 3466 |
| 659 | 3358 | 713 | | | |
| 660 | 3359 | 714 | 3413 | 768 | 3467 |
| 661 | 3360 | 715 | 3414 | 769 | 3468 |
| 662 | 3361 | 716 | 3415 | 770 | 3469 |
| 663 | 3362 | 717 | 3416 | 771 | 3470 |
| 664 | 3363 | 718 | 3417 | 772 | 3471 |
| 665 | 3364 | 719 | 3418 | 773 | 3472 |
| | | | | 774 | 3473 |
| 666 | 3365 | 720 | 3419 | | |
| 667 | 3366 | 721 | 3420 | 775 | 3474 |
| 668 | 3367 | 722 | 3421 | 776 | 3475 |
| 669 | 3368 | 723 | 3422 | 777 | 3476 |
| 670 | 3369 | 724 | 3423 | 778 | 3477 |
| 671 | 3370 | 725 | 3424 | <i>7</i> 79 | 3478 |
| 672 | 3371 | 726 | 3425 | 780 | 3479 |
| | | 727 | 3426 | 781 | 3480 |
| 673 | 3372 | | | | |
| 674 | 3373 | 728 | 3427 | 782 | 3481 |
| 675 | 3374 | 729 | 3428 | 783 | 3482 |
| 676 | 3375 | 730 | 3429 | 784 | 3483 |
| 677 | 3376 | 731 | 3430 | 785 | 3484 |
| 678 | 3377 | 732 | 3431 | 786 | 3485 |
| | 3378 | 733 | 3432 | 787 | 3486 |
| 679 | | | | 788 | 3487 |
| 680 | 3379 | 734 | 3433 | | |
| 681 | 3380 | 735 | 3434 | 789 | 3488 |
| 682 | 3381 | 736 | 3435 | 790 | 3489 |
| 683 | 3382 | 737 | 3436 | 79 1 | 3490 |
| 684 | 3383 | 738 | 3437 | 792 | 3491 |
| 685 | 3384 | 739 | 3438 | 793 | 3492 |
| | | 740 | 3439 | 794 | 3493 |
| 686 | 3385 | | | 795 | |
| 687 | 3386 | 741 | 3440 | | 3494 |
| 688 | 3387 | 742 | 3441 | 796 | 3495 |
| 689 | 3388 | 743 | 3442 | 797 | 3496 |
| 690 | 3389 | 744 | 3443 | 798 | 3497 |
| | | | | | |

132

| 799 | 3498 | 853 | 3552 | 907 | 3603 |
|-----|------|-------|------|-------|------|
| 800 | 3499 | 854 | 3553 | 908 | 3604 |
| 801 | 3500 | 855 | 3554 | 909 | 3605 |
| 802 | 3501 | 856 | 3555 | 910 | 3606 |
| 803 | 3502 | 857 | 3556 | 911 | 3607 |
| 804 | 3503 | 858 | 3557 | 912 | 3608 |
| 805 | 3504 | 859 | 3558 | 913 | 3609 |
| 806 | 3505 | 860 | 3559 | 914 | 3610 |
| 807 | 3506 | 861 | 3560 | 915 | 3611 |
| 808 | 3507 | 862 | 3561 | 916 | 3612 |
| 809 | 3508 | 863 | 3562 | 917 | 3613 |
| 810 | 3509 | 864 | 3563 | 918 | 3614 |
| 811 | 3510 | 865 | 3564 | 919 | 3615 |
| 812 | 3511 | 866 | 3565 | 920 | 3616 |
| 813 | 3512 | 867 | 3566 | 921 | 3617 |
| 814 | 3513 | 868 | 3567 | 922 | 3618 |
| 815 | 3514 | 869 | 3568 | 923 | 3619 |
| 816 | 3515 | 870 | 3569 | 924 | 3620 |
| 817 | 3516 | 871 | 3570 | 925 | 3621 |
| 818 | 3517 | 872 | 3571 | 926 | 3622 |
| 819 | 3518 | 873 | 3572 | 927 | 3623 |
| 820 | 3519 | 874 | 3573 | 928 | 3624 |
| 821 | 3520 | 875 | 3574 | 929 | 3625 |
| 822 | 3521 | 876 | 3575 | 930 | 3626 |
| 823 | 3522 | 877 | 3576 | 931 | 3627 |
| 824 | 3523 | 878 | 3577 | 932 | 3628 |
| 825 | 3524 | 879 | 3578 | 933 | 3629 |
| 826 | 3525 | 880 | 3579 | 934 | 3630 |
| 827 | 3526 | 881 | 3580 | 935 | NONE |
| 828 | 3527 | 882 | 3581 | 936 | 3631 |
| 829 | 3528 | 883 | 3582 | 937 | 3632 |
| 830 | 3529 | 884 | 3583 | 938 | 3633 |
| 831 | 3530 | 885 | 3584 | 939 | 3634 |
| 832 | 3531 | 886 | 3585 | 940 | 3635 |
| 833 | 3532 | 887 | NONE | 941 | 3636 |
| 834 | 3533 | 888 | 3586 | 942 | 3637 |
| 835 | 3534 | 889 | 3587 | 943 | 3638 |
| 836 | 3535 | 890 | 3588 | 944 | 3639 |
| 837 | 3536 | 891 | 3589 | 945 | 3640 |
| 838 | 3537 | 892 | 3590 | 946 | 3641 |
| 839 | 3538 | . 893 | 3591 | 947 · | 3642 |
| 840 | 3539 | 894 | NONE | 948 | 3643 |
| 841 | 3540 | 895 | NONE | 949 | 3644 |
| 842 | 3541 | 896 | 3592 | 950 | 3645 |
| 843 | 3542 | 897 | 3593 | 951 | 3646 |
| 844 | 3543 | 898 | 3594 | 952 | 3647 |
| 845 | 3544 | 899 | 3595 | 953 | 3648 |
| 846 | 3545 | 900 | 3596 | 954 | 3649 |
| 847 | 3546 | 901 | 3597 | 955 | 3650 |
| 848 | 3547 | 902 | 3598 | 956 | 3651 |
| 849 | 3548 | 903 | 3599 | 957 | 3652 |
| 850 | 3549 | 904 | 3600 | 958 | 3653 |
| 851 | 3550 | 905 | 3601 | 959 | 3654 |
| 852 | 3551 | 906 | 3602 | 960 | 3655 |

133

| 961 | 3656 | 1015 | 3710 | 1069 | 3764 |
|------|------|------|------|------|------|
| 962 | 3657 | 1016 | 3711 | 1070 | 3765 |
| 963 | 3658 | 1017 | 3712 | 1071 | 3766 |
| 964 | 3659 | 1018 | 3713 | 1072 | 3767 |
| 965 | 3660 | 1019 | 3714 | 1073 | 3768 |
| 966 | 3661 | 1020 | 3715 | 1074 | 3769 |
| 967 | 3662 | 1021 | 3716 | 1075 | 3770 |
| 968 | 3663 | 1022 | 3717 | 1076 | 3771 |
| 969 | 3664 | 1023 | 3718 | 1077 | 3772 |
| 970 | 3665 | 1024 | 3719 | 1078 | 3773 |
| 971 | 3666 | 1025 | 3720 | 1079 | 3774 |
| 972 | 3667 | 1026 | 3721 | 1080 | 3775 |
| 973 | 3668 | 1027 | 3722 | 1081 | 3776 |
| 974 | 3669 | 1028 | 3723 | 1082 | 3777 |
| 975 | 3670 | 1029 | 3724 | 1083 | 3778 |
| 976 | 3671 | 1030 | 3725 | 1084 | 3779 |
| 977 | 3672 | 1031 | 3726 | 1085 | 3780 |
| 978 | 3673 | 1032 | 3727 | 1086 | 3781 |
| 979 | 3674 | 1033 | 3728 | 1087 | NONE |
| 980 | 3675 | 1034 | 3729 | 1088 | 3782 |
| 981 | 3676 | 1035 | 3730 | 1089 | 3783 |
| 982 | 3677 | 1036 | 3731 | 1090 | 3784 |
| 983 | 3678 | 1037 | 3732 | 1091 | 3785 |
| 984 | 3679 | 1038 | 3733 | 1092 | 3786 |
| 985 | 3680 | 1039 | 3734 | 1093 | 3787 |
| 986 | 3681 | 1040 | 3735 | 1094 | 3788 |
| 987 | 3682 | 1041 | 3736 | 1095 | 3789 |
| 988 | 3683 | 1042 | 3737 | 1096 | 3790 |
| 989 | 3684 | 1043 | 3738 | 1097 | 3791 |
| 990 | 3685 | 1044 | 3739 | 1098 | 3792 |
| 991 | 3686 | 1045 | 3740 | 1099 | 3793 |
| 992 | 3687 | 1046 | 3741 | 1100 | 3794 |
| 993 | 3688 | 1047 | 3742 | 1101 | 3795 |
| 994 | 3689 | 1048 | 3743 | 1102 | 3796 |
| 995 | 3690 | 1049 | 3744 | 1103 | 3797 |
| 996 | 3691 | 1050 | 3745 | 1104 | 3798 |
| 997 | 3692 | 1051 | 3746 | 1105 | 3799 |
| 998 | 3693 | 1052 | 3747 | 1106 | 3800 |
| 999 | 3694 | 1053 | 3748 | 1107 | 3801 |
| 1000 | 3695 | 1054 | 3749 | 1108 | 3802 |
| 1000 | 3696 | 1055 | 3750 | 1109 | 3803 |
| 1001 | 3697 | 1056 | 3751 | 1110 | 3804 |
| 1002 | 3698 | 1057 | 3752 | 1111 | 3805 |
| 1003 | 3699 | 1058 | 3753 | 1112 | 3806 |
| 1004 | 3700 | 1059 | 3754 | 1113 | 3807 |
| 1005 | 3701 | 1060 | 3755 | 1114 | 3808 |
| 1007 | 3702 | 1061 | 3756 | 1115 | 3809 |
| 1007 | 3703 | 1062 | 3757 | 1116 | 3810 |
| 1008 | 3704 | 1063 | 3758 | 1117 | 3811 |
| 1010 | 3705 | 1064 | 3759 | 1118 | 3812 |
| 1010 | 3706 | 1065 | 3760 | 1119 | 3813 |
| 1011 | 3707 | 1065 | 3761 | 1120 | 3814 |
| 1012 | 3708 | 1067 | 3762 | 1121 | 3815 |
| 1013 | 3709 | 1068 | 3763 | 1121 | 3816 |
| 1014 | 3107 | 1000 | 3103 | 1144 | 2010 |

134

| 1123 | 3817 | 1177 | 3871 | 1231 | 3925 |
|---------------|------|------|------|------|------|
| 1124 | 3818 | 1178 | 3872 | 1232 | 3926 |
| 1125 | 3819 | 1179 | 3873 | 1233 | 3927 |
| 1126 | 3820 | 1180 | 3874 | 1234 | 3928 |
| 1127 | 3821 | 1181 | 3875 | 1235 | 3929 |
| 1128 | 3822 | 1182 | 3876 | 1236 | 3930 |
| 1129 | 3823 | 1183 | 3877 | | |
| | | | | 1237 | 3931 |
| 1130 | 3824 | 1184 | 3878 | 1238 | 3932 |
| 1131 | 3825 | 1185 | 3879 | 1239 | 3933 |
| 1132 | 3826 | 1186 | 3880 | 1240 | 3934 |
| 1133 | 3827 | 1187 | 3881 | 1241 | 3935 |
| 1134 | 3828 | 1188 | 3882 | 1242 | 3936 |
| 1135 | 3829 | 1189 | 3883 | 1243 | 3937 |
| 1136 | 3830 | 1190 | 3884 | 1244 | 3938 |
| 1137 | 3831 | 1191 | 3885 | 1245 | 3939 |
| 1138 | 3832 | 1192 | 3886 | 1246 | 3940 |
| 1139 | 3833 | 1193 | 3887 | 1247 | 3941 |
| 1140 | 3834 | 1194 | 3888 | 1248 | 3942 |
| 1141 | 3835 | 1195 | 3889 | 1249 | 3943 |
| 1142 | 3836 | 1196 | 3890 | 1250 | 3944 |
| 1143 | 3837 | 1197 | 3891 | 1251 | 3945 |
| 1144 | 3838 | 1198 | 3892 | 1252 | 3946 |
| 1145 | 3839 | 1199 | 3893 | 1253 | 3947 |
| 1145 | 3840 | 1200 | 3894 | 1254 | 3948 |
| | | | 3895 | 1255 | 3949 |
| 1147 | 3841 | 1201 | | | |
| 1148 | 3842 | 1202 | 3896 | 1256 | 3950 |
| 1149 | 3843 | 1203 | 3897 | 1257 | 3951 |
| 1150 | 3844 | 1204 | 3898 | 1258 | 3952 |
| 1151 | 3845 | 1205 | 3899 | 1259 | 3953 |
| 1152 | 3846 | 1206 | 3900 | 1260 | 3954 |
| 1153 | 3847 | 1207 | 3901 | 1261 | 3955 |
| 1154 | 3848 | 1208 | 3902 | 1262 | 3956 |
| 1155 | 3849 | 1209 | 3903 | 1263 | 3957 |
| 1156 | 3850 | 1210 | 3904 | 1264 | 3958 |
| 1157 | 3851 | 1211 | 3905 | 1265 | 3959 |
| 1158 | 3852 | 1212 | 3906 | 1266 | 3960 |
| 1159 | 3853 | 1213 | 3907 | 1267 | 3961 |
| 1160 | 3854 | 1214 | 3908 | 1268 | 3962 |
| 1161 | 3855 | 1215 | 3909 | 1269 | 3963 |
| 1162 | 3856 | 1216 | 3910 | 1270 | 3964 |
| 1163 | 3857 | 1217 | 3911 | 1271 | 3965 |
| 1164 | 3858 | 1217 | 3912 | 1272 | 3966 |
| | | 1219 | 3913 | 1273 | 3967 |
| 1165 | 3859 | | | 1274 | 3968 |
| 1166 | 3860 | 1220 | 3914 | | |
| 1167 | 3861 | 1221 | 3915 | 1275 | 3969 |
| 1168 | 3862 | 1222 | 3916 | 1276 | 3970 |
| 1169 | 3863 | 1223 | 3917 | 1277 | 3971 |
| 1170 | 3864 | 1224 | 3918 | 1278 | 3972 |
| 1171 | 3865 | 1225 | 3919 | 1279 | 3973 |
| 1172 | 3866 | 1226 | 3920 | 1280 | 3974 |
| 1173 | 3867 | 1227 | 3921 | 1281 | 3975 |
| 1 17 4 | 3868 | 1228 | 3922 | 1282 | 3976 |
| 1175 | 3869 | 1229 | 3923 | 1283 | 3977 |
| 1176 | 3870 | 1230 | 3924 | 1284 | 3978 |
| | | | | | |

135

| 1285 | 3979 | 1339 | 4032 | 1393 | 4086 |
|------|------|--------------|------|------|------|
| 1286 | 3980 | 1340 | 4033 | 1394 | 4087 |
| 1287 | 3981 | 1341 | 4034 | 1395 | 4088 |
| 1288 | 3982 | 1342 | 4035 | 1396 | 4089 |
| 1289 | 3983 | 1343 | 4036 | 1397 | 4090 |
| 1290 | 3984 | 1344 | 4037 | 1398 | 4091 |
| 1291 | 3985 | 1345 | 4038 | 1399 | 4092 |
| 1292 | 3986 | 1346 | 4039 | 1400 | 4093 |
| 1293 | 3987 | 1347 | 4040 | 1401 | 4094 |
| 1294 | 3988 | 1348 | 4041 | 1402 | 4095 |
| 1295 | 3989 | 1349 | 4042 | 1403 | 4096 |
| 1296 | 3990 | 1350 | 4043 | 1404 | 4097 |
| 1297 | 3991 | 1351 | 4044 | 1405 | 4098 |
| 1298 | 3992 | 1352 | 4045 | 1406 | 4099 |
| 1299 | 3993 | 1353 | 4046 | 1407 | 4100 |
| 1300 | 3994 | 1354 | 4047 | 1408 | 4101 |
| 1301 | 3995 | 1355 | 4048 | 1409 | 4102 |
| 1302 | 3996 | 1356 | 4049 | 1410 | 4103 |
| 1303 | 3997 | 1357 | 4050 | 1411 | 4104 |
| 1304 | 3998 | 1358 | 4051 | 1412 | 4105 |
| 1305 | 3999 | 1359 | 4052 | 1413 | 4106 |
| 1306 | 4000 | 1360 | 4053 | 1414 | 4107 |
| 1307 | 4001 | 1361 | 4054 | 1415 | 4108 |
| 1308 | 4002 | 1362 | 4055 | 1416 | 4109 |
| 1309 | 4003 | 1363 | 4056 | 1417 | 4110 |
| 1310 | 4004 | 1364 | 4057 | 1418 | 4111 |
| 1311 | 4005 | 1365 | 4058 | 1419 | 4112 |
| 1312 | 4006 | 1366 | 4059 | 1420 | 4113 |
| 1313 | 4007 | 1367 | 4060 | 1421 | 4114 |
| 1314 | 4008 | 1368 | 4061 | 1422 | 4115 |
| 1315 | 4009 | 1369 | 4062 | 1423 | 4116 |
| 1316 | 4010 | 1370 | 4063 | 1424 | 4117 |
| 1317 | 4011 | 1371 | 4064 | 1425 | 4118 |
| 1318 | 4012 | 1372 | 4065 | 1426 | 4119 |
| 1319 | 4013 | 1373 | 4066 | 1427 | 4120 |
| 1320 | 4014 | 1374 | 4067 | 1428 | 4121 |
| 1321 | 4015 | 1375 | 4068 | 1429 | 4122 |
| 1322 | 4016 | 1376 | 4069 | 1430 | 4123 |
| 1323 | 4017 | 1377 | 4070 | 1431 | 4124 |
| 1324 | 4018 | 1378 | 4071 | 1432 | NONE |
| 1325 | 4019 | 1379 | 4072 | 1433 | 4125 |
| 1326 | 4020 | 1380 | 4073 | 1434 | 4126 |
| 1327 | 4021 | 1381 | 4074 | 1435 | 4127 |
| 1328 | 4022 | 1382 | 4075 | 1436 | 4128 |
| 1329 | 4023 | 1383 | 4076 | 1437 | 4129 |
| 1330 | NONE | 1384 | 4077 | 1438 | 4130 |
| 1331 | 4024 | 1385 | 4078 | 1439 | 4131 |
| 1332 | 4025 | 1386 | 4079 | 1440 | 4132 |
| 1333 | 4026 | 1387 | 4080 | 1441 | 4133 |
| 1334 | 4027 | 1 388 | 4081 | 1442 | 4134 |
| 1335 | 4028 | 1389 | 4082 | 1443 | 4135 |
| 1336 | 4029 | 1390 | 4083 | 1444 | 4136 |
| 1337 | 4030 | 1391 | 4084 | 1445 | 4137 |
| 1338 | 4031 | 1392 | 4085 | 1446 | 4138 |
| | | | | | |

136

| 1447 | 4139 | 1501 | 4193 | 1555 | 4247 |
|------|------|------|------|------|------|
| 1448 | 4140 | 1502 | 4194 | 1556 | 4248 |
| 1449 | 4141 | 1503 | 4195 | 1557 | 4249 |
| 1450 | 4142 | 1504 | 4196 | 1558 | NONE |
| 1451 | 4143 | 1505 | 4197 | 1559 | 4250 |
| 1452 | 4144 | 1506 | 4198 | 1560 | 4251 |
| 1453 | 4145 | 1507 | 4199 | 1561 | 4252 |
| 1454 | 4146 | 1508 | 4200 | 1562 | 4253 |
| 1455 | 4147 | 1509 | 4201 | 1563 | 4254 |
| 1456 | 4148 | 1510 | 4202 | 1564 | 4255 |
| 1457 | 4149 | 1511 | 4203 | 1565 | 4256 |
| 1458 | 4150 | 1512 | 4204 | 1566 | 4257 |
| 1459 | 4151 | 1513 | 4205 | 1567 | 4258 |
| 1460 | 4152 | 1514 | 4206 | 1568 | 4259 |
| 1461 | 4153 | 1515 | 4207 | 1569 | 4260 |
| 1462 | 4154 | 1516 | 4208 | 1570 | 4261 |
| 1463 | 4155 | 1517 | 4209 | 1571 | 4262 |
| 1464 | 4156 | 1518 | 4210 | 1572 | 4263 |
| 1465 | 4157 | 1519 | 4211 | 1573 | 4264 |
| 1466 | 4158 | 1520 | 4212 | 1574 | 4265 |
| 1467 | 4159 | 1521 | 4213 | 1575 | 4266 |
| 1468 | 4160 | 1522 | 4214 | 1576 | 4267 |
| 1469 | 4161 | 1523 | 4215 | 1577 | 4268 |
| 1470 | 4162 | 1524 | 4216 | 1578 | 4269 |
| 1471 | 4163 | 1525 | 4217 | 1579 | 4270 |
| 1472 | 4164 | 1526 | 4218 | 1580 | 4271 |
| 1473 | 4165 | 1527 | 4219 | 1581 | 4272 |
| 1474 | 4166 | 1528 | 4220 | 1582 | 4273 |
| 1475 | 4167 | 1529 | 4221 | 1583 | 4274 |
| 1476 | 4168 | 1530 | 4222 | 1584 | 4275 |
| 1477 | 4169 | 1531 | 4223 | 1585 | 4276 |
| 1478 | 4170 | 1532 | 4224 | 1586 | 4277 |
| 1479 | 4171 | 1533 | 4225 | 1587 | 4278 |
| 1480 | 4172 | 1534 | 4226 | 1588 | 4279 |
| 1481 | 4173 | 1535 | 4227 | 1589 | 4280 |
| 1482 | 4174 | 1536 | 4228 | 1590 | 4281 |
| 1483 | 4175 | 1537 | 4229 | 1591 | 4282 |
| 1484 | 4176 | 1538 | 4230 | 1592 | 4283 |
| 1485 | 4177 | 1539 | 4231 | 1593 | 4284 |
| 1486 | 4178 | 1540 | 4232 | 1594 | 4285 |
| 1487 | 4179 | 1541 | 4233 | 1595 | 4286 |
| 1488 | 4180 | 1542 | 4234 | 1596 | 4287 |
| 1489 | 4181 | 1543 | 4235 | 1597 | 4288 |
| 1490 | 4182 | 1544 | 4236 | 1598 | 4289 |
| 1491 | 4183 | 1545 | 4237 | 1599 | 4290 |
| 1492 | 4184 | 1546 | 4238 | 1600 | 4291 |
| 1493 | 4185 | 1547 | 4239 | 1601 | 4292 |
| 1494 | 4186 | 1548 | 4240 | 1602 | 4293 |
| 1495 | 4187 | 1549 | 4241 | 1603 | 4294 |
| 1496 | 4188 | 1550 | 4242 | 1604 | 4295 |
| 1497 | 4189 | 1551 | 4243 | 1605 | 4296 |
| 1498 | 4190 | 1552 | 4244 | 1606 | 4297 |
| 1499 | 4191 | 1553 | 4245 | 1607 | 4298 |
| 1500 | 4192 | 1554 | 4246 | 1608 | 4299 |

137 ·

| 1609 | 4300 | 1663 | NONE | 1717 | 4406 |
|------|------|------|------|------|------|
| 1610 | 4301 | 1664 | 4354 | 1718 | 4407 |
| 1611 | 4302 | 1665 | 4355 | 1719 | 4408 |
| 1612 | 4303 | 1666 | 4356 | 1720 | 4409 |
| 1613 | 4304 | 1667 | 4357 | 1721 | 4410 |
| 1614 | 4305 | 1668 | 4358 | 1722 | 4411 |
| 1615 | 4306 | 1669 | 4359 | 1723 | 4412 |
| 1616 | 4307 | 1670 | 4360 | 1724 | 4413 |
| 1617 | 4308 | 1671 | 4361 | 1725 | 4414 |
| 1618 | 4309 | 1672 | 4362 | 1726 | 4415 |
| 1619 | 4310 | 1673 | 4363 | 1727 | 4416 |
| 1620 | 4311 | 1674 | 4364 | 1728 | 4417 |
| 1621 | 4312 | 1675 | 4365 | 1729 | 4418 |
| 1622 | 4313 | 1676 | 4366 | 1730 | 4419 |
| 1623 | 4314 | 1677 | 4367 | 1731 | 4420 |
| 1624 | 4315 | 1678 | 4368 | 1732 | 4421 |
| 1625 | 4316 | 1679 | 4369 | 1733 | 4422 |
| 1626 | 4317 | 1680 | 4370 | 1734 | 4423 |
| 1627 | 4318 | 1681 | 4371 | 1735 | 4424 |
| 1628 | 4319 | 1682 | 4372 | 1736 | 4425 |
| 1629 | 4320 | 1683 | 4373 | 1737 | 4426 |
| 1630 | 4321 | 1684 | 4374 | 1738 | 4427 |
| 1631 | 4322 | 1685 | 4375 | 1739 | 4428 |
| 1632 | 4323 | 1686 | 4376 | 1740 | 4429 |
| 1633 | 4324 | 1687 | 4377 | 1741 | 4430 |
| 1634 | 4325 | 1688 | 4378 | 1742 | 4431 |
| 1635 | 4326 | 1689 | 4379 | 1743 | 4432 |
| 1636 | 4327 | 1690 | 4380 | 1744 | 4433 |
| 1637 | 4328 | 1691 | 4381 | 1745 | 4434 |
| 1638 | 4329 | 1692 | 4382 | 1746 | 4435 |
| 1639 | 4330 | 1693 | 4383 | 1747 | 4436 |
| 1640 | 4331 | 1694 | 4384 | 1748 | 4437 |
| 1641 | 4332 | 1695 | 4385 | 1749 | 4438 |
| 1642 | 4333 | 1696 | 4386 | 1750 | 4439 |
| 1643 | 4334 | 1697 | 4387 | 1751 | 4440 |
| 1644 | 4335 | 1698 | 4388 | 1752 | 4441 |
| 1645 | 4336 | 1699 | 4389 | 1753 | 4442 |
| 1646 | 4337 | 1700 | 4390 | 1754 | 4443 |
| 1647 | 4338 | 1701 | 4391 | 1755 | 4444 |
| 1648 | 4339 | 1702 | 4392 | 1756 | 4445 |
| 1649 | 4340 | 1702 | 4393 | 1757 | 4446 |
| 1650 | 4341 | 1703 | 4394 | 1758 | 4447 |
| 1651 | 4342 | 1704 | 4395 | 1759 | 4448 |
| 1652 | 4343 | 1706 | 4396 | 1760 | 4449 |
| 1653 | 4344 | 1707 | 4397 | 1761 | 4450 |
| 1654 | 4345 | 1707 | 4398 | 1762 | 4451 |
| 1655 | 4346 | 1709 | 4399 | 1763 | 4452 |
| 1656 | 4347 | 1709 | 4400 | 1764 | 4453 |
| 1657 | 4348 | 1711 | 4401 | 1765 | 4454 |
| 1658 | 4349 | 1711 | NONE | 1766 | 4455 |
| 1659 | 4350 | 1712 | 4402 | 1767 | 4456 |
| 1660 | 4351 | 1713 | 4403 | 1768 | 4457 |
| 1661 | 4352 | 1714 | 4404 | 1769 | 4458 |
| 1662 | 4353 | 1715 | 4404 | 1770 | 4459 |
| 1002 | 4973 | 1710 | 4403 | 1110 | 7739 |

138

| 1771 | 4460 | 1825 | 4512 | 1879 | 4566 |
|--------------|------|------|------|------|------|
| 1772 | 4461 | 1826 | 4513 | 1880 | 4567 |
| 1773 | 4462 | 1827 | 4514 | 1881 | 4568 |
| 1774 | 4463 | 1828 | 4515 | 1882 | 4569 |
| 1775 | 4464 | 1829 | 4516 | 1883 | 4570 |
| 1776 | 4465 | 1830 | 4517 | 1884 | 4571 |
| 1777 | 4466 | 1831 | 4518 | 1885 | 4572 |
| 1778 | 4467 | 1832 | 4519 | 1886 | 4573 |
| 1779 | 4468 | 1833 | 4520 | 1887 | 4574 |
| 1780 | 4469 | 1834 | 4521 | 1888 | 4575 |
| 1781 | 4470 | 1835 | 4522 | 1889 | 4576 |
| 1782 | 4471 | 1836 | 4523 | 1890 | 4577 |
| 1783 | 4472 | 1837 | 4524 | 1891 | 4578 |
| 1784 | NONE | 1838 | 4525 | 1892 | 4579 |
| 1785 | 4473 | 1839 | 4526 | 1893 | 4580 |
| 1786 | 4474 | 1840 | 4527 | 1894 | 4581 |
| 1787 | 4475 | 1841 | 4528 | 1895 | 4582 |
| 1788 | 4476 | 1842 | 4529 | 1896 | 4583 |
| 1789 | 4477 | 1843 | 4530 | 1897 | NONE |
| 1790 | 4478 | 1844 | 4531 | 1898 | 4584 |
| 1791 | 4479 | 1845 | 4532 | 1899 | 4585 |
| 1792 | 4480 | 1846 | 4533 | 1900 | 4586 |
| 1793 | 4481 | 1847 | 4534 | 1901 | 4587 |
| 1 794 | 4482 | 1848 | 4535 | 1902 | 4588 |
| 1795 | 4483 | 1849 | 4536 | 1903 | 4589 |
| 1796 | 4484 | 1850 | 4537 | 1904 | 4590 |
| 1797 | 4485 | 1851 | 4538 | 1905 | 4591 |
| 1798 | 4486 | 1852 | 4539 | 1906 | 4592 |
| 1799 | 4487 | 1853 | 4540 | 1907 | NONE |
| 1800 | 4488 | 1854 | 4541 | 1908 | 4593 |
| 1801 | 4489 | 1855 | 4542 | 1909 | 4594 |
| 1802 | 4490 | 1856 | 4543 | 1910 | 4595 |
| 1803 | NONE | 1857 | 4544 | 1911 | 4596 |
| 1804 | 4491 | 1858 | 4545 | 1912 | 4597 |
| 1805 | 4492 | 1859 | 4546 | 1913 | 4598 |
| 1806 | 4493 | 1860 | 4547 | 1914 | 4599 |
| 1807 | 4494 | 1861 | 4548 | 1915 | 4600 |
| 1808 | 4495 | 1862 | 4549 | 1916 | 4601 |
| 1809 | 4496 | 1863 | 4550 | 1917 | 4602 |
| 1810 | 4497 | 1864 | 4551 | 1918 | 4603 |
| 1811 | 4498 | 1865 | 4552 | 1919 | 4604 |
| 1812 | 4499 | 1866 | 4553 | 1920 | 4605 |
| 1813 | 4500 | 1867 | 4554 | 1921 | 4606 |
| 1814 | 4501 | 1868 | 4555 | 1922 | 4607 |
| 1815 | 4502 | 1869 | 4556 | 1923 | 4608 |
| 1816 | 4503 | 1870 | 4557 | 1924 | 4609 |
| 1817 | 4504 | 1871 | 4558 | 1925 | 4610 |
| 1818 | 4505 | 1872 | 4559 | 1926 | 4611 |
| 1819 | 4506 | 1873 | 4560 | 1927 | 4612 |
| 1820 | 4507 | 1874 | 4561 | 1928 | 4613 |
| 1821 | 4508 | 1875 | 4562 | 1929 | 4614 |
| 1822 | 4509 | 1876 | 4563 | 1930 | 4615 |
| 1823 | 4510 | 1877 | 4564 | 1931 | 4616 |
| 1824 | 4511 | 1878 | 4565 | 1932 | 4617 |
| | | | | | |

139

| 1933 | 4618 | 1987 | 4672 | 2041 | 4725 |
|------|------|------|------|------|------|
| 1934 | 4619 | 1988 | 4673 | 2042 | 4726 |
| 1935 | 4620 | 1989 | 4674 | 2043 | 4727 |
| 1936 | 4621 | 1990 | 4675 | 2044 | 4728 |
| 1937 | 4622 | 1991 | 4676 | 2045 | 4729 |
| 1938 | 4623 | 1992 | 4677 | 2046 | 4730 |
| 1939 | 4624 | 1993 | 4678 | 2047 | 4731 |
| 1940 | 4625 | 1994 | 4679 | 2048 | 4732 |
| 1941 | 4626 | 1995 | 4680 | 2049 | 4733 |
| 1942 | 4627 | 1996 | 4681 | 2050 | 4734 |
| 1943 | 4628 | 1997 | 4682 | 2051 | 4735 |
| 1944 | 4629 | 1998 | 4683 | 2052 | 4736 |
| 1945 | 4630 | 1999 | 4684 | 2053 | 4737 |
| 1946 | 4631 | 2000 | 4685 | 2054 | 4738 |
| 1947 | 4632 | 2001 | 4686 | 2055 | 4739 |
| 1948 | 4633 | 2002 | 4687 | 2056 | 4740 |
| 1949 | 4634 | 2003 | 4688 | 2057 | 4741 |
| 1950 | 4635 | 2004 | 4689 | 2058 | 4742 |
| 1951 | 4636 | 2005 | 4690 | 2059 | 4743 |
| 1952 | 4637 | 2006 | 4691 | 2060 | 4744 |
| 1953 | 4638 | 2007 | 4692 | 2061 | 4745 |
| 1954 | 4639 | 2008 | 4693 | 2062 | 4746 |
| 1955 | 4640 | 2009 | 4694 | 2063 | 4747 |
| 1956 | 4641 | 2010 | 4695 | 2064 | 4748 |
| 1957 | 4642 | 2011 | 4696 | 2065 | 4749 |
| 1958 | 4643 | 2012 | 4697 | 2066 | 4750 |
| 1959 | 4644 | 2013 | 4698 | 2067 | 4751 |
| 1960 | 4645 | 2014 | 4699 | 2068 | 4752 |
| 1961 | 4646 | 2015 | 4700 | 2069 | 4753 |
| 1962 | 4647 | 2016 | 4701 | 2070 | 4754 |
| 1963 | 4648 | 2017 | 4702 | 2071 | 4755 |
| 1964 | 4649 | 2018 | 4703 | 2072 | 4756 |
| 1965 | 4650 | 2019 | 4704 | 2073 | 4757 |
| 1966 | 4651 | 2020 | 4705 | 2074 | 4758 |
| 1967 | 4652 | 2021 | 4706 | 2075 | 4759 |
| 1968 | 4653 | 2022 | 4707 | 2076 | 4760 |
| 1969 | 4654 | 2023 | 4708 | 2077 | 4761 |
| 1970 | 4655 | 2024 | 4709 | 2078 | 4762 |
| 1971 | 4656 | 2025 | 4710 | 2079 | 4763 |
| 1972 | 4657 | 2026 | 4711 | 2080 | 4764 |
| 1973 | 4658 | 2027 | 4712 | 2081 | 4765 |
| 1974 | 4659 | 2028 | 4713 | 2082 | 4766 |
| 1975 | 4660 | 2029 | 4714 | 2083 | 4767 |
| 1976 | 4661 | 2030 | NONE | 2084 | 4768 |
| 1977 | 4662 | 2031 | 4715 | 2085 | 4769 |
| 1978 | 4663 | 2032 | 4716 | 2086 | 4770 |
| 1979 | 4664 | 2033 | 4717 | 2087 | 4771 |
| 1980 | 4665 | 2034 | 4718 | 2088 | 4772 |
| 1981 | 4666 | 2035 | 4719 | 2089 | 4773 |
| 1982 | 4667 | 2036 | 4720 | 2090 | 4774 |
| 1983 | 4668 | 2037 | 4721 | 2091 | 4775 |
| 1984 | 4669 | 2038 | 4722 | 2092 | 4776 |
| 1985 | 4670 | 2039 | 4723 | 2093 | 4777 |
| 1986 | 4671 | 2040 | 4724 | 2094 | 4778 |
| | , | 10 | | - | .,,0 |

140

| 2095 | 4779 | 2149 | 4833 | 2203 | 4886 |
|------|------|------|------|------|-------|
| 2096 | 4780 | 2150 | 4834 | 2204 | 4887 |
| 2097 | 4781 | 2151 | NONE | 2205 | 4888 |
| 2098 | 4782 | 2152 | 4835 | 2206 | 4889 |
| 2099 | 4783 | 2153 | 4836 | 2207 | 4890 |
| 2100 | 4784 | 2154 | 4837 | 2208 | 4891 |
| 2101 | 4785 | 2155 | 4838 | 2209 | 4892 |
| 2102 | 4786 | 2156 | 4839 | 2210 | 4893 |
| 2103 | 4787 | 2157 | 4840 | 2211 | 4894 |
| 2104 | 4788 | 2158 | 4841 | 2212 | 4895 |
| 2105 | 4789 | 2159 | 4842 | 2213 | 4896 |
| 2106 | 4790 | 2160 | 4843 | 2214 | 4897 |
| 2107 | 4791 | 2161 | 4844 | 2215 | 4898 |
| 2108 | 4792 | 2162 | 4845 | 2216 | 4899 |
| 2109 | 4793 | 2163 | 4846 | 2217 | 4900 |
| 2110 | 4794 | 2164 | 4847 | 2218 | 4901 |
| 2111 | 4795 | 2165 | 4848 | 2219 | 4902 |
| 2112 | 4796 | 2166 | 4849 | 2220 | 4903 |
| 2113 | 4797 | 2167 | 4850 | 2221 | 4904 |
| 2114 | 4798 | 2168 | 4851 | 2222 | 4905 |
| 2115 | 4799 | 2169 | 4852 | 2223 | 4906 |
| 2116 | 4800 | 2170 | 4853 | 2224 | 4907 |
| 2117 | 4801 | 2171 | 4854 | 2225 | 4908 |
| 2118 | 4802 | 2172 | 4855 | 2226 | 4909 |
| 2119 | 4803 | 2173 | 4856 | 2227 | 4910 |
| 2120 | 4804 | 2174 | 4857 | 2228 | 4911 |
| 2121 | 4805 | 2175 | 4858 | 2229 | 4912 |
| 2122 | 4806 | 2176 | 4859 | 2230 | 4913 |
| 2123 | 4807 | 2177 | 4860 | 2231 | 4914 |
| 2124 | 4808 | 2178 | 4861 | 2232 | 4915 |
| 2125 | 4809 | 2179 | 4862 | 2233 | 4916 |
| 2126 | 4810 | 2180 | 4863 | 2234 | 4917 |
| 2127 | 4811 | 2181 | 4864 | 2235 | 4918 |
| 2128 | 4812 | 2182 | 4865 | 2236 | 4919 |
| 2129 | 4813 | 2183 | 4866 | 2237 | 4920 |
| 2130 | 4814 | 2184 | 4867 | 2238 | 4921 |
| 2131 | 4815 | 2185 | 4868 | 2239 | 4922 |
| 2132 | 4816 | 2186 | 4869 | 2240 | 4923 |
| 2133 | 4817 | 2187 | 4870 | 2241 | 4924 |
| 2134 | 4818 | 2188 | 4871 | 2242 | 4925 |
| 2135 | 4819 | 2189 | 4872 | 2243 | 4926 |
| 2136 | 4820 | 2190 | 4873 | 2244 | 4927 |
| 2137 | 4821 | 2191 | 4874 | 2245 | 4928 |
| 2138 | 4822 | 2192 | 4875 | 2246 | 4929 |
| 2139 | 4823 | 2193 | 4876 | 2247 | 4930 |
| 2140 | 4824 | 2194 | 4877 | 2248 | NONE |
| 2141 | 4825 | 2195 | 4878 | 2249 | 4931 |
| 2142 | 4826 | 2196 | 4879 | 2250 | 4932 |
| 2143 | 4827 | 2197 | 4880 | 2251 | 4933 |
| 2144 | 4828 | 2198 | 4881 | 2252 | 4934 |
| 2145 | 4829 | 2199 | 4882 | 2253 | 4935 |
| 2146 | 4830 | 2200 | 4883 | 2254 | 4936 |
| 2147 | 4831 | 2201 | 4884 | 2255 | 4937 |
| 2148 | 4832 | 2202 | 4885 | 2256 | 4938 |
| ~ | | | | | .,,,, |

141

| 2257 | 4939 | 2311 | 4993 | 2365 | 5046 |
|------|------|--------|------|------|---------|
| 2258 | 4940 | 2312 | 4994 | 2366 | 5047 |
| 2259 | 4941 | 2313 | 4995 | 2367 | 5048 |
| 2260 | 4942 | 2314 | 4996 | 2368 | 5049 |
| 2261 | 4943 | 2315 | 4997 | 2369 | 5050 |
| 2262 | 4944 | 2316 | 4998 | 2370 | 5051 |
| 2263 | 4945 | 2317 | 4999 | 2371 | NONE |
| 2264 | 4946 | 2318 | 5000 | 2372 | 5052 |
| 2265 | 4947 | 2319 | 5001 | 2373 | 5053 |
| 2266 | 4948 | 2320 | 5002 | 2374 | 5054 |
| 2267 | 4949 | 2321 . | 5003 | 2375 | 5055 |
| 2268 | 4950 | 2322 | 5004 | 2376 | 5056 |
| 2269 | 4951 | 2323 | 5005 | 2377 | 5057 |
| 2270 | 4952 | 2324 | 5006 | 2378 | 5058 |
| 2271 | 4953 | 2325 | 5007 | 2379 | 5059 |
| 2272 | 4954 | 2326 | 5008 | 2380 | 5060 |
| 2273 | 4955 | 2327 | 5009 | 2381 | 5061 |
| 2274 | 4956 | 2328 | 5010 | 2382 | 5062 |
| 2275 | 4957 | 2329 | 5011 | 2383 | 5063 |
| 2276 | 4958 | 2330 | 5012 | 2384 | 5064 |
| 2277 | 4959 | 2331 | 5013 | 2385 | 5065 |
| 2278 | 4960 | 2332 | 5014 | 2386 | 5066 |
| 2279 | 4961 | 2333 | 5015 | 2387 | 5067 |
| 2280 | 4962 | 2334 | 5016 | 2388 | 5068 |
| 2281 | 4963 | 2335 | 5017 | 2389 | 5069 |
| 2282 | 4964 | 2336 | 5018 | 2390 | 5070 |
| 2283 | 4965 | 2337 | 5019 | 2391 | 5071 |
| 2284 | 4966 | 2338 | 5020 | 2392 | 5072 |
| 2285 | 4967 | 2339 | 5021 | 2393 | 5073 |
| 2286 | 4968 | 2340 | NONE | 2394 | 5074 |
| 2287 | 4969 | 2341 | 5022 | 2395 | 5075 |
| 2288 | 4970 | 2342 | 5023 | 2396 | 5076 |
| 2289 | 4971 | 2343 | 5024 | 2397 | 5077 |
| 2290 | 4972 | 2344 | 5025 | 2398 | 5078 |
| 2291 | 4973 | 2345 | 5026 | 2399 | 5079 |
| 2292 | 4974 | 2346 | 5027 | 2400 | 5080 |
| 2293 | 4975 | 2347 | 5028 | 2401 | 5081 |
| 2294 | 4976 | 2348 | 5029 | 2402 | 5082 |
| 2295 | 4977 | 2349 | 5030 | 2403 | 5083 |
| 2296 | 4978 | 2350 | 5031 | 2404 | 5084 |
| 2297 | 4979 | 2351 | 5032 | 2405 | 5085 |
| 2298 | 4980 | 2352 | 5033 | 2406 | 5086 |
| 2299 | 4981 | 2353 | 5034 | 2407 | 5087 |
| 2300 | 4982 | 2354 | 5035 | 2408 | 5088 |
| 2301 | 4983 | 2355 | 5036 | 2409 | 5089 |
| 2302 | 4984 | 2356 | 5037 | 2410 | 5090 |
| 2303 | 4985 | 2357 | 5038 | 2411 | 5091 |
| 2304 | 4986 | 2358 | 5039 | 2412 | 5092 |
| 2305 | 4987 | 2359 | 5040 | 2413 | 5093 |
| 2306 | 4988 | 2360 | 5041 | 2414 | 5094 |
| 2307 | 4989 | 2361 | 5042 | 2415 | 5095 |
| 2308 | 4990 | 2362 | 5043 | 2416 | 5096 |
| 2309 | 4991 | 2363 | 5044 | 2417 | 5097 |
| 2310 | 4992 | 2364 | 5045 | 2418 | 5098 |
| | | 3001 | | | - 0 5 - |

142

| 2419 | 5099 | 2473 | 5151 | 2527 | 5205 |
|------|--------------|------|--------------|--------------|--------------|
| 2420 | 5100 | 2474 | 5152 | 2528 | 5206 |
| 2421 | 5101 | 2475 | 5153 | 2529 | 5207 |
| 2422 | 5102 | 2476 | 5154 | 2530 | 5208 |
| 2423 | 5103 | 2477 | 5155 | 2531 | 5209 |
| 2424 | 5104 | 2478 | 5156 | 2532 | 5210 |
| | 5104 | 2478 | 5157 | 2533 | 5210 |
| 2425 | | | | | 5211 |
| 2426 | 5106 | 2480 | 5158 | 2534 | |
| 2427 | 5107 | 2481 | 5159 | 2535 | 5213 |
| 2428 | 5108 | 2482 | 5160 | 2536 | 5214 |
| 2429 | 5109 | 2483 | 5161 | 2537 | 5215 |
| 2430 | 5110 | 2484 | 5162 | 2538 | 5216 |
| 2431 | 5111 | 2485 | 5163 | 2539 | 5217 |
| 2432 | - 5112 | 2486 | 5164 | 2540 | 5218 |
| 2433 | 5113 | 2487 | 5165 | 2541 | 5219 |
| 2434 | 5114 | 2488 | 5166 | 2542 | 5220 |
| 2435 | 5115 | 2489 | 5167 | 2543 | 5221 |
| 2436 | 5116 | 2490 | 5168 | 2544 | 5222 |
| 2437 | 5117 | 2491 | 5169 | 2545 | 5223 |
| 2438 | 5118 | 2492 | 5170 | 2546 | 5224 |
| 2439 | 5119 | 2493 | 5171 | 2547 | 5225 |
| 2440 | 5120 | 2494 | 5172 | 2548 | 5226 |
| 2441 | 5121 | 2495 | 5173 | 2549 | 5227 |
| | 5122 | 2496 | 5174 | 2550 | 5228 |
| 2442 | | 2497 | 5175 | 2551 | 5229 |
| 2443 | NONE | | | 2552 | 5230 |
| 2444 | 5123 | 2498 | 5176 | 2553 | 5231 |
| 2445 | 5124 | 2499 | 5177 | | |
| 2446 | 5125 | 2500 | 5178 | 2554 | 5232 |
| 2447 | 5126 | 2501 | 5179 | 2555 | 5233 |
| 2448 | 5127 | 2502 | 5180 | 2556 | 5234 |
| 2449 | 5128 | 2503 | 5181 | 2557 | 5235 |
| 2450 | 5129 | 2504 | 5182 | 2558 | 5236 |
| 2451 | 5130 | 2505 | 5183 | 2559 | 5237 |
| 2452 | 5131 | 2506 | 5184 | 2560 | 5238 |
| 2453 | 5132 | 2507 | 5185 | 2561 | 5239 |
| 2454 | 5133 | 2508 | 5186 | 2562 | 5240 |
| 2455 | 5134 | 2509 | 5187 | 2563 | 5241 |
| 2456 | 5135 | 2510 | 5188 | 2564 | 5242 |
| 2457 | 5136 | 2511 | 5189 | 2565 | 5243 |
| 2458 | 5137 | 2512 | 5190 | 2566 | 5244 |
| 2459 | 5138 | 2513 | 5191 | 2567 | 5245 |
| 2460 | 5139 | 2514 | 5192 | 2568 | 5246 |
| 2461 | 5140 | 2515 | 5193 | 2569 | 5247 |
| 2462 | 5141 | 2516 | 5194 | 2570 | 5248 |
| 2463 | 5142 | 2517 | 5195 | 2571 | 5249 |
| 2464 | 5143 | 2518 | 5196 | 2572 | 5250 |
| 2465 | 5144 | 2519 | 5197 | 2572 2573 | 5251 |
| | | 2520 | 5198 | 2573 2574 | 5252 |
| 2466 | 5145 5146 | | | 2575 2575 | 5252 |
| 2467 | 5146 | 2521 | 5199 5200 | | 5255 5254 |
| 2468 | 5147 | 2522 | 5200 | 2576 | |
| 2469 | NONE | 2523 | 5201 | 2577 | 5255 5256 |
| 2470 | 5148 | 2524 | 5202 | 2578 | 5256 |
| 2471 | 5149 | 2525 | 5203 | 2579 | 5257 |
| 2472 | 5150 | 2526 | 5204 | 2580 | 5258 |
| | | | | | |

143

| 2581 | 5259 | 2635 | 5312 | 2689 | 5365 |
|------|--------------|------|------|------|--------------|
| 2582 | 5260 | 2636 | 5313 | 2690 | 5366 |
| 2583 | 5261 | 2637 | 5314 | 2691 | 5367 |
| 2584 | 5262 | 2638 | 5315 | 2692 | 5368 |
| 2585 | 5263 | 2639 | 5316 | 2693 | 5369 |
| 2586 | 5264 | 2640 | 5317 | 2694 | 5370 |
| 2587 | 5265 | 2641 | 5318 | 2695 | 5370 |
| 2588 | 5266 | 2642 | 5319 | 2696 | 5371 |
| 2589 | 5267 | 2643 | 5320 | 2697 | 5372 |
| 2590 | 5268 | 2644 | 5321 | 2698 | 5374 |
| | | 2645 | 5321 | | |
| 2591 | 5269 5270 | | | 2699 | 5375 5376 |
| 2592 | 5270 5271 | 2646 | 5323 | 2700 | |
| 2593 | 5271 | 2647 | 5324 | 2701 | 5377 |
| 2594 | 5272 | 2648 | 5325 | 2702 | 5378 |
| 2595 | . 5273 | 2649 | 5326 | 2703 | 5379 |
| 2596 | 5274 | 2650 | 5327 | | |
| 2597 | 5275 | 2651 | 5328 | | |
| 2598 | 5276 | 2652 | 5329 | | |
| 2599 | NONE | 2653 | 5330 | | |
| 2600 | 5277 | 2654 | 5331 | | |
| 2601 | 5278 | 2655 | 5332 | | |
| 2602 | 5279 | 2656 | 5333 | | |
| 2603 | 5280 | 2657 | 5334 | | |
| 2604 | 5281 | 2658 | 5335 | | |
| 2605 | 5282 | 2659 | 5336 | | |
| 2606 | 5283 | 2660 | 5337 | | |
| 2607 | 5284 | 2661 | 5338 | | |
| 2608 | 5285 | 2662 | 5339 | | |
| 2609 | 5286 | 2663 | 5340 | | |
| 2610 | 5287 | 2664 | 5341 | | |
| 2611 | 5288 | 2665 | 5342 | | |
| 2612 | 5289 | 2666 | 5343 | | |
| 2613 | 5290 | 2667 | 5344 | | |
| 2614 | 5291 | 2668 | 5345 | | |
| 2615 | 5292 | 2669 | 5346 | | |
| 2616 | 5293 | 2670 | 5347 | | |
| 2617 | 5294 | 2671 | 5348 | | |
| 2618 | 5295 | 2672 | 5349 | | |
| 2619 | 5296 | 2673 | 5350 | | |
| 2620 | 5297 | 2674 | 5351 | | |
| | 5298 | 2675 | 5352 | | |
| 2621 | 5299 | 2676 | 5353 | | |
| 2622 | | 2677 | 5354 | | |
| 2623 | 5300 | 2678 | | | |
| 2624 | 5301 | | 5355 | | |
| 2625 | 5302 | 2679 | 5356 | | |
| 2626 | 5303 | 2680 | 5357 | | |
| 2627 | 5304 5305 | 2681 | NONE | | |
| 2628 | 5305 | 2682 | 5358 | | |
| 2629 | 5306 | 2683 | 5359 | | |
| 2630 | 5307 | 2684 | 5360 | | |
| 2631 | 5308 | 2685 | 5361 | | |
| 2632 | 5309 | 2686 | 5362 | | |
| 2633 | 5310 | 2687 | 5363 | | |
| 2634 | 5311 | 2688 | 5364 | | |
| | | | | | |

144

TABLE 3

COLD RESPONSIVE SEQUENCES

| CEO | A DEVAMET DIV | SEQ | AFFYMETRIX | SEQ | AECVMETDIV |
|----------|----------------------|----------|------------------------|--------|------------------------|
| SEQ | AFFYMETRIX | | | | AFFYMETRIX |
| ID NO | | ID NO: | | ID NO: | |
| 1 | 11991_G_AT | 50 | 12269_S_AT | 98 | 12550_S_AT |
| 2 | 11992_AT | 51 | 12270_AT | 00 | 17103_S_AT |
| 3 | 11997_AT | 52 | 12284_AT | 99 | 12552_AT |
| 4 | 11998_AT | 53 | 12287_S_AT | 100 | 12555_S_AT |
| 5 | 12001_AT | | 17570_G_AT | 101 | 12576_S_AT |
| 6 | 12006_S_AT | 54 | 12293_AT | 102 | 12581_S_AT |
| 7 | 12007_AT | 55 | 12294_S_AT | | 16645_S_AT |
| 8 | 12009_AT | 56 | 12300_AT | 103 | 12587_AT |
| 9 | 12018_AT | 57 | 12307_AT | 104 | 12597_AT |
| 10 | 12022_AT | 58 | 12312_AT | 105 | 12602_AT |
| 11 | 12026_AT | 59 | 12315_AT | 106 | 12610_AT |
| 12 | 12031_AT | 60 | 12324_I_AT | 107 | 12631_AT |
| 13 | 12047 AT | 61 | 12331_S_AT | 108 | 12646_AT |
| 14 | 12051_AT | 62 | 12336 AT | 109 | 12649_AT |
| 15 | 12052 AT | 63 | 12344 AT | 110 | 12650 AT |
| 16 | 12053_AT | 64 | 12348_AT | 111 | 12653 AT |
| 17 | 12060_AT | 65 | 12353_AT | 112 | 12661 AT |
| 18 | 12072 AT | 66 | 12359 S_AT | 113 | 12666_AT |
| 19 | 12074_AT | 67 | 12372_AT | 114 | 12674 AT |
| 20 | 12102 AT | 68 | 12374_I_AT | 115 | 12675_S_AT |
| 21 | 12102_AT | 00 | 12726 F AT | 116 | 12678 I AT |
| 22 | 12112_AT | 69 | 12390 AT | 117 | 12681 S AT |
| 23 | 12177_AT 12125 AT | 70 | 12395_S_AT | 118 | 12688_AT |
| 23 24 | 12125_AT 12130_AT | 71 | 12405 AT | 119 | 12702_AT |
| 25 | | 72 | 12408_AT | 120 | 12705_F_AT |
| | 12143_AT | 73 | 12400_AT 12410_G_AT | 121 | 12736 F AT |
| 26 | 12145_S_AT | 73 74 | 12410_G_A1 12419_AT | 122 | 12737_F_AT |
| 27 | 12149_AT | | | 123 | 12757_I_AT |
| 28 | 12156_AT | 75 76 | 12427_AT | 124 | 12750_AT 12760_G_AT |
| 29 | 12163_AT | 76 | 12431_AT | 124 | 12762_R_AT |
| 30 | 12166_I_AT | 77 | 12436_AT | 126 | 12764 F AT |
| 31 | 12167_AT | 78 70 | 12438_AT | | |
| 32 | 12169_I_AT | 79 | 12443_S_AT | 127 | 12766_AT |
| 33 | 12175_AT | 80 | 12447_AT | 100 | 15115_F_AT |
| 34 | 12176_AT | 81 | 12450_S_AT | 128 | 12767_AT |
| 35 | 12179_AT | 82 | 12452_AT | 129 | 12768_AT |
| 36 | 12187_AT | 83 | 12474_AT | 130 | 12772_AT |
| | 15920_I_AT | 84 | 12477_AT | 131 | 12773_AT |
| 37 | 12195_AT | 85 | 12491_AT | 132 | 12776_AT |
| 38 | 12196_AT | 86 | 12497_AT | 133 | 12788_AT |
| 39 | 12198_AT | 87 | 12500_S_AT | 134 | 12793_AT |
| 40 | 12200_AT | 88 | 12503_AT | 135 | 12794_AT |
| 41 | 12202_AT | 89 | 12515_AT | 136 | 12802_AT |
| 42 | 12214_G_AT | 90 | 12516_S_AT | 137 | 12809_G_AT |
| 43 | 12219_AT | 91 | 12523_AT | 138 | 12812_AT |
| 44 | 12224_AT | 92 | 12526_AT | 139 | 12815_AT |
| 45 | 12226_AT | 93 | 12527_AT | 140 | 12816_AT |
| 46 | 12233_AT | 94 | 12532_AT | 141 | 12818_AT |
| 47 | 12240_AT | 95 | 12534_G_AT | 142 | 12824_S_AT |
| 48 | 12253_G_AT | 96 | 12544_AT | 143 | 12828_S_AT |
| 49 | 12256_AT | 97 | 12549_S_AT | 144 | 12842_S_AT |

145

| 145 | 10046 G AT | 10.1 | 1000C D AT | | |
|-----|------------|------|------------|-----|------------|
| 145 | 12846_S_AT | 194 | 13086_R_AT | 238 | 13285_S_AT |
| 146 | 12858_AT | 195 | 13087_AT | 239 | 13288_S_AT |
| 147 | 12860_S_AT | 196 | 13090_AT | | 17043_S_AT |
| 148 | 12861_S_AT | 197 | 13092_S_AT | 240 | |
| 149 | | 171 | | | 13292_S_AT |
| 149 | 12881_S_AT | | 16950_S_AT | 241 | 13296_S_AT |
| | 17600_S_AT | 198 | 13098_AT | 242 | 13297_S_AT |
| 150 | 12889_S_AT | 199 | 13100_AT | 243 | 13299_S_AT |
| 151 | 12901 S AT | 200 | 13103 AT | | 15166_S_AT |
| 152 | 12902 AT | 201 | 13105 AT | 244 | 13332 AT |
| 153 | 12904_S_AT | 202 | 13107 S AT | | |
| | | | | 245 | 13347_AT |
| 154 | 12905_S_AT | 203 | 13108_AT | 246 | 13351_AT |
| 155 | 12908_S_AT | 204 | 13109_AT | 247 | 13352_AT |
| 156 | 12910 S AT | 205 | 13114 AT | 248 | 13355 AT |
| | 16385 S AT | 206 | 13118 F AT | 249 | 13404 AT |
| 157 | 12914 S AT | 207 | 13119_AT | 250 | 13422 AT |
| 137 | | | | | |
| | 15783_S_AT | 208 | 13120_AT | 251 | 13459_AT |
| | 17645_S_AT | 209 | 13123_AT | 252 | 13460_AT |
| 158 | 12916_S_AT | 210 | 13128_AT | 253 | 13461_S_AT |
| 159 | 12923 S AT | 211 | 13133_S_AT | 254 | 13467_AT |
| 160 | 12926 S AT | | 17430 S AT | 255 | 13488 AT |
| 161 | 12927 S AT | 212 | 13135 S AT | 256 | 13523 S AT |
| | | | | | |
| 162 | 12931_S_AT | 213 | 13139_AT | 257 | 13529_AT |
| 163 | 12937_R_AT | 214 | 13140_AT | 258 | 13539_I_AT |
| 164 | 12941_G_AT | 215 | 13143_AT | | 14631_S_AT |
| 165 | 12942 AT | 216 | 13151 G AT | 259 | 13541_AT |
| 166 | 12947_AT | 217 | 13160_AT | 260 | 13542 AT |
| 167 | 12949_AT | 218 | 13161 AT | 261 | 13545_S_AT |
| 168 | 12953 AT | 219 | 13162_AT | 262 | 13552_AT |
| | | | | | |
| 169 | 12956_I_AT | 220 | 13165_AT | 263 | 13556_I_AT |
| 170 | 12959_AT | 221 | 13166_AT | 264 | 13561_AT |
| 171 | 12966 S AT | 222 | 13167_AT | 265 | 13563_S_AT |
| 172 | 12975_AT | 223 | 13179_AT | 266 | 13567_AT |
| 173 | 12983 AT | 224 | 13181 AT | 267 | 13568_AT |
| 174 | 12984_AT | 225 | 13185_AT | 268 | 13571_AT |
| | | | | | |
| 175 | 12987_S_AT | 226 | 13193_S_AT | 269 | 13575_AT |
| 176 | 12994_S_AT | 227 | 13213_S_AT | 270 | 13576_AT |
| 177 | 13002_AT | | 16004_S_AT | 271 | 13583_AT |
| 178 | 13009_I_AT | 228 | 13219 S AT | 272 | 13598 AT |
| 179 | 13011 ĀT | | 20288_G AT | 273 | 13601 AT |
| 180 | 13018 AT | 229 | 13220 S AT | 274 | 13604 AT |
| | | 22) | 13221_AT | 275 | 13613_AT |
| 181 | 13023_AT | | 13221_A1 | | |
| 182 | 13024_AT | | 18929_S_AT | 276 | 13616_S_AT |
| 183 | 13034_S_AT | 230 | 13233_AT | | 16544_S_AT |
| 184 | 13046_G_AT | | 14301 S AT | 277 | 13617_AT |
| 185 | 13048 S AT | 231 | 13243 R AT | 278 | 13618_S AT |
| 202 | 13495 S AT | 232 | 13254_S_AT | 279 | 13619_AT |
| 106 | | | | 280 | 13621 G AT |
| 186 | 13054_AT | 233 | 13260_S_AT | | |
| 187 | 13067_S_AT | | 15660_S_AT | 281 | 13623_R_AT |
| 188 | 13068_AT | 234 | 13273_S_AT | 282 | 13629_S_AT |
| 189 | 13073 S AT | | 16105_S_AT | 283 | 13631_AT |
| 190 | 13078_S_AT | 235 | 13274_S_AT | 284 | 13635 AT |
| 191 | 13079_AT | | 17077 S AT | 285 | 13646_AT |
| 192 | 13081 S AT | 236 | 13276_S_AT | 286 | 13650 AT |
| | | | | | 13653 AT |
| 193 | 13083_AT | 237 | 13278_F_AT | 287 | 13033_A1 |

146

| 288 | 13655_AT | 332 | 13989_AT | 383 | 14393 AT |
|--------------------|--------------------------|-------------------|------------------------|------------|-------------|
| 289 | 13656_AT | | 20674_S_AT | 384 | 14421_AT |
| 290 | 13657_AT | 333 | 14010_AT | 385 | 14436_AT |
| 291 | 13666_S_AT | 334 | 14013_AT | 386 | 14448_AT |
| | 17083_S_AT | 335 | 14014_AT | 387 | 14450 AT |
| 292 | 13667_S_AT | 336 | 14019_AT | 388 | 14454_AT |
| 293 | 13669_S_AT | 336 337 | 14021_R_AT | 389 | 14459 AT |
| | 17074_S_AT | 338 | 14025_S_AT | 390 | 14478 AT |
| 294 | 13670_S_AT | | 18909 S AT | 391 | 14482 AT |
| | 15206_S_AT | 339 | 14027 AT | 392 | 14485 AT |
| 295 | 13671 S AT | 340 | 14030 AT | 393 | 14492 S AT |
| | 16805_S_AT | 341 | 14044_AT | 394 | 14505 AT |
| 296 | 13678_S_AT | 342 | 14048_AT | 395 | 14510 AT |
| 297 | 13688 S AT | 343 | 14056 AT | 396 | 14511 AT |
| 298 | 13690 S AT | 344 | 14057 AT | 397 | 14517_AT |
| | 16065_S_AT | 345 346 | 14058 AT | 398 | 14519_AT |
| 299 | 13691_S_AT | 346 | 14059 AT | 399 | 14525_S_AT |
| | 16117_S_AT | 347 | 14061_AT | 400 | 14527_AT |
| 300 | 13692 S AT | 348 | | 401 | 14534 S AT |
| | 16118 S AT | 349 | | 402 | 14538 R AT |
| 301 | 13700 AT | 350 | 14073 AT | 403 | 14554 AT |
| 302 | 13704_S_AT | 351 | 14074 AT | 404 | 14558 AT |
| 303 | 13714 AT | 352 | 14084 AT | 405 | 14559 S AT |
| 304 | 13715 AT | 353 | 14095 S AT | 406 | 14566 AT |
| 305 | 13724 AT | 354 | | 407 | 14572_AT |
| 306 | 13748 AT | 355 | 14101 AT | 400 | 1/570 AT |
| 307 | 13759 AT | 355 356 | 14103 AT | 409 | 14587 AT |
| 308 | 13767_AT | 357 | 14105 AT | 410 | 14591 AT |
| 309 | 13785_AT | 358 | | 411 | 14595 AT |
| 310 | 13803 AT | 359 | | 412 | 14602 AT |
| 311 | 13850_I_AT | 260 | 14120 C AT | 413 | 14603_AT |
| 312 | 13876_AT | 361 | 14133 S AT | 414 | 14605 AT |
| 313 | 13880 S AT | 362 | 14143 AT | 415 | |
| 314 | 13883_AT | 363 | | 416 | 14626 S AT |
| 315 | 13887_S_AT | 364 | 14148_AT | 417 | 14630_S_AT |
| 316 | 13895 AT | 364 365 366 | 14186_AT | , | 16559_S_AT |
| 317 | 13904_S_AT | 366 | 14194_AT | 418 | 14637 S AT |
| 317 | 18722 S AT | 367 | | 110 | 17122 S AT |
| 318 | 13906 S AT | 368 | 14223 AT | 419 | 14642 F AT |
| 319 | 13900_S_AT 13908_S_AT | 369 | 14234_AT | 420 | 14650_S_AT |
| 313 | 18597 AT | 370 | 14236 AT | -120 | 15150 S AT |
| 320 | 13923_AT | 371 | 14251 F AT | 421 | 14654_S_AT |
| 321 | 13925_AT 13927_AT | 372 | 14252 F AT | 422 | 14667_S_AT |
| 322 | 13932 AT | 373 | 14270_AT | 722 | 18299_S_AT |
| 323 | 13932_AT 13935 AT | 374 | 14298 G AT | 423 | 14669_S_AT |
| 324 | 13940 AT | 317 | 17581 G AT | 723 | 16136_S_AT |
| 325 | 13940_A1 13949 S AT | 375 | 14303_S_AT | 424 | 14672 S AT |
| 325 326 | 13949_S_A1 13954 G AT | 375 376 | 14303_3_AT 14312 AT | 425 | 14679 S_AT |
| 320 327 | 13934_G_A1 13971 S AT | 370 377 | 14312_AT 14316_AT | 425 | 14682_I_AT |
| 32 <i>1</i> 328 | | 377 378 | 14310_AT 14339_AT | 420 427 | 14689 AT |
| 328 329 | 13973_AT 13983_AT | 379 | 14359_A1 14366 AT | 427 | 14697 G AT |
| 330 | 13985 S AT | 380 | 14360_AT 14369 AT | 720 | 16902 AT |
| | | | 14309_A1 14388 AT | 429 | 14701_S_AT |
| 331 | 13987_S_AT 18738 F AT | 381 382 | 14382_G_AT | サムフ | 14734_S_AT |
| | 10/20_L_AI | J02 | 11374_O_A1 | | 1112 [2.11] |
| | | | | | |

147

| 430 | 14703_AT | 483 | 15130_S_AT | 534 | 15489_AT |
|-----|-------------------------|------|--------------------------------|-----|------------|
| 431 | 14711_S_AT | 484 | 15131_S_AT | 535 | 15490 AT |
| 432 | 14712_S_AT | 485 | 15132_S_AT | 536 | 15503_AT |
| | 20530 S AT | | 17585_S_AT | 537 | 15505 AT |
| 433 | 14713 S AT | 486 | 15139_S_AT | 538 | 15510 R AT |
| 434 | 14715 S AT | 487 | 15143 S AT | 539 | 15512 AT |
| 435 | 14728_S_AT | 488 | 15146_S_AT | 540 | 15514 AT |
| 436 | 14731_S_AT | 489 | 15159_S_AT | 541 | 15515_R_AT |
| 437 | 14781 AT | | 15160_S_AT | 542 | 15517_S_AT |
| 438 | 14797 S AT | 490 | 15162_S_AT | 543 | 15518 AT |
| 439 | 14800 AT | 491 | 15167 S AT | 544 | 15529 AT |
| 440 | 14809_AT | 492 | 15171_S_AT | 545 | 15534_F_AT |
| 441 | 14843_AT | 493 | 15174 F AT | 546 | 15538 AT |
| 442 | 14847_AT | 494 | 15178_S_AT | 547 | 15541 AT |
| 443 | 14872 AT | 495 | 15185_S_AT | 548 | 15543 AT |
| 444 | 14886 AT | .,,, | 18023 S AT | 549 | 15544 AT |
| 445 | 14896 AT | 496 | 15188_S_AT | 550 | 15551 AT |
| 446 | 14900_AT | 497 | 15193_S_AT | 551 | 15574_S_AT |
| 447 | 14908_AT | 498 | 15196 S AT | 552 | 15576_S_AT |
| 448 | 14912_AT | 499 | 15197 S AT | 553 | 15577 S AT |
| 449 | 14914 AT | 500 | 15201 F AT | 554 | 15578_S_AT |
| 450 | 14942_AT | 501 | 15213_S_AT | 555 | 15583_S_AT |
| 451 | 14945_AT | 502 | 15243 AT | 556 | 15588_S_AT |
| 452 | 14955 AT | 503 | 15256 AT | 557 | 15595 S AT |
| 453 | 14957 S AT | 504 | 15270 AT | 558 | 15600 S AT |
| 454 | 14957_5_711 14958_AT | 505 | 15319 AT | 559 | 15602_F_AT |
| 455 | 14965_AT | 506 | 15325_AT | 560 | 15608_S_AT |
| 456 | 14974_AT | 507 | 15337_AT | 561 | 15613 S AT |
| 457 | 14980 AT | 508 | 15341_AT | 562 | 15616_S_AT |
| 458 | 14981 AT | 509 | 15343_AT | 563 | 15618 S AT |
| 459 | 14984 S_AT | 510 | 15348_AT | 564 | 15620_S_AT |
| 460 | 14995_AT | 511 | 15350_AT | 565 | 15627_S_AT |
| 461 | 15004_AT | 512 | 15355_S_AT | 566 | 15634 S AT |
| 462 | 15009_AT | 513 | 15367_AT | | 16125 S AT |
| 463 | 15010 AT | 514 | 15372_AT | | 18046 S AT |
| 464 | 15024 AT | 515 | 15379 AT | 567 | 15637_S_AT |
| 465 | 15026_AT | 516 | 15381_AT | 568 | 15639_S_AT |
| 466 | 15036 R AT | 517 | 15383_AT | 569 | 15642_S_AT |
| 467 | 15056_R_771 15054 AT | 518 | 15384_AT | 570 | 15643 S AT |
| 468 | 15056 AT | 519 | 15385 AT | 571 | 15651 F AT |
| 469 | 15055_AT | 520 | 15387 AT | 572 | 15652_S_AT |
| 470 | 15066_AT | 521 | 15410_AT | 573 | 15665_S_AT |
| 471 | 15073_AT | 522 | 15417_S_AT | 574 | 15667 S AT |
| 472 | 15081 AT | 523 | 15422_AT | | 18610_S_AT |
| 473 | 15083 AT | 524 | 15423 AT | 575 | 15668 S AT |
| 474 | 15091 AT | 525 | 15431 AT | 576 | 15671_S_AT |
| 475 | 15097_S_AT | 526 | 15433_AT | 577 | 15675_S_AT |
| 476 | 15101_S_AT | 527 | 15452 AT | 578 | 15679 S AT |
| 477 | 15102 S AT | 528 | 15464 AT | 579 | 15685_S_AT |
| 478 | 15107 S AT | 529 | 15468 AT | 580 | 15687_F_AT |
| 479 | 15112_S_AT | 530 | 15471 AT | 581 | 15688_S_AT |
| 480 | 15116_F_AT | 531 | 15472 AT | 582 | 15689_S_AT |
| 481 | 15118_S_AT | 532 | 15475_S_AT | 583 | 15692 S AT |
| 482 | 15122 S AT | 533 | 15485_AT | 584 | 15694 S AT |
| | <u>_</u> | | · · · · · _ · · · · | | |

148

| 585 | 15712_S_AT | 634 | 16089_S_AT | 686 | 16496_S_AT |
|-----|------------|-----|------------|-----|--------------------|
| 586 | 15808_AT | 635 | 16090_S_AT | 687 | 16499_AT |
| 587 | 15845_AT | 636 | 16102_S_AT | 688 | 16510_AT |
| 588 | 15848_AT | 637 | 16103_S_AT | 689 | 16511_AT |
| 589 | 15850_AT | 638 | 16108_S_AT | 690 | 16512_S_AT |
| | 20406_G_AT | 639 | 16112_S_AT | | 18085_R_AT |
| 590 | 15858_AT | 640 | 16134_S_AT | 691 | 16514_AT |
| 591 | 15862_AT | 641 | 16137_S_AT | 692 | 16516_AT |
| 592 | 15868_AT | 642 | 16138_S_AT | 693 | 16517_AT |
| 593 | 15878_AT | 643 | 16140_S_AT | 694 | 16526_AT |
| 594 | 15894_AT | 644 | 16143_S_AT | 695 | 16528_AT |
| 595 | 15900_AT | 645 | 16145_S_AT | 696 | 16531_S_AT |
| 596 | 15901_AT | 646 | 16148_S_AT | 697 | 16535_S_AT |
| 597 | 15902_AT | 647 | 16151_S_AT | 698 | 16537_S_AT |
| 598 | 15912_AT | 648 | 16155_S_AT | 699 | 16538_S_AT |
| 599 | 15913_AT | 649 | 16158_F_AT | 700 | 16543_S_AT |
| 600 | 15928_AT | 650 | 16160_F_AT | 701 | 16550_S_AT |
| 601 | 15940_AT | 651 | 16162_S_AT | 702 | 16554_S_AT |
| 602 | 15941_AT | 652 | 16168_S_AT | 703 | 16567_S_AT |
| 603 | 15945_AT | 653 | 16169_S_AT | 704 | 16571_S_AT |
| 604 | 15948_S_AT | 654 | 16171_S_AT | 705 | 16576_F_AT |
| 605 | 15956_AT | 655 | 16172_S_AT | 706 | 1 6577_S_AT |
| 606 | 15960_AT | 656 | 16184_AT | 707 | 16579_S_AT |
| | 16466 S AT | 657 | 16192_AT | 708 | 16580_S_AT |
| 607 | 15976 AT | 658 | 16222_AT | 709 | 16583_S_AT |
| 608 | 15978_AT | 659 | 16242_AT | 710 | 16584_S_AT |
| 609 | 15986_S_AT | 660 | 16244_AT | | 18706_S_AT |
| 610 | 15990_AT | 661 | 16250_AT | 711 | 16593_S_AT |
| 611 | 16009_S_AT | 662 | 16286_AT | 712 | 16595_S_AT |
| 612 | 16015_AT | 663 | 16288_AT | 713 | 16598_S_AT |
| 613 | 16019_AT | 664 | 16294_S_AT | 714 | 16604_S_AT |
| 614 | 16024_AT | 665 | 16296_AT | 715 | 16605_S_AT |
| 615 | 16034_AT | 666 | 16297_AT | 716 | 16610_S_AT |
| 616 | 16036_I_AT | 667 | 16325_AT | 717 | 16611_S_AT |
| | 18729_AT | 668 | 16346_S_AT | 718 | 16614_S_AT |
| 617 | 16039_S_AT | 669 | 16357_AT | 719 | 16617_S_AT |
| 618 | 16040_AT | 670 | 16380_AT | 720 | 16618_S_AT |
| 619 | 16042_S_AT | 671 | 16382_AT | 721 | 16620_S_AT |
| 620 | 16047_AT | 672 | 16393_S_AT | 722 | 16621_S_AT |
| 621 | 16049_S_AT | 673 | 16402_S_AT | 723 | 16631_S_AT |
| 622 | 16051_S_AT | 674 | 16411_S_AT | 724 | 16634_S_AT |
| 623 | 16055_S_AT | 675 | 16442_S_AT | 725 | 16635_S_AT |
| 624 | 16059_S_AT | 676 | 16446_AT | 726 | 16636_S_AT |
| 625 | 16062_S_AT | 677 | 16448_G_AT | 727 | 16639_S_AT |
| 626 | 16066_S_AT | 678 | 16453_S_AT | 728 | 16640_S_AT |
| 627 | 16069_S_AT | 679 | 16457_S_AT | 729 | 16650_S_AT |
| 628 | 16074_S_AT | 680 | 16465_AT | 730 | 16652_S_AT |
| 629 | 16076_S_AT | | 16916_S_AT | 731 | 16654_AT |
| 630 | 16077_S_AT | 681 | 16470_S_AT | 732 | 16672_AT |
| | 17579_S_AT | | 18735_S_AT | 733 | 16673_AT |
| 631 | 16079_S_AT | 682 | 16481_S_AT | 734 | 16687_S_AT |
| 632 | 16084_S_AT | 683 | 16486_AT | 735 | 16747_AT |
| | 17998_S_AT | 684 | 16487_AT | 736 | 16753_AT |
| 633 | 16087_S_AT | 685 | 16488_AT | 737 | 16768_AT |

149

| 738 | 16777_AT | 790 | 17123 S AT | 843 | 17562_AT |
|------------|--------------------------|------------|--------------------------|------------|-------------------------|
| 739 | 16784_AT | 791 | 17129_S_AT | 844 | 17564_S_AT |
| 740 | 16807_AT | 792 | 17132_AT | | 19361_S_AT |
| 741 | 16811_AT | 793 | 17166_AT | 845 | 17565_S_AT |
| 742 | 16845 AT | 794 | 17206 AT | 846 | 17568 AT |
| 743 | 16894_AT | 795 | 17207 AT | 847 | 17573 AT |
| 744 | 16899_AT | 796 | 17215 AT | 848 | 17577_G_AT |
| 745 | 16911_AT | 797 | 17237 AT | 849 | 17578_AT |
| 746 | 16920 AT | 798 | 17247_AT | 850 | 17596 AT |
| 747 | 16921 AT | 799 | 17254 AT | 851 | 17627 AT |
| 748 | 16924 S AT | 800 | 17286_AT | 852 | 17631_AT |
| 749 | 16926 S AT | 801 | 17288_S_AT | 853 | 17632_AT |
| 750 | 16931_S_AT | 802 | 17200_B_711 17292 AT | 854 | 17672_AT |
| 750 751 | - | 803 | 17202_AT 17300_AT | 855 | 17675_AT |
| | 16934_S_AT | 803 804 | 17303_S_AT | 856 | 17677_AT |
| 752 | 16937_AT | 805 | | 857 | 17777_AT 17732_AT |
| 753 | 16938_AT | | 17318_AT | 858 | 17732_K1 17743 AT |
| 754 | 16942_AT | 806 | 17319_AT | | |
| 755 | 16943_S_AT | 807 | 17322_AT | 859 | 17748_AT |
| | 18231_AT | 808 | 17323_AT | 860 | 17782_AT |
| 756 | 16949_S_AT | 809 | 17332_S_AT | 861 | 17823_S_AT |
| 757 | 16952_S_AT | 810 | 17374_AT | 862 | 17841_AT |
| 758 | 16956_AT | 811 | 17381_AT | 863 | 17849_S_AT |
| 759 | 16962_S_AT | 812 | 17388_AT | 864 | 17852_G_AT |
| 760 | 16965_S_AT | 813 | 17392_S_AT | 865 | 17857_AT |
| 761 | 16970_S_AT | 814 | 1 7405_A T | 866 | 17865_AT |
| | 18010_S_AT | 815 | 17415_AT | 867 | 17882_AT |
| 762 | 16977_AT | 816 | 17418_S_AT | 868 | 17885_AT |
| 763 | 16984_AT | 817 | 1 7420_AT | 869 | 17900_S_AT |
| 764 | 16996_S_AT | 818 | 17423_S_AT | 870 | 17910_AT |
| 765 | 16997_AT | 819 | 1 7426_AT | 871 | 17911_AT |
| 766 | 17000_AT | 820 | 17427_AT | 872 | 17916_AT |
| 767 | 17005_AT | 821 | 17429_S_AT | 873 | 17917_S_AT |
| 768 | 17010 S AT | 822 | 17431 AT | 874 | 17918_AT |
| 769 | 17017_S_AT | 823 | 17439_G_AT | 875 | 17921_S_AT |
| 770 | 17031_S_AT | 824 | 17457 AT | 876 | 17922_AT |
| 771 | 17033 S AT | 825 | 17458 AT | 877 | 17926 S AT |
| 772 | 17053_S_AT | 826 | 17462 S AT | 878 | 17933 AT |
| 773 | 17055 S AT | 827 | 17463 AT | 879 | 17935 AT |
| 774 | 17063_S_AT | 828 | 17465 AT | 880 | 17956 I AT |
| 775 | 17068_S_AT | 829 | 17466 S_AT | 881 | 17966 AT |
| 776 | 17070_S_AT | 830 | 17475 AT | 882 | 17967 AT |
| 777 | 17075_S_AT | 831 | 17479 AT | 883 | 17970 I AT |
| | 17075_S_AT 17084 S_AT | 832 | 17482_S_AT | 884 | 17978_S_AT |
| 778 770 | 17084_S_AT | 833 | 17495_S_AT | 004 | 20635_S_AT |
| 779 | | 834 | 17493_S_AT 17508 S AT | 885 | 17986_S_AT |
| 780 | 17092_S_AT | | | 886 | 17903_5_111 17993 AT |
| 781 | 17095_S_AT | 835 | 17522_S_AT | 887 | 18001_AT |
| 782 | 17096_S_AT | 836 | 17523_S_AT | 888 | 18001_AT |
| 783 | 17102_S_AT | 837 | 17537_S_AT | | 18005_AT 18004_AT |
| 784 | 17105_S_AT | 838 | 17538_S_AT | 889 800 | 18004_A1 18005 AT |
| 785 | 17109_S_AT | 839 | 17539_S_AT | 890 801 | |
| 786 | 17110_S_AT | 840 | 17546_S_AT | 891 | 18029_G_AT |
| 787 | 17113_S_AT | 0.44 | 18694_S_AT | 200 | 18030_I_AT |
| 788 | 17115_S_AT | 841 | 17557_S_AT | 892 | 18040_S_AT |
| 789 | 17116_S_AT | 842 | 17560_S_AT | 893 | 18045_AT |
| | | | | | |

150

| 004 | 10064 D AT | 0.47 | 10700 AT | 1001 | 10000 15 |
|------------------|----------------------|------|------------|------|------------------------|
| 894 | 18064_R_AT | 947 | 18580_AT | 1001 | 18889_AT |
| 895 | 18065_R_AT | 948 | 18581_AT | 1002 | 18892_S_AT |
| 896 | 18074_AT | 949 | 18584_AT | 1003 | 18901_AT |
| 897 | 18076 S AT | 950 | 18587_S_AT | 1004 | 18911_AT |
| 898 | 18077_AT | 951 | 18588_AT | 1005 | 18917 I AT |
| 899 | 18081_AT | 952 | 18591 AT | 1006 | 18939_AT |
| 900 | 18154_S_AT | 953 | 18592 S_AT | 1007 | 18947_I_AT |
| , , , | 18365 S AT | 954 | 18600 AT | 1008 | 18950_AT |
| 901 | 18165 AT | 955 | 18601_S_AT | 1009 | 18951 S AT |
| 902 | 18174 AT | 956 | 18607 S AT | 1010 | 18951_3_AT |
| | - | | | | |
| 903 | 18176_AT | 957 | 18611_AT | 1011 | 18956_AT |
| 904 | 18194_I_AT | 958 | 18616_AT | 1012 | 18959_AT |
| 905 | 18197_AT | 959 | 18622_G_AT | 1013 | 18966_AT |
| 906 | 18198_AT | 960 | 18623_AT | 1014 | 18974_AT |
| 907 | 18213_AT | 961 | 18628_AT | 1015 | 18976_AT |
| 908 | 18219_AT | 962 | 18631_AT | 1016 | 18980_AT |
| 909 | 18221 AT | 963 | 18635 AT | 1017 | 18989_S_AT |
| 910 | 18222 AT | 964 | 18636 AT | 1018 | 18994_AT |
| 911 | 18226 S AT | 965 | 18638 AT | 1019 | 19030_AT |
| 912 | 18232 AT | 966 | 18652_AT | 1020 | 19039_AT |
| 913 | 18237_AT | 967 | 18657_AT | 1021 | 19049 AT |
| 914 | 18241_AT | 968 | 18659_AT | 1022 | 19083_AT |
| 915 | 18241_AT 18257_AT | 969 | 18660_S_AT | 1022 | 19115 AT |
| | | | | 1023 | |
| 916 | 18258_S_AT | 970 | 18667_AT | | 19117_S_AT |
| 917 | 18269_S_AT | 971 | 18675_AT | 1025 | 19122_AT |
| 918 | 18274_S_AT | 972 | 18684_AT | 1026 | 19125_S_AT |
| 919 | 18275_AT | 973 | 18686_S_AT | 1027 | 19127_AT |
| 920 | 18278_AT | 974 | 18688_S_AT | 1028 | 19130_AT |
| 921 | 18282_AT | 975 | 18693_S_AT | 1029 | 19144_AT |
| 922 | 18283_AT | 976 | 18698_S_AT | 1030 | 191 <i>57</i> _S_AT |
| 923 | 18290 AT | 977 | 18705 AT | 1031 | 19178_AT |
| 924 | 18291_AT | 978 | 18707_AT | 1032 | 19190 G AT |
| 925 | 18306 AT | 979 | 18708 AT | 1033 | 19198 AT |
| 926 | 18316 AT | 980 | 18726 S AT | 1034 | 19202_AT |
| 927 | 18317_AT | 981 | 18727_AT | 1035 | 19209 S AT |
| 928 | 18327 S AT | 982 | 18732_I_AT | 1036 | 19211_AT |
| 929 | 18337_S_AT | 983 | 18736 AT | 1037 | 19218 AT |
| 930 | | 984 | 18750 F_AT | 1037 | 19218_AT 19222 AT |
| | 18339_AT | | | 1038 | 19222_AT 19226 G AT |
| 931 | 18347_S_AT | 985 | 18754_AT | | |
| 932 | 18383_AT | 986 | 18778_AT | 1040 | 19229_AT |
| 933 | 18390_AT | 987 | 18806_S_AT | 1041 | 19230_AT |
| 934 | 18439_S_AT | 988 | 18823_S_AT | 1042 | 19232_S_AT |
| 935 | 18465_S_AT | 989 | 18829_AT | 1043 | 19285_AT |
| 936 | 18487_AT | 990 | 18835_AT | 1044 | 19326_AT |
| 937 | 18508_S_AT | 991 | 18844_AT | 1045 | 19332_AT |
| 938 | 18512_AT | 992 | 18859_AT | 1046 | 19346_AT |
| 939 | 18543_AT | 993 | 18864 AT | 1047 | 19347_AT |
| 940 | 18544_AT | 994 | 18866 AT | 1048 | 19362 AT |
| 941 | 18552_AT | 995 | 18880_AT | 1049 | 19363 AT |
| 942 | 18555 AT | 996 | 18883 G AT | 1050 | 19364 AT |
| 943 | 18556 AT | 997 | 18885 AT | 1051 | 19367_AT |
| 944 | 18561 AT | 998 | 18886 AT | 1052 | 19373 AT |
| 944 | 18567 AT | 999 | 18887 AT | 1052 | 19381_AT |
| 945 | 18573_AT | | 18888 AT | 1053 | 19382 AT |
| 7 4 0 | 103/3_AI | 1000 | 10000 A1 | 1054 | 19304_AL |

151

| 1055 | 19384_AT | 1109 | 19833_S_AT | 1163 | 20093_I_AT |
|------|------------------------------------|--------------|------------|--------------|------------|
| 1056 | 19401 AT | 1110 | 19834 AT | 1164 | 20099_AT |
| 1057 | 19406_AT | 1111 | 19836_AT | 1165 | 20100_AT |
| 1058 | 19413_AT | 1112 | 19841_AT | 1166 | 20113_S_AT |
| 1059 | 19416_AT | 1113 | 19845_G_AT | 1167 | 20117_AT |
| 1060 | 19426_S_AT | 1114 | 19854_AT | 1168 | 20123_AT |
| 1061 | 19439 AT | 1115 | 19855_AT | 1169 | 20127_S_AT |
| 1062 | 19441 S AT | 1116 | 19866_AT | 1170 | 20129_AT |
| 1063 | 19442_AT | 1117 | 19867_AT | 1171 | |
| 1064 | 19448 S_AT | 1118 | 19870_S_AT | 1172 | 20154_AT |
| 1065 | 19454_AT | 1119 1120 | 19871_AT | 1173 | 20156_AT |
| 1066 | 19462_S_AT | 1120 | 19872_AT | 1174 | 20165_AT |
| 1067 | 19464 AT | 1121 | 19875_S_AT | 1175 | |
| 1068 | 19470 AT | 1122 | 19876_AT | 1176 | |
| 1069 | 19483 AT | 1123 | 19879_S_AT | 1177 | 20183_AT |
| 1070 | 19489_S_AT | 1124 | 19881_AT | 1178 | 20188_AT |
| 1071 | 19513 AT | 1125 | 19897_S_AT | 1179 | |
| 1072 | 19548_AT | 1126 | 19903_AT | 1180 | |
| 1073 | 19562 AT | 1127 | 19905_AT | 1181 | 20210_G_AT |
| 1074 | 19563_S_AT | 1128 | 19906 AT | 1182 | 20213_AT |
| 1075 | 19567_AT | 1129 1130 | 19907 AT | 1182 1183 | 20229_AT |
| 1076 | 19581 AT | 1130 | 19910 AT | 1184 | 20232_S_AT |
| 1077 | 19589_S_AT | 1131 | 19913 AT | 1185 | 20255_AT |
| 1078 | 19595 S AT | 1132 | 19920_S_AT | 1186 | 20257_AT |
| 1079 | 19606 AT | 1133 | | 1187 | 20262_AT |
| 1080 | 19623_AT | 1134 | 19939 AT | 1188 | 20275 AT |
| 1081 | 19624 AT | 1135 | 19945 AT | 1189 | 20278_S_AT |
| 1082 | 19627_S_AT | 1136 | 19947 AT | 1190 | |
| 1083 | 19636_AT | 1137 | | 1191 | 20284_AT |
| 1084 | 19652_AT | 1138 | 19956 AT | 1192 | 20293_AT |
| 1085 | 10655 155 | 1120 | | 1193 | 20294_AT |
| 1086 | 19655_AT 19657_S_AT 19658_AT | 1140 | 19963 AT | 1194 | 20312_S_AT |
| 1087 | 19658 AT | 1141 | 19969_AT | 1195 | 20315_I_AT |
| 1088 | 19660 AT | 1142 | 19970_S_AT | 1196 | 20330_S_AT |
| 1089 | 19665_S_AT | | 19971_AT | 1197 | 20331_AT |
| 1090 | 19667_AT | 1144 | 19972 AT | 1198 | 20350_S_AT |
| 1091 | 19671 AT | 1145 | 19981 AT | 1199 | 20354_S_AT |
| 1092 | 19677 AT | 1146 | 19990_AT | 1200 | 20355_AT |
| 1093 | 19686 AT | 1147 | 19996 AT | 1201 | 20360_AT |
| 1094 | 19689 AT | 1148 | 20003_S_AT | 1202 | 20363_AT |
| 1095 | 19690_S_AT | 1149 | 20009 S AT | 1203 | 20369_S_AT |
| 1096 | 19695 AT | 1150 | 20013_AT | 1204 | 20378_G_AT |
| 1097 | 19698_AT | 1151 | 20018 AT | 1205 | 20383_AT |
| 1098 | 19700 S AT | 1152 | 20024 S AT | 1206 | 20384_AT |
| 1099 | 19708_AT | 1153 | 20027 AT | 1207 | 20387_AT |
| 1100 | 19717 AT | 1154 | 20045 AT | 1208 | 20393_AT |
| 1101 | 19726 S AT | 1155 | 20047_AT | 1209 | 20396_AT |
| 1102 | 19744 AT | 1156 | 20048_AT | 1210 | 20399_AT |
| 1103 | 19752 S AT | 1157 | 20050 AT | 1211 | 20409_G_AT |
| 1104 | 19759_AT | 1158 | 20051_AT | 1212 | 20412_S_AT |
| 1105 | 19782_AT | 1159 | 20058_AT | 1213 | 20413_AT |
| 1106 | 19803_S_AT | 1160 | 20067_AT | 1214 | 20439_AT |
| 1107 | 19828_AT | 1161 | 20068_AT | 1215 | 20440_AT |
| 1108 | 19831 <u> </u> | 1162 | 20069_AT | 1216 | 20444_AT |
| | _ | | | | |

152

| 1217 | 20445 AT |
|------|------------|
| 1218 | 20449_AT |
| 1219 | 20456 AT |
| | |
| 1220 | 20462_AT |
| 1221 | 20471_AT |
| 1222 | 20474_AT |
| 1223 | 20495_S_AT |
| 1224 | 20499_AT |
| 1225 | 20501_AT |
| 1226 | 20511 AT |
| 1227 | 20515 S AT |
| 1228 | 20516 AT |
| 1229 | 20517_AT |
| 1230 | 20518_AT |
| 1231 | 20520 S AT |
| 1232 | 20536 S AT |
| 1232 | 20538 S AT |
| 1233 | 20539 S AT |
| 1235 | 20558_AT |
| 1233 | |
| 1236 | |
| 1237 | 20567_AT |
| 1238 | 20571_AT |
| 1239 | 20582_S_AT |
| 1240 | 20586_I_AT |
| 1241 | 20590_AT |
| 1242 | 20592_AT |
| 1243 | 20594_AT |
| 1244 | 20608_S_AT |
| 1245 | 20612_S_AT |
| 1246 | 20616_AT |
| 1247 | 20620 G AT |
| 1248 | 20637 AT |
| 1249 | 20643 AT |
| 1250 | 20649 AT |
| 1251 | 20651 AT |
| 1252 | 20654 S AT |
| 1253 | 20670_AT |
| 1254 | 20684 AT |
| 1255 | 20685 AT |
| 1256 | 20693_AT |
| 1250 | |
| 1257 | 20701_S_AT |
| 1258 | 20704_AT |
| 1259 | 20705_AT |
| 1260 | 20715_AT |
| 1261 | 20719_AT |

153 TABLE 4: 2X UP IN COLD, ONLY

| | | | • | | |
|------------|--------------------------|------------|------------|--------------------|------------|
| 11997_at | 12688_at | 13274_s_at | 14145_at | 15083_at | 15639_s_at |
| 11998_at | 12701_i_at | 13278_f_at | 14170_at | 15084_at | 15641_s_at |
| 12018_at | 12702_at | 13279_s_at | 14186_at | 15096_at | 15660_s_at |
| 12031_at | 12719_f_at | 13285_s_at | 14196_at | 15101_s_at | 15665_s_at |
| 12047_at | 12726_f_at | 13288_s_at | 14227_at | 15105_s_at | 15687_f_at |
| 12051_at | 12736_f_at | 13292_s_at | 14234_at | 15112_s_at | 15694_s_at |
| 12053_at | 12754_g_at | 13297_s_at | 14250_r_at | 15115_f_at | 15712_s_at |
| 12060_at | 12762_r_at | 13299_s_at | 14270_at | 15116_f_at | 15783_s_at |
| 12072_at | 12766_at | 13332_at | 14298_g_at | 15122_s_at | 15808_at |
| 12074_at | 12767_at | 13351_at | 14303_s_at | 15126_s_at | 15837_at |
| 12102_at | 12768_at | 13352_at | 14312_at | 15131_s_at | 15850_at |
| 12112_at | 12773_at | 13422_at | 14339_at | 15132_s_at | 15862_at |
| 12117_at | 12788_at | 13435_at | 14388_at | 15137_s_at | 15868_at |
| 12130 at | 12802_at | 13461_s_at | 14393_at | 15144_s_at | 15878_at |
| 12145_s_at | 12860_s_at | 13467_at | 14511_at | 15148_s_at | 15901_at |
| 12151_at | 12861_s_at | 13488_at | 14525_s_at | 15153_s_at | 15912_at |
| 12163_at | 12879_s_at | 13495_s_at | 14527_at | 15159_s_at | 15920_i_at |
| 12175_at | 12891 at | 13539 i at | 14534_s_at | 15160_s_at | 15941_at |
| 12187 at | 12914_s_at | 13542 at | 14554 at | 15166 s at | 15945_at |
| 12195 at | 12927_s_at | 13575 at | 14566_at | 15174 f at | 15960_at |
| 12219_at | 12947 at | 13577 s at | 14579_at | 15197 s at | 15990 at |
| 12256 at | 12956 i at | 13617 at | 14591 at | 15270_at | 16001 at |
| 12269 s_at | 12966 s at | 13634_s_at | 14595 at | 15319_at | 16009_s_at |
| 12307 at | 12974 at | 13656 at | 14600 at | 15325_at | 16010_s_at |
| 12315_at | 12987 s at | 13671_s_at | 14631_s_at | 15337_at | 16034 at |
| 12336_at | 12994 s at | 13691_s_at | 14635_s_at | 15341 at | 16036_i_at |
| 12349 s at | 12998 at | 13700_at | 14679 s at | 15343 at | 16039_s_at |
| 12353 at | 13002_at | 13704 s at | 14691_at | 15355 s at | 16040_at |
| 12359 s_at | 13018_at | 13709_s_at | 14697 g at | 15367_at | 16042_s_at |
| 12390 at | 13023 at | 13715 at | 14709 at | 15379 at | 16047_at |
| 12395 s at | 13046 <u>g</u> at | 13785 at | 14711_s_at | 15381_at | 16049_s_at |
| 12431 at | 13054_at | 13803 at | 14728_s_at | 15410_at | 16051_s_at |
| 12436 at | 13086 r_at | 13812_s_at | 14731_s_at | 15417 s at | 16062 s at |
| 12443 s_at | 13087 at | 13825_s_at | 14797_s_at | 15422 at | 16079 s at |
| 12447 at | 13100_at | 13850 i at | 14809 at | 15433 at | 16087 s at |
| 12452 at | 13109_at | 13904 s at | 14843 at | 15451_at | 16090_s_at |
| 12477 at | 13119 at | 13908_s_at | 14847 at | 15452_at | 16117_s at |
| 12503_at | 13120_at | 13927 at | 14872_at | 15453_s_at | 16118_s_at |
| 12516_s_at | 13128 at | 13971_s_at | 14886_at | 15472_at | 16137_s_at |
| 12532_at | 13134_s_at | 13985_s_at | 14896_at | 15489_at | 16155_s_at |
| 12544_at | 13140 at | 14013 at | 14897_at | 15490_at | 16162_s_at |
| 12561_at | 13143_at | 14019_at | 14900_at | 15503_at | 16184_at |
| 12602_at | 13167_at | 14021 r at | 14956 s_at | 15510_r_at | 16192_at |
| 12610_at | 13172_s_at | 14028_at | 14958_at | 15517_s_at | 16222_at |
| 12631_at | 13178_at | 14048_at | 14965_at | 15518_at | 16244_at |
| 12647_s_at | 13179_at | 14058_at | 14984_s_at | 15544_at | 16250_at |
| 12650 at | 13181_at | 14059_at | 15004_s_at | 15588_s_at | 16260_at |
| 12656_at | 13187_i_at | 14064_at | 15010_at | 15600_s_at | 16286_at |
| 12674_at | 13107_i_at 13209_s_at | 14004_at | 15016_at | 15605_s_at | 16296_at |
| 12674_at | 13209_s_at | 14105_at | 15030_i_at | 15613_s_at | 16297_at |
| 12676_s_at | 13215_s_at | 14105_at | 15046_g_at | 15614_s_at | 16342_at |
| 12676_s_at | 13243_r_at | 14126_s_at | 15040_s_at | 15616_s_at | 16367_i_at |
| 12686_s_at | 13243_r_at | 14120_s_at | 15037_at | 15633_s_at | 16411_s_at |
| 12000_3_al | 10200_3_at | | 10010_at | ,0000 <u>_</u> 0_u | <u> </u> |

154
TABLE 4 (cont): 2X UP IN COLD, ONLY

| | | . (0021). 222 0 | I II. CODD, C | 1122 | |
|------------------------|--------------------------|--------------------------|-------------------------------|----------------------|----------------------|
| 16442_s_at | 17077_s_at | 17978_s_at | 18885_at | 19689_at | 20412_s_at |
| 16465_at | 17102_s_at | 17999_at | 18887_at | 19698_at | 20413_at |
| 16466_s_at | 17109_s_at | 18001_at | 18888_at | 19700_s_at | 20432_at |
| 16468_at | 17113_s_at | 18004_at | 18889_at | 19707_s_at | 20433_at |
| 16486_at | 17123_s_at | 18012_s _ at | 18901_at | 19708_at | 20456_at |
| 16487_at | 17128_s_at | 18040_s_at | 18907_s_at | 19713_at | 20462_at |
| 16488_at | 17129_s_at | 18176_at | 18917_i_at | 19718_at | 20471_at |
| 16489_at | 17132_at | 18194_i_at | 18939_at | 19744_at | 20511_at |
| 16496_s_at | 17166_at | 18197_at | 18947_i_at | 19836_at | 20515_s_at |
| 16499_at | 17206_at | 18198_at | 18949_at | 19839_at | 20517_at |
| 16511_at | 17237_at | 18213_at | 18954_at | 19840_s_at | 20518_at |
| 16517_at | 17300_at | 18219_at | 18959_at | 19845_g_at | 20529_at |
| 16538_s_at | 17319_at | 18222_at | 18974_at | 19854_at | 20536_s_at |
| 16554_s_at | 17322_at | 18231_at | 18976_at | 19855_at | 20538_s_at |
| 16571_s_at | 17332_s_at | 18232_at | 18980_at | 19860_at | 20539_s_at |
| 16576_f_at | 17381_at | 18241_at | 18989_s_at | 19866_at | 20576_at |
| 16595_s_at | 17388_at | 18269_s_at | 19019_i_at | 19871_at | 20582_s_at |
| 16605_s_at | 17392_s_at | 18272_at | 19049_at | 19875_s_at | 20586_i_at |
| 16610_s_at | 17408_at | 18282_at | 19083_at | 19879_s_at | 20608_s_at |
| 16620_s_at | 17424_at | 18298_at | 19130_at | 19881_at | 20649_at |
| 16621_s_at | 17429_s_at | 18316_at | 19156_s_at | 19913_at | 20651_at |
| 16635_s_at | 17457_at | 18317_at | 19178_at | 19939_at 19945_at | 20684_at 20685_at |
| 16636_s_at | 17458_at | 18331_s_at 18347_s_at | 19190 <u>g</u> at 19199_at | 19945_at | 20699_at |
| 16638_s_at | 17466_s_at | 18383_at | 19199_at 19202_at | 19951_at | 20705_at |
| 16650_s_at | 17477_s_at 17482_s_at | 18390_at | 19202_at | 19956_at | 20715_at |
| 16672_at | 17462_s_at 17538_s_at | 18455_at | 19209_s_at | 19971_at | 201 10_4 |
| 16673_at 16687_s_at | 17536_s_at | 18465_s_at | 19218_at | 19976_at | |
| 16747_at | 17562_at | 18544_at | 19210_at | 19998_at | |
| 16753_at | 17581_g_at | 18555_at | 19322_at | 20003_s_at | |
| 16768_at | 17627_g_ut | 18556_at | 19326_at | 20015_at | |
| 16805_s_at | 17631_at | 18560_at | 19359_s_at | 20027_at | |
| 16807_at | 17632_at | 18561_at | 19367_at | 20051_at | |
| 16845_at | 17645_s_at | 18571_at | 19384_at | 20068_at | |
| 16847_at | 17672_at | 18588_at | 19389_at | 20093_i_at | |
| 16896_s_at | 17675_at | 18597_at | 19397_at | 20117_at | |
| 16899_at | 17677_at | 18601_s_at | 19406_at | 20150_at | |
| 16902_at | 17693_at | 18611_at | 19426_s_at | 20156_at | |
| 16911_at | 17732_at | 18623_at | 19441_s_at | 20165_at | |
| 16914_s_at | 17743_at | 18635_at | 19442_at | 20257_at | |
| 16943_s_at | 17748_at | 18659_at | 19470_at | 20262_at | |
| 16956_at | 17775_at | 18660_s_at | 19489_s_at | 20275_at | |
| 16996 _ s_at | 17782_at | 18673_at | 19562_at | 20282_s_at | |
| 17010_s_at | 17841_at | 18694_s_at | 19577_at | 20288_g_at | |
| 17016_s_at | 17852_g_at | 18705_at | 19589_s_at | 20293_at | |
| 17032_s_at | 17900_s_at | 18708_at | 19597_s_at | 20315_i_at | |
| 17033_s_at | 17901_at | 18738_f_at | 19611_s_at | 20330_s_at | |
| 17043_s_at | 17911_at | 18750_f_at | 19624_at | 20360_at | |
| 17050_s_at | 17921_s_at | 18778_at | 19657_s_at | 20363_at | |
| 17055_s_at | 17922_at | 18829_at | 19667_at | 20369_s_at | |
| 17068_s_at | 17933_at | 18835_at | 19671_at | 20384_at | |
| 17071_s_at | 17967_at | 18866_at | 19677_at | 20393_at | |
| 17075_s_at | 17970_i_at | 18875_s_at | 19686_at | 20396_at | |

155
TABLE 5: 2X UP COLD 3 HR, ONLY

| | IABLES | : ZX UP COLD 3 | HR, UNLY | |
|-------------------|------------|----------------|-------------------|-------------------|
| 12117_at | 13671_s_at | 15453_s_at | 17237_at | 19624_at |
| 12145 s at | 13691_s_at | 15489_at | 17319_at | 19657_s_at |
| 12151_at | 13785 at | 15518_at | 17392 s_at | 19667 at |
| 12163_at | 13803_at | 15588_s_at | 17429_s_at | 19845 <u>g</u> at |
| 12187 at | 13825 s at | 15613_s_at | 17477_s_at | 19855 at |
| 12256_at | 13904_s_at | 15614_s_at | 17538_s_at | 19866 <u></u> at |
| 12315_at | 14013_at | 15616_s_at | 17581 <u>g</u> at | 19945_at |
| 12349_s_at | 14021_r_at | 15639_s_at | 17627_at | 19951_at |
| 12353_at | 14028_at | 15641_s_at | 17672_at | 19998_at |
| 12359_s_at | 14064 at | 15660_s_at | 17693_at | 20003_s_at |
| 12544_at | 14126_s_at | 15687_f_at | 17782_at | 20015_at |
| 12602_at | 14145_at | 15694_s_at | 17841_at | 20051_at |
| 12610_at | 14170 at | 15862_at | 17900_s_at | 20093_i_at |
| 12676_s_at | 14196_at | 15868_at | 17933_at | 20117_at |
| 12686_s_at | 14250_r_at | 15878_at | 17978_s_at | 20288_g_at |
| 12701_i_at | 14298_g_at | 15901_at | 18001_at | 20360_at |
| 12702 at | 14303_s_at | 16034_at | 18012_s_at | 20369_s_at |
| 12719 f at | 14339 at | 16039_s_at | 18198_at | 20384_at |
| 12736_f_at | 14527_at | 16040_at | 18219_at | 20462_at |
| 12754_g_at | 14534 s at | 16042_s_at | 18241 at | 20471_at |
| 12766_at | 14554_at | 16047_at | 18269_s_at | 20515_s_at |
| 12767_at | 14595 at | 16062_s_at | 18272_at | 20538_s_at |
| 12768_at | 14635_s_at | 16087_s_at | 18282_at | 20576_at |
| 12773_at | 14679_s_at | 16117 s at | 18298_at | 20608_s_at |
| 12788_at | 14691_at | 16118_s_at | 18383_at | 20651_at |
| 12879_s_at | 14697_g_at | 16162_s_at | 18556_at | 20685_at |
| 12891_at | 14709_at | 16184_at | 18588_at | 20705_at |
| 12947_at | 14728_s_at | 16222_at | 18601_s_at | 20700_41 |
| 12966_s_at | 14809_at | 16250_at | 18611_at | |
| 12974_at | 14896_at | 16411_s_at | 18694_s_at | |
| 12994_s_at | 14965_at | 16442_s_at | 18708_at | |
| 13002_at | 14984_s_at | 16465_at | 18738_f_at | |
| 13100_at | 15046_s_at | 16486_at | 18778_at | |
| 13140_at | 15083_at | 16488 at | 18829_at | |
| 13167_at | 15096 at | 16489_at | 18835_at | |
| 13172_s_at | 15105_s_at | 16517_at | 18866_at | |
| 13179_at | 15115_f_at | 16571_s_at | 18875_s_at | |
| 13187 <u>i</u> at | 15116_f_at | 16605_s_at | 18888 at | |
| 13219 s at | 15122_s_at | 16610_s_at | 18907_s_at | - |
| 13260_s_at | 15126_s_at | 16620 s at | 18917 i at | |
| 13278_f_at | 15131 s_at | 16636_s_at | 18939_at | |
| 13279_s_at | 15132_s_at | 16650_s_at | 18974_at | |
| 13285 s_at | 15137_s_at | 16805 s at | 19190_g_at | |
| 13288_s_at | 15153_s_at | 16845_at | 19199_at | |
| 13292_s_at | 15159_s_at | 16899_at | 19202_at | |
| 13297_s_at | 15160_s_at | 16914 s at | 19211 at | |
| 13351 at | 15197 s at | 16943 s_at | 19384 at | |
| 13352_at | 15355 s_at | 16996 s at | 19406 at | |
| 13435_at | 15379_at | 17010_s_at | 19426_s_at | |
| 13467_at | 15417_s_at | 17043_s_at | 19442_at | |
| 13488_at | 15422_at | 17045_5_at | 19470_at | |
| 13495_s_at | 15451_at | 17000_s_at | 19577_at | |
| 13656_at | 15452_at | 17105_5_at | 19597_s_at | |
| .5000_0. | 10-10±_at | | .000,_0_0. | |

156 TABLE 6: 2X DOWN COLD, ONLY

| | IAD | DE U: ZA DU | WIN COLD, ON | LI | |
|------------|---------------------|-------------|--------------|-------------------|-------------------|
| 11991_g_at | 12450_s_at | 12881_s_at | 13151_g_at | 13621 <u>g</u> at | 14056_at |
| 11992_at | 12474_at | 12889_s_at | 13160_at | 13623_r_at | 14057_at |
| 12001_at | 12491_at | 12901_s_at | 13161_at | 13629_s_at | 14061_at |
| 12006_s_at | 12497_at | 12902_at | 13162_at | 13631_at | 14067_at |
| 12007_at | 12500_s_at | 12904_s_at | 13165_at | 13635_at | 14068_s_at |
| 12009_at | 12515_at | 12905_s_at | 13166_at | 13646_at | 14072_at |
| 12022_at | 12521_at | 12908_s_at | 13185_at | 13650_at | 14074_at |
| 12023_s_at | 12523_at | 12910_s_at | 13193_s_at | 13652_at | 14075_at |
| 12026_at | 12526_at | 12916_s_at | 13211_s_at | 13653_at | 14083_at |
| 12037_at | 12527_at | 12923_s_at | 13213_s_at | 13655_at | 14084_at |
| 12052_at | 12534_g_at | 12926_s_at | 13219_s_at | 13657_at | 14089_at |
| 12125_at | 12549_s_at | 12931_s_at | 13233_at | 13666_s_at | 14095_s_at |
| 12143_at | 12550_s_at | 12937_r_at | 13236_s_at | 13667_s_at | 14096_at |
| 12149_at | 12552_at | 12941_g_at | 13239_s_at | 13669_s_at | 14100_at |
| 12156_at | 12555_s_at | 12942_at | 13241_s_at | 13670_s_at | 14101_at |
| 12166_i_at | 12556_at | 12949_at | 13254_s_at | 13672_s_at | 14103_at |
| 12167_at | 12575 s_at | 12953_at | 13266_s_at | 13678_s_at | 14121_at |
| 12169_i_at | 12576_s_at | 12958_at | 13273_s_at | 13679_s_at | 14129_s_at |
| 12176_at | 12581_s_at | 12959_at | 13275_f_at | 13688_s_at | 14133_s_at |
| 12179_at | 12587 at | 12966_s_at | 13276_s_at | 13690_s_at | 14143_at |
| 12196_at | 12597_at | 12975_at | 13278_f_at | 13691_s_at | 14148_at |
| 12198_at | 12606_at | 12983_at | 13280_s_at | 13692_s_at | 14162_at |
| 12200_at | 12609_at | 12984_at | 13285_s_at | 13714_at | 14194_at |
| 12202_at | 12646_at | 13002_at | 13296_s_at | 13724_at | 14208_at |
| 12212_at | 12649_at | 13009_i_at | 13347_at | 13748_at | 14217_at |
| 12214_g_at | 12653_at | 13011_at | 13355_at | 13751_at | 14223_at |
| 12224_at | 12661_at | 13014_at | 13361_at | 13759_at | 14235_at |
| 12226_at | 12666_at | 13024_at | 13404_at | 13767_at | 14236_at |
| 12233_at | 12678_i_at | 13034_s_at | 13406_at | 13789_at | 14251_f_at |
| 12240_at | 12705_f_at | 13041_s_at | 13459_at | 13876_at | 14252_f_at |
| 12253_g_at | 12736_f_at | 13048_s_at | 13460_at | 13880_s_at | 14285_at |
| 12270_at | 12737_f_at | 13067_s_at | 13464_at | 13883_at | 14301_s_at |
| 12278_at | 12758_at | 13068_at | 13523_s_at | 13887_s_at | 14316_at |
| 12284_at | 12760_g_at | 13073_s_at | 13529_at | 13895_at | 14366_at |
| 12287_s_at | 12764_f_at | 13078_s_at | 13541_at | 13906_s_at | 14369_at |
| 12293_at | 12765_at | 13079_at | 13545_s_at | 13919_at | 14392 <u>g</u> at |
| 12294_s_at | 12772_at | 13081_s_at | 13550_at | 13923_at | 14421_at |
| 12300_at | 12776_at | 13083_at | 13552_at | 13932_at | 14431_at |
| 12312_at | 12784_at | 13090_at | 13556_i_at | 13935_at | 14436_at |
| 12315_at | 12793_at | 13092_s_at | 13561_at | 13940_at | 14448_at |
| 12324_i_at | 12794_at | 13098_at | 13563_s_at | 13949_s_at | 14450_at |
| 12331_s_at | 12795_at | 13103_at | 13567_at | 13954_g_at | 14454_at |
| 12344_at | 12809_g_at | 13105_at | 13568_at | 13973_at | 14459_at |
| 12348_at | 12812_at | 13107_s_at | 13571_at | 13983_at | 14478_at |
| 12353_at | 12815_at | 13108_at | 13576_at | 13989_at | 14482_at |
| 12372_at | 12816_at | 13114_at | 13583_at | 14010_at | 14485_at |
| 12374_i_at | 12818_at | 13118_f_at | 13598_at | 14014_at | 14492_s_at |
| 12405_at | 12824_s_at | 13123_at | 13601_at | 14015_s_at | 14505_at |
| 12408_at | 12828_s_at | 13124_at | 13604_at | 14016_s_at | 14510_at |
| 12410_g_at | 12842_s_at | 13133_s_at | 13613_at | 14025_s_at | 14517_at |
| 12419_at | 12846_s_at | 13135_s_at | 13616_s_at | 14027_at | 14519_at |
| 12427_at | 12858_at | 13139_at | 13618_s_at | 14030_at | 14534_s_at |
| 12438_at | 12869_s _ at | 13146_s_at | 13619_at | 14044_at | 14538_r_at |

157
TABLE 6 (cont): 2X DOWN COLD, ONLY

| 14558_at | 15047_at | 15512_at | 15940_at | 16357_at | 16894_at |
|------------|------------|------------|------------|------------|------------|
| 14559_s_at | 15054_at | 15514_at | 15948_s_at | 16380_at | 16899_at |
| 14572_at | 15056_at | 15515_r_at | 15956_at | 16382_at | 16920_at |
| 14584_at | 15058_s_at | 15529_at | 15976_at | 16385_s_at | 16921_at |
| 14587_at | 15063_at | 15534_f_at | 15978_at | 16393_s_at | 16924 s at |
| 14595_at | 15066_at | 15538_at | 15986_s_at | 16402_s_at | 16926 s at |
| 14602_at | 15081_at | 15541_at | 16004_s_at | 16417_s_at | 16931_s_at |
| 14603_at | 15091_at | 15543_at | 16015_at | 16442 s at | 16934_s_at |
| 14605_at | 15097_s_at | 15551_at | 16017_at | 16446_at | 16937 at |
| 14620_s_at | 15102_s_at | 15574_s_at | 16019_at | 16448 g at | 16938_at |
| 14626_s_at | 15107_s_at | 15576_s_at | 16024_at | 16453_s_at | 16942_at |
| 14630_s_at | 15118_s_at | 15577_s_at | 16031_at | 16457_s_at | 16949_s_at |
| 14637_s_at | 15127_s_at | 15578_s_at | 16055_s_at | 16470_s_at | 16950_s_at |
| 14640_s_at | 15130_s_at | 15581_s_at | 16059_s_at | 16481_s_at | 16952_s_at |
| 14642_f_at | 15132_s_at | 15583_s_at | 16065_s_at | 16510_at | 16962_s_at |
| 14650_s_at | 15133_s_at | 15591_s_at | 16066_s_at | 16512 s at | 16965_s_at |
| 14654_s_at | 15139_s_at | 15595_s_at | 16069_s_at | 16514_at | 16970_s_at |
| 14667_s_at | 15143_s_at | 15602_f_at | 16074_s_at | 16516_at | 16977 at |
| 14668_s_at | 15146_s_at | 15606_s_at | 16076_s_at | 16523_s_at | 16984_at |
| 14669_s_at | 15150_s_at | 15608_s_at | 16077_s_at | 16526 at | 16989_at |
| 14672_s_at | 15161_s_at | 15616_s_at | 16084_s_at | 16528 at | 16993_at |
| 14673_s_at | 15162_s_at | 15618_s_at | 16089_s_at | 16531_s_at | 16997 at |
| 14675_s_at | 15167_s_at | 15620_s_at | 16102 s at | 16535 s at | 17000_at |
| 14679_s_at | 15170_s_at | 15627_s_at | 16103 s at | 16537_s_at | 17005_at |
| 14681_g_at | 15171_s_at | 15634_s_at | 16105_s_at | 16543 s at | 17010_s_at |
| 14682_i_at | 15178_s_at | 15637_s_at | 16108_s_at | 16544_s_at | 17017_s_at |
| 14689_at | 15182_s_at | 15642_s_at | 16112_s_at | 16550_s_at | 17031_s_at |
| 14701_s_at | 15185_s_at | 15643_s_at | 16117_s_at | 16559_s_at | 17040_s_at |
| 14703_at | 15188_s_at | 15646_s_at | 16118_s_at | 16567_s_at | 17053_s_at |
| 14712_s_at | 15193 s at | 15651 f at | 16125_s_at | 16577_s_at | 17056_s_at |
| 14713_s_at | 15196_s_at | 15652_s_at | 16127_s_at | 16579_s_at | 17063_s_at |
| 14715_s_at | 15201_f_at | 15667 s at | 16134_s_at | 16580 s at | 17070_s_at |
| 14734_s_at | 15206_s_at | 15668_s_at | 16136_s_at | 16583_s_at | 17074 s at |
| 14781_at | 15207_s_at | 15670_s_at | 16138_s_at | 16584_s_at | 17084 s at |
| 14800_at | 15213_s_at | 15671_s_at | 16140_s_at | 16593_s_at | 17085 s_at |
| 14856_s_at | 15243_at | 15675_s_at | 16143_s_at | 16598_s_at | 17087_s_at |
| 14882_at | 15256_at | 15679_s_at | 16144_s_at | 16603_s_at | 17092_s_at |
| 14908_at | 15348_at | 15685_s_at | 16145 s at | 16604_s_at | 17095_s_at |
| 14912_at | 15350_at | 15688_s_at | 16148_s_at | 16611_s_at | 17096_s_at |
| 14914_at | 15372_at | 15689_s_at | 16151_s_at | 16614_s_at | 17097_s_at |
| 14924_at | 15383_at | 15692_s_at | 16158_f_at | 16617 s at | 17103_s_at |
| 14942_at | 15384_at | 15775_at | 16160_f_at | 16618_s_at | 17105_s_at |
| 14945_at | 15385_at | 15776_at | 16168_s_at | 16620_s_at | 17110_s_at |
| 14955_at | 15387_at | 15845_at | 16169_s_at | 16631_s_at | 17115_s_at |
| 14957_s_at | 15406_at | 15848_at | 16171_s_at | 16634 s at | 17116_s_at |
| 14974_at | 15423_at | 15858_at | 16172 s_at | 16639_s_at | 17119_s_at |
| 14980_at | 15431 at | 15866 s at | 16222 at | 16640_s_at | 17122_s_at |
| 14981_at | 15464_at | 15894_at | 16232_s_at | 16652_s_at | 17207_at |
| 14995_at | 15468_at | 15900 at | 16242_at | 16654_at | 17215_at |
| 15009_at | 15471_at | 15901_at | 16288_at | 16777_at | 17247_at |
| 15018_at | | 15902 at | 16294_s_at | 16784_at | 17254_at |
| 15024_at | 15485_at | 15913_at | 16325_at | 16811_at | 17286_at |
| 15026_at | 15505_at | 15928_at | 16346_s_at | 16893_at | 17288_s_at |
| | | | | | |

158
TABLE 6 (cont): 2X DOWN COLD, ONLY

| 17303 s at 17916 at 18339 at 18844 at 19401 at 19903 at 17305 at 17917 s at 18402 at 19905 at 17318 at 17918 at 18402 at 1865 s at 18865 at 19402 at 19905 at 17323 at 17926 s at 18439 s at 18880 at 19413 at 19907 at 17374 at 17955 at 18487 at 18883 g at 19416 at 19910 at 17405 at 17961 at 18508 s at 18886 at 19429 at 19920 s at 17415 at 17961 at 18508 s at 18886 at 19429 at 19920 s at 17418 at 17966 at 18543 at 18909 s at 19439 at 19920 s at 17420 at 17978 s at 1852 at 18911 at 19428 s at 19922 at 17423 s at 17986 s at 18567 at 18913 s at 19454 at 19962 at 17426 at 17993 at 18507 at 18501 at 18521 at 18913 s at 19454 at 19963 at 17427 at 17998 s at 18580 at 18921 g at 19464 at 19970 s at 17430 g at 18003 at 18581 at 18950 at 18921 g at 19464 at 19970 s at 17431 at 18005 at 18584 at 18951 s at 19464 at 19970 s at 17449 s at 18032 s at 18592 s at 18951 s at 19464 at 19970 s at 17449 s at 18032 s at 18591 at 18966 at 19483 at 19990 at 17449 s at 18032 s at 18591 at 18966 at 19483 at 19990 s at 17449 s at 18032 s at 18591 at 18967 s at 18954 at 18994 at 19990 s at 17495 s at 18032 s at 18601 s at 18903 s at 18904 at 19903 at 17495 s at 18046 s at 18045 | 17292_at | 17910_at | 18337 s at | 18823_s_at | 19382_at | 19897 s at |
|--|---------------------|--------------|---------------|---------------|-------------------|------------|
| 17305_at 17917_s_at 18365_s_at 18869_at 19402_at 19906_at 19906_at 17323_at 17926_s_at 18487_at 18880_at 19413_at 19900_at 17347_at 17935_at 18887_at 18880_at 19413_at 19900_at 17405_at 17956_at 1850s_sat 18886_at 19429_at 19920_sat 17415_at 17966_at 1850s_sat 18886_at 19439_at 19920_sat 17420_at 17978_sat 18552_at 18909_sat 19439_at 19960_at 17423_sat 17986_sat 18552_at 18911_sat 19448_sat 19960_at 17423_sat 17993_at 18573_at 18916_sat 19448_sat 19960_at 17427_at 17998_sat 18680_at 18913_sat 19460_at 19970_sat 17430_sat 18005_at 18680_at 18951_sat 19460_at 19970_sat 17430_sat 18005_at 18681_at 18950_at 19483_at 19970_sat 17430_sat 18065_at | | | | | | |
| 17318 at 17918 at 18402 at 18864 at 19406 at 19906 at 17323 at 17926 s at 18439 s at 18883 g at 19416 at 19907 at 17374 at 17935 at 18487 at 18883 g at 19416 at 19900 at 17405 at 17966 i at 18508 s at 18883 g at 19429 at 19920 s at 17415 at 17966 at 18543 at 18909 s at 19439 at 19932 at 17420 at 17978 s at 18552 at 18913 s at 19448 s at 19963 at 17422 at 17998 s at 18573 at 18916 s at 19462 s at 19963 at 17427 at 17998 s at 18580 at 18921 g at 19462 at 19972 s at 17431 at 18003 at 18580 at 18915 s at 19469 at 19972 s at 17432 p at 18030 i at 18587 s at 18966 at 19483 at 19991 s at 17431 at 18003 i at 18587 s at 18951 s at 19483 at 19990 s at 17449 s at 1802 j at | | _ | | | — | |
| 17323_at 17926_s_at 18439_s_at 18880_at 19413_at 19907_at 17374_at 17935_at 18487_at 18883_g_at 19416_at 19910_at 17405_at 17956_i_at 18508_s_at 18886_at 19429_at 19920_s_at 17415_at 17966_at 18512_at 18892_s_at 19439_at 19951_at 17420_at 17978_s_at 18552_at 18911_at 19448_s_at 19960_at 17423_s_at 17998_s_at 18567_at 18913_s_at 19454_at 19960_at 17427_at 17998_s_at 18560_at 18911_s_at 19462_s_at 19960_at 17427_at 17998_s_at 18561_at 18913_s_at 19462_s_at 19960_at 17427_at 18005_at 18581_at 18951_s_at 19469_at 19970_s_at 17439_g_at 18005_at 18587_s_at 18966_at 19483_at 19990_at 17442_i_at 18015_s_at 18591_s_at 18966_at 1948_s_at 19990_at 17462_s_at 18045_at | | | | _ | | |
| 17374_at 17935_at 18487_at 18888_at 19416_at 19910_at 17405_at 17966_at 18508_sat 18886_at 19429_at 19920_sat 17415_at 17966_at 18543_at 18892_s.at 19439_at 19951_at 17420_at 17978_sat 18552_at 18911_at 19439_at 19962_at 17426_at 17993_at 18567_at 18913_s.at 19454_at 19960_at 17427_at 17998_sat 18567_at 18916_sat 19462_sat 19960_at 17430_sat 18003_at 18581_at 18950_at 19469_at 19970_sat 17431_at 18005_at 18584_at 18951_sat 19483_at 19970_sat 17443_at 18005_at 18584_at 18951_sat 19484_sat 19990_at 17444_sat 18013_rat 18587_sat 18951_sat 19484_sat 19990_at 17445_sat 18029_gat 18592_sat 18962_at 19663_at 19990_sat 17465_sat 18046_sat 18601_sat | | | | | | |
| 17405_at 17956_i_at 18508_s_at 18886_at 19429_at 19920_s_at 17415_at 17961_at 18512_at 18892_s_at 19432_s_at 19932_at 17420_at 17978_s_at 18552_at 18901_at 19448_s_at 19952_at 17426_at 17998_s_at 18567_at 18911_at 19448_s_at 19962_at 17427_at 17998_s_at 1857_at 18916_at 19448_s_at 19962_at 17437_at 17998_s_at 18580_at 18921_g_at 19464_at 19970_s_at 17437_at 18005_at 18580_at 18950_at 19464_at 19970_s_at 17431_at 18006_at 18581_at 18950_at 19464_at 19970_s_at 17439_at 18001_s_at 18587_s_at 18956_at 19464_at 19970_s_at 17449_s_at 18003_it 18587_s_at 18956_at 19448_s_at 19990_at 17449_s_at 18030_it 18592_s_at 18966_at 19513_at 19999_s_at 17465_at 18045_s_at | | | | _ | | |
| 17415_at 17961_at 18512_at 18892_sat 19432_sat 19932_at 17418_s_at 17966_at 18543_at 18909_sat 19439_at 19952_at 17420_at 17978_sat 18552_at 18911_at 19448_sat 19962_at 17427_at 17998_sat 18567_at 18913_sat 19464_at 19969_at 17427_at 17998_sat 18560_at 18910_sat 19464_at 19970_sat 17430_sat 18005_at 18581_at 18950_at 19469_at 19972_at 17433_gat 18005_at 18587_sat 18956_at 19469_at 19972_at 17443_st 18005_at 18587_sat 18956_at 19489_sat 19990_at 17449_sat 18003_sat 18590_at 18966_at 19489_sat 19990_st 17449_sat 18023_sat 18600_sat 18690_at 19972_at 19563_sat 20001_sat 17465_at 18046_sat 18601_sat 19030_at 19567_at 20010_sat 17479_sat 18046_sat | | | — | | | |
| 17418 s at 17966 at 18543 at 18909 s at 19439 at 19951 at 17420 at 17978 s at 18552 at 18867 at 18811 at 19448 s at 19962 at 17426 at 17993 at 18573 at 18916 s at 19462 s at 19969 at 17427 at 17998 s at 18580 at 18591 at 19462 s at 19970 s at 17430 s at 18003 at 18581 at 18950 at 19462 s at 19970 s at 17431 at 18005 at 18584 at 18951 s at 19462 s at 19970 s at 17431 at 18005 at 18587 s at 18951 s at 19483 at 19990 at 17442 i at 18013 r at 18590 at 18956 at 19484 s at 19990 at 17442 i at 18013 r at 18590 at 18966 at 19484 s at 19990 at 17449 at 18029 g at 18591 at 18976 at 19563 s at 19990 at 17475 at 18046 s at 18601 s at 19030 at 19563 s at 20007 at 17479 at | _ | | | | | |
| 17420_at 17978_s_at 18552_at 18911_at 19448_s_at 19962_at 17423_s_at 17996_s_at 18567_at 18913_s_at 19464_at 19963_at 17426_at 17998_s_at 18568_at 18916_s_at 19462_s_at 19969_at 17427_at 17998_s_at 18580_at 18921_g_at 19464_at 19972_st 17430_s_at 18005_at 18581_at 18950_at 19469_at 19972_at 17439_g_at 18005_at 18587_s_at 18956_at 19484_s_at 19990_at 17442_i_at 18013_r_at 18590_at 18966_at 19513_at 19990_at 17442_s_at 18023_s_at 18590_at 18966_at 19513_at 19990_at 17463_at 18029_g_at 18590_s_at 18966_at 19513_at 19996_at 17463_s_t 18029_g_at 18590_s_at 18966_at 19563_s_at 19999_s_at 17463_s_t 18045_at 18601_s_at 19039_at 19567_at 20013_at 17479_at 18045_s_at | | | | | | |
| 17423 s at 17986 s at 18567 at 18913 s at 19454 at 19963 at 17426 at 17993 s at 18573 at 18916 s at 19462 s at 19969 at 17427 at 17998 s at 18580 at 18921 g at 19462 s at 19970 s at 17430 s at 18003 at 18581 at 18950 at 19469 at 19972 st 17431 at 18005 at 18587 s at 18956 at 19483 at 19990 at 17442 i at 18010 s at 18587 s at 18956 at 19484 s at 19990 at 17442 i at 18013 r at 18590 s at 18956 at 19484 s at 19999 s at 17449 s at 18023 s at 18591 at 18966 at 19548 at 19999 s at 17465 at 18030 j at 18600 s at 18992 s at 18992 s at 18992 s at 19930 at 19563 s at 20001 s at 17475 at 18046 s at 18607 s at 19030 at 19563 s at 20013 at 17479 at 18059 j at 18610 s at 1913 at 19660 at | | | - | | | |
| 17426_at 17993_at 18573_at 18916_s_at 19462_s_at 19960_at 17427_at 17998_s_at 18580_at 18921_g_at 19464_at 19970_s_at 17430_s_at 18003_at 18584_at 18950_at 19469_at 19972_st 17431_at 18005_at 18584_at 18950_at 19483_at 19992_at 17442_iat 18013_r_at 18587_s_at 18956_at 19484_s_at 19990_at 17449_st 18003_s_at 18591_at 18972_at 19563_s_at 19990_at 17462_s_at 18029_g_at 18592_s_at 18994_at 19563_s_at 20009_s_at 17465_at 18030_i_at 18600_s_at 19039_at 19563_s_at 20013_at 17465_at 18045_at 18600_s_at 19039_at 19563_s_at 20013_at 17479_at 18059_i_at 18610_s_at 19039_at 19563_s_at 20018_at 17523_s_at 18064_r_at 18611_st 19118_at 19606_at 20024_s_s_at 17529_s_at 18074_at | _ | | | | | |
| 17427_at 17998_s_at 18580_at 18921_g_at 19464_at 19970_s_at 17430_s_at 18003_at 18581_at 18960_at 19469_at 19972_at 17431_at 18005_at 18584_at 18951_s_at 19483_at 19981_at 17439_g_at 18010_s_at 18587_s_at 18966_at 19484_s_at 19990_at 17442_i_at 18013_r_at 18590_at 18966_at 19513_at 19990_at 17442_s_at 18023_s_at 18590_at 18966_at 19513_at 19996_at 17442_s_at 18029_g_at 18592_s_at 18994_at 19563_s_at 19999_s_at 17462_s_at 18029_g_at 18590_s_at 1903_at 19563_s_at 200013_at 17465_at 18046_s_at 18600_s_at 1903_at 19581_at 20017_at 17475_s_at 18046_s_at 18601_s_at 1903_at 19581_at 20017_at 17475_at 18066_s_at 18601_s_at 1910_s_at 1966_at 20024_s_at 1749_s_at 18065_r_at <td></td> <td></td> <td> .</td> <td></td> <td> </td> <td></td> | | | . | | | |
| 17430_s_at 18003_at 18581_at 18950_at 19469_at 19972_at 17431_at 18005_at 18584_at 18951_s_at 19483_at 19981_at 17430_g_at 18010_s_at 18587_s_at 18956_at 19484_s_at 19990_at 17449_s_at 18010_s_at 18580_s_at 18966_at 19484_s_at 19990_g_at 17449_s_at 18023_s_at 18590_st 18966_at 19548_at 19999_s_at 17463_at 18029_g_at 18592_s_at 18994_at 19563_s_at 20009_s_at 17465_at 18046_s_at 18600_s_at 19030_at 19563_s_at 20009_s_at 17479_at 18046_s_at 18601_s_at 1908a_t 19595_s_at 20018_at 17479_at 18059_i_at 18610_s_at 19108_at 19566_at 20024_s_at 1749_s_s_at 18064_r_at 18610_s_at 19108_at 1966_at 20024_s_at 1749_s_s_at 18064_r_at 18610_s_at 19118_s_at 1966_at 20044_at 1755_s_at | | - | | | | |
| 17431_at 18005_at 18584_at 18951_s_at 19483_at 19981_at 17439_g_at 18010_s_at 18587_s_at 18966_at 19484_s_at 19990_at 17442_i_at 18013_r_at 18590_at 18966_at 19513_at 19996_at 17449_s_at 18023_s_at 18591_st 18972_at 19548_at 19999_s_at 17462_s_at 18029_g_at 18592_s_at 18994_at 19563_s_at 20009_s_at 17465_at 18030_i_at 18600_s_at 19030_at 19567_at 20013_at 17475_at 18045_at 18601_s_at 19039_at 19567_at 20013_at 17479_at 18059_i_at 18601_s_at 19108_at 19606_at 20024_s_at 17479_at 18065_rat 18610_s_at 19115_s_at 19623_at 20044_s_at 17508_s_at 18075_s_at 18628_at 19117_s_at 19627_s_at 20044_s_at 17523_s_at 18076_s_at 18628_at 19125_s_at 19636_at 20044_at 17533_s_at 18078 | | | - | | | |
| 17439 g at 18010 s at 18587 s at 18956 at 19484 s at 19990 at 17442 i at 18013 s at 18590 at 18966 at 19513 at 19990 s at 17449 s at 18023 s at 18591 at 18972 at 19543 at 19999 s at 17463 at 18020 g at 18592 s at 18994 at 19563 s at 20009 s at 17465 at 18045 at 18600 s at 19030 at 19567 at 20017 at 17475 at 18045 at 18601 s at 19039 at 19581 at 20017 at 17479 at 18059 i at 18610 s at 19008 at 19595 s at 20018 at 17508 s at 18065 r at 18610 s at 19108 at 19606 at 20024 s at 17508 s at 18065 r at 18610 s at 19117 s at 19623 at 20045 at 17523 s at 18076 s at 18628 at 1912 s at 19623 at 20045 at 17537 s at 18077 at 18638 at 1912 s at 19652 at 20051 at 17537 s at 18081 at | | | | | | |
| 17442_iat 18013_rat 18590_at 18966_at 19513_at 19996_at 17449_sat 18023_sat 18591_at 18972_at 19548_at 19999_sat 17462_sat 18029_gat 18592_sat 18994_at 19563_sat 20009_sat 17465_at 18030_iat 18600_st 19030_at 19567_at 20013_at 17465_at 18046_sat 18601_sat 19030_at 19581_at 20017_at 17475_at 18046_sat 18601_sat 19030_at 19595_sat 20018_at 17479_at 18059_iat 18610_sat 19108_at 19606_at 20024_sat 17495_sat 18065_rat 18611_at 19115_sat 19623_at 20045_at 17528_sat 18074_at 18622_gat 19122_at 19636_at 20045_at 17529_sat 18077_at 18631_at 19125_sat 19641_at 20050_at 17539_sat 18078_at 18636_at 19135_at 19652_at 20051_at 17555_sat 18085_rat 18667_at | | – | | | | |
| 17449_s_at 18023_s_at 18591_at 18972_at 19548_at 19999_s_at 17462_s_at 18039_g_at 18590_s_at 18994_at 19563_s_at 20009_s_at 17463_at 18030_i_at 18600_s_at 19030_at 19563_s_at 20013_at 17475_at 18046_s_at 18601_s_at 19039_at 19581_at 20017_at 17479_at 18059_i_at 18600_s_at 19088_i_at 19595_s_at 20018_at 17479_at 18059_i_at 18610_s_at 19108_at 19606_at 20024_s_at 17508_s_at 18064_r_at 18616_at 19115_at 19623_at 20045_at 17528_s_at 18074_at 18622_g_at 1912_at 19623_at 20047_at 17529_s_at 18074_at 18638_at 1912_at 19636_at 20047_at 17529_s_at 18074_at 18638_at 1912_at 19655_at 20051_at 17529_s_at 18074_at 18638_at 1912_at 19655_at 20051_at 17539_s_at 18083_r_at | | | | | | |
| 17462_s_at 18029_g_at 18592_s_at 18994_at 19563_s_at 20009_s_at 17463_at 18030_i_at 18600_s_at 19030_at 19567_at 20013_at 17465_at 18046_s_at 18601_s_at 19039_at 19581_at 20017_at 17475_at 18046_s_at 18601_s_at 19039_at 19585_s_at 20018_at 17479_at 18059_i_at 18661_s_at 19008_i_at 19565_s_at 20018_s_t 17495_s_at 18064_r_at 18611_st 1910_at 19606_at 20024_s_at 17508_s_at 18064_r_at 18611_st 19117_s_at 19623_at 20047_at 17523_s_at 18076_s_at 18628_at 1912_at 19636_at 20047_at 17529_s_at 18077_at 18631_at 1912_at 19636_at 20050_at 17537_s_at 18078_at 18636_at 1912_s_at 19655_at 20058_at 17539_s_at 18081_at 18638_at 1914_at 19655_at 20067_at 17557_s_at 18081_rat | | | | | . | _ |
| 17463_at 18030_i_at 18600_at 19030_at 19567_at 20013_at 17465_at 18045_at 18601_s_at 19039_at 19581_at 20017_at 17479_at 18059_i_at 18601_s_at 19068_i_at 19595_s_at 20018_at 17479_at 18059_i_at 18610_s_at 19108_at 19606_at 20024_s_at 17508_s_at 18064_r_at 18611_at 19115_at 19627_s_at 20047_at 17508_s_at 18065_r_at 18616_at 19117_s_at 19627_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19125_s_at 19627_s_at 20047_at 17529_s_at 18076_s_at 18631_at 19125_s_at 19652_at 20048_at 17529_s_at 18078_at 18636_at 19125_s_at 19652_at 20051_at 17537_s_at 18078_at 18638_at 19127_at 19652_at 20059_at 17537_s_at 18081_at 18652_at 19157_s_at 19660_at 20069_at 17557_s_at 18091_at | | | | | | |
| 17465_at 18045_at 18601_s_at 19039_at 19581_at 20017_at 17475_at 18046_s_at 18607_s_at 19068_i_at 19595_s_at 20018_at 17479_at 18059_i_at 18610_s_at 19108_at 19606_at 20024_s_at 1759S_s_at 18065_r_at 18616_at 19117_s_at 19623_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17523_s_at 18076_s_at 18628_at 19122_at 19636_at 20048_at 17523_s_at 18077_at 18631_at 19127_at 19655_at 20050_at 17529_s_at 18077_at 18631_at 19127_at 19655_at 20050_at 17529_s_at 18077_at 18631_at 19127_at 19655_at 20051_at 17539_s_at 18081_at 18638_at 19147_at 19655_at 20050_at 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20067_at 17555_s_at 18081_at <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | | | | | |
| 17475_at 18046_s_at 18607_s_at 19068_i_at 19595_s_at 20024_s_at 17479_at 18059_i_at 18610_s_at 19108_at 19606_at 20024_s_at 17495_s_at 18064_r_at 18611_at 19115_at 19623_at 20045_at 17508_s_at 18065_r_at 18616_at 19117_s_at 19627_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17523_s_at 18077_at 18631_at 19125_s_at 19641_at 20050_at 17529_s_at 18078_at 18636_at 19135_at 19655_at 20051_at 17537_s_at 18081_at 18636_at 19135_at 19652_at 20050_at 17543_s_at 18081_at 18636_at 19135_at 19652_at 20067_at 17543_s_at 18081_at 18636_at 19135_at 19652_at 20067_at 17555_s_at 18085_r_at 18667_at 19157_s_at 19660_at 20009_at 17556_s_at 18154_s_at | | | | | | |
| 17479_at 18059_i_at 18610_s_at 19108_at 19606_at 20024_s_at 17495_s_at 18064_r_at 18611_at 19115_at 19623_at 20045_at 17508_s_at 18065_r_at 18616_at 19117_s_at 19627_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17523_s_at 18076_s_at 18628_at 19125_s_at 19641_at 20050_at 17537_s_at 18078_at 18636_at 19125_s_at 19652_at 20051_at 17537_s_at 18081_at 18636_at 19135_at 19655_at 20051_at 17539_s_at 18081_at 18636_at 19135_at 19658_at 20057_at 17543_s_at 18081_at 18636_at 19144_at 19658_at 20067_at 17557_s_at 18085_r_at 18657_at 19157_s_at 19660_at 20069_at 17560_s_at 18045_s_at 18667_at 19177_at 19660_s_at 20100_at 17565_s_at 18165_at | | _ | | | _ | _ |
| 17495_s_at 18064_r_at 18611_at 19115_at 19623_at 20045_at 17508_s_at 18065_r_at 18616_at 19117_s_at 19627_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17529_s_at 18076_s_at 18628_at 19125_s_at 19641_at 20050_at 17529_s_at 18077_at 18631_at 19127_at 19652_at 20051_at 17537_s_at 18078_at 18636_at 19135_at 19655_at 20058_at 17537_s_at 18081_at 18636_at 19135_at 19655_at 20067_at 17539_s_at 18083_r_at 18652_at 19145_at 19660_at 20069_at 17557_s_at 18085_r_at 18657_at 19158_at 19660_at 20069_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at | | | | | | |
| 17508_s_at 18065at 18616_at 19117_s_at 19627_s_at 20047_at 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17523_s_at 18076_s_at 18628_at 19125_s_at 19641_at 20050_at 17529_s_at 18078_at 18636_at 19125_s_at 19652_at 20051_at 17537_s_at 18078_at 18636_at 19135_at 19652_at 20058_at 17537_s_at 18081_at 18638_at 19144_at 19658_at 20069_at 17539_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17543_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20069_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18667_at 19177_at 19669_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19699_s_at 20113_s_at 17570_g_at 18226_s_at | - | | | - | | |
| 17522_s_at 18074_at 18622_g_at 19122_at 19636_at 20048_at 17523_s_at 18076_s_at 18628_at 19125_s_at 19641_at 20050_at 17529_s_at 18077_at 18631_at 19127_at 19652_at 20051_at 17537_s_at 18078_at 18636_at 19135_at 19655_at 20058_at 17537_s_at 18081_at 18638_at 19144_at 19658_at 20067_at 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19157_s_at 19660_at 20069_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18667_at 19172_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_s_at 20113_s_at 17565_s_at 18165_at 18688_s_at 19222_at 19777_at 20123_at 17570_g_at 18226_s_at | | | _ | _ | | |
| 17523_s_at 18076_s_at 18628_at 19125_s_at 19641_at 20050_at 17529_s_at 18077_at 18631_at 19127_at 19652_at 20051_at 17537_s_at 18078_at 18636_at 19135_at 19655_at 20058_at 17539_s_at 18081_at 18638_at 19144_at 19658_at 20067_at 17543_s_at 18083_r_at 18657_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19157_s_at 19660_at 20099_at 17557_s_at 18085_r_at 18657_at 19177_at 19665_s_at 20100_at 17560_s_at 18154_s_at 18667_at 19177_at 19667_at 20100_at 17564_s_at 18165_at 18684_at 19192_at 19690_s_at 20113_s_at 17568_s_t 18174_at 18686_s_at 1922_at 19717_at 20127_s_at 17579_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20152_at 17579_s_at 18237_at | | | | | | |
| 17529_s_at 18077_at 18631_at 19127_at 19652_at 20051_at 17537_s_at 18078_at 18636_at 19135_at 19655_at 20058_at 17539_s_at 18081_at 18638_at 19144_at 19658_at 20067_at 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20099_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18667_at 19192_at 19669_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19690_s_at 20113_s_at 17564_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19717_at 20127_s_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20132_at 17577_g_at 18236_at | 17522_s_at | _ | | | _ | _ |
| 17537_s_at 18078_at 18636_at 19135_at 19655_at 20058_at 17539_s_at 18081_at 18638_at 19144_at 19658_at 20067_at 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20099_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19690_s_at 20123_at 17568_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17570_g_at 18226_s_at 18698_s_at 19222_at 19776_s_at 20129_at 17577_g_at 18237_at 18698_s_at 19230_at 19759_at 20152_at 17579_s_at 18257_at 18706_s_at 19232_s_at 19789_s_at 20173_at 17579_s_at 18255_at | 17523_s_at | 18076_s_at | 18628_at | 19125_s_at | 19641_at | 20050_at |
| 17539_s_at 18081_at 18638_at 19144_at 19658_at 20067_at 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20099_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19717_at 20127_s_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20129_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17578_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20152_at 17579_s_at 18255_at | 17529_s_at | 18077_at | 18631_at | 19127_at | 19652_at | 20051_at |
| 17543_s_at 18083_r_at 18652_at 19157_s_at 19660_at 20069_at 17555_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20099_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19717_at 20127_s_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20129_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17578_at 18237_at 18706_s_at 19232_s_at 19782_at 20152_at 17579_s_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17585_s_at 18257_at | 17537_s_at | 18078_at | 18636_at | _ | 19655 <u>.</u> at | 20058_at |
| 17555_s_at 18085_r_at 18657_at 19158_at 19665_s_at 20099_at 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19772_s_at 20127_s_at 17570_g_at 18226_s_at 18698_s_at 19227_at 19752_s_at 20129_at 17577_g_at 18237_at 18698_s_at 19230_at 19759_at 20152_at 17578_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20152_at 17578_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20154_at 17578_s_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17585_s_at 18258_s_at </td <td>17539_s_at</td> <td>18081_at</td> <td>18638_at</td> <td>19144_at</td> <td>19658_at</td> <td>20067_at</td> | 17539_s_at | 18081_at | 18638_at | 19144_at | 19658_at | 20067_at |
| 17557_s_at 18091_at 18667_at 19177_at 19667_at 20100_at 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19772_at 20127_s_at 17570_g_at 18226_s_at 18698_s_at 19227_at 19752_s_at 20129_at 17577_g_at 18237_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19230_s_at 19759_at 20152_at 17578_at 18237_at 18706_s_at 19230_s_at 19782_at 20154_at 17579_s_at 18255_at 18706_s_at 19285_at 19789_s_at 20173_s_at 17596_s_at 18258_s_at 18727_at 19332_at 19803_s_at 20178_s_at 17600_s_at 18274_s_at | 17543 _ s_at | 18083_r_at | 18652_at | 19157_s_at | 19660_at | 20069_at |
| 17560_s_at 18154_s_at 18675_at 19192_at 19690_s_at 20113_s_at 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19222_at 19726_s_at 20129_at 17570_g_at 18226_s_at 18698_s_at 19227_at 19752_s_at 20133_i_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18255_at 18707_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18254_s_at 18727_at 19332_at 19803_s_at 20178_s_at 17596_at 18274_s_at 18735_s_at 19347_at 19833_s_at 20188_at 17800_s_at 18278_at | 17555_s_at | 18085_r_at | 18657_at | 19158_at | 19665_s_at | 20099_at |
| 17564_s_at 18165_at 18684_at 19198_at 19695_at 20123_at 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19226_g_at 19726_s_at 20129_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20133_i_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18735_s_at 19346_at 19831_i_at 20188_at 17600_s_at 18278_at 18735_s_at 19347_at 19833_s_at 20189_at 17840_s_at 18283_at 18736_at 19363_at 19841_at 20210_g_at | | 18091_at | | 19177_at | 19667_at | 20100_at |
| 17565_s_at 18174_at 18686_s_at 19222_at 19717_at 20127_s_at 17568_at 18221_at 18688_s_at 19226_g_at 19726_s_at 20129_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20133_i_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19782_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17840_s_at 18283_at 18736_at 19361_s_at 19834_at 20197_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at | 17560_s_at | 18154_s_at | | 19192_at | | 20113_s_at |
| 17568_at 18221_at 18688_s_at 19226_g_at 19726_s_at 20129_at 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20133_i_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19789_s_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17840_s_at 18283_at 18736_at 19361_s_at 19834_at 20197_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20213_s_at | 17564_s_at | | 18684_at | | 19695_at | 20123_at |
| 17570_g_at 18226_s_at 18693_s_at 19227_at 19752_s_at 20133_i_at 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19782_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18782_at 19365_s_at 19870_s_at 20213_at < | 17565_s_at | 18174_at | 18686_s_at | 19222_at | 19717_at | |
| 17573_at 18230_at 18698_s_at 19230_at 19759_at 20152_at 17577_g_at 18237_at 18706_s_at 19232_s_at 19782_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19365_s_at 19870_s_at 20213_at 17865_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885 | 17568_at | 18221_at | 18688_s_at | 19226_g_at | | 20129_at |
| 17577_g_at 18237_at 18706_s_at 19232_s_at 19782_at 20154_at 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_iat 19346_at 19831_iat 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17857_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | | 18226_s_at | 18693_s_at | 19227_at | 19752_s_at | |
| 17578_at 18255_at 18707_at 19263_at 19789_s_at 20173_at 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19870_s_at 20213_at 17865_at 18299_s_at 18782_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17573_at | 18230_at | 18698_s_at | 19230_at | 19759_at | 20152_at |
| 17579_s_at 18257_at 18726_s_at 19285_at 19803_s_at 20178_s_at 17585_s_at 18258_s_at 18727_at 19332_at 19828_at 20183_at 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19373_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19379_at 19872_at 20255_at | 17577 <u>g</u> _at | 18237_at | 18706_s_at | 19232_s_at | 19782_at | 20154_at |
| 17585 s at 18258 s at 18727 at 19332 at 19828 at 20183 at 17596 at 18274 s at 18732 i at 19346 at 19831 i at 20188 at 17600 s at 18275 at 18735 s at 19347 at 19833 s at 20189 at 17823 s at 18278 at 18736 at 19361 s at 19834 at 20197 at 17840 s at 18283 at 18738 f at 19362 at 19835 at 20200 at 17849 s at 18290 at 18747 f at 19363 at 19841 at 20210 g at 17857 at 18291 at 18754 at 19364 at 19867 at 20213 at 17865 at 18299 s at 18782 at 19373 at 19870 s at 20232 s at 17885 at 18306 at 18806 s at 19379 at 19872 at 20255 at | 17578_at | 18255_at | 18707_at | 19263_at | 19789_s_at | 20173_at |
| 17596_at 18274_s_at 18732_i_at 19346_at 19831_i_at 20188_at 17600_s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17579_s_at | 18257_at | 18726_s_at | 19285_at | 19803_s_at | 20178_s_at |
| 17600 s_at 18275_at 18735_s_at 19347_at 19833_s_at 20189_at 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17585_s_at | 18258_s_at | 18727_at | 19332_at | 19828_at | 20183_at |
| 17823_s_at 18278_at 18736_at 19361_s_at 19834_at 20197_at 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17596_at | 18274_s_at | 18732_i_at | 19346_at | 19831_i_at | 20188_at |
| 17840_s_at 18283_at 18738_f_at 19362_at 19835_at 20200_at 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17600_s_at | 18275_at | 18735_s_at | 19347_at | 19833_s_at | 20189_at |
| 17849_s_at 18290_at 18747_f_at 19363_at 19841_at 20210_g_at 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17823_s_at | 18278_at | 18736_at | 19361_s_at | 19834_at | 20197_at |
| 17857_at 18291_at 18754_at 19364_at 19867_at 20213_at 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17840_s_at | 18283_at | 18738_f_at | 19362_at | 19835_at | 20200_at |
| 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17849_s_at | 18290_at | | | | 20210_g_at |
| 17865_at 18299_s_at 18782_at 19365_s_at 19870_s_at 20229_at 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17857_at | 18291_at | 18754_at | 19364_at | | 20213_at |
| 17882_at 18300_at 18789_at 19373_at 19871_at 20232_s_at 17885_at 18306_at 18806_s_at 19379_at 19872_at 20255_at | 17865_at | 18299_s_at | 18782_at | | 19870_s_at | 20229_at |
| | 17882_at | 18300_at | 18789_at | | 19871_at | 20232_s_at |
| 17902_s_at 18327_s_at 18814_at 19381_at 19876_at 20278_s_at | | 18306_at | 18806_s_at | 19379_at | 19872_at | 20255_at |
| | 17902_s_at | 18327_s_at | 18814_at | 19381_at | 19876_at | 20278_s_at |

159
TABLE 6 (cont): 2X DOWN COLD, ONLY

20284 at 20693 at 20288_g_at 20701_s_at 20294_at 20704_at 20312 s at 20707_s_at 20331_at 20719_at 20335 s at 20350_s_at 20354 s at 20355 at 20369_s_at 20378_g_at 20383 at 20385_s_at 20387_at 20399_at 20409 g at 20420 at 20429_s_at 20439 at 20440_at 20444_at 20445_at 20449_at 20474_at 20480_s_at 20495_s_at 20499 at 20501_at 20516_at 20520_s_at 20530_s_at 20538_s_at 20547_at 20558_at 20561_at 20567_at 20571_at 20590 at 20592_at 20594 at 20608_s_at 20612_s_at 20616_at 20620_g_at 20635 s at 20637 at 20643_at 20654 s at 20670_at 20674_s_at 20684 at

20685_at 20689_s_at

160

TABLE 7
SALINE STRESS RESPONSIVE SEQUENCES

| | | ~ | | | |
|--------|--------------|--------|--------------|--------|----------------------|
| | FFYMETRIX | | FFYMETRIX | • | FFYMETRIX |
| ID NO: | ID NO: | ID NO: | ID NO: | ID NO: | ID NO: |
| 2227 | 12011_S_AT | 2275 | 13993_S_AT | 2324 | 15965_AT |
| 2228 | 12153_AT | 2276 | 14000 AT | 2325 | 15969 S AT |
| 2229 | 12180 AT | 2277 | 14003 AT | 2326 | 15975 S AT |
| 2230 | 12186_AT | 2278 | 14032_AT | 2327 | 15995 S AT |
| 2231 | 12216_AT | 2279 | 14043_AT | 2328 | 15998_S_AT |
| 2232 | 12265 AT | 2280 | 14070_AT | | 18090_S_AT |
| 2233 | 12335_AT | 2281 | 14267 AT | 2329 | 16028 AT |
| 2234 | 12449_S_AT | 2282 | 14269 AT | 2330 | 16050 AT |
| 2235 | 12470 AT | 2283 | 14418_AT | 2331 | 16060 S AT |
| 2236 | 12479 AT | 2284 | 14427 AT | 2332 | 16067 S AT |
| 2237 | 12487 AT | 2285 | 14501_AT | 2332 | 16072_S_AT |
| | | | _ | 2334 | 16088_F_AT |
| 2238 | 12493_G_AT | 2286 | 14544_AT | | 16273_AT |
| 2239 | 12562_AT | 2287 | 14546_S_AT | 2335 | |
| 2240 | 12685_AT | 2288 | 14570_AT | 2336 | 16314_AT |
| 2241 | 12704_F_AT | 2289 | 14596_AT | 2337 | 16413_S_AT |
| 2242 | 12709_F_AT | 2290 | 14729_S_AT | 2338 | 16414_AT |
| 2243 | 12734_F_AT | 2291 | 14874_AT | 2339 | 16426_AT |
| 2244 | 12739_S_AT | 2292 | 14888_AT | 2340 | 16436_AT |
| 2245 | 12750_S_AT | 2293 | 14951_AT | 2341 | 16455_AT |
| 2246 | 12761_S_AT | 2294 | 14952_AT | 2342 | 16502_AT |
| 2247 | 12813 AT | 2295 | 14959_AT | 2343 | 16548_S_AT |
| 2248 | 12845_S_AT | 2296 | 14979_AT | 2344 | 16568_S_AT |
| 2249 | 12946 AT | 2297 | 15006 AT | 2345 | 16582_S_AT |
| 2250 | 13003 S AT | 2298 | 15042_AT | 2346 | 16589_S_AT |
| 2251 | 13052_S_AT | 2299 | 15049_AT | 2347 | 16594_S_AT |
| 2252 | 13094_AT | 2300 | 15062_AT | 2348 | 16613_S_AT |
| 2253 | 13142 AT | 2301 | 15108 S AT | 2349 | 16651 S AT |
| 2254 | 13172_S_AT | 2302 | 15147 S AT | 2350 | 16668 AT |
| 223 1 | 17880_S_AT | 2303 | 15175 S AT | 2351 | 16820_AT |
| 2255 | 13198_I_AT | 2304 | 15176_S_AT | 2352 | 16987 S AT |
| 2256 | 13209_S_AT | 2305 | 15186_S_AT | 2353 | 16995 AT |
| 2230 | 16165_S_AT | 2505 | 18696 S AT | 2354 | 17039_S_AT |
| 2257 | | 2306 | 15192_S_AT | 2355 | 17273 AT |
| 2257 | 13229_S_AT . | | | 2356 | 17278_AT |
| 2258 | 13253_F_AT | 2307 | 15208_S_AT | 2357 | 17433 AT |
| 2259 | 13344_S_AT | 2308 | 15324_AT | 2358 | 17453_AT 17467_AT |
| 2260 | 13370_AT | 2309 | 15371_AT | | |
| 2261 | 13387_AT | 2310 | 15424_AT | 2359 | 17566_AT |
| 2262 | 13408_S_AT | 2311 | 15463_AT | 2360 | 17595_S_AT |
| 2263 | 13429_AT | 2312 | 15465_AT | 2361 | 17744_S_AT |
| 2264 | 13472_AT | 2313 | 15497_S_AT | 2362 | 17758_AT |
| 2265 | 13526_AT | 2314 | 15589_S_AT | 2363 | 17864_AT |
| 2266 | 13569_AT | 2315 | 15636_S_AT | 2364 | 17868_AT |
| 2267 | 13614_AT | 2316 | 15663_S_AT | 2365 | 17876_AT |
| 2268 | 13686_S_AT | 2317 | 15770_AT | 2366 | 17894_AT |
| 2269 | 13718_AT | 2318 | 15792_AT | 2367 | 17942_S_AT |
| 2270 | 13719_AT | 2319 | 15855_AT | 2368 | 18008_R_AT |
| 2271 | 13902 AT | 2320 | 15860 AT | 2369 | 18027_AT |
| 2272 | 13918_AT | 2321 | 15891_AT | 2370 | 18053_S_AT |
| 2273 | 13944 AT | 2322 | 15898 AT | 2371 | 18062_AT |
| 2274 | 13964 AT | 2323 | 15909 AT | 2372 | 18082_AT |
| | nam. | | _ | | |

161

| | | | IADLE / (|
|--------------|------------------------|------|-----------|
| 2373 | 18121_S_AT | 2426 | |
| 2374 | 18240_S_AT | 2427 | 20668_AT |
| 2375 | 18248_S_AT | | |
| 2376 | 18264_AT | | |
| 2377 | 18276_AT | | |
| 2378 | 18287_AT | | |
| 2379 | 18310_AT | | |
| 2380 | 18367_S_AT | | |
| 2381 | 18506_AT | | |
| 2382 | 18605_S_AT | | |
| 2383 | 18618_S_AT | | |
| 2384 | 18626_AT | | |
| 2385 | 18666_S_AT | | |
| 2386 | _ | | |
| 2387 | | | |
| 2388 | 18896_AT | | |
| 2389 | 18899_S_AT | | |
| 2390 | 18973_AT | | |
| 2391 | 18983_S_AT | | |
| 2392 | 18988_AT | | |
| 2393 | 18998_S_AT | | |
| 2394 | 19065_AT | | |
| 2395 | 19119_I_AT | | |
| | 19121_AT | | |
| 2396 | | | |
| 2397 | 19220_AT | | |
| 2398 | 19284_AT | | |
| 2399 | 19315_AT | | |
| 2400 | | | |
| 2401 | | | |
| 2402 | 19437_S_AT | | |
| 2403 | 19502_AT | | |
| 2404 | 19609_AT | | |
| 2405 | | | |
| 2406 2407 | _ | | |
| 2407 | 19863_AT 19873 AT | | |
| 2408 | | | |
| 2410 | 20004 S AT | | |
| 2411 | 20004_B_AT 20053 AT | | |
| 2412 | 20138_AT | | |
| 2413 | 20193_AT | | |
| 2414 | 20199_AT | | |
| 2415 | 20220 AT | | |
| 2416 | 20239 G AT | | |
| 2417 | 20297 AT | | |
| 2418 | 20324 S AT | | |
| 2419 | 20353 AT | | |
| 2420 | 20362 AT | | |
| 2421 | 20389_AT | | |
| 2422 | 20546 AT | | |
| 2423 | 20600 AT | | |
| 2424 | 20623 AT | | |
| 2425 | 20629 AT | | |
| | | | |

162 TABLE 8: 2X UP IN SALT, ONLY

| | 11121 | SE OF ALL OF MY | Silli, Ondi | |
|------------|--|--------------------------------------|--|------------|
| 12037_at | 14570_at | | | 20648_s_at |
| 12137_at | 14578_s_at | 16196_at | 18605_s_at | 20678_at |
| 12153_at | 14596_at | 16273_at | 18626_at | 20686_at |
| 12186_at | 14646_s_at | 16314_at | 18666_s_at | 20707_s_at |
| | 14662_f_at | | | |
| 12268 at | 14668 <u> s at</u> | 16414_at | 18782_at | |
| 12449 s at | 14729 <u>_</u> s_at | 16417_s_at | | |
| 12470 at | 14874_at | 16455_at | | |
| 12476_at | | | | |
| | 14918_at | | | |
| 12493 g at | 14952_at | 16589 s at | 18988 at | |
| 12600 at | 1/1050 of | 16504 e at | 18998 s at | • |
| 12685 at | 14986 at | 16613 s at | 19065 at | |
| 12704 f at | 14986_at 15006_at 15042_at 15047_at 15062_at 15063_at 15108_s_at 15133_s_at | 16651 s at | 18998_s_at 19065_at 19068_i_at 19123_at 19177_at 19220_at | |
| 12709_f_at | 15042 at | 16668 at | 19123 at | |
| 12705_r_at | 1504Z_at | 16690 g at | 10120_at | |
| 12739 c at | 15062 at | 16762 at | 10777_at | |
| 12750_5_at | 15062_at | 16820_at | 19284_at | |
| 12750_5_at | 15005_at | 16873_i_at | 19288_at | |
| 12701_5_at | 15100_s_at | 16987_s_at | 19205_at | |
| 12015_at | 15155_s_at | 16989_at | | |
| 12045_5_at | 15147_s_at 15170_s_at | 16995_at | | |
| 12940_at | 15170_5_at | 10995_at | | |
| 13142_dt | 15175_s_at | 17039_s_at | | |
| 13190_1_at | 15182_s_at | 17040_s_at | | |
| 13229_S_at | 15190_5_at | 17400_s_at | | |
| 13275_1_at | 15192_S_at | 17425_s_at | 19645_at | |
| 13344_S_at | 15190_s_at 15192_s_at 15324_at 15392_at | 17433_at | 19742_at | |
| 13370_at | 15392_at | 17467_at 17490_s_at 17529_s_at | 19835_at | |
| 13408_s_at | 15424_at 15467_at 15497_s_at 15581_s_at 15623_f_at | 17490_s_at | 19873_at | |
| 13464_at | 15467_at | 17529_s_at | 19891_at | |
| 13472_at | 15497_s_at | 17543_s_at | 19992_at | |
| 13526_at | 15581_s_at | 17566_at | 20004_s_at | |
| 13614_at | 15623_f_at | 17595_s_at | 20053_at | |
| 13652_at | 15636_s_at | 17744_s_at | | |
| | 15646_s_at | | | |
| 13751_at | | | | |
| 13918_at | - | | _ | |
| 13919_at | 15775_at | 17876_at | 20200_at | |
| 13944_at | 15778_at | 18008_r_at | 20297_at | |
| 13964_at | 15792_at | 18013_r_at | 20324_s_at | |
| 13987_s_at | 15855_at | 18024_s_at | 20335_s_at | |
| 13993_s_at | 15891_at | 18027_at | 20353_at | |
| 14000_at | 15909_at | 18053_s_at | 20362_at | |
| 14032_at | 15923_at | 18078_at | 20385_s_at | |
| 14043_at | 15969_s_at | 18082_at | 20389_at | |
| 14052_at | 15975_s_at | 18090_s_at | 20402_s_at | |
| 14067_at | 15995_s_at | 18091_at | 20450_at | |
| 14070_at | 15998_s_at | 18121_s_at | 20468_at | |
| 14269_at | 16017_at | 18264_at | 20489_at | |
| 14285_at | 16050_at | 18276_at | 20546_at | |
| 14427_at | 16067_s_at | 18300_at | 20569_s_at | |
| 14501_at | 16072_s_at | 18367_s_at | 20600_at | |
| 14540_at | 16165_s_at | 18471_at | 20623_at | |
| | | | | |

163 TABLE 9: 2X UP SALT, 3 HR ONLY

| | | | , 5 III ONLI |
|------------------------|--|------------------------|--------------|
| 12037_at | 15042_at | 16987_s_at 16989_at | 20004_s_at |
| 12137_at | 15047_at | 16989_at | 20053_at |
| 12153_at | 15062 at | 17039 s at | 20133 i_at |
| 12186_at | 15063 at | 17040 s at | 20138 at |
| 12216 at | 15108_s_at | 17425_s_at | 20190 at |
| 12268_at | 15133_s_at | 17433 at | 20199_at |
| 12470_at | 15147 s at | 17490_s_at | 20200_at |
| 12476 at | 15170_s_at | 17543 s at | 20220_at |
| 12487 at | 15175_s_at | 17744 s at | 20362_at |
| 12493 g at | 15182_s_at | 17864 at | 20385_s_at |
| | 15190_s_at | | |
| | 15192_s_at | | |
| 12704 f at | 15324_at | 18013 r at | 20546_at |
| 12709_f_at | 15424_at | 18024_s_at | 20623_at |
| 12705_f_at | 15467 at | 18027_3_at | 20648_s_at |
| 12739_r_at | 15407_at | 18053_s_at | 20678_at |
| 12755_s_at | 15437_5_at | 10000_s_at | |
| 12730_5_at | 15324_at 15424_at 15467_at 15497_s_at 15623_f_at 15636_s_at 15646_s_at 15670_s_at 15770_at | 10070_at | 20707_s_at |
| 12019_at | 15050_S_at | 10002_at | |
| 12940_at | 15040_S_at | 10090_s_at | |
| 13142_at | 150/0_s_at | 18091_at | |
| 13229_S_at | 15/70_at | 18121_s_at | |
| 13275_f_at | 15775_at | 18264_at | |
| 13370_at | | 18276_at | |
| 13408_s_at | | 18367_s_at | |
| 13464_at | | 18471_at | |
| 13472_at | 15891_at | 18506_at | • |
| 13614_at | 15909_at | 18605_s_at | |
| 13652_at | 15923_at | 18626_at | |
| 13679_s_at | 15969_s_at | 18666_s_at | |
| 13918_at | 15975_s_at | 18747_f_at | |
| 13919_at | 15995_s_at | 18782_at | |
| 13944_at | 15998 s at | 18834_at | |
| 13987_s_at | 16017_at | | |
| 13993_s_at 14000_at | 16050_at | 18913_s_at | |
| 14000_at | 16067_s_at | 18973_at | |
| 14032_at | 16072_s_at | 18988_at | |
| 14043_at | 16165_s_at | 19065_at | |
| 14052_at | 16196_at | 19068_i_at | |
| 14067_at | 16273_at | 19123_at | |
| 14269_at | 16314_at | 19177_at | |
| 14285_at | 16414_at | 19220_at | |
| 14501_at | 16417_s_at | 19288_at | |
| 14540_at | 16455_at | 19315_at | |
| 14570_at | 16548_s_at | 19437_s_at | |
| 14596_at | 16582 s at | 19484_s_at | |
| 14668_s_at | 16589 s at | 19502_at | |
| 14729_s_at | 16594_s_at | 19503_at | |
| 14888_at | 16613_s_at | 19592_at | |
| 14918_at | 16651_s_at | 19645_at | |
| 14952_at | 16668 at | 19742_at | |
| 14959 at | 16762_at | 19835_at | |
| 14986 at | 16820 at | 19873_at | |
| 15006 at | 16873 i_at | 19891 at | |
| | | ·— | |

164 TABLE 10: 2X DOWN SALT, ONLY

| | 1A | BLE IO: 5X D(|
|------------|----------------------|---------------|
| 12011_s_at | 16046_s_at | 20239_g_at |
| 12180_at | 16060_s_at | 20433_at |
| 12265_at | 16088_f_at | 20629_at |
| 12335_at | 16150_s_at | 20668_at |
| 12479 at | 16166_s_at | _ |
| 12562 at | 16316_at | |
| 12656_at | 16340_at | |
| 12813_at | 16367_i_at | |
| 13003_s_at | 16426 at | |
| 13052 s at | 16426_at 16427_at | |
| 13094_at | 16436_at | |
| 13178_at | 16489_at | |
| 13253_f_at | 16502_at | |
| 13387 at | 16568_s_at | |
| _ | 16638_s_at | |
| 13472 at | | |
| 13569_at | | |
| _ | 17278_at | |
| 13718_at | 17567 at | |
| 13719_at | 17868_at | |
| 13902_at | 17880_s_at | |
| 14003_at | 17894_at | |
| 14144_at | 17901_at | |
| 14267 at | 17942_s_at | |
| 14418 at | 17960_at | |
| 14544_at | 17999 at | |
| 14546 s at | | |
| 14636_s_at | | |
| 14951 at | | |
| 14956_s_at | | |
| 14979_at | 18279_s_at | |
| 14990_at | | |
| 15040_g_at | _ | |
| 15049_at | 18351_s_at | |
| | 18455_at | |
| 15137_s_at | 18560_at | |
| 15148 s at | 18571_at | |
| 15176 s at | 18618 s at | |
| 15208 s at | 18896_at | |
| 15371_at | 18899 s at | |
| 15453 s at | 18967_s_at | |
| 15463_at | 18983 s at | |
| 15465_at | 19119_i_at | |
| 15589 s at | 19121 at | |
| 15663_s_at | 19207 at | |
| 15860 at | 19348_at | |
| 15898_at | 19403_s_at | |
| 15931_at | 19609_at | |
| 15965_at | 19742_at | |
| 15970_s_at | 19826_at | |
| 15972_s_at | 19863_at | |
| 16005_s_at | 19883_at | |
| 16028 at | 20193 at | |
| · | | |

165

TABLE 11 OSMOTIC STRESS RESPONSIVE SEQUENCES

| SEQ A | FFYMETRIX | SEQ A | FFYMETRIX | SEQ AI | FFYMETRIX |
|--------|----------------------|--------|------------|--------------|------------|
| ID NO: | ID NO: | ID NO: | ID NO: | ID NO: | ID NO: |
| 2428 | 11994 AT | 2475 | 13995 AT | 2523 | 17037_S_AT |
| 2429 | 12028_AT . | 2476 | 14062_AT | | 17054_S_AT |
| 2430 | 12033 AT | 2477 | 14118 I AT | | 17257 S AT |
| 2431 | 12039_AT | 2478 | 14141 AT | | 18725 S AT |
| 2432 | 12068 AT | 2479 | 14310_AT | | 17270 AT |
| 2433 | 12096 AT | 2480 | 14354_AT | 2527 | 17275 I AT |
| 2434 | 12110 AT | 2481 | 14476_AT | 2528 | 17376 AT |
| | — | 2482 | 14513 S AT | 2529 | 17378_AT |
| 2435 | 12114_AT | | | 2530 | 17468 AT |
| 2436 | 12135_AT | 2483 | 14568_S_AT | | |
| 2437 | 12139_AT | 2484 | 14604_AT | 2531 | 17481_AT |
| 2438 | 12189_AT | 2485 | 14634_S_AT | 2532 | 17511_S_AT |
| 2439 | 12191_AT | 2486 | 14660_S_AT | 2533 | 17519_S_AT |
| 2440 | 12211_AT | 2487 | 14666_S_AT | 2534 | 17815_S_AT |
| 2441 | 12223_S_AT | 2488 | 14686_S_AT | 2535 | 17897_AT |
| 2442 | 12366_S_AT | | 17464_AT | 2536 | 17923_S_AT |
| | 12869_S_AT | 2489 | 14726_S_AT | 2537 | 17934_AT |
| 2443 | 12381_AT | 2490 | 14848_S_AT | 2538 | 17937_S_AT |
| 2444 | 12406_S_AT | 2491 | 14873_AT | 2539 | 17944_AT |
| 2445 | 12412 AT | 2492 | 14883_AT | 2540 | 17958_AT |
| 2446 | 12453 AT | 2493 | 15082_AT | 2541 | 18216_AT |
| 2447 | 12571_S_AT | 2494 | 15121_S_AT | 2542 | 18227_AT |
| 2448 | 12662 AT | | 16014_S_AT | 2543 | 18284_AT |
| 2449 | 12746_I_AT | 2495 | 15168_S_AT | 2544 | 18301_S_AT |
| 2450 | 12774 AT | 2496 | 15271_AT | 2545 | 18312_S_AT |
| 2451 | 12787_AT | 2497 | 15338 AT | 2546 | 18326 S AT |
| 2452 | 12847_AT | 2498 | 15418 AT | 2547 | 18369 AT |
| 2453 | 12848 AT | 2499 | 15429_AT | 2548 | 18411 AT |
| 2453 | 12845_AT 12895_AT | 2500 | 15548 AT | 2549 | 18533 AT |
| | | 2501 | 15666 S_AT | 2550 | 18576_S_AT |
| 2455 | 12911_S_AT | 2502 | 15672 S_AT | 2551 | 18599 AT |
| 2456 | 12920_AT | | | 2552 | 18640 AT |
| 0.455 | 12921_S_AT | 2503 | 15680_S_AT | 2553 | 18672 S AT |
| 2457 | 13027_AT | 2504 | 15867_AT | 2554 | 18720 S_AT |
| 2458 | 13059_AT | 2505 | 15918_AT | | 18768_AT |
| 2459 | 13075_I_AT | 2506 | 15999_S_AT | 2555 2556 | 18877 AT |
| 2460 | 13180_S_AT | 2507 | 16303_AT | 2556 | |
| 2461 | 13255_I_AT | 2508 | 16363_AT | 2557 | 18942_AT |
| 2462 | 13270_AT | 2509 | 16440_S_AT | 2558 | 18945_AT |
| | 18167_S_AT | 2510 | 16458_S_AT | 2559 | 18960_AT |
| 2463 | 13283_S_AT | 2511 | 16475_AT | 2560 | 18965_AT |
| 2464 | 13382_AT | 2512 | 16513_S_AT | 2561 | 19060_AT |
| 2465 | 13386_S_AT | 2513 | 16529_AT | 2562 | 19164_G_AT |
| 2466 | 13433 AT | 2514 | 16547_S_AT | 2563 | 19266_AT |
| 2467 | 13482_AT | 2515 | 16553_F_AT | 2564 | 19366_S_AT |
| 2468 | 13732_AT | 2516 | 16563_S_AT | 2565 | 19369_AT |
| 2469 | 13733 I AT | 2517 | 16629 S_AT | 2566 | 19371_AT |
| 2470 | 13842 AT | 2518 | 16797 AT | 2567 | 19386_AT |
| 2471 | 13860 S AT | 2519 | 16814 AT | 2568 | 19412_AT |
| 2472 | 13868 AT | 2520 | 16832 AT | 2569 | 19427 S AT |
| 2473 | 13901 AT | 2521 | 16976 S AT | 2570 | 19622 G AT |
| 2474 | 13933 AT | 2522 | 17007 AT | 2571 | 19681 AT |
| 2017 | 10,00_111 | | | | |

166

TABLE 11 (cont)

| 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 | 19819_S_AT 19961_S_AT 20002_AT 20034_I_AT 20062_AT 20136_AT 20223_AT 20235_I_AT 20401_AT 20407_AT 20470_AT 20626_AT |
|--|--|
| | |
| | |

167 TABLE 12: 2X UP IN MANNITOL, ONLY

| | TABL |
|------------------------|------------|
| 12039_at | 16832_at |
| 12068_at | 16993 at |
| 12139_at | 17037_s_at |
| 12212_at | 17054_s_at |
| 12278 at | 17083_s_at |
| 12366_s_at | 17097_s_at |
| 12453_at | 17119 s at |
| 12556 at | 17270_at |
| 12575_s_at | 17305_at |
| 12746 i at | 17376_at |
| 12848_at | 17378_at |
| 12869_s_at | 17449_s_at |
| 12920_at | 17481_at |
| 12921_s_at | 17533_s_at |
| 13041_s_at | 17832_s_at |
| 13059_at | 17923_s_at |
| 13241_s_at | |
| 13255 i at | 18059_i_at |
| 13270 at | 18216_at |
| 13382_at | 18230_at |
| 13406 at | 18255 at |
| 13433 at | 18284 at |
| 13550_at | 18301_s_at |
| 13672_s_at | 18312_s_at |
| 13716_at | 18326_s_at |
| 13842_at | 18599_at |
| 13933_at | 18672_s_at |
| 13995_at | 18720_s_at |
| 14062 at | 18768 at |
| 14002_at | 18814_at |
| 14075_at | 18877 at |
| 14208 at | 18921_g_at |
| 14206_at 14217 at | 18960_at |
| 14217_at 14235 at | 19060_at |
| | |
| 14310_at 14431 at | 19182_at |
| - | 19192_at |
| 14513_s_at 14584 at | |
| | — — . |
| 14604_at | 19386_at |
| 14673_s_at | 19402_at |
| 14856_s_at | 19412_at |
| 15207_s_at | 19432_s_at |
| 15338_at | 19469_at |
| 15406_at | 19622_g_at |
| 15418_at | 19819_s_at |
| 15591_s_at | 19826_at |
| 15666_s_at | 20152_at |
| 15680_s_at | 20223_at |
| 15866_s_at | 20235_i_at |
| 15918_at | 20365_s_at |
| 16340_at | .20470_at |
| 16553_f_at | 20537_at |
| 16797_at | 20547_at |
| | |

168 TABLE 13: 2X UP IN MANNITOL, 3 HR ONLY

| | TABLE 1 |
|------------|------------|
| 12039 at | 17449_s_at |
| 12068_at | 17481 at |
| 12139_at | 17533 s at |
| 12212_at | 17923_s_at |
| 12272_at | 17925_s_at |
| _ | _ |
| 12366_s_at | 18059_i_at |
| 12453_at | 18216_at |
| 12556_at | 18230_at |
| 12575_s_at | 18255_at |
| 12746_i_at | 18301_s_at |
| 12848_at | 18312_s_at |
| 12869_s_at | 18326_s_at |
| 12920_at | 18599_at |
| 12921_s_at | 18720_s_at |
| 13041_s_at | 18768_at |
| 13059_at | 18814_at |
| 13241_s_at | 18877_at |
| 13382_at | 18921_g_at |
| 13406_at | 18960_at |
| 13433_at | 19060_at |
| 13550_at | 19192_at |
| 13672_s_at | 19266_at |
| 13933_at | 19369_at |
| 13995_at | 19386_at |
| 14062_at | 19402_at |
| 14075_at | 19412_at |
| 14162_at | 19432_s_at |
| 14217_at | 19469_at |
| 14310_at | 19622_g_at |
| 14431_at | 19819_s_at |
| 14513_s_at | 20152_at |
| 14584_at | 20223_at |
| 14604_at | 20235_i_at |
| 14673_s_at | 20365_s_at |
| 14856_s_at | 20470_at |
| 15207_s_at | 20537_at |
| 15338_at | |
| 15418_at | |
| 15591_s_at | |
| 15866_s_at | |
| 15918_at | |
| 16340_at | |
| 16553_f_at | |
| 16797_at | |
| 16832_at | |
| 17037_s_at | |
| 17054_s_at | |
| 17083_s_at | |
| 17097_s_at | |
| 17270_at | |
| 17305_at | |
| 17376_at | |
| 17378 at | |
| v. v_at | |

169 TABLE 14: 2X DOWN IN MANNITOL, ONLY

| | TABLE 14: | 2X DOWN IN |
|----------------------------------|--|------------|
| 12028_at | 14897_at | 17958_at |
| 12033_at | 14918_at | 18012_s_at |
| 12110_at | 15082_at | 18227_at |
| 12114_at | 15084_at | 18272_at |
| 12189_at | 15098_s_at | 18331_s_at |
| 12191_at | 15105_s_at | 18369_at |
| 12211_at | 15121_s_at | 18411_at |
| 12223_s_at | 15126_s_at | 18533_at |
| 12268_at | 15168_s_at | 18576_s_at |
| 12345_at | 15271_at | 18640_at |
| 12381_at | 15429_at | 18696_s_at |
| 12406_s_at | 15548_at | 18945_at |
| 12412_at | 15672_s_at | 18949_at |
| 12522_at | 15753_at | 18953_at |
| 12571_s_at | 15867_at | 18965_at |
| 12662_at 12787_at 12847_at | 15999_s_at | 19164_g_at |
| 12787_at | 16001_at | 19322_at |
| 12847_at | 16021_s_at | 19366_s_at |
| 12895_at | 16190_at | 19371_at |
| 12911_s_at | 16260_at | 19397_at |
| 13027_at | 16303_at | 19427_s_at |
| 13075_i_at | 16363_at | 19681_at |
| 13221_at | 16458_s_at | 19707_s_at |
| 13262_s_at | 16468_at | 19839_at |
| 13283_s_at | 16475_at | 19961_s_at |
| 13386_s_at | 16513_s_at | 19976_at |
| 13447_s_at | 16529_at | 19998_at |
| 13482_at | 16563_s_at | 20002_at |
| 13634_s_at | 16690_g_at | 20034_i_at |
| 13709_s_at | 16814_at | 20136_at |
| 13732_at | 16847_at | 20382_s_at |
| 13733_i_at | 16927_s_at | 20407_at |
| 13812_s_at | 16976_s_at | 20529_at |
| 13825_s_at | 17007_at | 20626_at |
| 13860_s_at | 17014_s_at | 20631_s_at |
| 13868_at 13901 at | 17016_s_at | 20647_at |
| 14052_at | 17071_s_at 17090_s_at | 20699_at |
| | 17090_s_at 17257_s_at | |
| 14224_at 14244_s_at | | |
| 14244_s_at 14254_s_at | | |
| 14254_s_at 14256_f_at | | |
| 14250_1_at 14354_at | 17464_at | |
| 14334_at | 17400_at 17511_s_at | |
| 14568_s_at | 17511_s_at | |
| 14634_s_at | 17525_s_at | |
| 14646_s_at | 17645_s_at | |
| 14660 s at | 17741 at | |
| 14686 s at | 17815 s at | |
| 14726 s at | 17897 at | |
| 14848 s at | 17741_at 17815_s_at 17897_at 17899_at | |
| 14873_at | 17934 at | |
| 14883_at | 17937_s_at | |
| | | |

170

TABLE 15
COLD & OSOMOTIC STRESS RESPONSIVE SEQUENCES

| SEQ | AFFYMETRIX | SEQ AF | FYMETRIX | SEQ | AFFYMETRIX |
|-------|----------------|--------|------------|-------|------------|
| ID NO | O: ID NO: | ID NO: | ID NO: | ID NO | O: ID NO: |
| 1699 | 12040 AT | 1742 | 13262_S_AT | 1787 | 14431_AT |
| 1700 | 12048 AT | 1743 | 13286 S AT | 1788 | 14480_AT |
| 1701 | 12054_S_AT | 1744 | 13324_AT | 1789 | 14497 AT |
| 1702 | 12077_AT | | 13340 S AT | 1790 | 14553 AT |
| 1703 | 12107_I_AT | | 13361 AT | 1791 | 14584 AT |
| 1704 | 12113 AT | 1747 | 13406_AT | 1792 | 14600 AT |
| 1705 | 12154_AT | | 13441 S AT | 1793 | 14673_S_AT |
| 1706 | | | 13513_AT | | 19432 S AT |
| 1707 | | | 13550_AT | 1794 | 14681 G_AT |
| 1708 | 12278 AT | | 13573 AT | 1795 | 14699 AT |
| 1709 | | | 13577_S_AT | 1796 | 14751_AT |
| 1710 | 12325_AT | | 13606 AT | 1797 | 14762 AT |
| 1711 | 12333 AT | | 13609_AT | 1798 | 14828 S AT |
| 1712 | | | 13625 S AT | 1799 | 14856_S_AT |
| 1713 | | | 13626_AT | 1800 | 14882 AT |
| | 14254_S_AT | | 13634_S_AT | 1801 | |
| | 14256 F AT | | 13672_S_AT | 1802 | 14978 AT |
| 1714 | - - | | 18916 S AT | 1803 | |
| 1715 | | | 13709_S_AT | 1804 | |
| 1716 | | | 13736 AT | 1805 | |
| 1717 | _ | | 13775 AT | 1806 | 15096_AT |
| 1718 | | | 13810 AT | 1807 | |
| 1719 | | | 13812_S_AT | 1808 | |
| 1720 | | | 13825 S AT | 1809 | |
| 1721 | | | 14015 S AT | 1810 | |
| 1722 | - - | | 14016_S_AT | 1811 | |
| 1723 | | 1766 | 14029 AT | 1812 | |
| 1724 | | 1767 | 14036_AT | 1813 | |
| 1725 | | 1768 | 14051 AT | 1814 | |
| 1726 | | 1769 | 14060 AT | 1815 | 15198_S_AT |
| | 16817 S AT | 1770 | 14064 AT | 1816 | 15203_S_AT |
| 1727 | | 1771 | 14066 AT | 1817 | |
| 1728 | | 1772 | 14075 AT | 1818 | |
| 1729 | | 1773 | 14094_S_AT | 1819 | 15366 AT |
| 1730 | | | 19999 S AT | 1820 | |
| 1731 | | 1774 | 14096 AT | 1821 | |
| 1732 | | 1775 | 14104 AT | 1822 | 15448_AT |
| 1733 | | 1776 | 14123_S_AT | 1823 | |
| 1734 | | 1777 | 14126 S AT | 1824 | |
| 1735 | | | 14131_AT | 1825 | 15484_AT |
| 1736 | | 1779 | 14136 AT | 1826 | |
| | 16981 S AT | 1780 | 14139_AT | 1827 | |
| 1737 | | | 14140_AT | 1828 | |
| | 17525 S AT | 1781 | 14162 AT | 1829 | |
| 1738 | | | 14217 AT | | 16927 S AT |
| | | 1782 | 14178 AT | 1830 | |
| 1739 | 13215_S_AT | 1783 | 14201_AT | 1831 | 15633_S_AT |
| | 16649_S_AT | 1784 | 14208 AT | 1832 | |
| 1740 | | 1785 | 14235 AT | | 18012_S_AT |
| 1741 | | 1786 | 14242_S_AT | 1833 | 3 15720_AT |

171

TABLE 15 (cont)

| 1834 | 15815_S_AT | 1884 | 17452_G_AT | 1936 | 19469_AT |
|------|------------|------|------------|------|-------------|
| 1835 | 15817_AT | 1885 | 17540_S_AT | 1937 | 19473_AT |
| 1836 | 15837_AT | 1886 | 17552_S_AT | 1938 | 19597_S_AT |
| 1837 | 15841 AT | 1887 | 17571 AT | 1939 | |
| 1838 | 15866_S_AT | 1888 | 17589_AT | 1940 | |
| | 18255_AT | 1889 | 17641 G_AT | 1941 | |
| 1839 | 15872_AT | 1890 | 17741 AT | 1942 | |
| | 18331 S AT | | 18098 AT | 1943 | |
| 1840 | 15892 AT | 1891 | 17766 AT | 1944 | |
| 1841 | 15933_AT | 1892 | 17873_S_AT | 1945 | 19880 AT |
| 1842 | 15947_AT | 1893 | 17904 AT | 1946 | |
| 1843 | 15959 S AT | 1894 | 17920 S AT | 1947 | |
| 1844 | 16001 AT | 1895 | 17925 AT | 1948 | - |
| 1845 | 16052 AT | 1896 | 17943 AT | 1949 | |
| 1846 | 16161_S_AT | 1897 | 18059 I AT | 1950 | |
| 1847 | 16204 AT | 1898 | 18230_AT | 1951 | |
| 1848 | 16232_S_AT | 1899 | 18263_AT | 1952 | |
| 1849 | 16252 AT | 1900 | 18272 AT | 1953 | |
| 1850 | 16260 AT | 1901 | 18540 AT | 1954 | |
| 1851 | 16266 AT | 1902 | 18608 AT | 1955 | _ |
| 1852 | 16299 AT | 1903 | 18647 AT | 1956 | |
| 1853 | 16365 AT | 1904 | 18662_S_AT | 1957 | |
| 1854 | 16468 AT | 1905 | 18664 AT | 1958 | |
| 1855 | 16477 AT | 1906 | 18695_S_AT | 1959 | |
| 1856 | 16491 AT | 1907 | 18704 AT | 1960 | ,— <u>-</u> |
| 1857 | 16523 S AT | | 18814 AT | 1961 | _ |
| 1858 | 16566_S_AT | 1909 | 18907_S_AT | 1962 | |
| 1859 | 16570 S AT | 1910 | 18921 G AT | 1963 | |
| 1860 | 16688 AT | 1911 | 18924 AT | 1964 | |
| 1861 | 16840_AT | 1912 | 18949 AT | 1965 | |
| 1862 | 16847_AT | * | 19707 S AT | 1966 | |
| 1863 | 16893 AT | 1913 | 18995 AT | 1967 | |
| 1864 | 16896_S_AT | 1914 | 19017 AT | 1968 | |
| 1865 | 16898 S AT | 1915 | 19034 AT | 1969 | |
| 1866 | 16912_S_AT | 1916 | 19063 AT | | - |
| 1867 | 16980 AT | 1917 | 19142 AT | | |
| 1868 | 16993_AT | 1918 | 19158_AT | | |
| 1869 | 17008 AT | 1010 | 19180_AT | | |
| 1870 | 17012_S_AT | 1920 | 19187 AT | | |
| 1871 | 17014_S_AT | 1921 | 19192 AT | | |
| 1872 | 17016_S_AT | 1922 | 19195 AT | | |
| 1873 | 17032_S_AT | 1923 | 19199_AT | | |
| 1874 | 17050_S_AT | 1924 | 19231 AT | | |
| | 17051_S_AT | 1925 | 19263 AT | | |
| 1875 | 17071 S AT | 1926 | 19308 AT | | |
| 1876 | 17090 S AT | 1927 | 19322 AT | | |
| | 18690_S AT | 1928 | 19365 S AT | | |
| 1877 | 17097 S AT | 1929 | 19372 AT | | |
| 1878 | 17104 S AT | 1930 | 19389 AT | | |
| 1879 | 17119 S AT | 1931 | 19392 AT | | |
| 1880 | 17160 AT | 1932 | 19397_AT | | |
| 1881 | 17305_AT | 1933 | 19400 AT | | |
| 1882 | 17424 AT | 1934 | 19402 AT | | |
| 1883 | 17449_S_AT | 1935 | 19458 AT | | |
| | | | | | |

172
TABLE 16: 2X UP IN MANNITOL & COLD, ONLY

| | TABLE 16: 2X |
|------------|---------------------|
| 12345_at | 17066_s_at |
| 12784_at | 17540_s_at |
| 13153_r_at | 17567_at |
| 13212_s_at | 17766_at |
| 13215 s at | 17904_at |
| 13246 at | 17920_s_at |
| 13262_s_at | 17943_at |
| 13361_at | 18263_at |
| 13625_s_at | 18351_s_at |
| 13764_at | 18662_s_at |
| 13810 at | 18670_g_at |
| 14015_s_at | 18695_s_at |
| 14016_s_at | 18704_at |
| 14060_at | 18729_at |
| 14096 at | 18995_at |
| 14123_s_at | 19158_at |
| 14139_at | 19473_at |
| 14219_at | 19710_s_at |
| 14248_at | 19883_at |
| 14254_s_at | 19889_at |
| 14256_f_at | 20030_at |
| 14609_at | 20269_at |
| 14636_s_at | 20271_at |
| 14681_g_at | 20299_at |
| 14699_at | 20429_s_at |
| 14704_s_at | 20438_at |
| 14828_s_at | 20480_s_at |
| 14882_at | |
| 15110_s_at | |
| 15184_s_at | |
| 15448_at | |
| 15629_s_at | |
| 15720_at | |
| 15846_at | |
| 15947_at | |
| 16161_s_at | |
| 16365_at | |
| 16427_at | |
| 16566_s_at | |
| 16570_s_at | |
| 16649_s_at | |
| 16688_at | |
| 16712_at | |
| 16817_s_at | |
| 16840_at | |
| 16893_at | |
| 16912_s_at | |
| 16916_s_at | |
| 16927_s_at | |
| 16981_s_at | |
| 17012_s_at | |

17014_s_at 17051_s_at

173
TABLE 17: 2X DOWN COLD & MANNITOL, ONLY

| | TABLE 17: 22 | X DOWN COL |
|------------|--------------|------------|
| 12040_at | 14553_at | 17873 s at |
| 12048_at | 14612_at | 17925_at |
| 12054_s_at | 14751_at | 18098_at |
| 12077_at | 14762_at | 18540 at |
| 12107_i_at | 14978 at | 18608 at |
| 12113_at | 14985_s_at | 18647 at |
| 12154 at | 15031 at | 18664 at |
| 12171 at | 15096 at | 18690 s at |
| 12317_at | 15111_s_at | 18725 s at |
| 12325 at | 15120_s_at | 18924 at |
| 12333 at | 15142 s at | 19017 at |
| 12356 at | 15198_s_at | 19034 at |
| 12380 at | 15203 s at | 19063 at |
| 12392 at | 15240 at | 19141 at |
| 12460_s_at | 15366 at | 19142 at |
| 12686_s_at | 15392_at | 19180 at |
| 12701_i_at | 15398_at | 19187_at |
| 12782_r_at | 15466_at | 19195_at |
| 12879_s_at | 15481_at | 19199_at |
| 12898_g_at | 15484_at | 19231_at |
| 12974_at | 15549_at | 19308_at |
| 12998_at | 15623 f at | 19372 at |
| 13144 at | 15815 s at | 19392 at |
| 13147_at | 15817_at | 19400_at |
| 13152_s_at | 15841_at | 19458_at |
| 13192_s_at | 15892_at | 19597_s_at |
| 13286_s_at | 15933_at | 19762_at |
| 13324_at | 15959_s_at | 19830_at |
| 13340_s_at | 16052_at | 19853_at |
| 13441_s_at | 16204_at | 19869_at |
| 13513_at | 16252_at | 19880_at |
| 13573_at ` | 16266_at | 19898_at |
| 13606_at | 16299_at | 19914_at |
| 13609_at | 16477_at | 19924_at |
| 13626_at | 16491_at | 19949_at |
| 13736_at | 16561_s_at | 20151_at |
| 13775_at | 16645_s_at | 20187_at |
| 14029_at | 16898_s_at | 20214_i_at |
| 14036_at | 16980_at | 20273_at |
| 14051_at | 17008_at | 20323_at |
| 14064_at | 17104_s_at | 20457_at |
| 14066_at | 17160_at | 20555_s_at |
| 14094_s_at | 17317_at | |
| 14104_at | 17400_s_at | |
| | 17452_g_at | |
| 14131_at | 17477_s_at | |
| 14136_at | 17500_s_at | |
| 14178_at | 17552_s_at | |
| 14192_at | 17571_at | |
| 14201_at | 17572_s_at | |
| 14242_s_at | 17589_at | |
| 14480_at | 17641_g_at | |
| 14497_at | 17855_at | |

174

TABLE 18

COLD & SALINE STRESS RESPONSIVE SEQUENCES

| SEQ AFFYMETRIX ID NO: DI NO: 2019 13549 AT 2063 15063 AT 1970 12021 AT 2020 13565 AT 2064 15085 S.AT 1971 12037 AT SEQ AFFYMETRIX 2065 15123 S.AT 1971 12037 AT SEQ AFFYMETRIX 2065 15123 S.AT 1972 12094 AT ID NO: ID NO: 2066 15133 S.AT 1973 12098 AT 2021 13580 AT 2067 15137 S.AT 1973 12098 AT 2021 13580 AT 2067 15137 S.AT 1973 12098 AT 2022 13588 AT SEQ AFFYMETRIX 1975 12148 AT 2022 13588 AT SEQ AFFYMETRIX 1975 12148 AT 2022 13589 AT 2066 15133 S.AT 1978 12357 S.AT 2025 13679 S.AT 2068 15153 S.AT 1978 12394 AT 2022 13569 AT 2068 15170 S.AT 1978 12394 AT 2026 13696 AT 2070 15172 S.AT 1979 12472 S.AT 2026 13696 AT 2070 15172 S.AT 1980 12475 AT 2028 13751 AT 2072 15180 S.AT 1981 12482 S.AT 2029 13919 AT 2073 15241 S.AT 1981 12482 S.AT 2029 13919 AT 2073 15241 S.AT 1983 12505 S.AT 2031 13950 S.AT 2074 15389 AT 1983 12505 S.AT 2032 14050 AT 2076 15495 AT 1986 12540 S.AT 2033 14055 S.AT 2077 15496 AT 1986 12540 S.AT 2033 14055 S.AT 2077 15496 AT 1986 12541 AT 2034 14067 AT 2076 15495 AT 1987 12577 AT 2034 14067 AT 2079 15562 AT 1990 12642 AT 2036 14110 1.AT 2081 15580 S.AT 1991 12656 AT 2036 141078 AT 2080 15580 S.AT 1992 12660 AT 2036 141078 AT 2083 15580 S.AT 1992 12660 AT 2036 14410 1.AT 2081 15582 S.AT 1992 12660 AT 2036 14410 1.AT 2081 15582 S.AT 1992 12660 AT 2036 14410 1.AT 2081 15580 S.AT 1999 12674 AT 2036 14410 1.AT 2081 15580 S.AT 1999 12674 AT 2036 14410 1.AT 2081 15580 S.AT 1999 12674 AT 2036 14408 AT 2080 15580 S.AT 1999 12755 AT 2041 14432 AT 2083 15646 S.AT 2098 15608 S.AT 1999 12756 AT 2041 14432 AT 2089 1575 AT 2041 14432 AT 2089 15688 S.AT 2095 16068 S.AT 2096 16078 S.AT 2096 16078 S.AT 2041 14432 AT 2080 15580 S.AT 1999 12801 AT 2040 14346 AT 2080 15580 S.AT 1999 12801 AT 2040 14436 AT 2080 15580 S.AT 1999 12801 AT 2040 14436 AT 2080 15580 S.AT 2056 16078 S.AT 2041 14432 AT 2080 15580 S.AT 2041 14432 AT 2080 15685 S.AT 2041 14432 AT 2080 15685 S.AT 2041 14432 AT 2099 16066 S.AT 2041 14432 AT 2040 14468 S.AT 20 | | | | | | |
|--|--------|-------------|-------|--------------|-------|------------|
| 1970 12021 AT 2020 13565 AT 2064 15085 S AT 1971 12037 AT SEQ AFFYMETRIX 2065 15187 S AT 1972 12094 AT ID NO: ID NO: 2066 15183 S AT 1973 12098 AT 2021 13580 AT 2067 15137 S AT 1973 12098 AT 2022 13588 AT 2067 15137 S AT 1974 12128 AT 2022 13588 AT SEQ AFFYMETRIX 1975 12148 AT 2022 13588 AT 2068 15133 S AT 1976 12151 AT 2024 13652 AT 2068 15133 S AT 1976 12151 AT 2024 13652 AT 2068 15133 S AT 1978 12394 AT 2026 13696 AT 2070 15172 S AT 1979 12472 S AT 2022 13792 S AT 2071 15182 S AT 1979 12475 AT 2022 13751 AT 2072 15190 S AT 1981 12482 S AT 2029 13919 AT 2073 15241 S AT 1981 12482 S AT 2030 13943 AT 2074 15389 AT 1983 12505 S AT 2031 13950 S AT 2075 15453 S AT 1984 12540 S AT 2032 14050 AT 2076 15495 AT 1988 12540 S AT 2033 14055 S AT 2076 15495 AT 1988 12540 S AT 2033 14052 S AT 2079 15562 AT 1988 12594 AT 2035 14078 AT 2079 15562 AT 1989 12629 AT 2036 14100 R AT 2081 15580 S AT 1990 12642 AT 2037 14144 AT 2082 15580 S AT 1990 12642 AT 2036 14100 R AT 2081 15580 S AT 1991 12656 AT 2038 14232 AT 18751 F AT 1992 12660 AT 2039 14285 AT 2083 15646 S AT 1994 12725 F AT 2041 14432 AT 2083 15646 S AT 1994 12725 F AT 2041 14432 AT 2083 15646 S AT 1995 12745 AT 2044 14434 AT 2088 15670 S AT 1996 12777 I AT 2044 14432 AT 2085 15658 S AT 1996 12777 I AT 2044 14432 AT 2086 15655 S AT 1996 12777 I AT 2044 14432 AT 2086 15655 S AT 1996 12777 I AT 2044 14468 AT 2086 15655 S AT 1996 12775 AT 2047 14668 S AT 2098 15775 AT 1996 12775 AT 2047 14668 S AT 2099 15798 AT 2047 14668 S AT 2099 15795 AT 2006 13036 S AT 2047 | SEQ A | FFYMETRIX | 2018 | 13544_AT | 2062 | 15047_AT |
| 1971 12037 AT SEQ AFFYMĒTRIX 2065 15123 S AT 1973 12098 AT 2021 13580 AT 2067 15137 S AT 1974 12128 AT 2022 13588 AT SEQ AFFYMĒTRIX 1975 12148 AT 2022 13588 AT SEQ AFFYMĒTRIX 1975 12148 AT 2023 13649 AT 10NO: | ID NO: | ID NO: | 2019 | 13549_AT | 2063 | 15063_AT |
| 1972 12094_AT | 1970 | 12021 AT | 2020 | 13565_AT | 2064 | 15085_S_AT |
| 1972 12094 AT | 1971 | 12037 AT | SEQ A | AFFYMETRIX | 2065 | 15123 S AT |
| 1973 12098 AT 2021 13580 AT 2067 15137 S. AT 1974 12128 AT 2022 13588 AT SEQ AFFYMETRIX 1975 12148 AT 2023 13649 AT ID NO: ID NO: ID NO: 1976 12151 AT 2024 13652 AT 2068 15153 S. AT 1977 12357 S. AT 2025 13679 S. AT 2069 15170 S. AT 1978 12394 AT 2026 13696 AT 2070 15172 S. AT 1979 12472 S. AT 2027 13702 S. AT 2071 15182 S. AT 1979 12472 S. AT 2028 13751 AT 2072 15190 S. AT 1981 12482 S. AT 2029 13919 AT 2073 15241 S. AT 1982 12490 AT 2030 13943 AT 2074 15389 AT 1983 12505 S. AT 2031 13950 S. AT 2075 15435 S. AT 1983 12505 S. AT 2031 13950 S. AT 2077 15496 AT 1985 12540 S. AT 2031 13950 S. AT 2077 15496 AT 1985 12540 S. AT 2033 14055 S. AT 2077 15496 AT 1988 12594 AT 2034 14067 AT 2079 15562 AT 1988 12594 AT 2036 14101 I. AT 2081 15580 S. AT 1991 12656 AT 2036 14110 I. AT 2081 15582 S. AT 1991 12656 AT 2036 14110 I. AT 2081 15582 S. AT 1991 12656 AT 2038 14232 AT 2083 15646 S. AT 1994 12725 F. AT 2040 14346 AT 2084 15647 S. AT 1994 12725 F. AT 2040 14346 AT 2084 15647 S. AT 1994 12725 F. AT 2040 14346 AT 2084 15647 S. AT 1995 12745 AT 2041 14432 AT 2086 15655 S. AT 1997 12790 S. AT 2041 14432 AT 2086 15655 S. AT 1997 12790 S. AT 2041 14432 AT 2086 15655 S. AT 1997 12790 S. AT 2041 14432 AT 2086 15655 S. AT 1997 12790 S. AT 2041 14468 AT 2084 15647 S. AT 1996 12717 I. AT 2043 14468 AT 2084 15647 S. AT 1997 12790 S. AT 2044 14354 S. AT 2087 15658 S. AT 1997 12790 S. AT 2044 14452 S. AT 2089 15775 AT 1999 12801 AT 2046 14608 AT 2099 15930 AT 2000 12885 F. AT 2041 14608 AT 2099 15930 AT 2001 12887 S. AT 2041 14608 S. AT 2099 15993 AT 2004 16068 S. AT 2047 14668 S. AT 2099 16078 S. AT 2006 13115 AT 2051 14668 S. A | 1972 | | | | 2066 | |
| 1974 12128_AT 2022 13588_AT SEQ_AFFYMETRIX 1975 12148_AT 2023 13649_AT IDNO: | | | | | 2067 | |
| 1975 | | | | _ | SEO A | |
| 1976 | | | | | | |
| 1977 12357 S AT 2025 13679 S AT 2069 15170 S AT 1978 12394 AT 2026 13696 AT 2070 15172 S AT 1980 12472 S AT 2027 13702 S AT 2071 15182 S AT 1980 12475 AT 2028 13751 AT 2072 15190 S AT 1981 12482 S AT 2029 13919 AT 2073 15241 S AT 1982 12490 AT 2030 13943 AT 2074 15389 AT 1983 12505 S AT 2031 13950 S AT 2075 15453 S AT 1984 12531 AT 2032 14050 AT 2076 15495 AT 1986 12541 AT 2032 14050 AT 2076 15495 AT 1986 12541 AT 16166 S AT 2077 15496 AT 1986 12541 AT 2034 14067 AT 2079 15562 AT 1988 12594 AT 2035 14078 AT 2030 15580 S AT 1998 12629 AT 2036 14110 I AT 2081 15582 S AT 1991 12656 AT 2037 14144 AT 2082 15638 S AT 1991 12656 AT 2038 14232 AT 2082 15638 S AT 1994 12725 R AT 2041 14342 AT 2084 15647 S AT 1994 12725 R AT 2041 14342 AT 2084 15647 S AT 1996 12777 I AT 2043 14479 AT 2085 15658 S AT 1997 12790 S AT 2044 14452 AT 2085 15658 S AT 1997 12790 S AT 2044 14452 AT 2085 15658 S AT 1997 12790 S AT 2044 14452 AT 2087 15658 S AT 1997 12790 S AT 2044 14452 AT 2089 15775 AT 1999 12801 AT 2044 14608 AT 2089 15775 AT 1999 12801 AT 2046 14621 AT 2099 15798 AT 2004 1305 S AT 2041 14435 S AT 2091 15930 AT 2004 1305 S AT 2044 14635 S AT 2091 15930 AT 2004 1305 S AT 2044 14638 S AT 2091 15930 AT 2004 1305 S AT 2045 14663 S AT 2091 15930 AT 2004 1305 S AT 2045 14663 S AT 2091 15930 AT 2004 1305 S AT 2047 14635 S AT 2091 15930 AT 2004 1305 S AT 2051 14663 S AT 2091 15930 AT 2004 1305 S AT 2051 14663 S AT 2091 15930 AT 2004 1305 S AT 2051 14663 S AT 2091 15930 AT 2004 1305 S AT 2051 14663 S AT 2094 16017 AT 2004 1305 S AT 2051 14663 S AT 2091 16160 S AT 2004 1305 S AT 2051 14663 S AT 2091 16165 S AT 201 | | | | | | |
| 1978 12394_AT 2026 13696_AT 2070 15172_S_AT 1979 12472_S_AT 2027 13702_S_AT 2071 15182_S_AT 1980 12475_AT 2028 13751_AT 2072 15190_S_AT 1981 12482_S_AT 2029 13919_AT 2073 15241_S_AT 1982 12490_AT 2030 13943_AT 2074 15389_AT 1983 12505_S_AT 2031 13950_S_AT 2075 15453_S_AT 1984 12531_AT 2032 14050_AT 2076 15495_AT 1985 12540_S_AT 2033 14055_S_AT 2077 15496_AT 1986 12541_AT 16166_S_AT 2077 15496_AT 1986 12541_AT 2034 14067_AT 2079 15562_AT 1988 12594_AT 2035 14078_AT 2080 15580_S_AT 1990 12642_AT 2036 14110_L_AT 2080 15580_S_AT 1990 12642_AT 2037 14144_AT 2082 15638_S_AT 1991 12656_AT 2038 14232_AT 18751_F_AT 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1994 12725_R_AT 2041 14432_AT 2083 15646_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_L_AT 2043 14479_AT 2086 15655_S_AT 1997 12790_S_AT 2041 14432_AT 2083 15658_S_AT 1998 12798_AT 2041 14452_A_S_AT 2083 15658_S_AT 1997 12790_S_AT 2041 14452_A_S_AT 2085 15658_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 2040 14635_S_AT 2089 15775_AT 2040 14635_S_AT 2089 15775_AT 2040 14635_S_AT 2086 15655_S_AT 2091 15930_AT 2046 14621_AT 2089 15775_AT 2049 14635_S_AT 2089 15775_AT 2049 14635_S_AT 2089 15775_AT 2049 14635_S_AT 2099 15930_AT 2000 12855_F_AT 2049 14635_S_AT 2099 15930_AT 2004 14668_S_AT 2099 15930_AT 2006 13115_AT 2049 14643_S_AT 2099 15930_AT 2006 13115_AT 2049 14643_S_AT 2099 16086_S_AT 2006 13115_AT 2049 14643_S_AT 2099 16086_S_AT 2006 13115_AT 2049 14643_S_AT 2099 16126_S_AT 2010 13266_S_AT 2051 14668_S_AT 2099 16126_S_AT 2001 13275_F_AT 2051 14668_S_AT 2099 16126_S_AT 2010 13266_S_AT 2051 14668_S_AT 2010 16160_S_AT 2010 13266_S | | | | | | |
| 1979 12472_S_AT 2027 13702_S_AT 2071 15182_S_AT 1980 12475_AT 2028 13751_AT 2072 15190_S_AT 1981 12482_S_AT 2029 13919_AT 2073 15241_S_AT 1982 12490_AT 2030 13943_AT 2074 15389_AT 1983 12505_S_AT 2031 13950_S_AT 2075 15495_AT 1984 12531_AT 2032 14050_AT 2076 15495_AT 1986 12541_AT 2032 14050_AT 2076 15495_AT 2071 15495_AT 1986 AT 2075 15495_AT 2075 15495_AT 2076 15495_AT 2076 15495_AT 2076 15495_AT 2077 15496_AT 2076 15495_AT 2077 15496_AT 2078 15519_S_AT 2077 15495_AT 2076 15495_AT 2078 15519_S_AT 2077 15495_AT 2078 15519_S_AT 2077 15496_AT 2078 15519_S_AT 2077 15496_AT 2078 15545_AT 2078 15496_AT | | | | | | |
| 1980 12475_AT 2028 13751_AT 2072 15190_S_AT 1981 12482_S_AT 2029 13919_AT 2073 15241_S_AT 1982 12490_AT 2030 13943_AT 2074 15389_AT 1983 12505_S_AT 2031 13950_S_AT 2075 15453_S_AT 1984 12531_AT 2032 14050_AT 2076 15495_AT 1985 12540_S_AT 2033 14055_S_AT 2077 15496_AT 1986 12541_AT 16166_S_AT 2078 15519_S_AT 1987 12577_AT 2034 14067_AT 2079 15562_AT 1988 12594_AT 2035 14078_AT 2080 15580_S_AT 1989 12629_AT 2036 14110_LAT 2081 15582_S_AT 1990 12642_AT 2037 14144_AT 2082 15638_S_AT 1991 12650_AT 2033 14232_AT 2081 15538_S_AT 1992 12660_AT 2038 | | | | | | |
| 1981 12482 S AT 2029 13919 AT 2073 1524 S AT 1982 12490 AT 2030 13943 AT 2074 15389 AT 1983 12505 S AT 2031 13950 S AT 2075 15453 S AT 1984 12531 AT 2032 14050 AT 2076 15495 AT 1985 12540 S AT 2033 14055 S AT 2077 15496 AT 1986 12541 AT 16166 S AT 2077 15496 AT 1986 12541 AT 2034 14067 AT 2077 15562 AT 1988 12594 AT 2035 14078 AT 2080 15580 S AT 1989 12629 AT 2036 14110 L AT 2081 15582 S AT 1999 12642 AT 2037 14144 AT 2081 15582 S AT 1991 12656 AT 2038 14232 AT 18751 F AT 1992 12660 AT 2039 14285 AT 2083 15648 S AT 1994 12725 R AT 2040 14346 AT 2083 15647 S AT 1995 12745 AT 2041 14452 AT 2085 15654 S AT 1996 12777 L AT 2043 14479 AT 2086 15655 S AT 1996 12777 L AT 2043 14479 AT 2089 15775 AT 1998 12790 S AT 2044 14632 AT 2089 15775 AT 1999 12801 AT 2045 14608 AT 2089 15775 AT 12901 12887 S AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 2048 14608 S AT 2092 15931 AT 2004 13005 AT 2049 14633 S AT 2091 15930 AT 2001 12887 S AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 2048 14608 S AT 2092 15931 AT 2004 13005 AT 2049 14643 S AT 2090 15798 AT 2001 12887 S AT 2049 14643 S AT 2090 15930 AT 2001 12887 S AT 2049 14643 S AT 2090 15930 AT 2001 12887 S AT 2049 14663 S AT 2090 15931 AT 2004 13005 AT 2049 14663 S AT 2090 16078 S AT 2001 12887 S AT 2049 14663 S AT 2090 16078 S AT 2001 12887 S AT 2049 14663 S AT 2090 16078 S AT 2001 12887 S AT 2049 14663 S AT 2090 16078 S AT 2001 13286 S AT 2051 14668 S AT 2090 16078 S AT 2001 13266 S AT 2051 14668 S AT 2090 16078 S AT 2001 13266 S AT 2055 14918 S AT 2100 16150 S AT 2010 13266 S AT 2058 14956 S AT 2100 16150 S AT 2011 13275 F AT 2058 14964 AT 2100 161 | | | | | | |
| 1982 12490_AT 2030 13943_AT 2074 15389_AT 1983 12505_SAT 2031 13950_SAT 2075 15453_SAT 1984 12531_AT 2032 14050_AT 2076 15495_AT 1985 12540_SAT 2033 14055_SAT 2077 15496_AT 1986 12541_AT 16166_SAT 2078 15519_SAT 1987 12577_AT 2034 14067_AT 2079 15562_AT 1988 12594_AT 2035 14078_AT 2080 15580_SAT 1989 12629_AT 2036 14110_LAT 2081 15582_SAT 1990 12642_AT 2037 14144_AT 2082 15638_SAT 1991 12656_AT 2038 14232_AT 2081 15582_SAT 1991 12656_AT 2038 14232_AT 2083 15646_SAT 1992 12660_AT 2039 14285_AT 2083 15646_SAT 1993 12712_FAT 24 14432_ | | | | | | |
| 1983 12505 S AT 2031 13950 S AT 2075 15453 S AT 1984 12531 AT 2032 14050 AT 2076 15495 AT 1985 12540 S AT 2033 14055 S AT 2077 15496 AT 1986 12541 AT 16166 S AT 2078 15519 S AT 1987 12577 AT 2034 14067 AT 2079 15562 AT 1989 12629 AT 2035 14078 AT 2080 15580 S AT 1989 12629 AT 2036 14110 L AT 2081 15582 S AT 1990 12642 AT 2037 14144 AT 2082 15638 S AT 1991 12656 AT 2038 14232 AT 18751 F AT 1992 12660 AT 2039 14285 AT 2083 15648 S AT 1993 12712 F AT 2040 14346 AT 2083 15644 S AT 1994 12725 R AT 2041 14436 AT 2085 15654 S AT 1995 12745 AT 2041 14452 A | | | | | | |
| 1984 12531_AT 2032 14050_AT 2076 15495_AT 1985 12540_SAT 2033 14055_SAT 2077 15496_AT 1986 12541_AT 16166_SAT 2078 15519_SAT 1987 12577_AT 2034 14067_AT 2079 15562_AT 1988 12594_AT 2035 14078_AT 2080 15580_SAT 1989 12629_AT 2036 14110_IAT 2081 15582_SAT 1990 12642_AT 2037 14144_AT 2082 15638_SAT 1991 12656_AT 2038 14232_AT 18751_FAT 1992 12660_AT 2039 14285_AT 2083 15648_SAT 1993 12712_FAT 2040 14346_AT 2084 1567_SAT 1994 12725_RAT 2041 14438_AT 2084 1567_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1997 12790_S_AT 2044 14524_S_AT | | | | - | | |
| 1985 12540 S AT 2033 14055 S AT 2077 15496 AT 1987 12577 AT 2034 14067 AT 2079 15562 AT 1988 12594 AT 2035 14078 AT 2080 15580 S AT 1989 12629 AT 2036 14110 L AT 2081 15582 S AT 1990 12642 AT 2037 14144 AT 2082 15638 S AT 1991 12656 AT 2038 14232 AT 18751 F AT 1992 12660 AT 2039 14285 AT 2083 15646 S AT 1993 12712 F AT 2040 14346 AT 2084 15647 S AT 1994 12725 R AT 2041 14432 AT 2085 15655 S AT 1994 12725 R AT 2041 14432 AT 2085 15655 S AT 1995 12745 AT 2042 14468 AT 2085 15655 S AT 1997 12790 S AT 2043 14479 AT 2087 1568 S AT 1997 12790 S AT 2044 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| 1986 12541 AT 16166 S AT 2078 15519 S AT 1987 12577 AT 2034 14067 AT 2079 15562 AT 1988 12594 AT 2035 14078 AT 2080 15580 S AT 1989 12629 AT 2036 14110 I AT 2081 15582 S AT 1990 12642 AT 2037 14144 AT 2082 15638 S AT 1991 12656 AT 2038 14232 AT 18751 F AT 1992 12660 AT 2039 14285 AT 2083 15646 S AT 1993 12712 F AT 2040 14346 AT 2084 15647 S AT 1994 12725 R AT 2041 14342 AT 2085 15654 S AT 1995 12745 AT 2042 14468 AT 2086 15655 S AT 1996 12777 L AT 2043 14479 AT 2087 15658 S AT 1997 12790 S AT 2044 14524 S AT 2088 15675 S AT 1998 12778 AT 2043 14679 | | | | | | _ |
| 1987 12577 AT 2034 14067 AT 2079 15562 AT 1988 12594 AT 2035 14078 AT 2080 15580 S. AT 1989 12629 AT 2036 14110 I. AT 2081 15582 S. AT 1990 12642 AT 2037 14144 AT 2082 15638 S. AT 1991 12656 AT 2038 14232 AT 18751 F. AT 1992 12660 AT 2039 14285 AT 2083 15646 S. AT 1994 12725 R. AT 2040 14346 AT 2084 15647 S. AT 1994 12725 R. AT 2041 14432 AT 2085 15654 S. AT 1995 12745 AT 2042 14468 AT 2086 15655 S. AT 1996 12777 I. AT 2043 14479 AT 2087 15658 S. AT 1997 12790 S. AT 2044 14524 S. AT 2088 15670 S. AT 1997 12790 S. AT 2044 14524 S. AT 2088 15775 AT 1999 12801 AT | | | 2033 | | | |
| 1988 12594_AT 2035 14078_AT 2080 15580_S_AT 1989 12629_AT 2036 14110_I AT 2081 15582_S_AT 1990 12642_AT 2037 14144_AT 2082 15638_S_AT 1991 12656_AT 2038 14232_AT 18751_F_AT 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1996 12777_I_AT 2042 14468_AT 2085 15658_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1994 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 204 | | | | | | |
| 1989 12629_AT 2036 14110_I_AT 2081 15582_S_AT 1990 12642_AT 2037 14144_AT 2082 15638_S_AT 1991 12656_AT 2038 14232_AT 18751_F_AT 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2088 15670_S_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2001 12887_S_AT 2047 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| 1990 12642_AT 2037 14144_AT 2082 15638_S_AT 1991 12656_AT 2038 14232_AT 18751_F_AT 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15798_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15798_AT 2001 12887_S_AT 2048 14640_S_AT 2091 15798_AT 2002 12933_R_AT <td>1988</td> <td></td> <td></td> <td></td> <td></td> <td></td> | 1988 | | | | | |
| 1991 12656 AT 2038 14232_AT 18751_F_AT 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2048 14640_S_AT 2093 15949_S_AT 2001 1283_R_AT 2048 14640_S_AT 2093 15949_S_AT 2004 13005_AT< | 1989 | 12629_AT | 2036 | 14110_I_AT | | |
| 1992 12660 AT 2039 14285 AT 2083 15646 S AT 1993 12712 F AT 2040 14346 AT 2084 15647 S AT 1994 12725 R AT 2041 14432 AT 2085 15654 S AT 1995 12745 AT 2042 14468 AT 2086 15655 S AT 1996 12777 I AT 2043 14479 AT 2087 15658 S AT 1997 12790 S AT 2044 14524 S AT 2088 15670 S AT 1998 12798 AT 2045 14608 AT 2089 15775 AT 1999 12801 AT 2046 14621 AT 2090 15798 AT 2000 12855 F AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 2048 14640 S AT 2091 15930 AT 2002 12933 R AT 2048 14640 S AT 2092 15931 AT 2003 12951 AT 2048 14640 S AT 2093 15949 S AT 2004 13005 AT 2050 14663 S AT 2094 16017 AT 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 2052 14688 S AT 2099 16126 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2055 14875 AT 2101 16150 S AT 2011 13275 F AT 2056 14911 S AT 2102 16230 AT 2011 13275 F AT 2058 14956 S AT 2103 13362 S AT 2058 14964 AT 2104 16367 I AT 2013 13362 S AT 2058 14964 AT 2104 16367 I AT 2014 13428 AT 2055 1488 S AT 2104 16367 I AT 2013 13362 S AT 2057 14924 AT 2104 16367 I AT 2013 13362 S AT 2055 14875 AT 2101 16159 S AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2013 13362 S AT 2058 14956 S AT 2105 16417 S AT 2014 13428 AT 2055 1488 S AT 2106 16150 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 15449 S AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT 2016 15449 S AT 2016 15449 S AT 2016 15449 S AT 2016 15449 S AT | 1990 | | | | 2082 | |
| 1992 12660_AT 2039 14285_AT 2083 15646_S_AT 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2048 14640_S_AT 2091 15930_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2004 13005_AT 2050 14663_S_AT 2094 16017_AT 2004 | 1991 | 12656_AT | 2038 | | | |
| 1993 12712_F_AT 2040 14346_AT 2084 15647_S_AT 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2003 12951_AT 2049 14643_S_AT 2093 15949_S_AT 2004 13005_AT 2050 14663_S_AT 2095 16053_I_AT 2004 13015_S_AT 2051 14668_S_AT 2096 16078_S_AT 2005 | 1992 | | 2039 | 14285_AT | 2083 | |
| 1994 12725_R_AT 2041 14432_AT 2085 15654_S_AT 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2003 12951_AT 2049 14643_S_AT 2093 15949_S_AT 2004 13005_AT 2050 14663_S_AT 2094 16017_AT 2004 13015_S_AT 2051 14668_S_AT 2096 16078_S_AT 2006 </td <td></td> <td></td> <td>2040</td> <td>14346_AT</td> <td>2084</td> <td>15647_S_AT</td> | | | 2040 | 14346_AT | 2084 | 15647_S_AT |
| 1995 12745_AT 2042 14468_AT 2086 15655_S_AT 1996 12777_I_AT 2043 14479_AT 2087 15658_S_AT 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2048 14640_S_AT 2092 15931_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2002 12933_R_AT 2048 14660_S_AT 2093 15949_S_AT 2004 13005_AT 2050 14663_S_AT 2094 16017_AT 2005 13015_S_AT 2051 14668_S_AT 2096 16078_S_AT 2006 1 | | | 2041 | 14432 AT | 2085 | 15654_S_AT |
| 1996 12777 I AT 2043 14479 AT 2087 15658 S AT 1997 12790 S AT 2044 14524 S AT 2088 15670 S AT 1998 12798 AT 2045 14608 AT 2089 15775 AT 1999 12801 AT 2046 14621 AT 2090 15798 AT 2000 12855 F AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 2048 14640 S AT 2092 15931 AT 2002 12933 R AT 2048 14640 S AT 2093 15949 S AT 2002 12933 R AT 2048 14640 S AT 2093 15949 S AT 2003 12951 AT 2049 14643 S AT 2094 16017 AT 2004 13005 AT 2050 14668 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2097 16086 S AT 2007 <td< td=""><td></td><td></td><td>2042</td><td>14468 AT</td><td>2086</td><td>15655_S_AT</td></td<> | | | 2042 | 14468 AT | 2086 | 15655_S_AT |
| 1997 12790_S_AT 2044 14524_S_AT 2088 15670_S_AT 1998 12798_AT 2045 14608_AT 2089 15775_AT 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 2048 14640_S_AT 2092 15931_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2003 12951_AT 2049 14643_S_AT 2094 16017_AT 2004 13005_AT 2050 14663_S_AT 2094 16017_AT 2005 13015_S_AT 2051 14668_S_AT 2095 16078_S_AT 2006 13115_AT 2052 14688_S_AT 2096 16078_S_AT 2007 13178_AT 2052 14688_S_AT 2097 16086_S_AT 2008 13228_AT 2053 14737_S_AT 2099 16126_S_AT 2010 132 | | | 2043 | 14479 AT | 2087 | 15658_S_AT |
| 1998 12798 AT 2045 14608 AT 2089 15775_AT 1999 12801 AT 2046 14621 AT 2090 15798_AT 2000 12855 F AT 2047 14635_S AT 2091 15930_AT 2001 12887 S AT 2048 14640_S AT 2092 15931_AT 2002 12933 R AT 2048 14640_S AT 2093 15949_S AT 2003 12951 AT 2049 14643_S AT 2094 16017_AT 2004 13005 AT 2050 14663_S AT 2095 16053_L AT 2005 13015_S AT 2051 14668_S AT 2095 16078_S AT 2006 13115_AT 2052 14688_S AT 2096 16078_S AT 2007 13178_AT 18279_S AT 2098 16120_S AT 2008 13228_AT 2053 14737_S AT 2099 16126_S AT 2009 13236_S AT 2054 14768_AT 2100 16150_S AT 2010 13266_S AT 2055 14875_AT 2101 16159_S AT 2011 13275_ | | 12790 S AT | | 14524 S AT | 2088 | 15670 S AT |
| 1999 12801_AT 2046 14621_AT 2090 15798_AT 2000 12855_F_AT 2047 14635_S_AT 2091 15930_AT 2001 12887_S_AT 17128_S_AT 2092 15931_AT 2002 12933_R_AT 2048 14640_S_AT 2093 15949_S_AT 2003 12951_AT 2049 14643_S_AT 2094 16017_AT 2004 13005_AT 2050 14663_S_AT 2095 16053_I_AT 2005 13015_S_AT 2051 14668_S_AT 2096 16078_S_AT 2006 13115_AT 2052 14688_S_AT 2097 16086_S_AT 2007 13178_AT 18279_S_AT 2098 16120_S_AT 2008 13228_AT 2053 14737_S_AT 2099 16126_S_AT 2009 13236_S_AT 2054 14768_AT 2100 16150_S_AT 2010 13266_S_AT 2055 14875_AT 2101 16159_S_AT 2011 13275_F_AT 2057 14924_AT 2104 16367_I_AT 2012 13335_AT <t< td=""><td></td><td></td><td></td><td></td><td>2089</td><td>15775 AT</td></t<> | | | | | 2089 | 15775 AT |
| 2000 12855 F AT 2047 14635 S AT 2091 15930 AT 2001 12887 S AT 17128 S AT 2092 15931 AT 2002 12933 R AT 2048 14640 S AT 2093 15949 S AT 2003 12951 AT 2049 14643 S AT 2094 16017 AT 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 2052 14688 S AT 2097 16086 S AT 2008 13228 AT 2053 14737 S AT 2098 16120 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2011 13275 F AT 2057 14924 AT 2102 16230 AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 | | _ | | | 2090 | 15798 AT |
| 2001 12887 S AT 17128 S AT 2092 15931 AT 2002 12933 R AT 2048 14640 S AT 2093 15949 S AT 2003 12951 AT 2049 14643 S AT 2094 16017 AT 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 18279 S AT 2098 16120 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2011 13275 F AT 2057 14924 AT 2102 16306 AT 2011 13275 F AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 2058 14956 S AT 2105 16417 S AT 2014 13428 AT | | | | | | |
| 2002 12933 R AT 2048 14640 S AT 2093 15949 S AT 2003 12951 AT 2049 14643 S AT 2094 16017 AT 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 2052 14688 S AT 2097 16086 S AT 2008 13228 AT 2053 14737 S AT 2098 16120 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 2106 16418 S AT 2015 | | | 2011 | | | |
| 2003 12951 AT 2049 14643 S AT 2094 16017 AT 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 2052 14688 S AT 2098 16120 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 2106 16418 S AT 2014 13428 AT 2059 14964 AT 2106 16418 S AT 2015 | | | 2048 | | | _ |
| 2004 13005 AT 2050 14663 S AT 2095 16053 I AT 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 2052 14688 S AT 2097 16086 S AT 2008 13228 AT 2053 14737 S AT 2098 16120 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 2106 16418 S AT 2014 13428 AT 2059 14964 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13 | | | | | | |
| 2005 13015 S AT 2051 14668 S AT 2096 16078 S AT 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 18279 S AT 2098 16120 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 16646 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 2056 14911 S AT 2102 16230 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| 2006 13115 AT 2052 14688 S AT 2097 16086 S AT 2007 13178 AT 18279 S AT 2098 16120 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 16646 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2007 13178 AT 18279 S AT 2098 16120 S AT 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 2010 13266 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2008 13228 AT 2053 14737 S AT 2099 16126 S AT 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 16646 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | 2032 | | | |
| 2009 13236 S AT 2054 14768 AT 2100 16150 S AT 16646 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | 2052 | | | |
| 16646 S AT 2055 14875 AT 2101 16159 S AT 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2010 13266 S AT 2056 14911 S AT 2102 16230 AT 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | 2009 | | | | | |
| 15211 S AT 17056 S AT 2103 16306 AT 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2011 13275 F AT 2057 14924 AT 2104 16367 I AT 2012 13335 AT 2058 14956 S AT 2105 16417 S AT 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | 2010 | | 2056 | | | |
| 2012 13335_AT 2058 14956_S_AT 2105 16417_S_AT 2013 13362_S_AT 15148_S_AT 18083_R_AT 2014 13428_AT 18673_AT 2106 16418_S_AT 2015 13464_AT 2059 14964_AT 2107 16423_AT 2016 13480_AT 2060 15022_AT 2108 16449_S_AT | | | | | | |
| 2013 13362 S AT 15148 S AT 18083 R AT 2014 13428 AT 18673 AT 2106 16418 S AT 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2014 13428_AT 18673_AT 2106 16418_S_AT 2015 13464_AT 2059 14964_AT 2107 16423_AT 2016 13480_AT 2060 15022_AT 2108 16449_S_AT | | | 2058 | | 2105 | 1041/_S_AT |
| 2015 13464 AT 2059 14964 AT 2107 16423 AT 2016 13480 AT 2060 15022 AT 2108 16449 S AT | | | | | | |
| 2016 13480_AT 2060 15022_AT 2108 16449_S_AT | 2014 | 13428_AT | | | | |
| 2010 15100_XX | 2015 | 13464_AT | | | | |
| | 2016 | 13480_AT | | | | |
| | | | 2061 | 15040_G_AT | 2109 | 16484_S_AT |

PCT/US01/26685

TABLE 18 (cont)

| 2110 | 16489_AT | 2163 | 18455 AT | 2218 | 20565_AT |
|------|---------------------|------|------------|------|------------|
| 2111 | 16565_S_AT | 2164 | 18459_AT | 2219 | 20570 AT |
| | | | | | _ |
| 2112 | 16596_S_AT | 2165 | 18571_AT | 2220 | 20576_AT |
| 2113 | 16600_S_AT | 2166 | 18604_AT | 2221 | 20577_AT |
| 2114 | 16603_S_AT | | 19181_S_AT | 2222 | 20609_AT |
| 2115 | | 2167 | 18644_AT | 2223 | 20646 AT |
| | 16638_S_AT | | | | |
| 2116 | 16642_S_AT | 2168 | 18745_F_AT | 2224 | 20672_AT |
| 2117 | 16763 AT | | 19611 S AT | 2225 | 20707_S_AT |
| 2118 | 16914 S AT | 2169 | 18782_AT | 2226 | 20720 AT |
| | | | | 2220 | 20720_111 |
| 2119 | 16968_AT | 2170 | 18881_AT | | |
| 2120 | 16983_AT | 2171 | 18904_S_AT | | |
| 2121 | 16989_AT | 2172 | 18914 S AT | | |
| | | 2173 | 18963 AT | | |
| 2122 | 17002_AT | | | | |
| 2123 | 17015_S_AT | 2174 | 19068_I_AT | | |
| 2124 | 17040_S_AT | 2175 | 19078_AT | | |
| | 18913_S_AT | 2176 | 19171 AT | | |
| 0105 | | | | | |
| 2125 | 17232_AT | 2177 | 19177_AT | | |
| 2126 | 17380_AT | 2178 | 19394_AT | | |
| 2127 | 17394 S AT | 2179 | 19411_AT | | |
| 212. | 20640 S AT | 2180 | 19415_AT | | |
| *** | | | | | |
| 2128 | 17398_AT | 2181 | 19466_S_AT | | |
| 2129 | 1 7448_A T | 2182 | 19484_S_AT | | |
| 2130 | 17485 S AT | 2183 | 19549_S_AT | | |
| | | 2184 | 19592_AT | • | |
| 2131 | 17490_S_AT | | | | |
| 2132 | 17499_S_AT | 2185 | 19633_AT | | |
| 2133 | 17505_S_AT | 2186 | 19641_AT | | |
| 2134 | 17516_S_AT | 2187 | 19669 AT | | |
| | | 2188 | 19672_AT | | |
| 2135 | 17529_S_AT | | | | |
| 2136 | 17543_S_AT | 2189 | 19684_AT | | |
| 2137 | 17593_R_AT | 2190 | 19692_AT | | |
| | 19858_S_AT | 2191 | 19746 AT | | |
| 0100 | | | _ | | |
| 2138 | 17609_AT | 2192 | 19835_AT | | |
| 2139 | 17698_AT | 2193 | 19848_S_AT | | |
| 2140 | 17836_AT | 2194 | 19892_AT | | |
| 2141 | 17886_AT | 2195 | 19904_AT | | |
| | | | 19936 AT | | |
| 2142 | 17896_AT | 2196 | | | |
| 2143 | 17901_AT | 2197 | 19974_S_AT | | , |
| 2144 | 17902_S_AT | 2198 | 19994 AT | | |
| 2145 | 17913 S_AT | 2199 | 20005_S_AT | | |
| | | 2200 | 20022 AT | | |
| 2146 | 17924_AT | | | | |
| 2147 | 17954_S_AT | 2201 | 20032_AT | | |
| 2148 | 17960_AT | 2202 | 20044_AT | | |
| 2149 | 17991 G_AT | 2203 | 20049_AT | | |
| 2147 | | | | | |
| | 18967_S_AT | 2204 | · 20081_AT | | |
| 2150 | 17999_AT | 2205 | 20133_I_AT | | |
| 2151 | 18057 I AT | 2206 | 20155 S AT | | |
| 2152 | 18078 AT | 2207 | 20163 S AT | | |
| | | | | | |
| 2153 | 18091_AT | 2208 | 20200_AT | | |
| 2154 | 18168_S_AT | 2209 | 20296_S_AT | | |
| 2155 | 18252_AT | 2210 | 20336 AT | | |
| 2156 | 18267 AT | 2211 | 20341_AT | | |
| | | | 20372 AT | | |
| 2157 | 18300_AT | 2212 | | | |
| 2158 | 1 8308_I_A T | 2213 | 20385_S_AT | | |
| 2159 | 18328 AT | 2214 | 20433 AT | | |
| 2160 | 18354 AT | 2215 | 20489 AT | | |
| | | | | | |
| 2161 | 18402_AT | 2216 | 20525_AT | | |
| 2162 | 18416_AT | 2217 | 20543_AT | | |
| | | | | | |

176 TABLE 19: 2X UP IN SALT & COLD, ONLY

| | TABLE 19 | : 2X UP IN SA |
|------------|------------|---------------|
| 12004_at | 15495_at | 18745_f_at |
| 12098_at | 15496_at | 18904_s_at |
| 12148_at | 15519_s_at | 18914_s_at |
| 12251_at | 15580_s_at | 18929_s_at |
| 12357_s_at | 15582_s_at | 18946_at |
| 12394_at | 15776_at | 18963_at |
| 12457_at | 15798_at | 19078_at |
| 12505_s_at | 15910_at | 19137_at |
| 12522_at | 15931_at | 19141_at |
| 12541_at | 15937_at | 19411_at |
| 12594_at | 15949 s at | 19641_at |
| 12606_at | 15972_s_at | 19672_at |
| 12697_at | 16048_at | 19684_at |
| 12745_at | 16086_s_at | 19692_at |
| 12781_at | 16120_s_at | 19746_at |
| 12798_at | 16126_s_at | 19762_at |
| 12855_f_at | 16150_s_at | 19869_at |
| 12945_at | 16159_s_at | 19894_at |
| 12951_at | 16230_at | 19904_at |
| 13005_at | 16306_at | 19936_at |
| 13015_s_at | 16418_s_at | 19994_at |
| 13115_at | 16423_at | 20005_s_at |
| 13146_s_at | 16449_s_at | 20031_at |
| 13335_at | 16565_s_at | 20044_at |
| 13447_s_at | 16603_s_at | 20382_s_at |
| 13480_at | 16763_at | 20406_g_at |
| 13544 at | 16968_at | 20421_at |
| 13549_at | 16983_at | 20525_at |
| 13580_at | 17002_at | 20543_at |
| 13649_at | 17015_s_at | 20565_at |
| 13943_at | 17019_s_at | 20570_at |
| 13950_s_at | 17078_s_at | 20640_s_at |
| 14110_i_at | 17232_at | 20646_at |
| 14144_at | 17317_at | 20720_at |
| 14224_at | 17394_s_at | |
| 14432_at | 17516_s_at | |
| 14468_at | 17585_s_at | |
| 14479_at | 17609_at | |
| 14524_s_at | 17698_at | |
| 14640_s_at | 17836_at | |
| 14643_s_at | 17896_at | |
| 14735_s_at | 17899_at | |
| 14737_s_at | 17902_s_at | |
| 14768_at | 17960_at | |
| 14784_at | 17963_at | |
| 14924_at | 18168_s_at | |
| 15064_at | 18252_at | |
| 15127_s_at | 18267_at | |
| 15186_s_at | 18308_i_at | |
| 15189_s_at | 18354_at | |
| 15255_at | 18402_at | |
| 15389_at | 18459_at | |
| 15482_at | 18484_at | |
| | | |

177
TABLE 20: 2X DOWN IN COLD & SALT, ONLY

| TABLE 20: | 2X DOWN IN |
|------------|------------|
| 15123_s_at | 19394_at |
| 15153_s_at | 19415_at |
| 15172_s_at | 19466_s_at |
| 15190_s_at | 19549_s_at |
| 15211_s_at | 19592_at |
| 15241_s_at | 19633_at |
| 15437_at | 19669_at |
| 15562_at | 19848_s_at |
| 15638_s_at | 19858_s_at |
| 15647_s_at | 19878_at |
| 15654_s_at | 19892_at |
| 15655_s_at | 19974_s_at |
| 15658_s_at | 20022_at |
| 15695_s_at | 20032_at |
| 15846_at | 20049_at |
| 15930_at | 20081_at |
| 16053_i_at | 20155_s_at |
| 16078_s_at | 20163_s_at |
| 16229_at | 20296_s_at |
| 16465_at | 20336_at |
| 16484_s_at | 20341_at |
| 16506 c at | 20365 c at |
| 16600_s_at | 20372_at |
| 16642_s_at | 20489_at |
| 16914_s_at | 20491_at |
| 17027_s_at | 20576_at |
| 17066_s_at | 20577_at |
| 17083_s_at | 20609_at |
| 17128_s_at | 20672_at |
| 17380_at | |
| 17390 at | |
| 17448_at | |
| 17485_s_at | |
| 17490_s_at | |
| 17499_s_at | |
| 1/505_s_at | |
| 1/514_s_at | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| _ | |
| | |
| | |
| | |
| 10102_40 | |
| | |

178

TABLE 21

OSMOTIC & SALINE STRESS RESPONSIVE SEQUENCES

| - | AFFYMETRIX | | AFFYMETRIX | SEQ | AFFYMETRIX |
|--------------|------------------------|--------------|-------------|--------|----------------------|
| ID NO: | ID NO: | ID NO: | ID NO: | ID NO: | ID NO: |
| 2586 | 12126_S_AT | 2634 | 16073 F AT | 2681 | 19409 AT |
| 2587 | 12137_AT | 2635 | 16114_S_AT | 2682 | 19503_AT |
| 2588 | 12227 AT | 2636 | 16127 S AT | 2683 | 19826_AT |
| 2589 | 12239 AT | | 18744_F_AT | 2684 | 19847 S AT |
| 2590 | 12268_AT | 2637 | 16190_AT | 2685 | 19930 AT |
| 2591 | 12369_AT | 2638 | 16196 AT | 2686 | 19992_AT |
| 2592 | 12476 AT | 2639 | 16236_G_AT | 2687 | 20096 AT |
| 2593 | 12484 G AT | | 19531 AT | 2688 | 20108 AT |
| 2594 | 12494 AT | 2640 | 16310 AT | 2689 | 20256_S_AT |
| 2595 | 12644 AT | 2641 | 16316 AT | 2690 | 20290_S_AT |
| 2596 | 12645 AT | 2642 | 16334_S_AT | 2691 | 20298 AT |
| 2597 | 12796 S AT | 2643 | 16335 AT | 2692 | 20305 AT |
| 2598 | 12819_AT | 2644 | 16340 AT | 2693 | 20303_AT 20322 AT |
| 2599 | 12841 AT | 2645 | 16450 S_AT | 2694 | 20322_AT 20333 AT |
| | | | | | |
| 2600 | 12852_S_AT | 2646 | 16500_AT | 2695 | 20402_S_AT |
| 0.601 | 19455_S_AT | 2647 | 16524_AT | 2696 | 20424_AT |
| 2601 | 13084_AT | 2648 | 16533_AT | 2697 | 20446_S_AT |
| 2602 | 13171_AT | 2649 | 16690_G_AT | 2698 | 20450_AT |
| 2603 | 13174_R_AT | 2650 | 16762_AT | 2699 | 20468_AT |
| 2604 | 13596_AT | 2651 | 16819_AT | 2700 | 20569_S_AT |
| 2605 | 13807_AT | 2652 | 16873_I_AT | 2701 | 20639_AT |
| 2606 | 13977_AT | 2653 | 16972_AT | 2702 | 20678_AT |
| 2607 | 13999_AT | 2654 | 16991_AT | 2703 | 20686_AT |
| 2608 | 14052_AT | 2655 | 17099_S_AT | | |
| 2609 | 14293_AT | 2656 | 17339_AT | | |
| 2610 | 14335_AT | 2657 | 17397_S_AT | | |
| 2611 | 14486_AT | 2658 | 17419_AT | | |
| 2612 | 14506_AT | 2659 | 17460_AT | | |
| 2613 | 14518 AT | 2660 | 17554_S_AT | | |
| 2614 | 14540 AT | 2661 | 17939_AT | | |
| 2615 | 14578_S_AT | 2662 | 18013 R_AT | | |
| 2616 | 14646 S AT | | 18178 S AT | | |
| 2617 | 14662 F AT | 2663 | 18024 S AT | | |
| | 15962 S_AT | 2664 | 18032 I AT | | |
| 2618 | 14901_AT | 2665 | 18054_AT | | |
| 2619 | 14918 AT | 2666 | 18151 AT | | |
| 2620 | 14986 AT | 2667 | 18281 AT | | |
| 2621 | 15053_S_AT | 2668 | 18445 AT | | |
| 2622 | 15179 S AT | 2669 | 18520 AT | | |
| 2623 | 15252_G_AT | 2670 | 18583_AT | | |
| 2624 | 15280_AT | 2671 | 18663_S_AT | | |
| 2625 | 15467_AT | 2672 | 18753 S AT | | |
| 2626 | 15607 S AT | 2673 | 18876 AT | | |
| 2627 | 15625_S_AT | 2674 | 18938_G_AT | | |
| 2628 | 15703_I_AT | 2675 | 18971 AT | | |
| 2628 2629 | 15705_1_A1 15827 AT | 2676 | 18977_AT | | |
| | 15863_AT | 2677 | 18981 AT | | |
| 2630 | | | 19099 AT | | |
| 2631 | 15923_AT | 2678 2679 | 19196 AT | | |
| 2632 | 15946_S_AT | 2680 | | | |
| 2633 | 16005_S_AT | ∠000 | 19376_AT | | |

179
TABLE 22: 2X UP IN SALT & MANNITOL, ONLY

```
12126 s at
               17548 s at
12227_at
               17554_s_at
12369 at
               17961_at
12521_at
               18032_i_at
12644_at
               18054_at
12645 at
               18151 at
12724 f at
               18167_s_at
               18281_at
12795_at
12796 s at
               18520 at
12841_at
               18663_s_at
12852 s at
               18744 f at
12958_at
               18753 s at
               18789_at
13014_at
13174_r_at
               18876_at
13211_s_at
               18909 s at
               18938 g at
13596 at
13640_at
               18977_at
               19099_at
13789_at
13977_at
               19108 at
13999_at
               19135_at
14069 at
               19227 at
14083_at
               19376_at
14089_at
               19429_at
14293 at
               19455_s_at
14675 s at
               19531_at
15053 s at
               19789 s at
15058 s at
               19878 at
15252_g_at
               20017_at
15280 at
               20096 at
15437_at
               20256_s_at
15607_s_at
               20290_s_at
15625_s_at
               20305_at
15827_at
               20322_at
               20333_at
15863_at
15880 at
               20420 at
16005_s_at
              20424_at
16031 at
               20689 s at
16073 f at
16316 at
16334_s_at
16335_at
16450 s at
16500 at
16524 at
16533 at
16597 s at
16819_at
17085_s_at
17099_s_at
17339_at
17419_at
17442 i at
```

17514_s_at

180 TABLE 23: 2X DOWN IN MANNITOL & SALT, ONLY

| | 111DAL 25. |
|--------------|------------|
| 12239_at | 20108 at |
| | |
| 12251_at | 20298_at |
| 12476_at | 20421_at |
| 12484_g_at | 20432 at |
| 12494 at | 20446_s_at |
| | |
| 12561_at | 20639_at |
| 12647_s_at | |
| 12719_f_at | |
| 12819 at | |
| 12841 at | |
| | |
| 13084_at | |
| 13171_at | |
| 13172_s_at | |
| 13435_at | |
| 13807_at | |
| | |
| 14250_r_at | |
| 14335_at | |
| 14486_at | |
| 14506 at | |
| 14518 at | |
| - | |
| 14901_at | |
| 15046_s_at | |
| 15179_s_at | |
| 15451 at | |
| 15703 i at | |
| | |
| 15946_s_at | |
| 16014_s_at | |
| 16114_s_at | |
| 16310_at | |
| 16342_at | |
| | |
| 16712_at | |
| 16762_at | |
| 16972_at | |
| 16991 at | |
| 17397_s_at | |
| | |
| 17408_at | |
| 17460_at | |
| 17775_at | |
| 17939 at | |
| 18445 at | |
| | |
| 18583_at | |
| 18751_f_at | |
| 18971_at | |
| 18981 at | |
| 19156_s_at | |
| | |
| 19196_at | |
| 19359_s_at | |
| 19409_at | |
| 19503_at | |
| 19713 at | |
| | |
| 19718_at | |
| 10917 c at | |

19847_s_at 19930_at

TABLE 24 COLD, OSMOTIC & SALINE RESPONSIVE SEQUENCES

| SEQ . | AFFYMETRIX | SEQ A | AFFYMETRIX | SEQ A | AFFYMETRIX |
|--------|-------------|--------|--------------|--------|------------|
| ID NO: | ID NO: | ID NO: | ID NO: | ID NO: | ID NO: |
| 1262 | 12004_AT | 1306 | 12945 AT | 1347 | 13725_AT |
| 1263 | 12023_S_AT | 1307 | 12958 AT | 1348 | 13764 AT |
| 1264 | 12078 AT | 1308 | 12964 AT | 1349 | 13771 AT |
| 1265 | 12115 AT | 1309 | 12968 AT | 1350 | 13789 AT |
| 1266 | 12118_AT | 1310 | 12972_AT | 1351 | 13916 AT |
| 1267 | 12150 AT | 1311 | 12989 S AT | 1352 | 13965 S AT |
| 1268 | 12251 AT | 1312 | 13004 AT | 1353 | 13967 AT |
| 1269 | 12271 S_AT | 1313 | 13014 AT | 1354 | 14028 AT |
| 1270 | 12276 AT | 1314 | 13025_AT | 1355 | 14039_AT |
| 1271 | 12332_S_AT | 1315 | 13036 AT | 1356 | 14046_AT |
| | 13211_S_AT | 1316 | 13099 S AT | 1357 | 14049 AT |
| 1272 | 12338_AT | 1317 | 13136 AT | 1358 | 14069 AT |
| 1273 | 12400 AT | 1318 | 13146 S_AT | 1359 | 14077_AT |
| 1274 | 12430_AT | | 13239 S AT | 1360 | 14080 AT |
| 1275 | 12457 AT | 1319 | 13153 R AT | 1361 | 14083_AT |
| 1276 | 12521 AT | 1320 | 13159 AT | 1362 | 14089_AT |
| 1277 | 12522_AT | 1321 | 13176 AT | 1363 | 14090 I AT |
| 1278 | 12530 AT | 1322 | 13217_S_AT | 1364 | 14097 AT |
| 1279 | 12536_S_AT | | 17500_S_AT | 1365 | 14116_AT |
| 1280 | 12538_AT | 1323 | 13225_S_AT | 1366 | 14151_AT |
| 1281 | 12561_AT | | 15997_S_AT | | 14219 AT |
| 1282 | 12574 AT | 1324 | 13230_S_AT | 1367 | |
| 1202 | 19019 I AT | | 15972 S AT | 1368 | 14172 AT |
| 1283 | 12595 AT | 1325 | 13279_S_AT | 1369 | 14192 AT |
| 1284 | 12606 AT | | 17477 S AT | 1370 | 14224 AT |
| 1285 | 12609 AT | 1326 | 13280 S_AT | 1371 | 14227 AT |
| 1286 | 12622_AT | | 20301 S AT | 1372 | 14244 S AT |
| 1287 | 12630 AT | 1327 | 13282 S AT | | 14245_AT |
| 1288 | 12647 S AT | | 17027_S_AT | | 14645_S_AT |
| 1289 | 12676_S_AT | 1328 | 13426 AT | | 15974 G AT |
| 1290 | 12697 AT | 1329 | 13432 AT | 1373 | 14248 AT |
| 1291 | 12698_AT | 1330 | 13435 AT | 1374 | 14250 R AT |
| 1292 | 12719 F AT | 1331 | 13447 S AT | 1375 | 14367_AT |
| 1293 | 12724 F_AT | 1332 | 13474 AT | 1376 | 14381_AT |
| | 15871_S_AT | 1333 | 13511 AT | 1377 | 14384_AT |
| | 16597_S_AT | 1334 | 13546 AT | 1378 | 14398_S_AT |
| 1294 | 12749_AT | 1335 | 13547_S_AT | 1379 | 14487_AT |
| 1295 | 12765 AT | 1336 | 13548 AT | 1380 | 14582_AT |
| 1296 | 12769 AT | 1337 | 13555_AT | 1381 | 14597_AT |
| 1297 | 12781_AT | 1338 | | 1382 | 14609_AT |
| 1298 | 12785 AT | 1339 | 13595 AT | 1383 | 14612_AT |
| 1299 | 12792_S_AT | 1340 | 13610 S AT | | 19267_S_AT |
| 1300 | 12795 AT | 1341 | 13627_AT | 1384 | 14614_AT |
| 1301 | 12805_S_AT | 1342 | 13640_AT | 1385 | 14636_S_AT |
| 1302 | 12857_AT | 1343 | 13645 AT | 1386 | 14644_S AT |
| 1303 | 12883_S_AT | 1344 | 13647_AT | | 14658_S_AT |
| 1304 | 12909_S_AT | 1345 | 13706_S AT | | 14659_S_AT |
| | 16539 S AT | | 19701 S AT | | 15964_S_AT |
| 1305 | 12932 S AT | 1346 | 13716_AT | 1387 | 14675_S_AT |
| | 15605_S_AT | | 18228_AT | | |
| | | | _ | | |

PCT/US01/26685

TABLE 24 (cont)

| 1000 | 14601 15 | 1 4 4 0 | 15750) 57 | 1.10.5 | * < ** 0.0 . 4 |
|------|--------------------------|---------|-------------------------|--------|-------------------|
| 1388 | 14691_AT | 1443 | 15753_AT | 1496 | 16789_AT |
| | 14709_AT | 1444 | 15761 AT | 1497 | 16818_S_AT |
| 1389 | 14704 S AT | 1445 | 1 5776_AT | 1498 | 16971_S_AT |
| | 15846 AT | 1446 | 15778 AT | 1499 | 17018_S_AT |
| 1390 | 14705 I AT | 1447 | 15839_AT | 1500 | |
| | | | | | 17019_S_AT |
| 1391 | 14733_S_AT | 1448 | 15842_AT | 1501 | 17029_S_AT |
| 1392 | 14735_S_AT | 1449 | 15857_S_AT | 1502 | 17041_S_AT |
| 1393 | 14779_AT | 1450 | 15859_AT | 1503 | 17047_S_AT |
| 1394 | 14784 AT | 1451 | 15880_AT | 1504 | 17066 S AT |
| 1395 | 14923_AT | 1452 | 15886_AT | 1505 | 17085_S_AT |
| 1396 | 14947_AT | 1453 | 15906 S AT | 1506 | 17089 S AT |
| 1397 | | | | 1507 | |
| | 14950_AT | 1454 | 15910_AT | | 17179_AT |
| 1398 | 14990_AT | 1455 | 15937_AT | 1508 | 17180_AT |
| 1399 | 14998_AT | 1456 | 15957_AT | 1509 | 17228_AT |
| 1400 | 15005_S_AT | 1457 | 15970_S_AT | 1510 | 17252_AT |
| 1401 | 15018_AT | 1458 | 15985 AT | 1511 | 17317_AT |
| 1402 | 15045 AT | 1459 | 16010_S_AT | 1512 | 17338_AT |
| 1403 | 15046_S_AT | 1.2, | 16011_S_AT | 1513 | 17384 AT |
| | 15052 AT | | 17078_S_AT | 1514 | 17387_S_AT |
| 1404 | | 1.460 | | | |
| 1405 | 15058_S_AT | 1460 | 16021_S_AT | 1515 | 17400_S_AT |
| 1406 | 15064_AT | 1461 | 16031_AT | 1516 | 17407_S_AT |
| 1407 | 15088_S_AT | 1462 | 16038_S_AT | 1517 | 17408_AT |
| 1408 | 15098_S_AT | 1463 | 16045_S_AT | 1518 | 17413_S_AT |
| 1409 | 15103_S_AT | 1464 | 16046_S_AT | 1519 | 17416_AT |
| 1410 | 15109_S_AT | 1465 | 16048 AT | 1520 | 17425 S AT |
| | 15105_S_AT 15124_S_AT | 1466 | 16061 S AT | 1521 | 17440 I AT |
| 1411 | | | | 1522 | |
| 1412 | 15127_S_AT | 1467 | 16082_S_AT | | 17442_I_AT |
| 1413 | 15145_S_AT | 1468 | 16111_F_AT | 1523 | 17473_AT |
| 1414 | 15154_S_AT | 1469 | 16115_S_AT | 1524 | 1 7484_A T |
| 1415 | 15161_S_AT | 1470 | 16141_S_AT | 1525 | 17514_S_AT |
| 1416 | 15189 S AT | 1471 | 16144 S AT | 1526 | 17520_S_AT |
| 1417 | 15214 S AT | 1472 | 16163_S_AT | 1527 | 17533_S_AT |
| 1418 | 15255_AT | 1473 | 16173_S_AT | 1528 | 17548_S_AT |
| | 15356_AT | 1474 | 16229_AT | | 19614_AT |
| 1419 | | | | 1529 | 17549_S_AT |
| 1420 | 15357_AT | 1475 | 16298_AT | | |
| 1421 | 15364_AT | 1476 | 16301_S_AT | 1530 | 17555_S_AT |
| 1422 | 1 5392_AT | 1477 | 16322_AT | 1531 | 17567_AT |
| 1423 | 15403_S_AT | 1478 | 16342_AT | 1532 | 17654_AT |
| 1424 | 15437 AT | 1479 | 16351 AT | 1533 | 17693_AT |
| 1425 | 15451 AT | 1480 | 16412 ⁻ S AT | 1534 | 17697 AT |
| 1426 | 15476 AT | 1481 | 16422 AT | 1535 | 17722_AT |
| | 15482 AT | 1482 | 16427_AT | 1536 | |
| 1427 | | | 16438 AT | 1537 | 17755_AT |
| 1428 | 15483_S_AT | 1483 | | | |
| 1429 | 15521_S_AT | 1484 | 16474_S_AT | 1538 | 17775_AT |
| 1430 | 15522_I_AT | 1485 | 16482_S_AT | 1539 | 17832_S_AT |
| 1431 | 15531_I_AT | 1486 | 16485_S_AT | 1540 | 17840_S_AT |
| 1432 | 15573 AT | | 18052_S_AT | 1541 | 17843_S_AT |
| 1433 | 15581_S_AT | 1487 | 16493 AT | 1542 | 17855_AT |
| 1434 | 15586 S AT | 1488 | 16534 S AT | 1543 | 17860 AT |
| | | 1489 | 16555 S AT | 1544 | 17869_AT |
| 1435 | 15594_S_AT | | | 1545 | 17888 AT |
| 1436 | 15609_S_AT | 1490 | 16561_S_AT | | |
| 1437 | 15611_S_AT | | 17572_S_AT | 1546 | 17899_AT |
| 1438 | 15621_F_AT | 1491 | 16592_S_AT | 1547 | 17929_S_AT |
| 1439 | 15623 F AT | 1492 | 16615_S_AT | 1548 | 17930_S_AT |
| 1440 | 15669 S AT | 1493 | 16637_S_AT | 1549 | 17932_S_AT |
| 1441 | 15695 S AT | 1494 | 16692 AT | 1550 | 17936_S_AT |
| 1442 | 15702 S AT | 1495 | 16712_AT | | 18670 G AT |
| エマサム | 13702_B_A1 | 1 175 | 20112_111 | | |

PCT/US01/26685

TABLE 24 (cont)

| 1551 | 17957_AT | 1606 | 19152_AT | 1663 | 20040_AT |
|------|----------------------|------|------------------------|------|-------------|
| 1552 | 17961 AT | 1607 | 19156_S_AT | 1664 | 20042 S AT |
| 1553 | 17962_AT | 1608 | 19182_AT | 1665 | 20060 AT |
| 1554 | 17963 AT | 1609 | 191 86_ S_AT | | 20438 AT |
| 1555 | 17971 S AT | 1610 | 19214_AT | 1666 | 20089_AT |
| 1556 | 17975_AT | 1611 | 19216_AT | 1667 | |
| | 18742_F_AT | 1612 | 19227_AT | 1668 | 20144 AT |
| 1557 | 18016_R_AT | 1613 | 19243_AT | 1669 | 20149 AT |
| 1558 | 18069 AT | 1614 | 19288 AT | 1670 | 20179 AT |
| 1559 | 18122_AT | 1615 | 19359_S_AT | 1671 | 20190 AT |
| 1560 | 18140 AT | 1616 | 19368_AT | 1672 | 20194 AT |
| 1561 | 18199_AT | 1617 | 19379_AT | 1673 | |
| 1562 | 18224_S_AT | 1618 | 19380 S AT | 1674 | 20245 S AT |
| 1563 | 18225 AT | 1619 | 19398 AT | 1675 | 20263 AT |
| 1564 | 18235_AT | 1620 | 19421 AT | 1676 | 20308 S AT |
| 1565 | 18259 S AT | 1621 | 19424 AT | 1677 | 20335 S AT |
| 1566 | 18265 AT | 1622 | 19429_AT | 1678 | 20338_AT |
| 1567 | 18270_AT1568 | 1623 | 19430_AT | 1679 | 20345_AT |
| 2507 | 18280_AT | 1624 | 19450_AT | 1680 | 20365_S_AT |
| 1569 | 18289_AT | 1625 | 19457 AT | 1681 | 20382 S_AT |
| 1570 | 18296 AT | 1626 | 19467 AT | 1682 | 20390_S_AT |
| 1571 | 18298 AT | 1627 | 19516 AT | 1683 | 20395 AT |
| 1572 | 18314_I_AT | 1628 | 19545_AT | 1684 | 20420 AT |
| 1573 | 18318 AT | 1629 | 19564 AT | 1685 | 20421 AT |
| 1574 | 18325 AT | 1630 | 19577 AT | 1686 | 20432 AT |
| 1575 | 18351 S AT | 1631 | 19593 AT | 1687 | 20437 AT |
| 1576 | 18471_AT | 1632 | 19602_AT | 1688 | 20442_I_AT |
| 1577 | 18482_S_AT | 1633 | 19618 AT | 1689 | 20463_S_AT |
| 1578 | 18484_AT | 1634 | 19638_AT | 1690 | 20491_AT |
| 1579 | 18560 AT | 1635 | 19640 AT | 1691 | 20537_AT |
| 1579 | 18564 AT | 1636 | 19646 S_AT | 1692 | 20573_AT |
| 1581 | 18590 AT | 1637 | 19656_S_AT | 1693 | 20636 AT |
| 1582 | 18594_AT | 1638 | 19670 AT | 1694 | 20638 AT |
| 1582 | 18595 AT | 1639 | 19696 AT | 1695 | 20641_AT |
| 1583 | 18596 AT | 1640 | 19713_AT | 1696 | 20658_S_AT |
| 1585 | 18629 S AT | 1641 | 19718_AT | 1697 | 20689_S_AT |
| 1586 | 18637_AT | 1642 | 19710_AT 19722_S_AT | 1698 | 20698_S_AT |
| 1587 | 18661_AT | 1643 | 19749 AT | 10,0 | 20070_5_111 |
| 1588 | 18668 AT | 1644 | 19755 AT | | |
| 1589 | 18699_I_AT | 1645 | 19762_AT | | |
| 1590 | 18747_F_AT | 1646 | 19789_S_AT | | |
| 1390 | 18789_AT | 1647 | 19815_AT | | |
| 1591 | 18761_AT | 1648 | 19843 AT | | |
| 1592 | 18833 AT | 1649 | 19869 AT | | |
| 1593 | 18875 S AT | 1650 | 19878_AT | | |
| 1594 | 18894 AT | 1651 | 19883 AT | | |
| 1595 | 18936 AT | 1652 | 19894 AT | | |
| 1596 | 18946 AT | 1653 | 19926 AT | | |
| 1597 | 18953 AT | 1654 | 19920_AT 19944_AT | | |
| 1598 | 18955 AT | 1655 | 19968 AT | | |
| 1599 | 18972 AT | 1656 | 19977_AT | | |
| 1600 | 19008 S_AT | 1657 | 19977_AT 19982_AT | | |
| 1601 | 19008_S_AT | 1658 | 19982_AT 19987 AT | | |
| 1602 | 19108_AT 19123_AT | 1659 | 19991_AT | | |
| 1602 | 19125_AT 19135_AT | 1660 | 20015 AT | | |
| 1603 | 19135_A1 19137 AT | 1661 | 20015_AT 20017_AT | | |
| 1604 | 19137_A1 19141 AT | 1662 | 20017_AT 20031_AT | | |
| 7002 | TATAT WIT | 1002 | 20031_111 | | |

184
TABLE 25: 2X UP IN COLD, SALT & MANNITOL

| | | , | |
|------------|---------------------|------------|------------|
| 12023_s_at | 14733_s_at | 17047_s_at | 19640_at |
| 12332_s_at | 14923_at | 17179_at | 19646_s_at |
| 12530_at | 14990_at | 17180_at | 19656_s_at |
| 12536_s_at | 15005_s_at | 17252_at | 19701_s_at |
| 12574_at | 15018_at | 17384_at | 19843_at |
| 12595_at | 15052_at | 17407_s_at | 19944_at |
| 12698_at | 15088_s_at | 17484_at | 19982_at |
| 12749_at | 15098_s_at | 17520_s_at | 19987_at |
| 12765_at | 15103_s_at | 17555_s_at | 19991_at |
| 12769_at | 15145_s_at | 17572_s_at | 20042_s_at |
| 12785_at | 15154_s_at | 17722_at | 20060_at |
| 12857_at | 15161_s_at | 17752_at | 20118_at |
| 12964_at | 15214_s_at | 17840_s_at | 20144_at |
| 12972_at | 15356_at | 17843_s_at | 20149_at |
| 12989_s_at | 15521_s_at | 17860_at | 20179_at |
| 13004_at | 15573_at | 17929_s_at | 20194_at |
| 13025_at | 15586_s_at | 17936_s_at | 20245_s_at |
| 13036_at | 15609_s_at | 17962_at | 20390_s_at |
| 13099 s_at | 15611_s_at | 18052_s_at | |
| 13136 at | 15621 f at | 18069 at | 20463_s_at |
| 13176_at | 15669_s_at | 18122_at | 20491 at |
| 13220 s_at | | _ | 20641_at |
| 13225 s at | | 18259_s_at | |
| 13230_s_at | 15761_at | 18280_at | |
| 13239_s_at | 15857 <u></u> s_at | 18289_at | |
| 13426_at | 15871 <u> </u> | 18314_i_at | |
| 13474_at | 15964 _ s_at | 18318_at | |
| 13548 at | 15970_s_at | 18325_at | |
| 13555 at | 15974 <u>g</u> at | 18482 s at | |
| 13595 at | 15997_s_at | 18590 at | |
| 13627 at | 16011_s_at | 18594_at | |
| 13645 at | 16021_s at | 18595_at | |
| 13647_at | 16038_s_at | 18596_at | |
| 13706_s_at | 16046_s_at | 18629_s_at | |
| 13965_s_at | 16082_s_at | | |
| 13967_at | 16111_f_at | 18668_at | |
| 14080_at | 16115_s_at | 18699_i_at | |
| 14090_i_at | 16127_s_at | 18722_s_at | |
| 14097_at | 16141_s_at | 18936_at | |
| 14116_at | 16144_s_at | 18953_at | |
| 14151_at | 16163_s at | 18955_at | |
| 14172_at | 16236 g at | 18972_at | |
| 14192_at | 16301_s_at | 19008_s_at | |
| 14244_s_at | 16322_at | 19152_at | |
| 14245 at | 16422 at | 19186_s_at | |
| 14367 at | 16474_s_at | 19214_at | |
| 14398 s at | 16482_s_at | 19368_at | |
| 14582_at | 16485 s at | 19379_at | |
| 14614_at | 16555_s_at | 19380_s_at | |
| 14644_s_at | 16561_s_at | 19421_at | |
| 14645_s_at | 16592_s_at | 19545_at | |
| 14658 s at | 16637_s_at | 19614_at | |
| 14659_s_at | 17041_s_at | 19638_at | |

185 TABLE 26: 2X DOWN IN COLD, MANNITOL & SALT, ONLY

| | ATADALI A | o. MADO WITHIN C | odd, Manini i o |
|------------|------------|---|-----------------|
| 12078_at | 15189_s_at | 17869_at | 20015_at |
| 12115_at | 15357_at | 17869_at 17888_at 17930_s_at 17932_s_at 17957_at 17963_at 17971_s_at 17975_at 18016_r_at 18140_at 18224_s_at 18225_at | 20040_at |
| 12118_at | 15364_at | 17930_s_at | 20089_at |
| 12150_at | 15403_s_at | 17932_s_at | 20190_at |
| 12271_s_at | 15476_at | 17957_at | 20219_at |
| 12276_at | 15483_s_at | 17963_at | 20263_at |
| 12338_at | 15522_i_at | 17971_s_at | 20301_s_at |
| 12400_at | 15531_i_at | 17975_at | 20308_s_at |
| 12430_at | 15594_s_at | 18016_r_at | 20338_at |
| 12538_at | 15702_s_at | 18140_at | 20345_at |
| 12622_at | 15778_at | 18224_s_at | 20395_at |
| 12630_at | 15839_at | 18225_at | 20442_i_at |
| 12792_s_at | 15842_at | 18228_at | 20537_at |
| 12805_s_at | 15859_at | 18235_at | 20573_at |
| 12883_s_at | 15872_at | 18265_at | 20636_at |
| 12909_s_at | 15880_at | 18270_at | 20638_at |
| 12932_s_at | 15886_at | 18296_at | 20698_s_at |
| 12968_at | 15906_s_at | 18298_at | r |
| 13159_at | 15957_at | 18471_at | |
| 13217 s_at | 15985_at | 18564_at | |
| 13279 s at | 16045_s_at | 18637_at | |
| 13282 s at | 16061_s_at | 18742_f_at | |
| 13432_at | 16173_s_at | 18761_at | |
| 13511 at | 16298_at | 18833_at | |
| 13546_at | 16351_at | 18875_s_at | |
| 13547_s_at | 16412_s_at | 18894_at | |
| 13587_at | 16438_at | 18946_at | |
| 13610_s_at | 16493_at | 19123_at | |
| 13640_at | 16534_s_at | 18225_at 18228_at 18235_at 18265_at 18265_at 18296_at 18296_at 18296_at 18471_at 18564_at 18637_at 18742_f_at 18761_at 18875_s_at 18894_at 18946_at 19123_at 19216_at 19243_at 19267_s_at 19243_at 19267_s_at 19243_at 19243_at 19243_at 19443_at 19450_at 19450_at 19450_at 19457_at 19467_at 19516_at | |
| 13725_at | 16539_s_at | 19243_at | |
| 13771_at | 16615_s_at | 19267_s_at | |
| 13916_at | 16692_at | 19288_at | |
| 14028_at | 16789_at | 19398_at | |
| 14039_at | 16818_s_at | 19424_at | |
| 14046_at | 16971_s_at | 19430_at | |
| 14049_at | 17018_s_at | 19450_at | |
| 14077_at | 17029_s_at | 19457_at | |
| 14170_at | 17089_s_at | 19467_at | |
| 14227_at | 17228_at | 19516_at | |
| 14248_at | 17338_at | 19564_at | |
| 14381_at | 17387_s_at | 19577_at | |
| 14384_at | 17413_s_at | 19593_at | |
| 14487_at | 17416_at | 19602_at | |
| 14597_at | 17425_s_at | 19618_at | |
| 14705_i_at | 17440_i_at | 19670_at | |
| 14709_at | 17473_at | 19696_at | |
| 14779_at | 17533_s_at | 19722_s_at | |
| 14947_at | 17549_s_at | 19749_at | |
| 14950_at | 17654_at | 19755_at | |
| 14998_at | 17693_at | 19815_at | |
| 15045_at | 17697_at | 19926_at | • |
| 15109_s_at | 17755_at | 19968_at | |
| 15124_s_at | 17832_s_at | 19977_at | |
| | | | |

186
TABLE 27: 2X ROOT SPECIFIC (COLD, SALINE & OSMOTIC STRESSES)

| | | BI ECHIC (COLD, SA | LINE & USMOTIC STRESSE |
|--------------------------|--------------------------|----------------------|--------------------------|
| 11997_at | 14069_at | 16052_at | 18327_s_at |
| 12004_at | 14072_at | 16053_i_at | 18597_at |
| 12051_at | 14073_at | 16105_s_at | 18607_s_at |
| 12072_at | 14097_at | 16161_s_at | 18636_at |
| 12150_at | 14139_at | 16165_s_at | 18663_s_at |
| 12151_at | 14235_at | 16298_at | 18782_at |
| 12166_i_at | 14250_r_at | 16334_s_at | 18885_at |
| 12219_at | 14578_s_at | 16422_at | 18888_at |
| 12315_at | 14582_at | 16427_at | 18942_at |
| 12332_s_at | 14640_s_at | 16440_s_at | 18955_at |
| 12374_i_at | 14643_s_at | 16442_s_at | 19060_at |
| 12482_s_at | 14644_s_at | 16468_at | 19108_at |
| 12515_at | 14658_s_at | 16488_at | 19135_at |
| 12522_at | 14659_s_at | 16511_at | 19137_at |
| 12538_at | 14711_s_at | 16529_at | 19195_at |
| 12571_s_at | 14900_at | 16553_f_at | 19263_at |
| 12574_at | 14924_at | 16568_s_at | 19376_at |
| 12609_at | 14990_at | 16914_s_at | 19406_at |
| 12678_i_at | 15018_at | 16965_s_at | 19432_s_at |
| 12698_at | 15022_at | 16981_s_at | 19835_at |
| 12749_at | 15107_s_at | 16989_at | 19836_at |
| 12760 <u>g</u> at | 15116_f_at | 17033_s_at | 19840_s_at |
| 12765_at | 15120_s_at | 17066_s_at | 19841_at |
| 12768_at | 15124_s_at | 17085_s_at | 19843_at |
| 12769_at | 15131_s_at | 17252_at | 19926_at |
| 12772_at | 15132_s_at | 17376_at | 19972_at |
| 12777_i_at | 15137_s_at | 17378_at | 19977_at |
| 12958_at | 15184_s_at | 17388_at 17415_at | 19991_at |
| 12989_s_at 13015_s_at | 15188_s_at 15208_s_at | 17415_at | 20034_i_at 20042_s_at |
| 13134_s_at | 15252_g_at | 17429_s_at | 20189_at |
| 13146_s_at | 15343_at | 17485_s_at | 20194_at |
| 13172_s_at | 15389_at | 17490_s_at | 20200_at |
| 13178_at | 15392_at | 17567_at | 20205_dt 20214_i_at |
| 13179_at | 15448_at | 17585_s_at | 20239_g_at |
| 13187_i_at | 15503_at | 17595_s_at | 20263_g_dt 20262_at |
| | 15531_i_at | 17840_s_at | 20269_at |
| 13239 s at | 15594 s at | 17860 at | 20294 at |
| 13273_s_at | 15609_s_at | 17880_s_at | 20312_s_at |
| 13297_s_at | 15623_f_at | 17894_at | 20382_s_at |
| 13549 at | 15639_s_at | 17896_at | 20396_at |
| 13604 at | 15670_s_at | 17899 at | 20432_at |
| 13629 s at | 15680_s_at | 17911_at | 20444 at |
| 13706 s at | 15859_at | 17935_at | 20446_s_at |
| 13714_at | 15900 at | 17961_at | 20480 s at |
| 13751 at | 15923_at | 18024_s_at | 20586 i_at |
| 13895_at | 15962_s_at | 18122_at | 20612 s_at |
| 13933_at | 15964_s_at | 18222 at | 20672_at |
| 13967_at | 15965_at | 18224_s_at | 20686_at |
| 13985_s_at | 15975_s_at | 18252_at | 20689_s_at |
| 14028_at | 15985_at | 18255_at | · |
| 14030_at | 16001_at | 18269_s_at | |
| 14058_at | 16048_at | 18270_at | |
| | | | |

187
TABLE 28: 2X LEAF SPECIFIC (COLD, SALINE & OSMOTIC STRESSES)

| TABLE 20: 2A LEAF SPECIFIC (COLD, SALINE & OSMOTIC STRESSES |
|---|
| 16136_s_at |
| 16172_s_at |
| 16316_at |
| 16385_s_at |
| 16455_at |
| 16485_s_at |
| 16512_s_at |
| 16547_s_at |
| 16548_s_at |
| 16629_s_at |
| 16673_at |
| 16899_at |
| 17010_s_at |
| 17018_s_at |
| 17054_s_at |
| 17095_s_at |
| 17097_s_at |
| 17273_at |
| 17394_s_at |
| 17420_at |
| 17449_s_at |
| 17600_s_at |
| 17843_s_at |
| 17913_s_at |
| 17966_at |
| 18003_at |
| 18081_at |
| 18560_at |
| 18588_at |
| 18626_at |
| 18644_at |
| 18666_s_at |
| 18742_f_at |
| 18977_at |
| 18994_at |
| 19227_at |
| 19373_at |
| 19834_at |
| 19867_at |
| 19998_at |
| 20062_at |
| 20199_at |
| 20256_s_at |
| 20284_at |
| 20437_at |
| 20442_i_at |
| 20450_at |
| 20468_at |
| 20547_at |
| 20635_s_at |
| |
| |
| |
| |

188
TABLE 29: 2X TRANSCRIPTION (COLD, SALINE & OSMOTIC STRESSES)

| | TABLE 29: 2X TRAN | SCRIPTION (COLD, SALINE & OSMOTIC STRESSES |
|--------------|--------------------|--|
| 12068_at | 15665_s_at | 19836_at |
| 12166_i_at | 15679_s_at | 19860_at |
| 12374_i_at | 15720_at | 19866_at |
| 12392_at | 15871_s_at | 19898_at |
| 12431_at | 16072_s_at | 20262_at |
| 12450_s_at | 16073_f_at | 20335_s_at |
| 12503_at | 16105_s_at | 20362_at |
| 12536_s_at | 16111_f_at | 20424_at |
| 12540_s_at | 16127_s_at | 20437_at |
| 12541_at | 16534_s_at | 20456_at |
| 12587_at | 16582_s_at | 20515_s_at |
| 12594_at | 16589_s_at | 20635_s_at |
| 12595_at | 16747_at | |
| 12704_f_at | 17019_s_at | |
| 12705 f at | 17129_s_at | |
| 12709_f_at | 17160_at | |
| 12712_f_at | | |
| 12719_f_at | 17538_s_at | |
| 12724_f_at | 17555_s_at | |
| 12725_r_at | 17609_at | |
| 12726_f_at | 17896_at | |
| 12734_f_at | 17971_s_at | |
| 12736 f at | 17075 at | |
| 12737_f_at | 17978_s_at | |
| 12812_at | 18121_s_at | |
| 12949_at | 18167_s_at | |
| 12951_at | 18197_at | |
| 12966_s_at | 18222_at | |
| 13023_at | 18318_at | |
| 13034_s_at | 18576_s_at | |
| 13087_at | 18629_s_at | |
| 13270_at | 18738_f_at | |
| 13273_s_at | 18742_f_at | |
| 13432_at | 18744_f_at | |
| 13555_at | 18745_f_at | |
| 13688_s_at | 18747_f_at | |
| 13714_at | 18750_f_at | |
| 13965_s_at | 18751_f_at | |
| 13987_s_at . | | |
| 14003_at | 18834_at | |
| 14144_at | 18942_at | |
| 14178_at | 19083_at | |
| 14223_at | 19202_at | |
| 14235_at | 19209_s_at | |
| 14303_s_at | 19232_s_at | |
| 14393_at | 19315_at | |
| 14553_at | 1 9489_s_at | |
| 14781_at | 19611_s_at | |
| 15046_s_at | 19646_s_at | |
| 15053_s_at | 19707_s_at | |
| 15214_s_at | 19722_s_at | |
| 15510_r_at | 19744_at | |
| 15638_s_at | 19755_at | • |
| | | |

189
TABLE 30: 2X PHOSPHATES (COLD, SALINE & OSMOTIC STRESSES)

12470_at 12556_at 13128_at 13135_s_at 13180 s at 13192_s_at 13193_s_at 13587_at 13995_at 14335_at 15073 at 15171_s_at 15240_at 15586_s_at 15641_s_at 15651 f at 15990_at 16232_s_at 16576_f_at 16753_at 17423_s_at 17525_s_at 17537_s_at 17929_s_at 17954_s_at 18012 s at 18308_i_at 18616_at 18847_at 18936_at 18980_at 19243_at 19263_at 19638_at 19883_at 19932_at

20333_at 20393_at 20570_at

190
TABLE 31: 2X KINASES (COLD, SALINE & OSMOTIC STRESSES)

| | ALDED DI DI | LE GEOD, SAL |
|--|--|--------------|
| 12253_g_at | 16059_s_at | 20144_at |
| 12270_at | 16087_s_at | 20219_at |
| 12271_s_at | 16088_f_at | 20223_at |
| 12276_at 12278_at 12284_at 12300_at | 16125_s_at | 20232 s_at |
| 12278_at | 16137_s_at | 20235_i_at |
| 12284_at | 16137_s_at 16140_s_at 16143_s_at | 20282 s at |
| 12300 at | 16143 s at | 20298 at |
| 12307 at | 16144 s at | 20396 at |
| 12353_at | 16160_f_at | 20439 at |
| 12357_s_at | 16171_s_at | |
| 12390 at | | _ |
| 12394_at | 16412 s at | |
| 12395_s_at | | |
| 12408_at | | |
| 12452_at | 16571_s_at | |
| 12477_at | 16584_s_at | |
| 12490_at | 16651_s_at | |
| 12497_at | 16652_s_at | |
| 12532 at | 16672 at | |
| 12697 at | 16818 s at | |
| 12901 s at | 16840_at | |
| 12902 at | 17068 s at | |
| 12958_at | 17122_s_at | |
| 12959_at | 17252 at | |
| 13068_at | | |
| 13246_at | | |
| 13324_at | | |
| | 17921_s_at | |
| 13362 s at | | |
| 13370_at | 17935_at | |
| 13550_at | 18013 <u>r</u> at | |
| 14030_at | 18046 s at | |
| 13370_at 13550_at 14030_at 14048_at 14194_at 14196_at | 18122 at | |
| 14194 at | 18176_at | |
| 14196_at | 18316 at | |
| 14217_at | 18455 at | |
| 14459_at | 18459 at | |
| 14603_at | 18482 s at | |
| 14637_s_at | 18543 at | |
| 14686_s_at | 18706 s at | |
| 15005_s_at | 18782_at | |
| 15175_s_at | 18924 at | |
| 15270_at | 19117_s_at | |
| 15475_s_at | 19437_s_at | |
| 15497_s_at | 19442_at | |
| 15577_s_at | 19458 at | |
| 15616_s_at | 19464 at | |
| 15633_s_at | 19469_at | |
| 15634_s_at | 19562_at | |
| 15668_s_at | 19655_at | |
| 15680_s_at | 19749_at | |
| 15798_at | 19854_at | |
| 16034_at | 19904_at | |
| _ | _ | |

191

GenBank accession numbers and source organisms for nucleotide and amino acid sequence homologs of the listed SEQ ID NO:

TABLE 32

| Oryza longistaminata | 49 U72725 | SEQ ID NO. AAB82755.1 | Oryza sativa | 17 D86925 | SEQ ID NO. BAA13181.1 |
|----------------------|----------------|--------------------------|--------------------------------|---------------|--------------------------|
| Oryza longistaminata | U72726 | AAB82753.1 | Oryza sativa | AB042644 | BAA95705.1 |
| Ipomoea nil | U77888 | AAG52992.1 | | AB042643 | BAA95704.1 |
| Nicotiana tabacum | AB029327 | BAA88636.1 | Zea mays | AE079782 | AAD20980.1 |
| | U72724 | AAB82756.1 | Spinacia oleracea | X99937 | CAA68193.1 |
| Oryza longistaminata | 072725 | AAB82755.1 | Vigna radiata | AF156667 | AAF40306.1 |
| Oryza longistaminata | U72723 | AAC80225.1 | Pisum sativum | AF271892 | AAF75791.1 |
| Oryza sativa | U37133 | AAC49123.1 | Nicotiana sylvestris | D16247 | BAA03763.1 |
| Oryza sativa | AF172282 | AAF34426.1 | | 13 | |
| Oryza sativa | AP000559 | BAA84787.1 | | | |
| Oryza sativa | AP000391 | BAA83373.1 | Spinacia oleracea | X51462 | CAA35826.1 |
| Ipomoea nil | U77888 | AAB36558.1 | Spinacia oleracea | X51463 | CAA35827.1 |
| Pinus sylvestris | AJ250467 | CAC20842.1 | Ricinus communis | Z70677 | CAA94534.1 |
| Malus x domestica | AF053127 | AAC36318.1 | Oryza sativa | U92541 | AAB51522.1 |
| Glycine max | AF197946 | AAF59905.1 | Oryza sativa | D21836 | BAA04864.1 |
| Glycine max | AF244889 | AAF91323.1 | Oryza sativa | D26547 | BAA05546.1 |
| Glycine max | AF244890 | AAF91324.1 | Brassica napus | U59379 | AAB53694.1 |
| Glycine max | AF244888 | AAF91322.1 | | | alboglabra |
| Glycine max | AF197947 | AAE59906.1 | Brassica oleracea var. | AF273844 | AAG35777.1 |
| Orvza sativa | X89226 | CAA61510.1 | Picea mariana | AF051206 | AAC32111.1 |
| | 48 | SEQ ID NO. | Brassica rapa | AB010434 | BAA25681.1 |
| 1 | | | Triticum aestivum | AF286593 | AAF88067.1 |
| Orvza sativa | AF067401 | AAC98091.1 | Brassica napus | AF018174 | AAC04671.1 |
| Zea mavs | AE067400 | AAC98090.1 | Spinacia oleracea | X14959 | CAA33082.1 |
| Orvza sativa | AP001168 | BAA90816.1 | Mesembryanthemum crystallinum | AF069314 | AAC19392.1 |
| Zea mays | AE263457 | AAG13663.1 | Triticum turgidum subsp. durum | AJ001903 | CAA05081.1 |
| Pisum sativum | AB048713 | BAB39155.1 | Oryza sativa | AB053294 | BAB20886.1 |
| | 17 | SEO ID NO. | | 12 | SEQ ID NO. |
| Fagus sylvatica | AJ298990 | CAC09578.1 | Tulipa gesneriana | AF283706 | AAG14454.1 |
| Oryza sativa | AC083945 | AAK13126.1 | Tulipa gesneriana | AF283708 | AAG14456.1 |
| Zea mavs | 40 AB042270 | SEQ ID NO. BAB20583.1 | Tulipa gesneriana | 4 AF283707 | AAG14455.1 |
| | 70 | ON OT OBS | | 4 | SEO ID NO. |

| 1eu | 192 |
|---|--|
| Ipomoea trifida Brassica oleracea Brassica oleracea Brassica iapa Brassica napus subsp. Brassica napus Brassica oleracea Brassica oleracea Brassica oleracea Brassica capa Brassica rapa Brassica rapa Brassica napus Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica rapa | |
| U20948 Y12531 X98520 AB000970 AB032473 AJ245479 M97667 AB032474 Y18260 Z18921 D30049 U00443 Y18259 M76647 D38564 D38563 | U82481 AF078082 AF088885 AF172282 52 U93048 AP000391 AP000559 U77888 AF244889 AF244889 AF197946 |
| AAC23542.1 CAA73134.1 CAA67145.1 BAA23676.1 BAA23676.1 BAA92836.1 CAB81179.1 AAA33008.1 BAA06285.1 CAA79355.1 BAA06285.1 CAA74662.1 CAB41878.1 AAA33000.1 BAA07577.2 BAA07576.1 | AAB93834.1 AAD21872.1 AAD52097.1 AAF34428.1 SEQ ID NO. 3 AAB61708.1 BAA83373.1 BAA83373.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF91322.1 AAF59906.1 AAF59900.1 AAF34426.1 AAF34426.1 AAF34426.1 AAF34426.1 |
| Oryza sativa Oryza sativa Oryza longistaminata Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Glycine max Malus x domestica Glycine max Ipomoea nil Oryza sativa Oryza longistaminata Nicotiana tabacum Ipomoea nil Daucus carota | Glycine max Panax ginseng Glycyrhiza glabra Glycyrhiza glabra Glycyrhiza glabra Nicotiana tabacum Capsicum annuum Solanum tuberosum Nicotiana benthamiana Artemisia annua Zea mays Oryza sativa Nicotiana tabacum Botryococcus braunii Citrus sinensis Artemisia annua Botryococcus braunii Citrus sinensis Artemisia annua Botryococcus braunii |
| U37133 U72723 AF172282 AJ250467 AP000391 AP000559 U72724 AF244889 AF053127 AF244888 AF197946 AF197946 AF197946 AF197946 AF197946 U77888 X89226 U77888 U77888 | 50 AB007503 AB010148 D86410 D86409 U60057 AF124842 AB022599 U46000 AF302464 AB007502 AB007501 U59683 AF205791 AF205791 AF205791 AF205791 AF205791 AF205791 AF205790 AF181557 AF205790 AF181557 AF205790 |
| AAC49123.1 AAC80225.1 AAF34426.1 CAC20842.1 BAA8373.1 BAA84787.1 AAF91323.1 AAF91323.1 AAF91324.1 AAF91322.1 AAF91322.1 AAF9906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 AAF59906.1 | SEQ ID NO. 8 BRAZ2559.1 BRAZ4289.1 BRA13084.1 BRA13083.1 AAB08578.1 AAB08578.1 AAA87048.1 AAA87048.1 BAA22558.1 BAA22557.1 BAA22557.1 AAB02945.1 AAB02945.1 AAB6387.1 AAF63255.1 AAF63255.1 CAA73133.1 CAA74661.1 |

| 193 |
|--|
| Gossypium hirsutum Cicer arietinum Spirodela polyrrhiza Nicotiana tabacum Glycine max Oryza sativa Brassica napus Oryza sativa Brassica oleracea Populus nigra Lophopyrum elongatum Lophopyrum elongatum Brassica oleracea Populus nigra Oryza sativa Zea mays Iycopersicon esculentum Glycine max Zea mays Nicotiana tabacum Glycine max Lycopersicon esculentum Elycopersicon esculentum Lycopersicon esculentum Lycopersica oleracea Brassica oleracea |
| AF216497 AB024992 Z70524 56 AF142596 AF244890 00069 AY028699 AR023482 Z73295 AC073405 AF249317 AF249317 AF220603 U59316 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14286 Y14285 AF001551 D31737 AF318490 AF318490 AF318490 AF318490 AF318490 AF318490 AF318490 AF318493 Y12530 AF285172 AF197946 |
| AAF23176.1 BAA76420.1 CAA94437.1 SEQ ID NO. AAF91324.1 CAB51834.1 AAK21965.1 BAA78764.1 CAA97692.1 AAG03090.1 AAG16628.1 BAA94509.1 AAG16628.1 BAA94509.1 AAF163134.1 BAA94510.1 AAF91336.1 AAF91336.1 AAB93834.1 AAB91336.1 AAB753962.1 AAF763133.1 CAA77656.1 AAB759905.1 AAF59906.1 |
| Populus nigra Populus nigra Populus nigra Ipomoea nil Lophopyrum elongatum Lophopyrum elongatum Oryza sativa Oryza sativa Brassica napus Rauvolfia serpentina Brassica nigra Prunus serotina Costus speciosus Prunus avium Manihot esculenta Dalbergia cochinchinensis Zea mays Catharanthus roseus Manihot esculenta Dalbergia cochinchinensis Zea mays Secale cereale Sorghum bicolor Cucurbita pepo Avena sativa Secale cereale Sorghum bicolor Cucurbita pepo Avena sativa Zea mays Zea mays Zea mays Zea mays Zea mays Hordoum vulgare Musa acuminata Frifolium repens Hordeum vulgare Musa acuminata Brassica napus Oryza sativa Cicer arietinum |
| AB041503 AB041504 U77888 AET33222 AP001551 AB023482 AP001551 AB023482 AR2577 AF149311 U72154 AF221526 D83177 U39228 S35175 AF163097 U44087 AF12888 X94986 AF082991 AF293849 U33816 U33816 U25157 U44773 AF170087 AF170087 AF11288 X54233 U33816 U25157 U44773 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF17087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF117087 AF11869 AF311287 AF311287 AF311287 AF311287 |
| BAA94509.1 BAA94510.1 AAG52994.1 AAKI1674.1 BAA92954.1 BAA92954.1 BAA92954.1 BAA92954.1 AAF03675.1 AAF03675.1 AAF34650.1 BAA11831.1 AAF34650.1 BAA11831.1 AAF28800.1 CAA64442.1 BAA11831.1 AAG09850.1 AAG09850.1 AAG00614.1 AAG0589.1 AAG0619.1 CAA55196.1 AAG49177.1 AAG25897.1 CAA55196.1 AAG659619.1 AAG69619.1 CAA40058.1 AAG69619.1 CAA40058.1 AAG69619.1 CAA40058.1 AAG69619.1 CAA40058.1 AAG69619.1 CAA40058.1 AAG69619.1 CAA40059.1 CAA40059.1 CAAA906.1 |

| | | | | | | | | | | | | | | | | | | | | 1: | 94 | | | | | | | | | | | | | | | | | | | |
|--------------------|------------|-----------------|------------|---------------------|---------------------|---------------------------|---------------|--------------|------------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------|--------------------|---------------------------|-------------------------|-----------------|-----------------|------------|----------------|-----------------------|-------------------|-----------------------|-------------------|-------------------|-------------|--------------|----------------------------|--------------------|-------------------|----------------------------|---------------------------|-----------------------------------|-------------------------|-----------------------|--------------------|--------------------------------------|-------------------|-----------------------|
| | ብነ | Medicago sativa | Zea mays | recunta x nybrida | Oryza sativa | Antirrhinum majus | Vigna radiata | Oryza sativa | Dunaliella tertiolecta | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Antirrhinum majus | Chenopodium rubrum | Chlamydomonas reinhardtii | Medicago sativa | Medicago sativa | Medicago sativa | | | Asparadis officinalis | Spinacia oleraces | Orvza sativa | Spinacia oleracea | Spinacia oleracea | | Oryza sativa | Oryza sativa | Gossypium hirsutum | Nicotiana tabacum | Populus balsamifera subsp. | Dhased in sulface to | Financius valgaris Picea abies | Scutellaria baicalensis | Populus kitakamiensis | Spinacia oleracea | Populus balsamifera subsp. | | Populus kitakamiensis |
| | AB006033 | MAGES | M60326 | 75040 | 004000 | A9/038 | AF129886 | X58194 | AF038570 | AJ297917 | AF289466 | AF289465 | AJ297916 | X97640 | AJ278885 | AB035141 | AJ224336 | X66469 | 107042 | | 09 | AB042103 | AE244924 | AP001383 | AF244923 | AF244922 | X91232 | AP001366 | AP001383 | AF155124 | AB027752 | X97351 | AF149280 | AJ250121 | AB024439 | D30652 | Y10466 | X97348 | 000 | D30653 |
| 1000 | DAAZ16/3.1 | AAB33/70 1 | CA273997 1 | BAA10553 1 | T. P.C. C. P. C. L. | 1.46200000 1.462000000 | AADSUSUO.I | CAA41172.1 | AAD08/21.1 | CAC15504.1 | AAG01533.1 | AAG01532.1 | CAC15503.1 | CAA66236.1 | CAC17703.1 | BAB18271.1 | CAB37188.1 | CAA47099.1 | AAB41548.1 | | SEQ ID NO. | BAA94962.1 | AAF63027.1 | BAA92500.1 | AAF63026.1 | AAF63025.1 | CAA62615.1 | BAA92422.1 | BAA92497.1 | AAD43561.1 | BAA82306.1 | CAA66037.1 | trichocarpa AAD37430.1 | CAB65334.1 | BAA77389.1 | BAA06334.1 | CAA71492.1 | CAA66034.1 | trichocarpa | EAAU6335.1 |
| Maliis & domestics | i S | _ | | Catharanthus roseus | tiva | Glycine max | | | T.VOODORSIOON Nimminollifeli | 1 6 | | 1100 | | con | | CO | Arcoperation esculentum | 20 C | | 50 | Con | O | tak | Lycopersicon hirsutum | ╌ | Nicotiana tabacum | | | beta vulgaris bis satis | Antirrhim moins | Braceica manio | Iveopersion eschilentum | Nicotiana tabacum | Petroselinum crispum | מ | | Chenopodium rubrum | Vigna aconititolia Imenarian eemi | Sesbania rostrata | |
| AE053127 | AY028699 | AF244890 | AF244889 | 273295 | X89226 | AF244888 | AF318493 | 69000 | AE220602 | 1159317 | AF318490 | 1159315 | 1102271 | | AFZZUÓUZ | AE 22 U 6 U 3 | ないのはなりな | 1.27821 | AF220603 | 75210400 | AE 3 1 0 4 7 2 | 009318 | _ ; | AF318491 | AET / 2282 | AE SUZUBZ | C L | 507177 | AR008187 | X97637 | U18365 | X17226 | AF289467 | L34206 | X89400 | 070/0/ | MOOAOT | M33437 V17225 | 275661 | |
| AAC36318.1 | AAK21965.1 | AAF91324.1 | AAF91323.1 | CAA97692.1 | • | AAF91322.1 | AAK11569.1 | CAB51834.1 | AAF76307.1 | AAB47424.1 | | AAB47423.1 | AAC48914.1 | AAF76306 1 | | AAB47421 1 | AAG03090 1 | AAA33915.1 | AAF76314.1 | L 89511744 | 1.000 TANK | AAD4/422.1 | DAMO0338.1 | AANTIJO/.I | AAC25966 1 | 1.000000000 | A ON UI OAS | | BAA33152.1 | CAA66233.1 | AAA92823.1 | CAA76701.1 | AAG01534.1 | AAC41680.1 | CAMO1361.1 | CAC17447 | 25577777 T | CAA76700.1 | CAA99991.1 | |

PCT/US01/26685

| ro | 195 |
|---|---|
| Cicer arietinum Pisum sativum Pisum sativum Persea americana Petunia x hybrida Eschscholzia californica Petunia x hybrida Glycine max Nicotiana tabacum Glycine max Glycyrhiza echinata Glycyrhiza echinata Glycyrhiza echinata Glycyrhiza echinata Glycyrhiza echinata Glycine max Torenia hybrida Glycine max Torenia hybrida Glycine max Torenia hybrida Glycine max Nicotiana tabacum Cicer arietinum | Vigna unguiculata Vigna unguiculata Hordeum vulgare Trifolium repens Ipomoea batatas Medicago sativa Glycine max Calystegia sepium Triticum aestivum Oryza sativa |
| AJ249800 AF175278 U2933 M32885 AF155332 AF014802 AB006790 D83968 X96784 AF022458 AB022733 AF218296 D86351 AB028152 AB135485 X95342 AJZ49801 | 62 AJ225087 X52321 AF300799 AF061203 AF061203 AF061204 AF353207 D21349 D499999 AF061204 AJ301645 AF049098 D12882 AF049098 D12882 AF049098 D12882 AF049098 D12882 AF049098 D12882 AF049098 AF049098 |
| CAB56742.1 AAG09208.1 AAC49188.2 AAA32913.1 AAD56282.1 AAC39454.1 BAA92894.1 BAA92453.1 BAA22423.1 BAA22423.1 BAA72466.1 AAG44132.1 BAA84072.1 AAD38930.1 CAA64635.1 CAB56743.1 BAAB4032.1 | |
| Ipomoea batatas . Medicago sativa Armoracia rusticana Stylosanthes humilis Populus balsamifera subsp. Populus nigra Populus kitakamiensis Linum usitatissimum Populus balsamifera subsp. Phaseolus vulgaris Arachis hypogaea Nicotiana tabacum Medicago sativa Nicotiana tabacum Coryza sativa Armoracia rusticana | Glycine max Spinacia oleracea Medicago sativa Lycopersicon esculentum Lycopersicon esculentum Oryza sativa Oryza sativa Oryza sativa Criticum aestivum Glycine max Scutellaria baicalensis Cicer arietinum Lotus japonicus Glycyrrhiza echinata Glycyrrhiza echinata Glycyrrhiza echinata Cicer arietinum Cicer arietinum Helianthus tuberosus Helianthus tuberosus Glycine max |
| AJ242742 X90693 D90115 L37790 X97350 D83224 D83225 D38051 AF049881 X97349 AF149277 M37636 J02979 X90694 D11396 AP001551 | AF007211 Y10467 X90692 X71593 Y19023 AF014468 D49551 D11102 X85230 AF014502 AB024438 61 AJ239051 AB022732 AB022732 AB022732 AB01379 AJ238439 AJ00477 AF022461 |
| CAB94692.1 CAA6226.1 BAA14143.1 AAB02554.1 CAA66036.1 trichocarpa BAA11852.1 BAA11852.1 BAA07241.1 AAC05277.1 CAA66035.1 trichocarpa AAD37427.1 AAB06183.1 AAB06183.1 AAB06183.1 AAB06183.1 CAA62227.1 BAA92967.1 CAA62227.1 | |

| | | | 1 8012444 | AF230515 | Orvza sativa subsp. japonica |
|-------------|----------------|-----------------------------------|--------------|----------|------------------------------|
| AAA33899.1 | L10346 | Oryza sativa | AAK21965.1 | AY028699 | ca napus |
| BAA00828.1 | | Tpomoea nacacas | AAB93834.1 | U82481 | Zea mays |
| AAD15902.1 | AFUGRITS | Ged mays | CAA73134.1 | Y12531 | Brassica oleracea |
| CAASIUSI.I | 7/2077 | ded mays | AAB61708.1 | 093048 | Daucus carota |
| CAA76131.1 | 110747 | - 0 | AAC23542.1 | U20948 | Ipomoea trifida |
| CAA7/81/.1 | 77777 | | AAD21872.1 | AF078082 | Phaseolus vulgaris |
| BAA92921.1 | AFUULDSA | OLYZA BACLYA Driinin armoniaca | CAB41878.1 | Y18259 | Brassica oleracea |
| AAD38148.1 | AFILOSOUL | finite animalitade | BAA21132.1 | D88193 | Brassica rapa |
| AAB64177.1 | 41 | nordoum variante | BAA06285.1 | D30049 | Brassica rapa |
| BAA09/93.1 | U05074 | nordan vargant | CAA79355.1 | 218921 | Brassica oleracea |
| CAA40105.1 | X36/83 | מערטות רעועמויי | AAF76313.1 | AF220603 | |
| | ç | | AAB47421.1 | 059316 | Lycopersicon esculentum |
| | 50 | | CAB51834.1 | 69000 | Oryza sativa |
| BAB19864.1 | ABUSZ865 | VEYZA BALLVA | BAA94529.2 | AP001800 | Oryza sativa |
| CAA47324.1 | X66856 | NICOLIANA CADACUM | CAB41879.1 | X18260 | Brassica oleracea |
| CAA04511.1 | AJUOTOBI | VICIO VIIIICEO | BAA94516.1 | AP001800 | Oryza sativa |
| AAB06594.1 | T59850 | Medicago tidicacura | AAA33008.1 | M97667 | Brassica napus |
| CAA70777.1 | Y09590 | VICIS VINITERA | CAB89179.1 | AJ245479 | Brassica napus subsp. napus |
| BAB19863.1 | AB052884 | Oryza saciva | BAA23676.1 | AB000970 | Brassica rapa |
| CAB52689.1 | AJ132224 | 1 6 CO | BAA78764.1 | AB023482 | Oryza sativa |
| CAA09419.1 | AJULU942 | 150 | 7 7030300 | AC073405 | Orvza sativa |
| CAB06079.1 | 283829 | Picea ables | DDF01775 1 | AF068135 | |
| BAB19862.1 | AB052883 | Oryza sativa | CDA74662.1 | Y14286 | Brassica oleracea |
| CAA39036.1 | X55349 | | 1 75820449 | DB032474 | Brassica oleracea |
| CAA68813.1 | Y07520 | Chlorella kessieri | 1.1202020442 | X98520 | |
| CAA53192.1 | X75440 | Chlorella kessleri | CAM6/143.1 | A30320 | |
| CAB52688.1 | AJ132223 | Lycopersicon esculentum | CAA/3133.1 | X12330 | |
| AAD55054.1 | AF173655 | Beta vulgaris | BAA07577.2 | D38564 | |
| CAB52690 1 | A.T132225 | Lycopersicon esculentum | AAG16628.1 | AY007545 | Brassica napus |
| AAF74567.1 | AF215853 | Solanum tuberosum | BAA07576.1 | D38563 | |
| 7 7901/144 | AF215852 | Nicotiana tabacum | BAA92954.1 | AP001551 | Oryza sativa |
| • | AF215851 | Spinacia oleracea | AAF66615.1 | AF142596 | Nicotlana tabacum |
| 1 2005 / IM | AF215854 | Zea mays | BAA94509.1 | AB041503 | Fopulus nigra |
| • | AF215837 | Anium graveolens var. dulce | | | |
| | AE 6 1000 | | SEQ ID NO. 6 | 99 | |
| | V | | CAA58774.1 | X83922 | Brassica napus |
| SEC ID NO. | 04 75721466 | ?woonersicon esculentum | CAA58773.1 | X83921 | |
| HAE 13299.1 | 110053 | Incoperation esculentum | AAK14790.1 | AY027510 | |
| AAB36 (43.1 | 20000 | ;)) | CAA52896.1 | X74942 | Lycopersicon esculentum |
| ON OI OAS | 6.5 | | AAC49556.1 | U04295 | Oryza sativa |
| BAA82556.1 | AB030083 | Populus nigra | AAA34293.1 | M28704 | Triticum aestivum |

| | | | | | | | | | | | | | | | | | | 19 | 7 | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------------|------------|----------------------|--------------------|--------------------|-------------------|----------------|-------------------|----------------------|--------------|---------------------|-------------------------|-------------------|-------------------|-------------------------|-----------------|-------------------|-------------------|-------------------|--------------|-------------|--------------|------------------|--------------|------------------|-----------------|-------------------|-------------------|-------------------|---------------------|-------------------|-------------------|-------------------------|-------------------|--------------------|----------------------|------------|-----------------|--------------------------|
| | Solanum tuberosum | | Solanum tuberosum | Adiantum raddianum | Adiantum raddianum | Oryza sativa | Secale cereale | Secale cereale | | Glycine max | Glycine max | Lycopersicon esculentum | Lolium temulentum | Oryza sativa | Avena sativa | Hordeum vulgare | Hordeum vulgare | Triticum aestivum | Petunia x hybrida | Glycine max | Glycine max | Oryza sativa | Glycine max | Oryza sativa | Oryza sativa | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Petunia x hybrida · | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Antirrhinum majus | Gossypium hirsutum | | | Sorghum bicolor | Sorghum bicolor |
| a | AF122051 | AF122052 | AF122053 | AF190303 | AF190304 | AF172282 | AF190302 | AF190301 | Y11414 | AB029160 | AB029159 | X98308 | AF114162 | D88621 | AJ133638 | X87690 | AY008692 | AB044084 | Z13998 | AB029161 | AB029162 | Y11415 | AB029165 | X11350 | AC037425 | X98355 | AE198499 | AB028650 | AF198498 | Z13997 | U72762 | AB028651 | X99134 | AJ006292 | AF336283 | | 70 | X12464 | Y12465 |
| ON OF | AAG08959.1 | AAG08960.1 | AAG08961.1 | AAF67052.1 | AAF67053.1 | AAF34434.1 | AAF67051.1 | AAF67050.1 | CAA72217.1 | BAA81731.1 | BAA81730.1 | CAA66952.1 | AAD31395.1 | BAA23341.1 | CAB40189.1 | CAA61021.1 | AAG22863.1 | BAA96421.1 | CAA78388.1 | BAA81732.1 | BAA81733.2 | CAA72218.1 | BAA81736.1 | CAA72185.1 | AAG13574.1 | CAA67000.1 | AAG28526.1 | BAA88222.1 | AAG28525.1 | CAA78387.1 | AAB41101.1 | BAA88223.1 | CAA67575.1 | CAB43399.1 | AAK19616.1 | | | CAA73067.1 | CAA73068.1 |
| Lycopersicon esculentum | | ys | Petroselinum crispum | Oryza sativa | Brassica napus | Nicotiana tabacum | Zea mays | Triticum aestivum | Petroselinum crispum | Sinapis alba | Catharanthus roseus | Nicotiana tabacum | Raphanus sativus | Triticum aestivum | Lycopersicon esculentum | Glycine max | Triticum aestivum | Triticum aestivum | Triticum aestivum | Oryza sativa | | | Ricinus communis | Vicia faba | Ricinus communis | Nepenthes alata | Solanum tuberosum | Nepenthes alata | Solanum tuberosum | Ricinus communis | Nepenthes alata | Vicia faba | Ricinus communis | Vicia faba | Vicia faba | Nicotiana sylvestris | ٠. | Oryza sativa | Chlorella protothecoides |
| X74941 | X10809 | U10270 | Y10810 | U42208 | X83920 | Z48602 | X15165 | D64051 | 046217 | X16953 | AF084971 | Z48603 | X92102 | | 乊 | ₹! | M63999 | U10466 | U10467 | U04297 | | 29 | AJ132228 | X09591 | Ċ | AF080543 | X09826 | AE080544 | X09825 | 268759 | AF080542 | AF061435 | X11121 | AF061434 | AF061436 | U64823 | | 2278 | AJ238635 |
| CAA52895.1 | CAA71768.1 | AAA80169.1 | CAA71770.1 | AAB40291.1 | • | • | CAB62402.1 | BAA10928.1 | AAC49398.1 | CAA76555.1 | AAD42937.1 | CAA88493.1 | CAA63073.1 | AAA17488.1 | CAA52897.1 | AAB00098.1 | • | AAA19103.1 | AAA19104.1 | AAC49558.1 | | | CAA10608.1 | CAA70778.1 | CAA07563.1 | AAD16014.1 | CAA70969.1 | AAD16015.1 | • | CAA92992.1 | AAD16013.1 | AAF15945.1 | CAA72006.1 | AAF15944.1 | AAF15946.1 | AAB96830.1 | AAB48944.1 | ന | CAB42599.1 |

| Oryza sativa | Oryza sativa | Oryza sativa | Pisum sativum | Manihot esculenta | Ananas comosus | Ipomoea batatas | Nicotiana plumbaginifolia | Mesembryanthemum crystalli | Avicennia marina | Lycopersicon esculentum | a mays | a mays | Pinus sylvestris | Populus tremuloides | Solanum tuberosum | Paulownia kawakamii | Capsicum annuum | Populus tremuloides | Cicer arietinum | Cicer arietinum | Lycopersicon esculentum | Lycopersicon esculentum | | Raphanus sativus | Carica papaya | Spinacia oleracea | Zantedeschia aethiopica | Brassica juncea | Brassica rapa subsp. pekinensis | Oryza sativa | Oryza sativa | Brassica juncea | Spinacia oleracea | Marchantia paleacea | Petunia x hybrida | | | | ~ | Oryza satıva |
|--------------|--------------|--------------|---------------|-------------------|-------------------|-------------------------|---------------------------|----------------------------|-------------------|-------------------------|--------------|-------------------|------------------|---------------------|-------------------|---------------------|-----------------|---------------------|----------------------------|-----------------|-------------------------|-------------------------|--------------|-------------------|-------------------------------|-------------------|-------------------------|-----------------|---------------------------------|---------------------------|--------------|-----------------|-------------------------------|---------------------|-------------------|--------------|------------|---------------|------------------|--------------|
| 0 | | | | AF170297 Mai | 29 | | X55974 Ni | | 59 | | U34727 Zea | X17564 Zea | | | | | | | | 91 | | | | 35 | | | 20 | | | 24 | | | | 1870 | M20792 Pe | | 72 | | | AP002482 Or |
| AAA33917.1 | AAC14464.1 | BAA00799.1 | AAA33659.1 | AAD48484.1 | CAB60191.1 | CAA51654.1 | CAA39444.1 | AAB40394.1 | AAK06837.1 | CAA60826.1 | AAB49913.1 | CAB57993.1 | CAA05633.1 | AAD01605.1 | AAK26435.1 | AAB92612.1 | AAB66812.1 | AAD01604.1 | CAA10160.1 | CAA10132.1 | AAA34194.1 | CAA32199.1 | BAA19674.1 | AAD05576.1 | CAA73929.1 | CAA37866.1 | AAC08581.1 | CAA65043.1 | AAC25568.1 | BAB21760.1 | BAA12745.1 | CAA65041.1 | BAA01088.1 | BAA24919.1 | AAA33728.1 | | | CAA73067.1 | CAA73068.1 | BAA96628.1 |
| Oryza sativa | Oryza sativa | Oryza sativa | Zea mays | Oryza sativa | Triticum aestivum | Lycopersicon esculentum | Glycine max | Cucumis sativus | Nicotiana tabacum | Hordeum vulgare | Oryza sativa | Solanum tuberosum | Hordeum vulgare | Hordeum vulgare | Solanum tuberosum | Hordeum vulgare | Oryza sativa | Nicotiana tabacum | Craterostigma plantagineum | Glycine max | Oryza sativa | Oryza sativa | Oryza sativa | Nicotiana tabacum | Mesembryanthemum crystallinum | Triticum aestivum | Chlamydomonas eugametos | Vicia faba | Triticum aestivum | Chlamydomonas reinhardtii | | | Mesembryanthemum crystallinum | Pinus sylvestris | Oryza sativa | Oryza sativa | Zea mays | Panax ginseng | Pinus sylvestris | Zea mays |
| AB011967 | AP002482 | AF004947 | AF141378 | AB011968 | AB011670 | AF143743 | AF128443 | X10036 | D26602 | X82548 | AF062479 | X95997 | AJ007990 | X65606 | U83797 | X65604 | 055768 | 073938 | AJ005373 | L38855 | D88399 | AC084763 | AB002109 | U73939 | Z26846 | U29095 | Z49233 | AF186020 | M94726 | AF100162 | | 7.1 | AF034832 | X58578 | L19434 | D01000 | M54936 | | AJ307586 | X17565 |
| BAA83688.1 | BAA96628.1 | AAB62693.1 | AAF22219.1 | BAA83689.1 | BAA34675.1 | AAF66639.1 | AAD23582.1 | CAA71142.1 | BAA05649.1 | CAA57898.1 | AAC99329.1 | CAA65244.1 | CAA07813.1 | CAA46556.1 | AAB52224.1 | CAA46554.1 | AAB05457.1 | AAD00239.1 | CAA06503.1 | AAB68962.1 | BAA13608.1 | AAG60195.1 | BAA19573.1 | AAD00240.1 | CAA81443.1 | AAB58348.1 | CAA89202.1 | • | AAA96325.1 | AAC98509.1 | | SEQ ID NO. | AAC04614.1 | • | ٠ | BAA00800.1 | AAA33510.1 | • | CAC34448.1 | CAB57992.1 |

| Mangifera indica Medicago sativa Pisum sativum Beta vulgaris Lotus japonicus Oryza sativa Lotus japonicus Zea mays Glycine max Zea mays Glycine max Zea mays Fagus sylvatica Pisum sativum Oryza sativa Pisum sativum Lotus japonicus Glycine max Zea mays | Brassica napus Brassica napus Brassica napus Brassica rapa Carthamus tinctorius Garcinia mangostana Capsicum chinense Carthamus tinctorius Garcinia mangostana Iris germanica Elaeis guineensis |
|--|---|
| Z71276 X79278 D12543 Z49190 Z73951 D13152 Z73949 D31906 X98540 D12542 X59276 D12542 X59276 D12541 AB007911 Z73958 Z73958 Z73950 D12540 D12540 D12540 D12540 U08130 | 75 X73849 X73850 X87842 U17098 M96569 U92876 AF318288 M96568 U92877 AF213478 |
| CAA95859.1 CAA55865.1 BAA02111.1 CAA98179.1 CAA98177.1 BAA06701.1 BAA06702.1 CAA67153.1 BAA02110.1 CAA67153.1 BAA02110.1 CAA98185.1 CAA98185.1 CAA98186.1 CAA98186.1 CAA98186.1 CAA98186.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 AAD48019.1 CAA98183.1 | SEQ ID NO. CAA52069.1 CAA52070.1 CAA61111.1 AAC49002.1 AAB51523.1 AAB51523.1 AAB51523.1 AAB51524.1 AAB51524.1 AAB51524.1 |
| Oryza sativa Oryza sativa Zea mays Triticum aestivum Oryza sativa Nicotiana tabacum Cucumis sativus Glycine max Solanum tuberosum Hordeum vulgare Oryza sativa Hordeum vulgare Oryza sativa Triticum aestivum Craterostigma plantagineum Triticum aestivum Oryza sativa Glycine max Oryza sativa Gryza sativa Hordeum vulgare Oryza sativa Craterostigma plantagineum Vicilam aestivum Oryza sativa | Solanum tuberosum Oryza sativa Oryza sativa Oryza sativa Pisum sativum Pisum sativum Lotus japonicus Pisum sativum Lotus japonicus Lotus japonicus |
| ABO11968 ABO11967 AF141378 ABO11670 AF004947 D26602 Y10036 AF128443 X95997 X82548 AF062479 AJ007990 X65604 U55768 X65606 U29095 AJ005373 M94726 Z26846 U73938 D88399 L38855 AG084763 ABO02109 Z49233 U73939 AF186020 AF186020 | 73 249990 74 AF327517 D13758 D12546 Z73952 D12544 Z73953 Z73953 |
| BAA83689.1 BAA83688.1 BAA83688.1 BAB62693.1 BAA05649.1 CAA71142.1 AAD23582.1 CAA65244.1 CAA65244.1 CAA6554.1 CAA6554.1 CAA6556.1 AAB58348.1 CAA6556.1 AAB58348.1 CAA6556.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68962.1 AAB68960.1 AAB68960.1 AAB68960.1 | SEQ ID NO. 7 CAA90282.1 SEQ ID NO. 7 AAK15703.1 BAA02113.1 BAA02113.1 BAA02113.1 CAA98180.1 CAA98180.1 CAA98181.1 CAA98181.1 |

| CACL4164.1 AAD33870.1 AAD33895.1 AAB51525.1 CAA54060.1 AAB71729.1 AAB71729.1 AAG43858.1 BAA83582.1 AAG43860.1 CAAG49784.1 AAG4386.1 CAAG6001.1 CAAG6001.1 CAAG6001.1 CAAG6001.1 CAAG7869.1 CAAG869.1 | AJ278479 AF141382 AF141382 AF143095 U92878 X76561 W65642 AF076535 AF074266 AF213477 AP000399 AF213477 AP003399 AF213470 AP003399 AF213470 AP003299 AF213480 AJ31740 AJ31740 AJ131740 AJ110643 AF235958 AF235958 | Brassica juncea Elaeis oleifera Elaeis guineensis Garcinia mangostana Cuphea lanceolata Myristica fragrans Gossypium hirsutum Gossypium hirsutum Iris germanica Oryza sativa Iris germanica Cuphea wrightii Iris tectorum Cuphea lanceolata Cuphea sativa Iris tectorum Cuphea sativiti Elaeis guineensis Cinnamomum camphora Umbellularia californica Solanum tuberosum Lycopersicon peruvianum Glycine max Iycopersicon peruvianum Pisum sativum Iycopersicon peruvianum Pisum sativum Iycopersicon peruvianum Pisum sativum Micotiana tabacum Zea mays Medicago sativa Glycine max Iycopersicon peruvianum Pisum sativum Nicotiana tabacum Zea mays Medicago sativa | BAA02112.1 CAA98184.1 AAK15703.1 BAA02904.1 BAA02113.1 CAA98181.1 CAA98181.1 CAA98181.1 CAA98181.1 CAA98179.1 BAA02437.1 BAA02410.1 CAA98177.1 CAA98185.1 CAA98185.1 CAA98185.1 CAA98182.1 CAA98186.1 | D12544 Z73956 AF327517 D13758 D12543 D12545 Z73952 D12546 Z73953 Z71276 X79278 Z49190 Z73953 Z71276 X79278 Z49190 Z73953 Z71276 X79278 Z49190 Z73953 D12542 Z73954 X59276 D12542 Z73955 D31906 D12542 Z73955 Z73956 U2541 Z73958 AB007911 AF165096 Z73950 U22432 Z73950 | Pisum sativum Lotus japonicus Oryza sativa Oryza sativa Pisum sativum Lotus japonicus Pisum sativum Lotus japonicus Mangifera indica Medicago sativa Beta vulgaris Lotus japonicus Oryza sativa Zea mays Zea mays Pisum sativum Lotus japonicus Oryza sativa Glycine max Lotus japonicus |
|---|--|--|--|---|--|
| بنظظ | AB014483 Z46956 Z46955 | | | U32185 U22433 | Glycine max Zea mays |
| 5.1 NO. 78 | 24695 | Glycine max | SEQ 1D NO. 8 AAF98390.1 BAA93039.1 | 30 AE287143 AB033758 | Brassica napus Citrus unshiu |

| | | • | 11 |) 1 1 | |
|------------|----------|--|--------------|-------------|--|
| BAA89009.1 | AB027455 | Petunia x hybrida Nigotiana takagum | BAAU5622.1 | DZ6573 | Daucus carota |
| RAA36423.1 | AR013598 | ב, נ | AAD37699.1 | AF145730 | |
| BAA36421.1 | AB013596 | Perilla frutescens | | | ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;; |
| BAA36422.1 | AB013597 | Perilla frutescens | SEQ ID NO. 8 | 82 | |
| AAA59054.1 | L34847 | Zea mays | BAB18104.1 | AB042714 | Chlamydomonas reinhardtii |
| AAF17077.1 | AF199453 | Sorghum bicolor | BAB18105.1 | AB042715 | Chlamydomonas reinhardtii |
| AAB36653.1 | U32644 | Nicotiana tabacum | CAB82852.1 | Z30329. | Mesembryanthemum crystallinum |
| AAB36652.1 | U32643 | Nicotiana tabacum | CAA50374.1 | X71057 | Nicotiana tabacum |
| AAK28303.1 | AF346431 | Nicotiana tabacum | CAA82993.1 | Z30332 | Spinacia oleracea |
| AAK28304.1 | AF346432 | Nicotiana tabacum | AAA50304.1 | M92989 | Pisum sativum |
| BAA83484.1 | 27 | Scutellaria baicalensis | BAB03409.1 | AP002816 | Oryza sativa |
| CAA59450.1 | X85138 | Lycopersicon esculentum | AAD37166.1 | AF132743 | Oryza sativa |
| BAA12737.1 | D85186 | Gentiana triflora | CAA82994.1 | 230333 | Mesembryanthemum crystallinum |
| CAB56231.1 | X18871 | Dorotheanthus bellidiformis | AAF19403.1 | AF203481 | Lycopersicon esculentum |
| AAD21086.1 | AF127218 | Forsythia x intermedia | AAF19402.1 | AF203480 | Lycopersicon esculentum |
| AAB48444.1 | U82367 | Solanum tuberosum | AAD23582.1 | AF128443 | Glycine max |
| BAA19659.1 | AB002818 | Perilla frutescens | BAA05649.1 | D26602 | Nicotiana tabacum |
| BAB41017.1 | AB047090 | Vitis labrusca x Vitis vinifera | CAA71142.1 | X10036 | Cucumis sativus |
| CAA31855.1 | X13500 | Zea mays | CAA65244.1 | X95997 | Solanum tuberosum |
| CAA54611.1 | X77461 | Manihot esculenta | AAF05112.1 | AF158091 | Mesembryanthemum crystallEnum |
| AAD04166.1 | AF101972 | Phaseolus lunatus | BAA96628.1 | AP002482 | Oryza sativa |
| BAA89008.1 | AB027454 | Petunia x hybrida | CAA57898.1 | X82548 | Hordeum vulgare |
| AAB86473.1 | AF028237 | Ipomoea purpurea | AAF06970.1 | AF162662 | Kalanchoe fedtschenkoi |
| BAA90787.1 | AB038248 | | AAF06969.1 | AF162661 | Kalanchoe fedtschenkoi |
| | | | BAA96593.1 | AP002481 | Oryza sativa |
| SEQ ID NO. | 81 | | CAA46556.1 | X65606 | Hordeum vulgare |
| AAG43283.1 | AF139210 | Oryza sativa | CAA07813.1 | AJ007990 | Hordeum vulgare |
| AAD37698.1 | AF145729 | Oryza sativa | CAA46554.1 | X65604 | Hordeum vulgare |
| AAF01765.1 | AF184278 | Glycine max | AAC99329.1 | AF062479 | Oryza sativa |
| BAA93463.1 | ^ | Physcomitrella patens | AAF66637.1 | AF143505 | Lycopersicon esculentum |
| CAA62608.1 | X91212 | Lycopersicon esculentum | | | |
| BAA93462.1 | AB028074 | Physcomitrella patens | SEQ ID NO. 8 | 83 | |
| AAA63768.2 | AE339748 | Helianthus annuus | AAB86473.1 | AF028237 | Ipomoea purpurea |
| BAA93467.1 | AB028079 | Physcomitrella patens | AAF61647.1 | AF190634 | Nicotiana tabacum |
| AAD38144.1 | S | Prunus armeniaca | CAA54558.1 | X77369 | Solanum melongena |
| BAA21017.1 | D26578 | Daucus carota | BAA89008.1 | AB027454 | Petunia x hybrida |
| CAA06728.1 | AJ005833 | Craterostigma plantagineum | BAA90787.1 | AB038248 | Ipomoea batatas |
| CAA06717.1 | AJ005820 | Craterostigma plantagineum | AAE17077.1 | AF199453 | |
| AAD37700.1 | AF145731 | Oryza sativa | CAA54612.1 | X77462 | Manihot esculenta |
| BAA93464.1 | AB028076 | Physcomitrella patens | BAA12737.1 | D85186 | Gentiana triflora |

| Uryza longistaminata Lycopersicon esculentum Lycopersicon esculentum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium | Daucus carota Ipomoea nil Glycine max Malus x domestica Glycine max Glycine max Ipomoea nil Oryza sativa Oryza sativa Glycine max Oryza sativa Glycine max Daucus carota Pinus sylvestris Oryza sativa Ipomoea nil Oryza sativa Nicotiana tabacum Oryza sativa Brassica napus | | Prunus armeniaca Mesembryanthemum crystallinum |
|--|--|--|---|
| Manihot esculenta Rossythia x intermedia Forsythia x intermedia Rossica unshiu Ricotiana tabacum Ricotiana tabacum Ricotiana tabacum Ricotiana tabacum Ricotiana tabacum | Petunia x hybrida Phaseolus lunatus Zea mays Zea mays Rhaseolus vulgaris Phaseolus vulgaris Phaseolus vulgaris Phaseolus vulgaris Rhaseolus vulgaris Rhaseolus vulgaris Rhaseolus vulgaris Rhaseolus vulgaris Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Lycopersicon esculentum Rhaseolus Nicotiana tabacum Rhaseolus Nitis vinifera Nabalus x domestica Rhabalton Rhabal | esculentum | Lycopersicon esculentum AAC24587.1 |
| X77464 AF127218 AB033758 U32643 AF287143 | AB027455 AF101972 X13500 AF320086 AF116858 X07940 AB000623 AB047090 U32644 Y18871 AF346431 X85138 AB047093 AB047095 AB047099 AB047099 AB047096 AF00371 AB047096 AF00372 AB047096 AF00372 AB047096 AF00372 AB047096 AF00372 AB047096 AF00372 AF00372 AF00372 AF00372 AF00372 AF00372 AF00372 AF00372 AF00372 | AFU53998 U77888 AL117264 X89226 AF166121 AF172282 | AF053993 U37133 |
| CAA54614.1 AAD21086.1 BAA93039.1 AAB36652.1 AAF98390.1 | BAA89009.1 AAD04166.1 CAA31855.1 AAK16410.1 AAD51778.1 CAA30761.1 BAA19155.1 BAA1017.1 AAB36653.1 CAB56231.1 AAB41020.1 BAB41022.1 BAB41022.1 BAB41022.1 BAB41022.1 BAB41023.1 BAB41023.1 BAB41023.1 BAB41023.1 BAB41023.1 BAB41023.1 BAB41023.1 AAC36318.1 | AAC/8596.1 AAB36558.1 CAB55399.1 CAA61510.1 AAP50430.1 AAF34426.1 | AAC78591.1 AAC49123.1 |

| | 203 | linum |
|---|--|---|
| c y rober | Regnellidium diphyllum Oryza sativa Festuca pratensis Nicotiana tabacum Striga asiatica Oryza sativa Nicotiana tabacum Cucumis sativus Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum Prunus armeniaca | Oryza sativa Atriplex hortensis Mesembryanthemum crystallinum Oryza sativa Catharanthus roseus Catharanthus roseus Oryza sativa Oryza sativa Picea abies Picea abies Nicotiana tabacum |
| AF096776 AJ239068 AF230333 U64892 AF167360 U30477 AF184233 AF202119 AF049353 AF230278 AJ291816 AB049406 AF059489 | AF202120 AF247163 AJ276007 AF049350 AF291659 AF000837 AF049352 U30460 AF049351 AF184232 90 AC299252 AF071893 | AF193803 AF274033 AF245119 AB036883 AJ251250 AJ251249 AB023482 AB023482 AP002526 AF253971 |
| AAC64201.1 CAB43197.1 AAF35902.1 AAB40636.1 AAD49956.1 AAB38074.1 AAG32921.1 AAG32921.1 AAG17570.1 AAC96080.1 AAF32411.1 CAC19183.1 BAB32732.1 AAD13633.1 | AAF17571.1 AAF62181.1 CAC06433.1 AAC96077.1 AAG01875.1 BAAG8200.1 AAC96079.1 AAC96079.1 AAG32920.1 AAG32920.1 SEQ ID NO. CAC12822.1 AAC24587.1 | AAF23899.1 AAF76898.1 AAF63205.1 BAB16083.1 CAB96899.1 CAB96899.1 BAA78738.1 BAA99376.1 AAG32659.1 SEQ ID NO. AAG13983.1 |
| Nicotiana tabacum Nicotiana tabacum Catharanthus roseus Catharanthus roseus Oryza sativa Oryza sativa Oryza sativa Atriplex hortensis Nicotiana tabacum Oryza sativa Nicotiana tabacum Oryza sativa Nicotiana tabacum Oryza sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Oryza sativa | Brassica napus Lycopersicon esculentum Oryza sativa Triphysaria versicolor Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Prunus avium Prunus armeniaca Prunus persica Cucumis sativus Zinnia elegans | Prunus armeniaca Cicer arietinum Prunus avium Gossypium hirsutum Fragaria x ananassa Zinnia elegans Nicotiana tabacum Pinus taeda Pinus taeda Pinus taeda Pinus taeda Triphysaria versicolor Pinus taeda Oryza sativa |
| AF211527 D38123 AJ251250 AJ251249 AB037183 AF193803 AF193803 AF274033 AF274033 AF274033 AF211530 AF211530 AF211531 AP002526 | 89 AJC00885 AJ243340 AF247164 AF230277 U82123 AJC04997 AJC059488 AFC59488 AFC99521 U93167 AB029083 U30382 AFZ30332 | AF038815 AJ291817 AF297522 AF043284 AF159563 AF230331 AF049354 U64891 AF085330 AF230276 U64893 |
| AAC43545.1 BAA07321.1 CAB96900.1 CAB96899.1 BAB16083.1 BAB16083.1 AAF23899.1 AAF26898.1 AAF76898.1 AAC62619.1 AAC43549.1 AAC43549.1 AAC43549.1 AAC43549.1 AAC43549.1 | • | AAC33530.1 CAC19184.1 AAG13983.1 AAC39512.1 AAF21101.1 AAF35900.1 AAC96081.1 AAB40634.1 AAB40635.1 AAB40635.1 AAB40635.1 |

| Cucumis sativus Nicotiana tabacum Oryza sativa Nicotiana tabacum Striga asiatica Nicotiana tabacum | Catharanthus roseus Glycine max Pisum sativum Cicer arietinum Glycine max Phalaenopsis sp. SM9108 Antirrhinum majus Glycyrrhiza echinata Mentha x piperita Pisum sativum | Chlamydomonas reinhardtii poryza sativa Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum | Dorotheanthus bellidiformis Scutellaria baicalensis Solanum tuberosum Solanum berthaultii Nicotiana tabacum Manihot esculenta Vitis vinifera Vitis vinifera Phaseolus lunatus Vitis vinifera Brassica napus |
|---|---|--|---|
| U30460 AF049350 Y07782 AF049351 AF291659 AF049352 | 92 L19074 AF022457 Z49263 AJ239051 AF022458 U34744 AB028151 AB001380 Z33875 AF175278 | 93 AF305070 AP002092 96 X85138 U32644 AF346431 U32643 | Y18871 AB031274 U82367 AF006081 AF190634 X77462 AB047094 AB047095 AB047096 AB047096 |
| AAB37749.1 AAC96077.1 CAA69105.1 AAC96078.1 AAC91875.1 AAC96079.1 | SEQ ID NO. SAR17732.1 AAB94586.1 CAA89260.1 CAA89505.1 AAB94587.1 AAB94587.1 BAA84071.1 BAA82423.1 CAA83941.1 AAG09208.1 | | CAB56231.1 BAA83484.1 AAB48444.1 AAB62270.1 AAF61647.1 CAA54612.1 BAB41019.1 AAD04166.1 BAB41023.1 BAB41023.1 BAB41025.1 |
| Triphysaria versicolor Triphysaria versicolor Zinnia elegans Zinnia elegans Pinus taeda | Lycopersicon esculentum Cicer arietinum Prunus avium Pinus taeda Pinus taeda Prunus armeniaca Fragaria x ananassa Prunus persica Pinus taeda Nicotiana tabacum Prunus armeniaca Lycopersicon esculentum | sativ icon tiva lustr ietir tiva m hir tiva granc | Lycopersicon esculentum Festuca pratensis Oryza sativa Lycopersicon esculentum Triphysaria versicolor Lycopersicon esculentum Oryza sativa Striga asiatica Oryza sativa Lycopersicon esculentum Regnellidium diphyllum Brassica napus |
| ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | AF184233 AV291817 AF297521 U64890 U93167 AF159563 AB029083 U64892 AF038815 AV239083 | A10382 AF059489 UB5246 AF167360 AU291816 AF247162 AF043284 U30477 AB049406 | AJ243340 AJ276007 AD000837 AF250277 U82123 AF247164 AF291658 AF20120 |
| 161216 | AAG32921.1 CAC19184.1 AAG13982.1 AAB40637.1 AAC33529.1 AAF21101.1 BAB19676.1 AAB40636.1 AAC96081.1 AAC33530.1 CAB43197.1 | | CAB46492.1 CAC06433.1 BAA88200.1 AAD13632.1 AAF32410.1 AAF62182.1 AAF62182.1 AAF62181.1 CAA06271.2 AAF17571.1 |

| | | -r-j | ·-i | | | | | | | | | | | | | 20 | 5 | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|---------------------------|----------------------------------|------------|---------------------------------|-----------------|-------------------|-------------------------|---------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------|-------------------|-------------------|-------------------|-------------------|---------------------|------------------|-------------------|-------------------|------------|-------------------|-----------------|-------------------|-------------------|----------------|-------------------|----------------|-------------------|--------------|-----------------|------------|-----------------|-----------------------|
| Zea mays | Oryza sativa | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | | Brassica napus | Oryza sativa | Spinacia oleracea | Lycopersicon esculentum | | | Petunia x hybrida | Petunia x hybrida | Phaseolus vulgaris | Phaseolus vulgaris | Zea mays | Zea mays | Oryza sativa | Oryza officinalis | Petunia x hybrida | Oryza australiensis | Oryza eichingeri | Tulipa gesneriana | | | Citrullus lanatus | Cucumis sativus | Medicago sativa | Oryza sativa | Brassica napus | Brassica napus | Brassica napus | Eucalyptus gunnii | Glycine max | Vitis vinifera | | Medicago sativa | Pisum sativum |
| X96758 | 101 AP000570 | 019490 | U19484 | 102 | U65890 | AF009413 | M87646 | AF233745 | | 103 | AF260919 | AF260918 | U18349 | U18348 | AJ251719 | AF061107 | N39860 | U39865 | AF020545 | U39863 | U39864 | AF185269 | | 104 | M33148 | L31900 | AF020270 | D85763 | AJ242713 | AJ242712 | X92512 | X78800 | AF180335 | AF195869 | AF020271 | AF020273 | AE079850 |
| CAA65533.1 | SEQ ID NO. BAA85215.1 | AAA80586.1 | AAA80216.1 | SEQ ID NO. | AAB07452.1 | AAB63591.1 | AAB59307.1 | AAF60293.1 | | | AAG25928.1 | AAG25927.1 | AAC28907.1 | AAB00686.1 | CAB92300.1 | AAD15818.1 | AAC49219.1 | AAC49216.1 | AAC39455.1 | AAC49212.1 | AAC49213.1 | AAD56411.1 | | SEQ ID NO. | AAA33041.1 | AAC41647.1 | AAB99754.1 | BAA12870.1 | CAB43995.1 | CAB43994.1 | CAA63268.1 | CAA55383.1 | AAD56659.1 | AAF69802.1 | AAB99755.1 | AAB99757.1 | AAC28106.1 |
| Forsythia x intermedia Vitis vinifera | la Vi | ٧į | Vitis vinifera Vitis vinifera | Δį | Vitis labrusca x Vitis vinifera | Sorghum bicolor | Manihot esculenta | Petunia x hybrida | Citrus unshiu | Manihot esculenta | Petunia x hybrida | Perilla frutescens | Manihot esculenta | | | Solanum tuberosum | Solanum tuberosum | Spinacia oleracea | Spinacia oleracea | Solanum tuberosum | Oryza sativa | Citrullus lanatus | Solanum tuberosum | Zea mays | Allium tuberosum | Oryza sativa | Solanum tuberosum | Nicotiana tabacum | Oryza sativa | Spinacia oleracea | •,—, | Oryza sativa | Oryza sativa | Pyrus pyrifolia | | | Camptotheca acuminata |
| AF127218 AF000372 | AB047090 AB047093 | AB047099 | AB047097 AB047095 | AE000371 | AB047091 | AF199453 | X77461 | AB027455 | AB033758 | X77459 | AB027454 | AB002818 | X77464 | | 66 | AB029512 | AE044173 | D14722 | X66860 | AB029513 | AE073697 | D28777 | AB029511 | X85803 | AB040503 | AF073695 | AF044172 | AJ299249 | AL442113 | D37963 | AJ006024 | AF073696 | AF073698 | AF195239 | | 100 | U53345 |
| AAD21086.1 AAB81683.1 | BAB41017.1 BAB41020.1 | BAB41026.1 | BAB41024.1 BAB41022.1 | AAB81682.1 | BAB41018.1 | AAF17077.1 | CAA54611.1 | BAA89009.1 | BAA93039.1 | CAA54609.1 | BAA89008.1 | BAA19659.1 | CAA54614.1 | | SEQ ID NO. 9 | BAB20862.1 | AAC25636.1 | BAA03542.1 | CAA47329.1 | BAB20863.1 | AAD23909.1 | BAA05965.1 | BAB20861.1 | CAA59798.1 | BAA93051.1 | AAD23907.1 | AAC25635.1 | CAC12819.1 | CAC09469.1 | BAA07177.1 | CAA06819.1 | AAD23908.1 | AAD23910.1 | AAF78529.1 | | | AAB39510.1 |

| | : | 206 :- | d a | |
|--|---|--|---|---|
| Solanum tuberosum Solanum tuberosum Solanum tuberosum Oryza sativa | | Oryza sativa Oryza sativa Oryza sativa Daucus carota Chlamydomonas reinhardtii Pinus mugo Vigna radiata Cucumis sativus | Marchantia paleacea Pinus strobus Lycopersicon esculentum Lycopersicon esculentum Chloroplast Vigna radiata Lycopersicon esculentum | Apium graveolens Lens culinaris Zea mays Triticum aestivum Lens culinaris |
| U02494 U02496 U02497 U02495 AP000570 AP000492 AP000492 AP000492 | 111 U43034 112 Y10990 113 Y09506 | Y18349 Y18349 114 AF207691 U36752 S63824 AF279251 D50085 | AB007321 AE027356 AE243520 AE243522 AE126871 AE1243524 | 116 Y12599 AF352251 X57077 D87064 . |
| AAA81889.1 AAA81891.1 AAA81890.1 BAA85201.1 BAA84626.1 AAA81893.1 BAA84627.1 BAA85202.1 | | · C | BAA31693.1 AAB86734.1 AAF82471.1 AAF82475.1 AAD20020.1 | SEQ ID NO. CAA73171.1 AAK29454.1 CAA40362.1 BAA25203.1 AAK29455.1 |
| Glycine max Brassica napus Chlamydomonas reinhardtii Plastid Nicotiana tabacum Chlamydomonas reinhardtii Chlamydomonas reinhardtii Cicer arietinum Glycine max Glycine max Glycine max | | 44 01 444 | Flaveria trinervia Chlamydomonas reinhardtii Oryza sativa | Avena sativa Glycine max Glycine max Glycine max |
| AF068686 X89451 U40212 AJ006974 U42979 U40465 AJ275317 AF068687 | AF217211 AF220497 U80676 M55684 D13817 AF353203 AC037425 M55685 | 00000000000000000000000000000000000000 | U22533 105 AF305070 AP002092 | 106 AJ277210 107 X78547 X78548 |
| AAC24855.1 CAA61621.1 AAA84971.1 CAB45387.1 AAD10324.1 AAB39506.1 CAB61751.1 AAC19244.1 AAC19136.1 | ARE27629.1 AAE35861.1 AAB38970.1 AAA62697.1 BAA02971.1 AAK26431.1 AAG13573.1 AAA62696.1 | CAA71611.1 CAA70100.1 AAB99756.1 CAC12826.1 AAC21564.1 BAA90618.1 CAA70101.1 CAA71612.1 | | SEQ ID NO. CAB85464.1 SEQ ID NO. BAA09852.1 CAA55293.1 |

| | | | | | | | | | | | | | | | | | | | 20 |)/ | | | | | | | | | | | | | | | | | | | | |
|---------------|----------------|------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------------|----------------------|-------------------|-------------------------|--------------------|-------------------|-------------------------|---------------|----------------|-------------------|---------------|-------------------|----------------|-------------------|-------------------|-------------------|-------------------------|--------------|-------------------|-------------------|-------------------|---------------------------|---------------------------|--------------|--------------------|-------------------|-----------------|-----------------|-------------------|-------------------------|-------------------|------------------------|--------------|
| | | Pimpinella brachycarpa | Lycopersicon esculentum | Lycopersicon esculentum | Petunia x hybrida | Antirrhinum majus | Petunia x hybrida | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Hordeum vulgare | Lycopersicon esculentum | | | Petunia x hybrida | Glycine max | Glycine max | Glycine max | Glycine max | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Glycine max | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Oryza sativa | Oryza sativa | Gossypium hirsutum | Petunia x hybrida | Oryza sativa | Hordeum vulgare | Zea mays | Lycopersicon esculentum | Zea mays | Pimpinella brachycarpa | Oryza sativa |
| | 120 | AF161711 | X99210 | X95296 | Z13996 | AJ006292 | Z13997 | AB028649 | AB028652 | U72762 | AB028651 | AB028650 | X99973 | X98308 | | 121 | Z13997 | AB029165 | AB029161 | AB029160 | AB029159 | AB028649 | AB028652 | X98308 | AB029162 | X11414 | AB028650 | U72762 | AB028651 | Y11350 | AC037425 | AF336283 | Z13996 | X11415 | X99973 | M73028 | X99210 | AF210616 | AF161711 | Y11352 |
| | | AAF22256.1 | CAA67600.1 | CAA64614.1 | CAA78386.1 | CAB43399.1 | CAA78387.1 | BAA88221.1 | BAA88224.1 | AAB41101.1 | BAA88223.1 | BAA88222.1 | CAA68235.1 | CAA66952.1 | | | CAA78387.1 | BAA81736.1 | BAA81732.1 | BAA81731.1 | BAA81730.1 | BAA88221.1 | BAA88224.1 | CAA66952.1 | BAA81733.2 | CAA72217.1 | BAA88222.1 | AAB41101.1 | BAA88223.1 | CAA72185.1 | AAG13574.1 | AAK19616.1 | CAA78386.1 | CAA72218.1 | CAA68235.1 | AAA33500.1 | CAA67600.1 | AAG36774.1 | AAF22256.1 | CAA72187.1 |
| Pisum sativum | Lens culinaris | Nicotiana tabacum | Lathyrus sativus | Lathyrus sativus | Pisum sativum | Triticum aestivum | Pisum sativum | Lycopersicon esculentum | Fritillaria agrestis | Nicotiana tabacum | Lycopersicon esculentum | Lilium longiflorum | Triticum aestivum | Euphorbia esula | Pisum sativum | Volvox carteri | Cicer arietinum | Pisum sativum | Triticum aestivum | Volvox carteri | Triticum aestivum | Triticum aestivum | | | Ribes nigrum | Solanum tuberosum | Oryza sativa | Solanum tuberosum | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | Zea mays | Glycine max | Oryza sativa | Cicer arietinum | Betula pendula | Nicotiana tabacum | Panicum miliaceum | Panicum miliaceum | Ħ | Picea abies |
| | | AB029614 | AF352250 | AF352249 | AE352246 | D87065 | AE352248 | AJ224933 | AE031547 | L29456 | U03391 | AB012694 | AF107024 | AF222804 | X05636 | L07947 | AJ006767 | L34578 | AF107026 | L07946 | X59872 | AF107022 | | 119 | AJ007580 | X98474 | AP001383 | Y11220 | U75346 | 075345 | AB016064 | AB016063 | AB016065 | AJ275306 | Y08499 | AJ299250 | D45075 | D45074 | | AJ132535 |
| AAK29450.1 | AAK29456.1 | BAA88671.1 | AAK29453.1 | AAK29452.1 | σ | BAA25204.1 | AAK29451.1 | CAA12232.1 | AAB86857.1 | AAC41651.1 | | BAA87331.1 | AAD41007.1 | AAF27930.1 | CAA29123.1 | AAA34246.1 | | • | ά | ю | CAA42529.2 | | | | CAA07568.1 | CAA67107.1 | BAA92520.1 | CAA72107.1 | AAB71744.1 | AAB71743.1 | BAA31583.1 | BAA31582.1 | BAA31584.1 | CAB61741.1 | CAA69726.1 | CAC12820.1 | BAA08105.1 | BAA08104.1 | BAA08103.1 | CAC27140.1 |

| | 208 | |
|---|---|--|
| Gossypium hirsutum Gossypium hirsutum Gossypium hirsutum Gossypium hirsutum Lycopersicon esculentum Oryza sativa Oryza sativa Lycopersicon esculentum Oryza sativa Hycopersicon esculentum Oryza sativa Hordeum vulgare Pimpinella brachycarpa Gossypium hirsutum Hordeum vulgare | Citrus unshiu Nicotiana tabacum Nicotiana tabacum Petunia x hybrida Glycine max | Phaseolus vulgaris Medicago sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Petroselinum crispum Petroselinum crispum |
| AF336285 AF336286 AF336286 AF336282 X95296 D88618 D88617 X99134 X70876 AF161711 AF336284 X70877 | 125 AB007818 M37152 AB041513 126 Y07721 134 U63726 135 Z00044 | 136 U77935 137 AF084202 D38011 AB020023 AB021520 U56834 AF121354 |
| AAK19618.1 AAK19611.1 AAK19615.1 CAA64614.1 BAA23338.1 BAA23337.1 CAA65525.1 CAA65525.1 CAA50221.1 AAF22256.1 CAA50221.1 | SEQ ID NO. BAA92155.1 AAB02879.1 BAB16425.1 SEQ ID NO. CAA68993.1 SEQ ID NO. AAB26960.1 SEQ ID NO. | |
| Antirrhinum majus Gossypium hirsutum Gossypium hirsutum Oryza sativa Lycopersicon esculentum Hordeum vulgare Oryza sativa Gossypium hirsutum Gossypium hirsutum Oryza sativa Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Hordeum vulgare | Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Petunia x hybrida Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Glycine max Glycine max Glycine max Glycine max | Gryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Petunia x hybrida Antirrhinum majus Gossypium hirsutum Zea mays Zea mays Aordeum vulgare Oryza sativa Oryza sativa Lycopersicon esculentum |
| AJO06292 AF336282 AF336282 Y11351 X95296 X70876 D88618 AF336286 AF336278 D88617 X96749 AF336248 X96749 AF33624 | 122 AB028650 AB028649 AB028649 AB028652 Z13997 X98308 U72762 AB028162 AB029162 AB029163 AB029165 AB029165 | AB029161 Y11350 AC037425 Y11415 Z13996 AJ006292 AF336283 AF210616 M73028 X99973 Y11352 Y11351 |
| CAB43399.1 AAK19615.1 AAK19618.1 CAA64614.1 CAA50221.1 BAA23338.1 AAK19619.1 AAK19611.1 BAAC3337.1 CAA65525.1 AAK19617.1 CAA6525.1 | SEQ ID NO. 1 BAR88222.1 BAR88221.1 BAR88224.1 CAA66952.1 AAB41101.1 BAR81733.2 BAR81733.2 BAR81733.1 BAR81733.1 | CAA72185.1 CAA72185.1 CAA72281.1 CAA72218.1 CAB43399.1 AAK19616.1 AAG36774.1 AAA33500.1 CAA68235.1 CAA72186.1 |

| Mesembryanthemum crystallinu Antirrhinum majus Disum sativum Pisum sativum Pisum sativum Ranunculus acris Hordeum vulgare Ginkgo biloba Taxus baccata Nicotiana tabacum Petroselinum crispum Pinus sylvestris | | Lycopersicon esculentum Hordeum vulgare Lycopersicon esculentum Lycopersicon esculentum Marsilea quadrifolia Chloroplast Pinus sylvesti | | Chloroplast Pisum sativum Nicotiana tabacum OG15 Oryza sativa Spinacia oleracea Triticum aestivum |
|---|--|---|--|---|
| M29956 X595150 X73150 E07500 X60345 X60343 L26922 L26922 M14419 X60344 | 045856 X78307 X78307 U45858 X73151 U45857 U45857 U45857 | A 72361 U97257 W36650 U93208 AJO0378 L32560 L32561 | AJ001706 L13432 AF251217 L13431 AJ010224 L27668 | M55147 M14418 AP000615 146 X14959 AF286593 |
| AAA33031.1 CAA42103.1 CAA51675.1 AAA33667.1 CAA42903.1 CAA42901.1 AAA3352.1 AAA334077.1 CAA42902.1 AAA33779.1 | AAA87579.1 CAA55116.1 AAA87880.1 AAA87578.1 CAA51676.1 AAA87580.1 AAA87580.1 AAB59010.1 | CAASIO71.1 AABS4003.1 AAAS2956.1 AABS1592.1 CAA06030.1 AAD10215.1 | CAA04942.1 AAA33466.1 AAF64241.1 AAA33465.1 CAA09040.1 AAA86855.1 | reinhardtii AAA84543.1 AAA34076.1 BAA85402.1 SEQ ID NO. CAA33082.1 AAF88067.1 |
| Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Avena fatua Nicotiana tabacum Pimpinella brachycarpa Petroselinum crispum Petroselinum crispum Oryza sativa Nicotiana tabacum Petroselinum crispum | टल पट ल 🛈 | Nicotiana tabacum Avicennia marina Nicotiana tabacum Triticum aestivum Solanum tuberosum subsp. | Euphorbia esula Zea mays Chlamydomonas reinhardtii Oryza sativa Oryza sativa | Atriplex nummularia Atriplex nummularia Magnolia liliiflora Nicotiana tabacum Petunia x hybrida Mesembryanthemum crystallinum |
| AB020590 AB022693 AB026890 Z48429 AF096298 AF080595 U48831 AF121353 AF193802 AF096299 U58540 | AF204925 L44134 Z48431 AF204926 AF193771 AB035271 AP001081 | ABUZ6055 AF262934 AB026056 M62720 142 AF126551 | AF242312 X68678 AF052206 AC073405 AP000559 | 143 X75597 U02886 X60347 AJ133422 X60346 J05223 |
| BAA77383.1 BAA82107.1 BAA86031.1 CAA88326.1 AAD16138.1 AAC31956.1 AAC49527.1 AAC53898.1 AAF23898.1 AAF23898.1 | | BAB40310.1 AAF73016.1 BAB40311.1 AAA34310.1 SEQ ID NO. | tuberosum AAF65770.1 CAA48638.1 AAC05639.1 AAG03106.1 BAA84791.1 | |

| אנוסטזוין אוסטאטאר אסטסאסאר אדר אביסאטאר אר | 1 AF159387 | .1 AF159388 | AAD49234.1 AF159389 Phalaris coerulescens | BAA13524.1 D87984 Fagopyrum esculentum | CAA41415.1 X58527 Nicotiana tabacum | AAD49231.1 AF159386 Secale cereale | CAA56850.1 X80887 Chlamydomonas reinhardtii | CAA55399.1 X78822 Chlamydomonas reinhardtii | AAB53695.1 U59380 Brassica napus | AAD56954.1 AF186240 Secale cereale | | CAA35826.1 X51462 Spinacia oleracea | CAA45098.1 X63537 Pisum sativum | CAA33082.1 X14959 Spinacia oleracea | | 1 AF069314 Mesembryanthem | Chlamydomonas | Chlamydomonas reinhardtii | CAA53900.1 X76269 Pisum sativum 7 | AAC49358.1 U35831 Pisum sativum 0 | AAC04671.1 AF018174 Brassica napus | CAA06736.1 AJ005841 Oryza sativa | AAB52409.1 U76831 Brassica napus | AAD45358.1 AF160870 Brassica napus | | 148 | U35831 Pisum | X76269 | U76831 | AAD45358.1 AF160870 Brassica napus | | 149 | Lycopersicon | 71 | AAA03353.1 U00428 Linum usitatissimum | | CAB86384.1 AJ251304 Hordeum vulgare | AAF64041.1 AF229811 Cucumis sativus | |
|--|---|-------------|---|--|-------------------------------------|------------------------------------|---|---|----------------------------------|------------------------------------|------------------|-------------------------------------|---------------------------------|-------------------------------------|------------|---------------------------|-------------------|---------------------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|----------------------------------|------------------------------------|--------------|--------------------|-------------------|------------|-------------------|------------------------------------|------------------|---------------|---------------|------------|---------------------------------------|----------------|-------------------------------------|-------------------------------------|--|
| The second secon | Mesembryanthemum crystallinum Triticum turqidum subsp. durum | ı | Pisum sativum | Pisum sativum | Nicotiana tabacum | •~ | sat | | Brassica napus | - 11 | Ricinus communis | Brassica rapa | Ħ | · | | Brassica napus | Nicotiana tabacum | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | | | സ | Brassica napus | | | Hevea brasiliensis | Nicotiana tabacum | L | Triticum aestivum | Triticum turgidum subsp. durum | Ricinus communis | Picea mariana | Brassica rapa | | | Brassica napus | Oryza sativa | Oryza sativa | |
| 7 7000 | AF069314 AJ001903 | AB053294 | U35830 | X63537 | X58527 | D21836 | 092541 | D26547 | AF018174 | AF051206 | Z70677 | AB010434 | D87984 | AF273844 | | 059379 | Z11803 | X80887 | X78822 | X51463 | X51462 | AF133127 | 059380 | | 147 | AF133127 | Z11803 | AB053294 | AF286593 | AJ001903 | Z70677 | AF051206 | AB010434 | AF273844 | | U59379 | AP002912 | D26547 | |
| | AAC19392.1 CAA05081.1 | BAB20886.1 | AAC49357.1 | CAA45098.1 | CAA41415.1 | BAA04864.1 | AAB51522.1 | BAA05546.1 | AAC04671.1 | AAC32111.1 | CAA94534.1 | BAA25681.1 | BAA13524.1 | AAG35777.1 | alboqlabra | AAB53694.1 | CAA77847.1 | CAA56850.1 | CAA55399.1 | CAA35827.1 | CAA35826.1 | AAD33596.1 | AAB53695.1 | | SEQ ID NO. 1 | AAD33596.1 | CAA77847.1 | BAB20886.1 | AAF88067.1 | CAA05081.1 | CAA94534.1 | AAC32111.1 | BAA25681.1 | AAG35777.1 | alboglabra | AAB53694.1 | BAB39913.1 | BAA05546.1 | |

| Nicotiana tabacum Medicago sativa Lycopersicon esculentum Antirrhinum majus Chenopodium rubrum Dunaliella tertiolecta Medicago sativa | Antirrhinum majus Oryza sativa Zea mays Oryza sativa Sea abies Picea abies Triticum aestivum Brassica napus Chenopodium rubrum Lycopersicon esculentum Pinus contorta Populus tremula x Populus Nicotiana tabacum | mm majus con esculentum nitifolia niculata niculata vum tabacum costrata num crispum sativa a hybrida hybrida tabacum eestivum sativa majus nu majus tva |
|---|---|--|
| AF289466 X97315 AJ297916 X97639 AJ278885 AF038570 X97317 | X97640 D64036 M60526 X60374 X77680 U23409 U18365 Y10160 Y17225 X80845 AF194820 | AFZ89407 X97637 X17226 M99497 X89400 X60375 AB008187 L77082 Z75661 L77082 Z75661 L77083 V13646 L77083 U23410 M58365 AF129886 AF129886 AF129886 AF129886 AF129886 AF129886 |
| AAG01533.1 CAA65980.1 CAC15503.1 CAA66235.1 CAC17703.1 AAD08721.1 CAA65982.1 | CAA66236.1 BAA19553.1 AAA33479.1 CAA42922.1 CAA54746.1 AAD10483.1 AAA92823.1 CAA71242.1 CAA76700.1 CAA76700.1 CAA76700.1 CAA76700.1 | AAGULSA.1 CAA66233.1 CAA76701.1 AAR34241.1 CAA61581.1 CAA42923.1 BAA33152.1 AAB02567.1 CAA50038.1 BAAC41680.1 CAA50038.1 BAAC41680.1 CAA50038.1 BAAC1673.1 CAA73997.1 AAB02568.1 AAB02568.1 AAB02568.1 AAB02568.1 AAB02568.1 CAA73997.1 AAB02568.1 CAA73997.1 AAB02568.1 |
| Medicago sativa Capsicum annuum Capsicum annuum Psidium guajava Lycopersicon esculentum Lycopersicon esculentum | Ruta graveolens Ruta graveolens Nicotiana tabacum Oryza sativa Oryza sativa Catharanthus roseus Brassica napus Populus tremula x Populus Lycopersicon esculentum | |
| CAB54849.1 AJ249247 AAA97465.1 U51674 AAK27266.1 AY028374 AAK15070.1 AF239670 AAK27265.1 AY028373 AAK67142.1 AF230372 CAB43022.1 AJ239065 | 15 | X1/22 X13420 X17220 X8940 X8940 X8940 X8940 X8940 X8940 X8940 X905 X8903 X |

| Stylosanthes hamata Lycopersicon esculentum Solanum tuberosum Oryza sativa Nicotiana tabacum Brassica napus Oryza sativa | Solanum tuberosum Nicotiana tabacum Solanum tuberosum Nicotiana tabacum Spinacia oleracea Petroselinum crispum Dunaliella bioculata Spinacia oleracea Nicotiana tabacum Spinacia oleracea Nicotiana tabacum Spinacia oleracea Medicago sativa subsp. sattva Triticum aestivum Mesembryanthemum crystallinum Solanum tuberosum Petroselinum crispum Triticum aestivum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Sisum sativum Sisum sativum Glycine max Fisum sativum Pisum sativum | |
|--|--|--------------|
| U91857 U89257 U77655 AF190770 AB024575 AF084185 | 156 X83923 AJ001772 AJ001712 X99405 AJ000184 AF012861 AJ132346 AJ000182 AJ000183 U18238 AB029454 AF021862 AF012863 AJ001770 AJ001769 AJ276591 AJ276591 AJ276591 | 200000 |
| AAD00708.1 AAC49741.1 AAC29516.1 AAF05606.1 BAA76734.1 AAD45623.1 | SEQ ID NO. CAA58775.1 CAA64994.1 CAA63941.1 CAA63941.1 CAA63941.1 CAA63941.1 CAA63941.1 CAA63940.1 CAA63940.1 AAB41552.1 BAA97662.1 AAB41552.1 BAA97662.1 AAB69319.1 BAA97664.1 CAA64992.1 AAB69319.1 BAA97664.1 CAA64992.1 CAA6930.1 CAA6430.1 CAA6430.1 CAA6430.1 CAA66330.1 | 1.00010000 |
| Medicago sativa Medicago sativa Oryza sativa Oryza sativa Chlamydomonas reinhardtii | | OFYZA SALIVA |
| X97314 X97316 AF216316 AJ251330 AB035141 154 | ABO16264 D38123 AF057373 AF057373 ABO15250 U81157 U89256 ABO16265 ABO16265 U89257 ABO24575 U89257 U77655 AF298231 AF298231 AF298231 AF298231 AF298231 U89256 AF298231 U89256 AF298231 AF298231 AF298231 AF298231 AF298231 AF298231 AF298231 AF298231 AF298231 | ADUS / LOS |
| CAA65979.1 CAA65981.1 AAG40580.1 CAB61889.1 BAB18271.1 | | DABU3248.1 |

| 77 0 027 010000 | | | 1 € 17 € 50 1720005 |
|--|--|---|---|
| Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Glycine max Oryza sativa Mesembryanthemum crystallinu Craterostigma plantagineum Vicia faba Triticum aestivum Chlamydomonas reinhardtii Triticum aestivum | Ricinus communis Nicotiana tabacum Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Oryza sativa | rrum esculentum ica napus mariana rum aestivum rurgidum subsp. o ica napus ica rapa ica rapa | |
| ACO84763 ABO02109 U73939 L38855 D88399 Z26846 AJO05373 AF186020 U29095 AF100162 | 163 270677 211803 X58527 D26547 U92541 D21836 AB053294 | D87984 U59380 AE051206 AE286593 AJ001903 U59379 AF273844 AB010434 AB159387 | AF159389 AF159388 AF159388 AF186240 AP002912 X78822 X80887 AF133127 AF069314 |
| AAG60195.1 BAA19573.1 AAD00240.1 AAB68962.1 BAA13608.1 CAA81443.1 CAA81443.1 CAA05503.1 AAE58348.1 AAC98509.1 AAA96325.1 | SEQ ID NO. CAA94534.1 CAA77847.1 CAA41415.1 BAA05546.1 AAB51522.1 BAA04864.1 BAB20886.1 | BAA13524.1 AAB53695.1 AAC32111.1 AAE88067.1 CAA05081.1 AAB53694.1 AAB53694.1 AAB535777.1 alboglabra BAA25681.1 AAA9532.1 | AAD49231.1 AAD49233.1 AAD49230.1 AAD56954.1 BAB39913.1 CAA55399.1 CAA56850.1 AAD33596.1 AAD33596.1 |
| Oryza sativa subsp. japonica Ipomoea nil Daucus carota Lycopersicon esculentum Nicotiana tabacum Pisum sativum Zea mays Daucus carota Zea mays | Pisum sativum Pisum sativum Pisum sativum Pisum sativum Glycine max | Solanum tuberosum Hordeum vulgare Lycopersicon esculentum Nicotiana tabacum Solanum tuberosum Oryza sativa Hordeum vulgare Goryza sativa Hordeum vulgare Oryza sativa | |
| AB040053 AF315714 59 AF007807 AJ002140 AB030726 AF034419 AF229183 AF229183 AF229183 | 161 AJ276591 AJ289774 AJ276592 AJ276592 162 AF128443 | X95997 X65606 AF143743 D26602 U83797 AF062479 AJ007990 X65604 U55768 | 110036 AP002482 Y12465 Y12464 AB011968 AF141378 AB011967 AB011967 AB011967 AF004947 U73938 |
| BAA94422.1 AAG31173.1 SEQ ID NO. 1 AAC39355.1 CAA05207.1 BAA92852.1 AAC49931.1 AAC49931.1 AAC43936.1 AAC39356.1 | SEQ ID NO. 1 CAB89693.1 CAB94801.1 CAB94800.1 CAB89694.1 SEQ ID NO. 1 | CAA65244.1 CAA46556.1 AAF66639.1 BAA05649.1 AAB52224.1 AAC99329.1 CAA07813.1 CAA46554.1 AAB05457.1 CAA57898.1 | CAAA 1142.1 CAA65243.1 BAA96628.1 CAA73068.1 CAA73067.1 BAA83689.1 AAF22219.1 BAA83688.1 BAA83688.1 AAB62693.1 |

| AAC49357.1 | U35830 | Pisum sativum | AAD56954.1 | AF186240 | Secale cereale |
|------------|----------|--------------------------------|--------------|----------|-------------------------------|
| CAA35827.1 | X51463 | Spinacia oleracea | AAD33596.1 | AF133127 | Hevea brasiliensis |
| CAA35826.1 | X51462 | Spinacia oleracea | AAC49358.1 | U35831 | Pisum sativum |
| CAA53900.1 | X76269 | Pisum sativum | CAA53900.1 | X76269 | Pisum sativum |
| CAA55398.1 | X78821 | Chlamydomonas reinhardtii | CAA35826.1 | X51462 | Spinacia oleracea |
| CAA56851.1 | X80888 | Chlamydomonas reinhardtii | CAA35827.1 | X51463 | Spinacia oleracea |
| CAA44209.1 | X62335 | Chlamydomonas reinhardtii | CAA45098.1 | X63537 | Pisum sativum |
| AAC49358.1 | U35831 | Pisum sativum | AAC49357.1 | U35830 | Pisum sativum |
| AAC04671.1 | AF018174 | Brassica napus | AAD45358.1 | AF160870 | Brassica napus |
| CAA33082.1 | X14959 | Spinacia oleracea | AAB52409.1 | U76831 | Brassica napus |
| 9 | AJ005841 | Oryza sativa | AAC19392.1 | AF069314 | Mesembryanthemum crystallinum |
| Θ | 7 | Brassica napus | CAA06736.1 | AJ005841 | |
| AAB52409.1 | U76831 | Brassica napus | AAC04671.1 | AF018174 | Brassica napus |
| 735 | 5 | Triticum aestivum | CAA56851.1 | X80888 | Chlamydomonas reinhardtii |
| AAB47556.1 | U87141 | Mesembryanthemum crystallinum | CAA44209.1 | X62335 | Chlamydomonas reinhardtii |
| | | | CAA55398.1 | X78821 | Chlamydomonas reinhardtii |
| | 164 | | CAA06735.1 | AJ005840 | Triticum aestivum |
| AAB53695.1 | 059380 | Brassica napus | AAB47556.1 | U87141 | Mesembryanthemum crystallinum |
| 4 | D21836 | Oryza sativa | CAA33082.1 | X14959 | Spinacia oleracea |
| 9 | D26547 | Oryza sativa | | | 21 |
| AAB51522.1 | U92541 | Oryza sativa | SEC ID NO. 1 | 165 | 14 |
| BAA25681.1 | AB010434 | ca ra | 8756.1 | AF271358 | Orvza sativa |
| AAB53694.1 | U59379 | Brassica napus | | | |
| AAG35777.1 | AF273844 | Brassica oleracea var. | SEQ ID NO. 1 | 166 | |
| alboglabra | | | AAG14456.1 | AF283708 | Tulipa gesneriana |
| CAA94534.1 | Z70677 | Ricinus communis | AAG14455.1 | AF283707 | |
| CAA41415.1 | X58527 | Nicotiana tabacum | AAG14454.1 | AF283706 | |
| CAA77847.1 | Z11803 | Nicotiana tabacum | | | |
| BAB20886.1 | AB053294 | Oryza sativa | SEQ ID NO. 1 | 167 | |
| AAE88067.1 | AF286593 | Triticum aestivum | AAC49832.1 | AF005492 | Oryza sativa |
| BAA13524.1 | D87984. | Fagopyrum esculentum | BAA97100.1 | AB040471 | Nicotiana tabacum |
| CAA05081.1 | AJ001903 | Triticum turgidum subsp. durum | AAC04862.1 | AF046934 | Paulownia kawakamii |
| AAC32111.1 | 0 | Picea mariana | CAA05898.1 | AJ003142 | Lycopersicon esculentum |
| CAA55399.1 | X78822 | Chlamydomonas reinhardtii | CAA52015.1 | X73635 | Lycopersicon esculentum |
| CAA56850.1 | X80887 | Chlamydomonas reinhardtii | BAA96162.1 | AP002092 | |
| AAD49231.1 | AF159386 | Secale cereale | BAA07289.1 | D38111 | Triticum aestivum |
| AAD49232.1 | AF159387 | Lolium perenne | CAA40101.1 | X56781 | Triticum aestivum |
| AAD49233.1 | AF159388 | Phalaris coerulescens | CAA71687.1 | X10685 | Glycine max |
| AAD49230.1 | AF159385 | Hordeum bulbosum | AAB36514.1 | U57389 | Phaseolus vulgaris |
| AAD49234.1 | AF159389 | Phalaris coerulescens | CAA41453.1 | X58577 | Petroselinum crispum |
| BAB39913.1 | AP002912 | Oryza sativa | CAC00656.1 | AJ292743 | Petroselinum crispum |

| 11.inu a | 215 |
|---|---|
| Zea mays Fragaria x ananassa Pisum sativum Zea mays Mesembryanthemum crystallinum Nicotiana tabacum Oryza sativa Triticum aestivum Rosa hybrid cultivar Triticum aestivum | Petroselinum crispum Antirrhinum majus Antirrhinum majus Antirrhinum majus Antirrhinum majus Nicotiana tabacum Lycopersicon esculentum Phaseolus vulgaris Phaseolus acutifolius Glycine max Oryza sativa Oryza sativa Oryza sativa Triticum aestivum Hordeum vulgare Triticum aestivum Triticum aestiva Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum |
| AF012889 AF035944 AB008187 AF141378 Z26846 AF072908 AC073166 M94726 AY029067 U29095 | 171 AJ292745 AJ292744 Y13676 Y13676 Y13675 D63951 AF176641 AF350505 AY026054 Y10685 L34551 AB021736 D78609 X58577 Y10809 U04295 D38111 Y10834 Y09013 X56781 AJ23624 U41817 U42208 D12920 AF106954 AJ237694 AJ237694 AJ237694 AJ237694 AJ237694 AJ237694 AJ237694 |
| AAB66608.1 AAB88537.1 BAA33152.1 AAF22219.1 CAA81443.1 AAC25423.1 AAC2646110.1 AAA96325.1 AAK30005.1 AAK50005.1 | SEQ ID NO. CACO0658.1 CAA74022.1 CAA74022.1 BAA22204.1 AAB25394.1 AAK25822.1 AAK01953.1 CAA71687.1 AAC37418.1 BAA36492.1 BAA11431.1 CAA71168.1 AAC49556.1 BAAC7289.1 CAA71795.1 CAA711499.1 AAC49474.1 AAB40291.1 BAAC49474.1 AABAC2304.1 SEQ ID NO. AAD26116.1 CAB51533.1 CAB51533.1 CAB51533.1 |
| Oryza sativa Catharanthus roseus Petroselinum crispum Oryza sativa Vicia faba Oryza sativa Nicotiana tabacum Phaseolus vulgaris Triticum aestivum Hordeum vulgare | Nicotiana tabacum Oryza sativa Lycopersicon esculentum Mesembryanthemum crystallinum Chlamydomonas eugametos Dunaliella tertiolecta Lycopersicon esculentum Sorghum bicolor Lycopersicon esculentum Oryza sativa Glycine max Oryza sativa Sorghum bicolor Triticum aeștivum Oryza sativa |
| U42208 AY027510 Y10809 L34551 X97904 U04295 Z48603 AF350505 Y09013 | 169 AJO06228 AJO06228 AJO05077 AF158091 Z49233 AF216527 AF203481 AF203481 AF203481 AF203481 AF203481 AF203481 AF203481 AF203480 Y12464 AP001168 Y12464 AB011670 U55768 AB011967 X56599 X58194 AF000615 AF090835 X70707 |
| AAK14790.1 CAA71768.1 AAC37418.1 CAA66478.1 AAC49556.1 CAA88493.1 AAK25822.1 CAA71795.1 | SEQ ID NO. CAA06925.1 SEQ ID NO. BAA83689.1 CAA06334.1 AAFC21062.1 AAFC21062.1 AAFC19402.1 AAFC19403.1 AAFC19403.1 AAFC19401.1 AAFC06969.1 |

| Pennisetum ciliare Parthenium argentatum | Lithospermum erythrorhizon | | | Oryza sativa | | | Nicotiana tabacum | Medicado sativa | Oryza sativa | | Chlamydomonas reinhardtii | Pyrus pyrifolia | | | | | | 21 | .6 | Cicer arietinum | Phragmites australis | Prunus armeniaca | Pisum sativum | | | Oryza sativa | | | | | Cicer arietinum | Hordeum vulgare | Prunus avium | | | Glycine max | | | Glycine max |
|---|----------------------------|--------------------|------------|--------------------|-------------------|-------------------|-------------------|-----------------|-------------------|------------|---------------------------|-----------------|-----------------|--------------------------------|-------------------|-------------------------|-------------------|-------------------------|---------------|-----------------|----------------------|------------------|------------------|----------------|------------------|------------------|---------------------------|---------------|-----------------|------------|-----------------|-----------------|--------------|-----------------|--------------|----------------------|------------|---------------------------|-------------------|
| AF325720 X82578 | AB026251 | | 188 | D17765 | | 189 | AJ295006 | X78284 | AP001551 | AF022736 | X95313 | AF195217 | AF166114 | AB001684 | AF095708 | AF137379 | | | 190 | AJ275318 | AJ295156 | U82433 | U31544 | | 191 | D12632 | AP002542 | AF245665 | | 192 | AJ225027 | X94296 | AF298827 | | 193 | AB042113 | AB042115 | AF216853 | AB042114 |
| AAK15502.1 CAA57914.1 | BAA77025.1 | | SEQ ID NO. | BAA04611.1 | | SEQ ID NO. | CAC12883.1 | CAA55090.1 | BAA92964.1 | AAB82139.1 | CAA64625.1 | AAF78516.1 | AAE43806.1 | BAA58003.1 | AAC64970.1 | AAD54793.1 | olivacea | | SEQ ID NO. | CAB61752.1 | CAC14890.1 | AAB68605.1 | AAA86532.1 | | SEQ ID NO. | BAA02157.1 | BAB19390.1 | AAF64190.1 | | | CAA12358.1 | CAA63960.1 | AAG13986.1 | | SEQ ID NO. | BAA94964.1 | BAA94966.1 | AAF67099.1 | BAA94965.1 |
| | | Pennisetum glaucum | | Pennisetum glaucum | Petunia x hybrida | Petunia x hybrida | Zea mays | Sorghum bicolor | Oryza officinalis | Zea mays | | | Cicer arietinum | Medicago sativa subsp. x varia | Spinacia oleracea | Lycopersicon esculentum | Triticum aestivum | Lycopersicon esculentum | Pisum sativum | Zea mays | | | Prunus armeniaca | Brassica napus | Ricinus communis | Ricinus communis | Nicotiana plumbaginifolia | Beta vulgaris | Hordeum vulgare | Zea mays | Zea mays | Zea mays | Pinus taeda | Hordeum vulgare | Oryza sativa | Berberis stolonifera | Zea mays | Chlamydomonas reinhardtii | Solanum melongena |
| 181 | 011446 | U11445 | M26227 | | AF260918 | AF260919 | X57276 | U11450 | U39865 | U57899 | | 185 | AJ012693 | C/I | U76296 | AF243181 | AF031195 | AF243180 | 225471 | AF093537 | | 187 | AF134733 | AF019376 | U74631 | U74630 | Z71395 | AJ002057 | L27349 | AF190454 | 246772 | X89813 | AF283816 | L27348 | AB021259 | AF052040 | X78057 | AJ000765 | AB018243 |
| SEO ID NO. 1 | AAA80173.1 | AAA80172.1 | AAA33504.1 | AAA80171.1 | AAG25927.1 | AAG25928.1 | CAA40544.1 | AAA80175.1 | AAC49216.1 | AAB03841.1 | | | CAA10134.1 | CAB65280.1 | AAC32448.1 | AAF66243.1 | AAD10251.1 | AAF66242.1 | CAA80963.1 | AAC64163.1 | | SEQ ID NO. 1 | AAD32207.1 | AAB70919.1 | AAB71420.1 | AAB71419.1 | CAA95999.1 | CAA05161.1 | AAA32949.1 | AAF01470.1 | CAA86728.1 | CAA61939.1 | AAG01147.1 | AAA32948.1 | BAA88900.1 | AAD17490.1 | CAA54975.1 | CAB54526.1 | BAA85118.1 |

| | PCT/US01/26685 |
|--|--|
| rinifera 217 | |
| x Vitis ida nta nta termedia ica sum sativa | Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Medicago sativa Oryza sativa Brassica oleracea Salix bakko Zea mays Oryza sativa Pimpinella brachycarpa |
| AB047091 AE000372 AE000371 AB027455 X77464 AE127218 AE117267 U82367 201 X15901 | AF161704 X83421 203 AF084202 D38011 204 AF098672 AB003378 AF094774 AF094774 |
| BAB41018.1 AAB81683.1 AAB81682.1 BAA89009.1 CAA54614.1 AAD21086.1 AAD26203.1 AAB48444.1 SEQ ID NO. CAA33932.1 | SEQ ID NO. AAD50774.1 SEQ ID NO. AAC77928.1 BAA07208.1 SEQ ID NO. AAF04624.1 BAA24697.1 AAB88615.1 AAC67556.1 |
| Glycine max Berberis stolonifera Petunia x hybrida Petunia x hybrida Eustoma grandiflorum Cicer arietinum Glycine max Asparagus officinalis Asparagus officinalis Asparagus rofficinalis Asparagus officinalis | Nepeta racemosa Nepeta racemosa Nepeta racemosa Torenia hybrida Glycine max Manihot esculenta Manihot esculenta Dorotheanthus bellidiformis Nicotiana tabacum Manihot esculenta Nicotiana tabacum Manihot esculenta Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum |
| D83968 U09610 AF155332 AF081575 U72654 AB032833 AF022459 AB037245 AB037245 AB037245 AB037245 AB037245 AB037245 | ABO28152 Y09423 Y09424 ABO28152 D86351 D86351 X77462 X77461 Y18871 U32643 AF346432 X77463 AF346431 |
| BAA12159.1 AAC48987.1 AAC32274.1 AAB17562.1 BAA84916.1 AAB94588.1 BAB40324.1 BAB40324.1 BAB40323.1 CAAS0155.1 AAC39318.1 CAB56503.1 | |
| | D83968 Glycine max BAB41018.1 AB047091 Vitis labrusca x Vitis vinifera U09610 Berberis stolonifera AAB81683.1 AF000372 Vitis vinifera AF15532 Petunia x hybrida AAB81682.1 AF000371 Vitis vinifera AF081575 Petunia x hybrida BAA889009.1 AB027455 Petunia x hybrida U72654 Eustoma grandiflorum CAA54614.1 X77464 Manihot esculenta AB032833 Cicer arietinum AAD26203.1 AF127218 Forsythia x intermedia AF022459 Glycine max AAB48444.1 U82367 Malus x domestica AB037245 Asparagus officinalis AAB48444.1 U82367 Solanum tuberosum AB037244 Asparagus officinalis Solanum bicolor CAA33932.1 X15901 Plastid Oryza sativa AF029858 Sorghum bicolor Catharanthus roseus CAA33932.1 X15901 Plastid Oryza sativa |

| 11inu | | llinu | - | | 11inum | | llinum | | | | | | | | | | 21 | .8 | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------------|------------------------------|----------------------|---------------|-------------------------------|------------|-------------------------------|-----------------|-------------------------------|-------------------|-------------------|-------------------|-----------------------|-------------------------------|-------------------------------|-------------------|--------------------|-------------------|-------------------------------|-------------------------------|------------|--------------|-------------------------------|-----------------|-----------------|-------------------|-------------------|-----------------|-----------------|-----|------------|-----------------|-----------------|-------------------------------|-----------------|-------------------------------|----------------------|-------------------|
| Fagus sylvatica Mesembryanthemum crystallinu | sea mays Fagus sylvatica | Mesembryanthemum crystallinu | Fagus sylvatica | Oryza sativa | Mesembryanthemum crystallinum | Zea mays | Mesembryanthemum crystallinum | Fagus sylvatica | | | Triticum aestivum | Ricinus communis | Pseudotsuga menziesii | | | Manihot esculenta | Hevea brasiliensis | Manihot esculenta | Manihot esculenta | | | Zea mays | Zea mays | Hordeum vulgare | Oryza sativa | Solanum tuberosum | Triticum aestivum | Hordeum vulgare | | | Zea mays | | | Helianthus annuus | | | Fagopyrum esculentum | Picea mariana |
| AJ277743 AF075582 | AFZ13433 AJ298987 | AF079355 | AJ277744 | AF075603 | AF097667 | 081960 | AF075581 | AJ298988 | | 216 | X07851 | X07852 | 249766 | | 217 | AJ223281 | 040402 | Z29091 | AJ223506 | | 218 | AF030882 | 018908 | AF142589 | AB015615 | AF142591 | AF142590 | AF142588 | | 221 | X95458 | | 223 | X74772 | | 225 | D87984 | AF051206 |
| CAB90633.1 AAC36700.1 | AAG43835.1 CAC09575.1 | AAC35951.1 | CAB90634.1 | AAC26828.1 | AAD11430.1 | AAB93832.1 | AAC36699.1 | CAC09576.1 | | SEQ ID NO. | CAA30699.1 | CAB51619.1 | CAA89836.1 | | SEQ ID NO. | CAA11219.1 | AAC49184.1 | CAA82334.1 | CAA11428.1 | | SEQ ID NO. | AAB97167.1 | AAA91298.1 | AAD33889.1 | BAA29041.1 | AAD33891.1 | AAD33890.1 | AAD53260.1 | | | CAA64728.1 | | SEQ ID NO. | CAA52782.1 | | | BAA13524.1 | AAC32111.1 |
| Glycine max | | Cicer arietinum | Phragmites australis | Pisum sativum | Prunus armeniaca | | | Zea mays | Mesembryanthemum crystallinum | Nicotiana tabacum | Fagus sylvatica | Nicotiana tabacum | Medicago sativa | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | Lotus japonicus | Lotus japonicus | Fagus sylvatica | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | | Oryza sativa | Mesembryanthemum crystallinum | Zea mays | Fagus sylvatica | | | | Cicer arietinum | | | Lotus japonicus | Medicago sativa | Mesembryanthemum crystallinum | Lotus japonicus | Mesembryanthemum crystallinum | Nicotiana tabacum | Nicotiana tabacum |
| 206 U63726 | 207 | AJ275318 | AJ295156 | U31544 | U82433 | | 210 | AF213455 | AF075580 | AJ277087 | AJ277743 | AJ277086 | X11607 | AF075579 | AF075582 | AF092431 | AF092432 | AJ298987 | AE075581 | AE097667 | AJ277744 | AF075603 | AF079355 | 081960 | AJ298988 | | 211 | 80966X | AJ001901 | | 212 | AF092432 | Y11607 | AF075580 | AF092431 | AF075579 | AJ277087 | AJ277086 |
| SEQ ID NO. 3 | SEQ ID NO. 2 | CAB61752.1 | CAC14890.1 | AAA86532.1 | AAB68605.1 | | SEQ ID NO. | AAG43835.1 | AAC36698.1 | CAC10359.1 | CAB90633.1 | CAC10358.1 | CAA72341.1 | AAC36697.1 | AAC36700.1 | AAD17804.1 | AAD17805.1 | CAC09575.1 | AAC36699.1 | AAD11430.1 | CAB90634.1 | AAC26828.1 | AAC35951.1 | AAB93832.1 | CAC09576.1 | | | CAA67922.1 | CAA05079.1 | | | AAD17805.1 | CAA72341.1 | AAC36698.1 | AAD17804.1 | AAC36697.1 | CAC10359.1 | CAC10358.1 |

| CAA41415.1 | X58527 | Nicotiana tabacum | | | |
|------------|----------|--------------------------------|--------------|----------|--------------------------------|
| AAB53695.1 | U59380 | Brassica napus | SEQ ID NO. 2 | 227 | |
| BAB20886.1 | AB053294 | Oryza sativa | AAA34140.1 | M17633 | Lycopersicon esculentum |
| CAA05081.1 | AJ001903 | Triticum turgidum subsp. durum | CAA45523.1 | X64198 | Nicotiana tabacum |
| AAF88067.1 | AF286593 | Triticum aestivum | AAA34186.1 | J03558 | Lycopersicon esculentum |
| BAA05546.1 | D26547 | Oryza sativa | AAF23819.1 | AF218305 | Hordeum vulgare |
| BAA04864.1 | D21836 | Oryza sativa | AAC67558.1 | AF094776 | Oryza sativa |
| AAB51522.1 | U92541 | Oryza sativa | CAA41404.1 | X58514 | Pinus sylvestris |
| BAA25681.1 | AB010434 | Brassica rapa | AAF44702.1 | AF241524 | Asarina barclaiana |
| CAA94534.1 | 270677 | Ricinus communis | CAA41405.1 | X58515 | Pinus sylvestris |
| AAB53694.1 | U59379 | Brassica napus | AAG28464.1 | AF195794 | Chlamydomonas reinhardtii |
| AAG35777.1 | AF273844 | Brassica oleracea var. | AAC14566.1 | AF058796 | Oryza sativa |
| alboglabra | | | CAA90681.1 | Z50801 | Zea mays |
| CAA77847.1 | Z11803 | Nicotiana tabacum | AAF90200.1 | AF287276 | Hordeum vulgare |
| AAD49231.1 | AF159386 | Secale cereale | CAA33903.1 | X15894 | Sinapis alba |
| AAD49233.1 | AF159388 | Phalaris coerulescens | CAA34459.1 | X16436 | Sinapis alba |
| AAD49234.1 | AF159389 | Phalaris coerulescens | AAC67557.1 | AF094775 | Oryza sativa |
| BAB39913.1 | AP002912 | Oryza sativa | AAB18209.1 | U73218 | Triticum aestivum |
| AAD49230.1 | AF159385 | Hordeum bulbosum | AAA64414.1 | U23188 | |
| AAD49232.1 | AF159387 | Lolium perenne | CAA44777.1 | X63052 | Hordeum vulgare |
| AAD33596.1 | AF133127 | Hevea brasiliensis | CAA41406.1 | X58516 | ß |
| CAA55399.1 | X78822 | Chlamydomonas reinhardtii | AAA18529.1 | L07119 | Chloroplast Gossypium hirsutum |
| CAA56850.1 | X80887 | Chlamydomonas reinhardtii | AAA64415.1 | U23189 | Zea mays |
| AAD56954.1 | AF186240 | Secale cereale | CAA32658.1 | X14506 | Pinus sylvestris |
| CAA44209.1 | X62335 | Chlamydomonas reinhardtii | CAA32197.1 | X14036 | Lycopersicon esculentum |
| CAA56851.1 | X80888 | Chlamydomonas reinhardtii | AAA34159.1 | M20241 | Lycopersicon esculentum |
| CAA55398.1 | X78821 | Chlamydomonas reinhardtii | AAF13731.1 | AF002248 | Pisum sativum |
| AAC19392.1 | AE069314 | Mesembryanthemum crystallinum | CAA57877.1 | X82497 | Nicotiana tabacum |
| AAC04671.1 | AF018174 | Brassica napus | AAA34142.1 | M17559 | Lycopersicon esculentum |
| AAC49357.1 | U35830 | Pisum sativum | BAA25392.1 | AB012638 | Nicotiana sylvestris |
| CAA45098.1 | X63537 | Pisum sativum | AAA34056.1 | M21398 | Nicotiana plumbaginifolia |
| CAA35827.1 | X51463 | Spinacia oleracea | CAA57492.1 | X81962 | Pisum sativum |
| CAA35826.1 | X51462 | Spinacia oleracea | BAA25396.1 | AB012641 | Nicotiana sylvestris |
| CAA53900.1 | X76269 | Pisum sativum | CAA28639.1 | X04966 | Petunia x hybrida |
| AAC49358.1 | U35831 | Pisum sativum | AAA33711.1 | M21317 | Petunia x hybrida |
| CAA33082.1 | X14959 | Spinacia oleracea | AAA34141.1 | M17558 | Lycopersicon esculentum |
| AAD45358.1 | AF160870 | Brassica napus | | | |
| AAB52409.1 | U76831 | Brassica napus | | 228 | |
| CAA06736.1 | AJ005841 | Oryza sativa | CAA40474.1 | X57187 | Phaseolus vulgaris |
| CAA06735.1 | AJ005840 | Triticum aestivum | AAB65776.1 | 097521 | Vitis vinifera |
| AAB03681.1 | U43609 | Chlamydomonas reinhardtii | CAA61281.1 | X88803 | Vigna unguiculata |

| | ц | ŗ | o. | м о . | 2 | 20 | | , o | | | | | | | | | |
|---|--|---|--|--|--------------------------|--|--------------------------|------------------------------------|--|--|--|-------------------------------------|-------------------|----------------|--|-----------------------------------|--|
| Solanum tuberosum Solanum tuberosum Nicotiana tabacum | | | Arabidopsis himalaica Arabidopsis lyrata subsp. | Arabidopsis griffithiana Arabidopsis lyrata subsp | | Arabis Iyallil Arabis glabra Arabis fendleri | | | Arabis lignifera Cardamine amara | Rorippa amphibia Cardamine penzesii | Sisymbrium irio Lepidium campestre | Sinapis alba Cardamina rivularis | Barbarea vulgaris | Brassica napus | Arabis pauciflora Cochlearia danica | Sinapis alba Matthiola incana | |
| U02607 U02605 X64518 229 | S80554 AF112095 AF112093 | AF144533 AF112106 AF112094 | AF144531 AF112100 | AF112092 AF112103 | AF112101 | AF112091 AF112091 AF112090 | AF112088 AF112089 | AF112104 | AF112098 AF112085 | AF144530 AF144538 | AF144541 AF144534 | X14314 | AF112108 | AF076334 | AF112102 AF144532 | X16437 X17577 | |
| AAA17409.1 AAA18332.1 CAA45821.1 SEQ ID NO. 3 | | AAG43351.1 AAF23581.1 AAF23569.1 | perplexa AAG43349.1 AAF23575.1 | lyrata AAF23567.1 AAF23578.1 | petraea AAF23576.1 | AAE23566.1 AAE23566.1 AAE23565.1 | AAF23563.1 AAF23564.1 | AAF23579.1 | periaea AAE23573.1 AAE23560.1 | AAG43348.1 AAG43356.1 | AAG43359.1 AAG43352.1 | CAA32495.1 | AAE23583.1 | AAC31912.1 | AAF23577.1 AAG43350.1 | CAA34460.1 CAA35600.1 | |
| Vitis vinifera Chenopodium amaranticolor Chenopodium amaranticolor Chenopodium amaranticolor Brassica napus | $\alpha \circ \sigma \mapsto$ | Daucus carota Daucus carota Daucus carota | Zea mays Zea mays Beta vulgaris | Triticum aestivum Oryza sativa Oryza sativa | sat gle | Brassica napus Citrus sinensis Triticum aestivum | w a | Poa pratensis Nicotiana tahadum | | Nicotiana tabacum Nicotiana tabacum | Nicotiana tabacum Solanum tuberosum | ۲ | Person americana | •,- | Elaeagnus umbellata Allium sativum | Allium sativum Hordeum vulgare | |
| U97522 D45182 D45184 D45181 X61488 | D45183 X75945 U52845 | U52846 U52848 U52847 | M84165 M84164 L25826 | AF112966 AB054811 AB054687 | AB003194 L42467 | UZI848 AE090336 AE112963 | AF000966 A,T301671 | AF000964 | X16939 X16939 X64519 | X51599 S44869 | M15173 X07130 | X15494 | Z78202 | Z15140 | AF061805 M94106 | M94105 L34211 | |
| AAB65777.1 BAA22966.1 BAA22968.1 BAA22965.1 CAA43708.1 | BAA22967.1 CAA53544.1 AAC49435.1 | AAB08468.1 AAB08470.1 AAB08469.1 | AAA33445.1 AAA33444.1 AAA32916.1 | AAD28733.1 BAB21377.1 BAB21374.1 | BAA19793.1 AAA85364.1 | AABU1665.1 AAC35981.1 AAD28730.1 | AAE04454.1 CAC17793.1 | AAE04453.1 | CAA34813.1 CAA34813.1 CAA45822.1 | CAA35945.1 AAB23374.1 | AAA34070.1 CAA30142.1 | CAA33517.1 | CAB01591.1 | CAA78845.1 | AAC16010.1 AAA32640.1 | AAA32641.1 AAA56787.1 | |

| ! | • D ₄ | | | | | | | | | | | | | | 22 | 21 | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------------|---------------------|--------------------|------------|------------|-------------------|--------------------------|------------------------|-------------------|---------------|------------------|----------------------|-----------------------|---------------|----------------|---------------------|---------------------|-------------------------------|----------------------|------------------|-----------------|-------------------|----------------|----------------------|-------------------------|-------------|-------------|--------------------|---------------|---------------|-----------------|-----------------|-------------------------|-------------------|-----------------------|-------------------|
| | Fobulus deltoides | Eucalyptus globulus | Eucalyptus saligna | | | Eucalyptus gunnii | Brassica napus | Lolium perenne | Brassica oleracea | Zea mays | Zea mays | Brassica napus | Saccharum officinarum | Brassica rapa | Brassica napus | Brassica rapa | Zinnia elegans | Eucalyptus botryoides | Eucalyptus globulus | Brassica napus | Brassica rapa | Brassica oleracea | Brassica napus | Brassica rapa | Brassica oleracea | | | Gossypium arboreum | Lupinus albus | Lupinus albus | Humulus lupulus | Humulus lupulus | Lycopersicon esculentum | Capsicum annuum | Parthenium argentatum | Helianthus annuus |
| Z19573 AF217957 AF083332 | AUZ3337 Z19568 | AF038561 | AF294793 | AF229407 | X65631 | X75480 | AF229409 | AF010290 | AF229410 | X13733 | AJ005702 | AF229406 | AJ231135 | AF229412 | AF229408 | AF229411 | D86590 | D16624 | AF109157 | AF207552 | AF207555 | AF207554 | AF207553 | AF207559 | AF207558 | | 232 | X12072 | U20771 | 015777 | AB053487 | AB053486 | AF048747 | X84695 | X82542 | AF019892 |
| CAA79625.1 AAF43140.1 AAC35845.1 | trichocarpa CAA7962.1 | AAC07987.1 | AAG15553.1 | AAK00679.1 | CAA46585.1 | CAA53211.1 | AAK00681.1 | AAB70908.1 | AAK00682.1 | CAA74070.1 | CAA06687.1 | AAK00678.1 | CAA13177.1 | AAK00684.1 | AAK00680.1 | AAK00683.1 | BAA19487.1 | BAA04046.1 | AAD18000.1 | AAF23409.1 | AAE23412.1 | AAE23411.1 | AAF23410.1 | AAF23416.1 | AAF23415.1 | | SEQ ID NO. | CAA72793.1 | AAA87729.1 | AAA86687.1 | BAB40666.1 | BAB40665.1 | AAC73051.1 | CAA59170.1 | CAA57892.1 | AAC78557.1 |
| Cardamine pratensis Thlaspi arvense Brassica napus | J.J | | | | | | Microthlaspi perfoliatum | Aethionema grandiflora | Arabis alpina | Arabis alpina | Raphanus sativus | Ionopsidium abulense | Brassica napus | | | Fragaria x ananassa | Fragaria x ananassa | Mesembryanthemum crystallinum | Petroselinum crispum | Apium graveolens | Medicago sativa | Apium graveolens | nthes | Stylosanthes humilis | Lycopersicon esculentum | Pinus taeda | Picea abies | ч | Picea abies | Œ | Picea abies | Pinus radiata | Pinus taeda | Nicotiana tabacum | Nicotiana tabacum | Aralia cordata |
| AF144540 AF144535 AF076335 | AF112107 AF174529 AF174529 | AF144537 | AF112105 | AF112097 | AF112087 | AF112109 | AF144536 | AF112082 | AF112083 | 80 | 92 | 5 | AF076333 | | ന | U63534 | AF320110 | 079770 | X67817 | U24561 | AF083333 | | L36823 | L36456 | AF146691 | 237991 | AJ001924 | U62394 | X72675 | AJ001926 | AJ001925 | 90 | 9 | 34 | X62344 | D13991 |
| AAG43358.1 AAG43353.1 AAC31913.1 | 58 58 40 | 2 | AAF23580.1 | AAF23572.1 | \sim | 4 | 354 | 557. | œ | 9 | ~ | 360. | AAC31911.1 | | 0 | <u>,</u> | <u>o</u> | • | | 7. | ė. | ₫. | AAA74882.1 | • | • | • | • | • | CAA51226.1 | | ė. | ė | • | ó, | CAA44217.1 | BAA03099.1 |

| | | | | | | | | | | | | | | | | | | 22 | 2 | | | | | | | | | | | | | | | | | | | | |
|--|-------------------------|------------|-----------------|-----------------|---------------|-----------------|-------------------------|-------------------|-----------------------|-------------------|---------------|-----------------|-------------------|-----------------|-------------------------------|----------------------|-------------------|--------------------|-------------------------|-------------------------|-------------------|--------------------|---------------|-------------------|-------------------------|-----------------------|---------------------------|-------------------------|-------------------------|------------|-------------------------|-------------------|-------------------------|--------------------|-------------------------|-------------------------|-------------------------|-------------------|-----------------------|
| Glycine max | Lycopersicon peruvianum | | Medicago sativa | Glycine max | Pisum sativum | Pisum sativum | | | Brassica rapa | Nicotiana tabacum | Daucus carota | Castanea sativa | Quercus suber | Medicago sativa | Fragaria x ananassa | Glycine max | Glycine max | Glycine max | Daucus carota | Cuscuta japonica | Helianthus annuus | Papaver somniferum | Pisum sativum | Helianthus annuus | Helianthus annuus | Helianthus annuus | Helianthus annuus | Lycopersicon esculentum | Lycopersicon esculentum | | Lycopersicon esculentum | Oryza sativa | Glycine max | Pennisetum glaucum | Lycopersicon esculentum | Oryza sativa | Oryza sativa | Oryza sativa | Pseudotsuga menziesii |
| Z46951 Z46952 | X67601 | AF208544 | AF235958 | Z46955 | AJ010644 | AJ010643 | | 236 | AF022217 | AF166277 | X53851 | AJ009880 | AJ000691 | X58711 | U63631 | M11318 | M11395 | X01104 | X53852 | AB017273 | AJ237596 | 008601 | M33899 | U46545 | Z95153 | X59701 | U46544 | AF123257 | AF123255 | U83669 | X56138 | D12635 | M11317 | X94193 | AF123256 | U83671 | M80939 | U83670 | X92983 |
| CAA87075.1 | CAA47870.1 | AAE74563.1 | AAF37579.1 | CAA87079.1 | CAA09301.1 | CAA09300.1 | | SEQ ID NO. | AAB72109.1 | AAD49336.1 | CAA37847.1 | CAA08908.1 | CAB36910.1 | CAA41547.1 | AAC39360.1 | AAB03893.1 | AAA33975.1 | CAA25578.1 | CAA37848.1 | BAA33062.1 | CAB55634.2 | AAA61632.1 | AAA33672.1 | AAB63311.1 | CAB08441.1 | CAA42222.1 | AAB63310.1 | AAD30454.1 | AAD30452.1 | AAC78392.1 | CAA39603.1 | BAA02160.1 | AAA33974.1 | CAA63903.1 | AAD30453.1 | AAC78394.1 | AAA33910.1 | AAC78393.1 | CAA63570.1 |
| Parthenium argentatum Artemisia annua | Artemisia annua | sati | Oryza sativa | Artemisia annua | Oryza sativa | Artemisia annua | Xanthoceras sorbifolium | Nicotiana tabacum | Parthenium argentatum | | | Hordeum vulgare | Spinacia oleracea | Hordeum vulgare | Mesembryanthemum crystallinum | Nicotiana sylvestris | Nicotiana tabacum | Gossypium hirsutum | Lycopersicon esculentum | Zantedeschia aethiopica | Helianthus annuus | Helianthus annuus | Pisum sativum | Hordeum vulgare | Lycopersicon esculentum | Chlamydomonas sp. W80 | Chlamydomonas reinhardtii | Triticum aestivum | Betula pendula | | | Nicotiana tabacum | Lycopersicon peruvianum | Glycine max | Glycine max | Lycopersicon peruvianum | Lycopersicon esculentum | Nicotiana tabacum | Zea mays |
| X82543 | AF112881 | | AB021747 | AF136602 | AB021979 | AF149257 | AF164026 | U97330 | AF005201 | | 233 | AJ238697 | D63425 | AJ238745 | AJ250951 | X60219 | AB041518 | AF037051 | Y14762 | AF053311 | Y14707 | Y14429 | AJ000508 | AJ238744 | Y14763 | AB009083 | AF014927 | AJ010455 | AJ279689 | | 234 | AB014483 | X55347 | Z46953 | Z46956 | X67600 | X67599 | AB014484 | X82943 |
| CAA57893.1 | AAD17204.1 | BAA19856.1 | BAA36276.1 | AAD32648.1 | BAA36347.1 | AAD37789.1 | AAD45122.1 | AAB93951.1 | AAB93984.1 | | SEQ ID NO. 2 | CAB59893.1 | BAA22194.1 | CAB59895.1 | CAB96145.1 | CAA42780.1 | BAB16430.1 | AAB94892.1 | CAA75054.1 | AAC78466.1 | CAA75009.1 | CAA74775.1 | CAA04142.1 | CAB59894.1 | CAA75055.1 | BAA83594.1 | AAB66330.1 | CAA09194.1 | CAB66331.1 | | SEQ ID NO. 2 | BAA83710.1 | CAA39034.1 | CAA87077.1 | CAA87080.1 | CAA47869.1 | CAA47868.1 | BAA83711.1 | CAA58117.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | 223 | 3 |
|---|---|---|
| Pennisetum glaucum Pisum sativum Medicago sativa Zea mays Oryza sativa Oryza sativa Oryza sativa Iycopersicon esculentum Oryza sativa | | Iycopersicon esculentum Glycine max Pisum sativum Glycine max Pisum sativum Pisum sativum Glycine max Iycopersicon esculentum Glycine max Iycopersicon esculentum Glycine max Fisum sativum Glycine max Pisum sativum Pisum sativum Glycine max Pisum sativum |
| X94191 M33899 X58711 X65725 U81385 U83671 U83669 X56138 M80939 | AF123256 11444 AF123257 238 AF123259 AF221856 AF051230 Z15018 | 239 AJ011914 240 J03919 X68215 J03920 X68218 X68218 X68217 AF169830 AJ249996 241 J03920 X68218 X68217 J03920 X68215 X68215 X68215 |
| CAA63901.1 AAA33672.1 CAA46641.1 AAB39856.1 AAC78394.1 AAC7839603.1 AAA33910.1 AAA33910.1 AAA33999.1 | | SEQ ID NO. CAB57979.1 SEQ ID NO. AAA33945.1 CAA48297.1 CAA48298.1 CAA48299.1 AAD50278.1 CAA48299.1 AAD50278.1 CAA48299.1 AAD50278.1 CAA48299.1 CAA48299.1 CAA48299.1 CAA48299.1 CAA48299.1 CAA48299.1 CAA48299.1 CAA48299.1 |
| Oryza sativa Oryza sativa Oryza sativa Chenopodium rubrum Pseudotsuga menziesii Pennisetum glaucum Pisum sativum Zea mays Triticum aestivum Pennisetum glaucum Oryza sativa | Lycopersicon esculentum Pisum sativum Helianthus annuus Prunus dulcis Petroselinum crispum Lycopersicon esculentum Picea glauca Ipomoea nil | Picea glauca Medicago sativa Triticum aestivum Picea abies Zea mays Zea mays Zea mays Ipomoea nil Funaria hygrometrica Lilium longiflorum Funaria hygrometrica Lilium longiflorum Fseudotsuga menziesii Fragaria x ananassa Funaria hygrometrica Lilium longiflorum Pseudotsuga menziesii Fragaria x ananassa Funaria hygrometrica Lilium longiflorum Licopersicon esculentum Helianthus annuus |
| X60820 X53870 X92984 X94191 M33900 X65725 X13431 X94192 U81385 | 37 07239 M3390 Z2955 AF159 X9571 AF090 L4771 M9943 | 147740 X98617 X58279 X99346 X54075 X54077 M99429 AF089845 D21818 X92984 U63631 AF089843 AF089843 U63631 AF089843 U63631 |
| CAA43210.1 AAA33909.1 CAA37864.1 CAA63571.1 CAA63901.1 AAA33671.1 CAA46641.1 CAA31785.1 CAA31785.1 CAA63902.1 | SEQ ID NO. 2 AAC14577.1 AAA33670.1 CAA82653.1 AAD41409.1 CAA65020.1 AAC36312.1 AAB01561.1 AAB39336.1 | AAB01562.1 CAA67206.1 CAA41218.1 CAA67726.1 CAA38012.1 CAA38013.1 AAB26481.1 AAB26481.1 AAB26481.1 AAD09184.1 BAA04842.1 AAD09185.1 BAA04842.1 CAA63570.1 CAA63570.1 AAD09178.1 AAD09178.1 AAD09182.1 AAD09182.1 AAD09182.1 AAD09182.1 |

| . Q | | 224 | | |
|---|--|--|--|---|
| Euphorbia esula Solanum tuberosum subsp. Oryza sativa Zea mays | Vitis vinifera Vitis vinifera Secale cereale Triticum aestivum Oryza sativa Persea americana Solanum tuberosum Oryza sativa | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Populus nigra Raphanus sativus Malus x domestica Malus x domestica | Brassica nigra Brassica napus Brassica napus Brassica nigra Ipomoea nil Pinus radiata | |
| AF242312 AF126551 AC073405 X68678 | 262 U97522 U97521 AF280437 X76041 D16222 Z78202 X07130 D16223 263 | AP000391 AP0001111 AP001111 AB041505 AF052690 AF052585 AF052585 | AF269128 AF016011 AF016009 AF016010 AF269126 AF300700 AF001136 | AB001883 AB001885 AB001888 AB001884 AB001886 |
| AAF65770.1 AAD22975.1 tuberosum AAG03106.1 CAA48638.1 | SEQ ID NO. 3 AAB65777.1 AAB65776.1 AAG53609.1 CAA53626.1 BAA03750.1 CAB01591.1 CAA30142.1 BAA03751.1 SEQ ID NO. 3 SEQ ID N | | AAG27547.1 AAC27696.1 AAC27694.1 AAC27695.1 AAG27546.1 AAG27546.1 AAG22518.1 AAD22518.1 | BAA33201.1 BAA33203.1 BAA33206.1 BAA33202.1 BAA33204.1 BAA33200.1 |
| اح | Pisum sativum Nicotiana tabacum Nicotiana tabacum Glycine max Cucumis sativus Glycine max Pisum sativum Pisum sativum Lycopersicon esculentum Glycine max | Glycine max Glycine max Pisum sativum Glycine max Slycine max Chlamydomonas reinhardtii Chlamydomonas reinhardtii | Mesembryanthemum crystallinum Tulipa gesneriana Tulipa gesneriana Tulipa gesneriana | Glycine max Oryza sativa Pseudotsuga menziesii Chlamydomonas reinhardtii |
| AF169830 242 AF123504 X68215 | X68216 AF123505 AF123508 J03919 AB026822 J03920 X68218 X68217 AF022013 AF169830 AP002070 | 249 249 249 249 X68664 AF307843 AF307843 | 251 AF053564 AF283706 AF283707 AF283708 | 259 259 AP000559 AJ132763 AF052206 |
| | | | SEQ ID NO. AAC08401.1 AAG14454.1 AAG14455.1 AAG14456.1 | |

| linum | | 225 | ખૂબ ન | |
|--|---|--|--|--|
| Oryza sativa Kalanchoe fedtschenkoi Kalanchoe fedtschenkoi Oryza sativa Medicago sativa Zea mays Zea mays Zea mays Mesembryanthemum crystallinum | Daucus carota Nicotiana tabacum Spinacia oleracea Spinacia oleracea Fritillaria agrestis Zea mays Spinacia oleracea | Panicum miliaceum Panicum miliaceum Panicum miliaceum Solanum tuberosum | Nicotiana tabacum Chlamydomonas reinhardtii Chlamydomonas reinhardtii Ribes nigrum Triticum turgidum Chlamydomonas reinhardtii Solanum tuberosum | Picea abies Betula pendula Zea mays Cicer arietinum Oryza sativa Oryza sativa Brassica napus Brassica napus |
| AB036786 AF162662 AF162661 X58194 X96723 D84507 S82324 AJ007366 AF234652 | 276 AF349961 L18908 X92367 X92350 AF031542 AF0414 | 277 D45074 D45073 D45075 Y11220 | AJZ99250 U75346 U75345 AJO07580 X80023 X65194 X98474 | AJ132535 Y08499 ABO16064 AJ275306 ABO16065 APO01383 278 X95462 S60064 |
| BAB21589.1 AAF06970.1 AAF06969.1 CAA41172.1 CAA65500.1 BAA12691.1 AAB47181.1 CAA07481.1 | SEQ ID NO. 3 AAA53296.1 CAA63112.1 CAA63107.1 AAB86852.1 AAC24573.1 CAA62040.1 | | CAC12820.1 AAB71744.1 AAB71743.1 CAA07568.1 CAA56325.1 CAA46311.1 CAA67107.1 | CAC27140.1 CAA69726.1 BAA31583.1 CAB61741.1 BAA31584.1 BAA31584.1 BAA92520.1 SEQ ID NO. CAA64729.1 |
| Solanum tuberosum Solanum tuberosum Dactylis glomerata Cucumis melo Solanum tuberosum Solanum tuberosum Oryza sativa | Oryza sativa Brassica oleracea Lycopersicon esculentum Lycopersicon esculentum Nicotiana tabacum Oryza sativa Nicotiana tabacum | Oryza sativa Triticum aestivum Ipomoea batatas Mesembryanthemum crystallinum Oryza sativa Glycine max | Daucus carota Zea mays Daucus carota Glycine max Dunaliella tertiolecta Solanum tuberosum Nicotiana tabacum | Zea mays Oryza sativa Zea mays Chlamydomonas eugametos Zea mays Zea mays Zea mays Solanum tuberosum Zea mays |
| 268 X66284 X80236 AY011123 AF297643 X80237 X80235 D25241 | 274 AP001550 AF180356 AF203481 AF203480 D26601 AF194414 | AF194413 AB011670 D87707 AF090835 X81394 AF128443 | X56599 D85039 X83869 U69174 AF216527 AF115406 D26602 | U28376 U55768 AF239819 Z49233 Y11649 Y11526 X61387 X95997 AF271237 |
| SEQ ID NO. 2 CAA46990.1 CAA56520.1 AAG42149.1 AAK07827.1 CAA56521.1 CAA5651.1 BAA04964.1 | SEQ ID NO. 3 BAA92986.1 AAF19807.1 AAF19403.1 AAF19402.1 BAA05648.1 AAF23901.2 | AAE23900.1 BAA34675.1 BAA13440.1 AAD17800.1 CAA57157.1 AAD23582.1 | CAA39936.1 BAA12715.1 CAA58750.1 AAB80693.1 AAF21062.1 AAD28192.2 BAA05649.1 | AAA69507.1 AAB05457.1 AAG36872.1 CAA89202.1 CAA72362.1 CAA72290.1 CAA43659.1 CAA43659.1 AAF76187.1 BAB21591.1 |

| υ <u>τ</u> | | | | | | | | | | | | | | | | | | | | | | | | | | III | | | m m | | | | - "- | ui. | m m | | |
|--|-------------------|--------------------------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-----------------------|-----------------------|------------------|-------------------|-------------------|--------------------|--------------------|-------------------------|----------------------------------|---------------------------|-------------------|---------------------------|-------------------|-------------------|-----------------|--------------|--------------|-------------------------------|------------|--------------------------|-------------------------------|-----------------|--------------|-------------------|-------------------|-------------------------------|-------------------------------|----------------------------|---------------------|
| Brassica oleracea var. botr | | Ciarria Diewell Nicofiana tabacum | Adonis palaestina | Oryza sativa | Nicotiana tabacum | Lactuca sativa | Clarkia breweri | Tagetes erecta | Camptotheca acuminata | Camptotheca acuminata | Clarkia xantiana | Tagetes erecta | Lactuca sativa | Hevea brasiliensis | Hevea brasiliensis | Haematococcus pluvialis | Haematococcus pluvialis ∞ | Haematococcus pluvialis 9 | Nicotiana tabacum | Chlamydomonas reinhardtii | Daucus carota | | | Oryza sativa | Zea mays | Mesembryanthemum crystallinum | | Lotus japonicus | Mesembryanthemum crystallinum | Medicago sativa | Zea mays | | Nicotiana tabacum | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | Fagus sylvatica | |
| 292 AF236092 | AF188060 | D#6363 AB049815 | AE188061 | AF188065 | AB049816 | AF188063 | X82627 | AF188064 | AF031079 | AF031080 | U48962 | AF251011 | AF188062 | AF111843 | AF111842 | AF082325 | AF082326 | AB019034 | X09634 | AF082869 | AF227951 | | 293 | AF075603 | U81960 | AF075580 | AF092431 | AF092432 | AF075582 | X11607 | AF213455 | AJ277087 | AJ277086 | AF075579 | AF075581 | AJ298987 | |
| SEQ ID NO. | AAE29973.1 | BAB40973.1 | AAF29974.1 | AAF29978.1 | BAB40974.1 | AAF29976.1 | CAA57947.1 | AAE29977.1 | AAB94132.1 | AAB94133.1 | AAB67742.1 | AAG10423.1 | AAF29975.1 | AAD41766.1 | AAD41765.1 | AAC32208.1 | AAC32209.1 | BAA33978.1 | CAA70850.1 | AAC32601.1 | AAF91499.1 | | | AAC26828.1 | AAB93832.1 | AAC36698.1 | AAD17804.1 | AAD17805.1 | AAC36700.1 | CAA72341.1 | AAG43835.1 | CAC10359.1 | CAC10358.1 | AAC36697.1 | AAC36699.1 | CAC09575.1 | |
| Nicotiana tabacum Nicotiana tabacum | Petunia x hybrida | Oryza saciva Brassica napils | Brassica napus | Brassica oleracea | Hyoscyamus niger | Hyoscyamus niger | Datura stramonium | Solanum tuberosum | Solanum tuberosum | Hyoscyamus niger | Hyoscyamus niger | Solanum tuberosum | Datura stramonium | Datura stramonium | | | Oryza sativa | Zea mays | Zea mays | Hordeum vulgare | Triticum aestivum | Solanum tuberosum | Hordeum vulgare | | | ᅼ | | Eschscholzia californica | Papaver somniferum | | | Solanum tuberosum | Capsicum annuum | Craterostigma plantagineum | Craterostigma plantagineum | Craterostigma plantagineum | שוותו החושר את הסור |
| Y13862 Y13861 | AJ003124 | AUCUSUES AF181724 | AF181723 | AF181725 | D88156 | AB026544 | L20473 | AJ292343 | AJ245634 | L20485 | AB026545 | AJ307584 | L20474 | L20475 | | 279 | AB015615 | AF030882 | U18908 | AF142589 | AF142590 | AF142591 | AF142588 | | 281 | AF049347 | 865550 | AF005655 | AF025430 | | ∞ | Z20099 | X15781 | 246648 | Z46647 | 246646 | ARC/2004 |
| CAA74177.1 CAA74176 1 | CAA05879.1 | AAF14562 1 | AAF14561.1 | AAF14563.1 | BAA13547.1 | BAA85844.1 | AAA33281.1 | CAC19810.1 | CAB52307.1 | AAB09776.1 | BAA85845.1 | CAC34420.1 | AAA33282.1 | AAA33280.1 | | SEQ ID NO. 2 | BAA29041.1 | AAB97167.1 | AAA91298.1 | AAD33889.1 | AAD33890.1 | AAD33891.1 | AAD53260.1 | | SEQ ID NO. 2 | AAD17487.1 | AAB20352.1 | AAC39358.1 | AAC61839.1 | | SEQ ID NO. 2 | CAA90427.1 | CAA75777.1 | CAA86609.1 | CAA86608.1 | CAA86607.1 | RAA 164 37 1 |

SEQ ID NO. 294

| | 227 | ø | |
|---|---|--|---|
| Pisum sativum Oryza sativa Hordeum vulgare Lycopersicon esculentum Pinus sylvestris Nicotiana tabacum Vigna radiata Lycopersicon esculentum Lycopersicon esculentum | Pyrobotrys stellata Pyrobotrys stellata Alonsoa meridionalis Hordeum vulgare Zea mays Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Pinus sylvestris Pinus sylvestris Picea abies Glycine max Nicotiana sylvestris | Nicotiana sylvestris Pinus contorta Hordeum vulgare Pinus thunbergii Glycine max Vigna radiata Nicotiana plumbaginifolia Nicotiana tabacum Polystichum munitum | Lycopersicon esculentum Silene latifolia Zea mays Silene latifolia Zea mays Malus x domestica Zea mays |
| AF002248 AF094775 AF287276 X15258 X58517 X64198 AF139470 M17633 M32605 | X69434 X71965 AF241525 AF218305 U23190 AF094776 J03558 M32606 X58514 X58515 X81809 X81809 X81810 M21396 AB012640 | AB012638 X67714 X63052 S73603 U01964 AF139467 M21398 X58229 M34396 | AF016845 Y18519 AF250047 Y18517 AF250048 AF250048 AF250049 |
| AAE13731.1 AAC67557.1 AAF90200.1 CAA33330.1 CAA41407.1 CAA45523.1 AAD27882.2 AAA34140.1 AAA34140.1 | CAA49209.1 CAA50763.1 AAF44703.1 AAF23819.1 AAA64416.1 AAA34146.1 AAA34146.1 CAA41404.1 CAA41405.1 CAA57409.1 AAA33949.1 BAA25395.1 | | |
| Egeria densa Oryza sativa Apium graveolens Medicago sativa subsp. sativa Medicago sativa subsp. sativa Glycyrhiza echinata Glycyrhiza glabra Glycyrrhiza glabra | Nicotiana tabacum Oryza sativa Triticum aestivum Triticum aestivum Triticum aestivum Oryza sativa Oryza sativa Picea mariana Picea abies Picea mariana Clycine max Nicotiana tabacum Dendrobium grex Madame Thong-In | ativa na tabacum ativa ativa na tabacum ativa ativa na tabacum ativa na tabacum ativa | Petunia x hybrida Lycopersicon esculentum Lycopersicon esculentum Pisum sativum Pinus sylvestris Nicotiana tabacum |
| | 295 AB025714 D16507 AF224499 AF224498 AB007623 AB016071 U90092 AF063248 U90091 L1363 AB004785 | AB025715 AB025715 AB025884 AB028883 AB025713 AB02573 AB007624 AB025573 AB100326 | 296 M21317 M20241 X14036 X81962 X58516 |
| 2646.1 0046.1 7617.1 1555.1 1556.1 2084.1 3114.1 | SEQ ID NO. 2 BAA76904.1 BAA03959.1 AAF32399.1 AAF32400.1 AAF32398.1 BAA77817.1 BAA77817.1 BAA31688.1 AAD00692.1 AAC84001.1 AAAC0882.1 BAA25846.1 CAB88029.1 | BAA79223.1 BAA76905.1 BAA79224.1 BAA79224.1 BAA79226.1 BAA77818.1 BAA77818.1 BAA77819.1 | SEQ ID NO. 3 AAA33711.1 AAA34159.1 CAA32197.1 CAA57492.1 CAA41406.1 CAA57877.1 |

| Brassica napus Brassica napus | | Hevea brasiliensis | Manihot esculenta | Manihot esculenta | | | Pennisetum ciliare | Chlamydomonas reinhardtii | | | Nicotiana tabacum | Nicotiana tabacum | Pisum sativum | | | Pisum sativum | Pisum sativum | chinum maius | | | Orvza sativa | | | Chloroplast Medicago sativa | Nicotiana tabacum | Nicotiana tabacum | Capsicum annuum | Chlorella vulgaris | Cicer arietinum | | Avicennia marina | 3 | | Papaver somniferum | Eschscholzia californica | Eschscholzia californica | Berberis stolonifera |
|---|--|--------------------|-------------------|-------------------------|------------------|------------------|--------------------|---------------------------|--------------------|------------|-------------------|-------------------------|---------------------|---------------|------------|---------------|---------------|------------------|------------|------------|--------------|-------------------------|-------------------------|-----------------------------|-------------------------|-------------------|-----------------|--------------------|-----------------|------------|-------------------|---------------|------------|--------------------|--------------------------|--------------------------|----------------------|
| S68879 S68727 | 310 | 040402 | AJ223281 | 229091 | | 313 | U13148 | AF195243 | | 314 | M93436 | M96432 | AB052729 | | 315 | X98739 | X98738 | AJ132349 | | 316 | AF039531 | | 317 | AF332134 | AB017480 | AF117339 | AJ012165 | AB001684 | AJ006095 | 318 | AF190450 | | 319 | AF025430 | AF005655 | S65550 | AF049347 |
| AAB29483.1 AAB29484.1 | SEQ ID NO. | AAC49184.1 | CAA11219.1 | CAA82334.1 | | SEQ ID NO. | AAA80575.1 | AAE34174.1 | | SEQ ID NO. | AAA34085.1 | AAA34054.1 | BAB41080.1 | | SEQ ID NO. | CAA67291.1 | CAA67290.1 | CAA10643.1 | | SEO ID NO. | AAB97366.1 | | SEQ ID NO. | AAK15322.1 | BAA33755.2 | AAD17230.1 | CAA09935.1 | BAA57906.1 | CAA06853.1 | SEQ ID NO. | AAF01467.1 | | SEQ ID NO. | AAC61839.1 | AAC39358.1 | AAB20352.1 | AAD17487.1 |
| Gossypium hirsutum Lycopersicon esculentum | Petunia x hybrida Lycopersicon esculentum | | | Lycopersicon esculentum | Silene latifolia | Silene latifolia | Zea mays | Zea mays | Gossypium hirsutum | Zea mays | Petunia x hybrida | Lycopersicon esculentum | Medicago truncatula | Daucus carota | | | Zea mavs | Silene latifolia | | > | Zea mavs | Lycopersicon esculentum | Lycopersicon esculentum | Malus x domestica | Lycopersicon esculentum | | | Glycine max | Glycine max | | Spinacia oleracea | Pisum sativum | | | Brassica napus | Brassica napus | Brassica oleracea |
| AF336287 AB022686 | U94/48 AB022687 | | 299 | AF016845 | Y18519 | X18517 | AF250047 | AF250048 | AF336287 | AF250049 | U94748 | AB022686 | AF134835 | U83921 | | 300 | AF250047 | Y18519 | Y18517 | AF250048 | AF250049 | AF016845 | AB022686 | AF220203 | AB022687 | | 305 | AF024652 | AF024651 | 308 | X76932 | X82776 | | 309 | 568726 | U14665 | U16751 |
| AAK19620.1 BAA76895.1 | AAC18914.1 BAA76896.1 | | | AAB70241.1 | CAB52219.1 | CAB52218.1 | AAF97517.1 | AAF97518.1 | AAK19620.1 | AAF97519.1 | AAC18914.1 | BAA76895.1 | AAF37386.1 | AAB63030.1 | | SEQ ID NO. | AAE97517.1 | CAB52219.1 | CAB52218.1 | AAF97518.1 | AAF97519.1 | AAB70241.1 | BAA76895.1 | AAE27919.1 | BAA76896.1 | | | AAB94599.1 | AAB94598.1 | SEQ ID NO. | CAA54255.1 | CAA58020.1 | | | AAB29482.1 | AAA66068.1 | AAA52230.1 |

| Parthenium argentatum | Petunia x hybrida | | | | 9 Glycine max | Nicotiana tabacum | 2 Nicotiana tabacum | , . | 1 Glycine max | | 5 Glycine max | | Oryza sativa | Oryza sativa | | 3 Gossypium hirsutum | Petunia x hybrida | 12 Antirrhinum majus | Oryza satíva | Lycopersicon esculentum | Lycopersicon esculentum | 9 | Zea mays | 5 Gossypium hirsutum | .1 Pimpinella brachycarpa | Oryza sativa | | 6 Gossypium hirsutum | Oryza sativa | | 8 Gossypium hirsutum | Oryza sativa | 2 Gossypium hirsutum | Oryza sativa | Hordeum vulgare | Hordeum vulgare | | 4 Gossypium hirsutum |
|-----------------------|--|------------|------------|-------------------|--------------------|--------------------|---------------------|------------|-------------------|--------------------|---------------|---------------------|----------------|------------------|-------------------------|----------------------|-------------------------|----------------------|--------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------|---------------------------|---------------------|-------------------|----------------------|-------------------------|------------|----------------------|--------------|----------------------|--------------|-----------------|---------------------------|------------|----------------------|
| X78213 | 331 Z13997 | X98308 | AB028650 | AB029160 | AB029159 | 072762 | AB028652 | AB028651 | AB029161 | AB028649 | AB029165 | AB029162 | Y11414 | X11350 | AC037425 | AF33628 | Z13996 | AJ006292 | Y11415 | X99210 | X95296 | AF21061 | M73028 | AF336285 | AF161711 | D88618 | X99134 | AF33628 | X11351 | X96749 | AF336278 | D88617 | AF336282 | X11352 | X70876 | X70879 | X70877 | AF336284 |
| CAA55047.1 | SEQ ID NO. : | CAA66952.1 | BAA88222.1 | BAA81731.1 | BAA81730.1 | AAB41101.1 | BAA88224.1 | BAA88223.1 | BAA81732.1 | BAA88221.1 | BAA81736.1 | BAA81733.2 | CAA72217.1 | CAA72185.1 | AAG13574.1 | AAK19616.1 | CAA78386.1 | CAB43399.1 | CAA72218.1 | CAA67600.1 | CAA64614.1 | AAG36774.1 | AAA33500.1 | AAK19618.1 | AAF22256.1 | BAA23338.1 | CAA67575.1 | AAK19619.1 | CAA72186.1 | CAA65525.1 | AAK19611.1 | BAA23337.1 | AAK19615.1 | CAA72187.1 | CAA50221.1 | CAA50224.1 | CAA50222.1 | AAK19617.1 |
| | Apium graveolens var. dulce Nicotiana tabacum | acia o | Zea mays | Solanum tuberosum | Chlorella kessleri | Chlorella kessleri | Oryza sativa | Vicia faba | Nicotiana tabacum | Chlorella kessleri | Oryza sativa | Medicago truncatula | Vitis vinifera | Ricinus communis | Lycopersicon esculentum | Vitis vinifera | Lycopersicon esculentum | Oryza sativa | Picea abies | Oryza sativa | Beta vulgaris | Lycopersicon esculentum | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Catharanthus roseus | Solanum tuberosum | Solanum tuberosum | Lycopersicon esculentum | | | Zea mays | Oryza sativa | Zea mays | Zea mays | Chlamydomonas reinhardtii | Zea mays | Zea mays |
| 20 | AF215837 AF215852 | 585 | 58 | 35 | Y07520 | X55349 | AB052885 | 293775 | X66856 | X75440 | AB052884 | U38651 | AJ001061 | 108196 | 0 | X09590 | AJ132224 | AB052883 | Z83829 | AP000615 | | | 3222 | AF156696 | AB042950 | 180 | 90 | AF156695 | AF022873 | | 324 | U62751 | \leftarrow | | | - | U62749 | X86553 |
| m | AAG43998.1 AAE74566.1 | 565 | AAF74568.1 | _ | ന | CAA39036.1 | 4 | $^{\circ}$ | CAA47324.1 | CAA53192.1 | (*) | AAB06594.1 | CAA04511.1 | \vdash | CAA09419.1 | \sim | \circ | \sim | ത | α | AAD55054.1 | CAB52688.1 | CAB52690.1 | AAF74025.1 | BAB21545.1 | 22. | Q) | • | AAB82146.1 | | | ∞ | BAA92988.1 | $^{\circ}$ | O) | v. | AAD11446.1 | CAA60251.1 |

| Oryza sativa Orvza sativa | | | | = | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Nicotiana tabacum | Ipomoea batatas | Manihot esculenta | Manihot esculenta | Hordeum vulgare | | | Spinacia oleracea | Mesembryanthemum crystallifum | Mesembryanthemum crystallinum | Lycopersicon esculentum | Lupinus luteus | Ricinus communis | Hevea brasiliensis | Hevea brasiliensis | Oryza sativa | Zea mays | | Chlamydomonas reinhardtii | | Echinochloa phyllopogon | Oryza sativa | Leavenworthia crassa | Leavenworthia stylosa | Leavenworthia uniflora | Leavenworthia stylosa | Leavenworthia crassa | Lycopersicon esculentum | Leavenworthia uniflora |
|------------------------------|--------------------------------|--------------------------|--------------|---------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------|-------------------|-------------------|-------------------------------|-------------------------------|-------------------------|-----------------|-------------------|--------------------|--------------------|--------------|-------------------|-------------------|---------------------------|-----------------|-------------------------|-------------------|----------------------|-----------------------|------------------------|-----------------------|----------------------|-------------------------|------------------------|
| D11082 | AF136268 Y12320 AF286317 | D11081 | AF072724 | AF002820 | AJ011891 | AJ011887 | AJ011886 | AB028067 | AB042940 | X69713 | X69712 | AF064563 | | 339 | AJ271719 | U09194 | S79242 | X58108 | AJ271785 | Z28386 | AJ132581 | AJ132580 | 009450 | U17973 | X55981 | X66412 | X58109 | S79816 | D17767 | AF082596 | AF082595 | AF082594 | AF082592 | AF082591 | AF096253 | AF082593 |
| BAA01855.1 | AAD28284.1 CAA72987.1 | AAA82735.1 BAA01854.1 | AAC36471.1 | AAB61925.1 | CAB40749.1 | CAB40745.1 | CAB40744.1 | BAA85762.1 | BAB40335.1 | CAA49371.1 | CAA49370.1 | AAC72336.1 | | SEQ ID NO. | CAB96173.1 | AAA21277.1 | AAB34986.1 | CAA41115.1 | CAB75428.1 | CAA82232.1 | CAC00533.1 | CAC00532.1 | AAC49173.1 | AAD04187.1 | CAA39454.1 | CAA47043.1 | CAA41116.1 | AAB35826.2 | BAA04612.1 | AAC34559.1 | AAC34558.1 | AAC34557.1 | AAC34555.1 | AAC34554.1 | AAD46409.1 | AAC34556.1 |
| Hordeum vulgare | Pisum sativum Disum sativum | sati | | Pisum sativum | Solanum tuberosum | Solanum tuberosum | Phaseolus vulgaris | Solanum tuberosum | Triticum aestivum | Oryza sativa | Zea mays | Solanum tuberosum | Oryza sativa | Solanum tuberosum | Triticum aestivum | Triticum aestivum | Oryza sativa | Aegilops tauschii | Hordeum vulgare | Triticum aestivum | Pisum sativum | Zea mays | Zea mays | Triticum aestivum | Aegilops tauschii | Hordeum vulgare | Ipomoea batatas | Manihot esculenta | Solanum tuberosum | Phaseolus vulgaris | Solanum tuberosum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Sorghum bicolor |
| X99973 | 334 AF115574 | M18250 | 337 | | AJ011885 | AJ011888 | AB029548 | AJ011890 | AF076679 | D10838 | 065948 | AJ011889 | AB023498 | AJ000004 | Y11282 | AF286319 | D16201 | AF076680 | AF064561 | AF338432 | X80010 | AF072725 | T08065 | U66376 | AF338431 | AF064560 | AB042937 | X77012 | X08786 | AB029549 | X69805 | AJ237897 | AJ237897 | AJ237897 | AF286318 | AF169833 |
| CAA68235.1 | | AAA33662.1 | SEQ ID NO. 3 | CAA56319.1 | CAB40743.1 | CAB40746.1 | BAA82348.1 | CAB40748.1 | AAD30186.1 | BAA01616.1 | AAB67316.1 | CAB40747.1 | BAA82828.1 | CAA03846.1 | CAA72154.1 | AAG27623.1 | BAA03738.1 | AAD30187.1 | AAC69754.1 | AAK26822.1 | CAA56320.1 | AAC33764.1 | AAA18571.1 | AAB17086.1 | AAK26821.1 | AAC69753.1 | BAB40334.1 | CAA54308.1 | CAA70038.1 | BAA82349.1 | CAA49463.1 | CAB40981.1 | CAB40979.1 | CAB40980.1 | AAG27622.1 | AAD50279.2 |

| Daucus carota Orvza sativa | | | Brassica napus | Oryza sativa | Populus nigra | Brassica napus | Daucus carota | Populus nigra | Lophopyrum elongatum | Lophopyrum elongatum | Glycine max | Glycine max | Brassica oleracea | Glycine max | Lycopersicon esculentum | Lycopersicon esculentum | esculentum | Zea mays | lvestris | Oryza sativa | Lycopersicon hirsutum | Lycopersicon hirsutum | Ipomoea trifida | Zea mays | Lycopersicon pimpinellifolium | Lycopersicon hirsutum | Lycopersicon pimpinellifolium | Glycine max | Glycine max | Oryza sativa | Catharanthus roseus | | | Cucurbita sp. | Citrus limon | Nicotiana tabacum | Cucumis melo | | |
|-------------------------------|--------------|------|----------------|---------------|----------------------|----------------------|----------------|---------------|----------------------|----------------------|--------------|-------------------------|-------------------|-------------|-------------------------|-------------------------|---------------------|-----------------------|-------------------|--------------------|-------------------------------|-------------------------------|-------------------|-----------------------|-------------------------------|-----------------------|-------------------------------|--------------|--------------|--------------|-------------------------|---------------|------------------------|------------------------|------------------|-------------------|-----------------------|----------------------------|-----------------------|
| D26573 AF145730 | | 342 | AY028699 | AC073405 | AB041503 | AY007545 | 093048 | AB041504 | AF131222 | AE339747 | AF244889 | AF244890 | Y12531 | AF244888 | U28007 | AF220603 | 059316 | 067422 | AJ250467 | AF172282 | AF318492 | AF318493 | U20948 | U82481 | AF220602 | AF318491 | U59317 | AF1.97947 | AF197946 | AP001551 | Z73295 | | 344 | D29629 | AF073507 | AF194945 | X82840 | | 345 |
| BAA05622.1 AAD37699.1 | | | AAK21965.1 | AAG03090.1 | BAA94509.1 | AAG16628.1 | AAB61708.1 | BAA94510.1 | AAF43496.1 | AAK11674.1 | AAF91323.1 | AAE91324.1 | CAA73134.1 | AAF91322.1 | AAC61805.1 | AAF76313.1 | AAB47421.1 | AAB09771.1 | CAC20842.1 | AAF34428.1 | AAK11568.1 | AAK11569.1 | AAC23542.1 | AAB93834.1 | AAF76307.1 | AAK11567.1 | AAB47424.1 | AAF59906.1 | AAE59905.1 | BAA92954.1 | CAA97692.1 | | | BAA06108.1 | AAC26045.1 | AAG28426.1 | CAA58047.1 | | SEQ ID NO. 345 |
| | Oryza sativa | n St | Brassica napus | Populus nigra | Lophopyrum elongatum | Lophopyrum elongatum | Brassica napus | Oryza sativa | Glycine max | Glycine max | Oryza sativa | Lycopersicon esculentum | Oryza meyeriana | Zea mays | Zea mays | Daucus carota | Catharanthus roseus | Lycopersicon hirsutum | Nicotiana tabacum | Phaseolus vulgaris | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Nicotiana tabacum | Lycopersicon hirsutum | Brassica oleracea | | | Oryza sativa | Oryza sativa | Glycine max | Lycopersicon esculentum | Daucus carota | Pimpinella brachycarpa | Pimpinella brachycarpa | Prunus armeniaca | Helianthus annuus | Physcomitrella patens | Craterostigma plantagineum | Physcomitrella patens |
| 340 | AB023482 | 50 | AY007545 | AB041504 | AF339747 | AF131222 | AY028699 | AC073405 | AF249317 | AF249318 | 69000 | U28007 | AF290411 | AF023164 | AF023165 | U93048 | 273295 | AF318490 | AF302082 | AF285172 | U59317 | AF220602 | AF142596 | 1849 | Y12531 | | 341 | AF139210 | AF145729 | 27 | X91212 | D26578 | X95193 | X94375 | AF139497 | AF339748 | AB028077 | AJ005833 | AB028079 |
| SEQ ID NO. 3 | ~ | g | AAG16628.1 | 0 | AAK11674.1 | AAE43496.1 | AAK21965.1 | AAG03090.1 | AAE91336.1 | AAE91337.1 | CAB51834.1 | AAC61805.1 | AAG33377.1 | AAC27894.1 | AAC27895.1 | AAB61708.1 | CAA97692.1 | AAK11566.1 | AAG25966.1 | AAG00510.1 | • | AAE76307.1 | | AAK11567.1 | CAA73134.1 | | | AAG43283.1 | • | ٠ | CAA62608.1 | ٠ | • | • | • | æ. | • | CAA06728.1 | BAA93467.1 |

Brassica napus subsp. napus 232 Brassica oleracea oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Nicotiana tabacum Brassica oleracea Brassica oleracea Brassica oleracea Ipomoea trifida Brassica napus Brassica napus Brassica napus Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica rapa Populus nigra Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Avena sativa Oryza sativa Brassica Zea mays Zea mays Y14286 AB054061 AP003047 AJ245479 AB000970 AF088885 AY028699 AB030083 AP002537 AJ133787 AE015269 AB032473 AJ243961 AP001551 AB032474 Y18259 D30049 U20948 D38564 Y12530 X98520 Y14285 283832 000443 D38563 Y18260 L27821 **19916W** D88193 M76647 Z18921 U82481 368 374 375 SEQ ID NO. 373 SEQ ID NO. BAB32917.1 SEQ ID NO. BAB16860.1 CAB06081.1 CAB56058.1 SEQ ID NO. AAB67721.1 AAC23542.1 BAA07577.2 CAA74662.1 CAA73134.1 AAB93834.1 BAA92836.1 AAA33008.1 BAA06285.1 BAA92837.1 BAA07576.1 BAA23676.1 BAB21001.1 CAA73133.1 CAA67145.1 CAB41878.1 CAA74661.1 CAB41879.1 AAD52097.1 AAK21965.1 AAA33915.1 CAB51836.1 BAA92954.1 3AA82556.1 AAA33000.1 CAB89179.1 CAA79355.1 AAA62232.1 BAA21132.1 Oryza sativa subsp. indica Chlamydomonas reinhardtii Chlamydomonas reinhardtii Phaseolus vulgaris Petunia x hybrida Triticum turgidum Petunia x hybrida Nicotiana tabacum Nicotiana rustica Solanum tuberosum Nicotiana tabacum Euphorbia esula Cicer arietinum Brassica napus Citrus unshiu Oryza sativa Oryza sativa Oryza sativa Oryza sativa Ribes nigrum Oryza sativa Oryza sativa Oryza sativa Glycine max Picea abies U25027 AF108123 X80023 AJ299250 AP000559 AF072849 AP002913 AP001366 AJ275311 AF010584 AB01.6809 AP001383 AJ007580 AJ132535 AF227980 AE078082 AP002817 X92205 U75345 U75346 X93564 D26015 X92204 D26538 X11931 363 366 348 350 361 SEQ ID NO. 362 AAC33765.1 CAB61745.1 SEQ ID NO. AAF34800.1 SEQ ID NO. BAB21205.1 SEQ ID NO. AAD21872.1 SEQ ID NO. BAA22813.1 AAB66889.1 SEQ ID NO. CAA72681.1 3AA92400.1 CAA63102.2 SEQ ID NO. BAA05539.1 AAB71744.1 CAA07568.1 CAC12820.1 AAD26119.1 3AB03447.1 3AA84803.1 CAA63101.1 SEQ ID NO. BAA74736.1 AAB71743.1 BAA92520.1 CAC27140.1 CAA56325.1 CAA63777.1 AAA74441.1

| | | | mr | , | نے, | | | | | | | | | | | | 23 | 3 | | | | | | | | | | | | | | | | | napus | | | |
|---|---|---------------------------------|-------------------------|-----------------------|------------------------|--------------|--------------|-----------------|----------------------|------------------|----------------|-----------------|-------------------|---------------|---------------|-------------------|----------------|-------------------|-------------------------------|------------|--------------------|------------------|-------------------------|-----------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|----------------|-------------------|-------------------|-------------------------|-----------------------|-----------------|---------------|-------------------|
| Triticum aestivum Lilium longiflorum | Fritillaria agrestis Cicer arietinum | Pisum sativum | Lycopersicon esculentum | Lycopersicon chilense | Lycopersicon pennellii | | | Glycine max | ı | | Glycine max | Cicer arietinum | Canavalia lineata | Pisum sativum | Pisum sativum | Lens culinaris | Lens culinaris | Cicer arietinum | • | | Phaseolus vulgaris | Zea mays | Brassica oleracea | Ipomoea trifida | Brassica oleracea | Brassica rapa | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica napus | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica napus subsp. | Brassica napus | Brassica rapa | Brassica rapa |
| AF107023 AB012694 | AF031547 AJ006767 | L34578 | 211842 | AF253416 | 001890 | | 396 | 236749 | | 402 | AF089851 | AJ009825 | AF172681 | AB026253 | L39931 | X64201 | S78994 | AJ006052 | | 413 | AF078082 | U82481 | Y12531 | U20948 | X98520 | AB000970 | X18259 | X12530 | Y18260 | Y14286 | U00443 | M76647 | X14285 | AB032473 | AJ245479 | M97667 | D88193 | D30049 |
| AAD41006.1 BAA87331.1 | AAB86857.1 CAA07233.1 | AAA50303.1 | CAA77867.1 | AAF64525.1 | AAB03076.1 | | SEQ ID NO. | CAA85320.1 | | SEQ ID NO. | AAD40979.1 | CAA08855.1 | AAD49420.1 | BAA77206.1 | AAA62490.1 | CAA45526.1 | AAB34918.2 | CAA06833.1 | | SEQ ID NO. | AAD21872.1 | AAB93834.1 | CAA73134.1 | AAC23542.1 | CAA67145.1 | BAA23676.1 | CAB41878.1 | CAA73133.1 | CAB41879.1 | CAA74662.1 | AAA62232.1 | AAA33000.1 | CAA74661.1 | BAA92836.1 | CAB89179.1 | AAA33008.1 | BAA21132.1 | BAA06285.1 |
| | Catharanthus roseus Glycine max | Brassica rapa subsp. pekinensis | Pisum sativum | Glycine max | Triticum aestivum | Vicia sativa | Vicia sativa | Nepeta racemosa | Glycyrrhiza echinata | Persea americana | Brassica napus | Brassica napus | Lotus japonicus | | | Tulipa gesneriana | | Tulipa gesneriana | Mesembryanthemum crystallinum | | | Apium graveolens | Lycopersicon esculentum | Pisum sativum | Nicotiana tabacum | Lathyrus sativus | Lens culinaris | Lens culinaris | Lathyrus sativus | Nicotiana tabacum | Pisum sativum | Lens culinaris | Pisum sativum | Lycopersicon esculentum | Pisum sativum | Euphorbia esula | Zea mays | Triticum aestivum |
| 379 | L19074 AF022457 | AY029178 | Z49263 | AF022459 | AB036772 | AF092917 | AF030260 | X09423 | AB001379 | M32885 | AF214008 | AF214007 | AB025016 | | 386 | AF283706 | AF283708 | AF283707 | AF053564 | | 393 | Y12599 | U03391 | AF352247 | L29456 | AF352249 | AF352251 | AF352253 | AF352250 | AB029614 | AF352246 | AF352252 | 4 | AJ224933 | X05636 | AF222804 | X57077 | X59872 |
| SEQ ID NO. 3 | AAA17732.1 AAB94586.1 | AAK31592.1 | CAA89260.1 | AAB94588.1 | BAB40322.1 | AAG33645.1 | AAD10204.1 | CAA70575.1 | BAA22422.1 | AAA32913.1 | AAG14962.1 | AAG14961.1 | BAA93634.1 | | | AAG14454.1 | AAG14456.1 | AAG14455.1 | AAC08401.1 | | | CAA73171.1 | AAA50578.1 | AAK29450.1 | AAC41651.1 | AAK29452.1 | AAK29454.1 | AAK29456.1 | AAK29453.1 | BAA88671.1 | AAK29449.1 | AAK29455.1 | AAK29451.1 | CAA12232.1 | CAA29123.1 | AAF27930.1 | CAA40362.1 | CAA42529.2 |

| | 234 | |
|--|--|---|
| Arabis drummondii Zea mays Lactuca sativa Zea mays Arabis hirsuta Arabis glabra Trifolium repens Arabis blepharophylla Arabis drummondii Pennisetum glaucum Arabis hirsuta Arabis alpina Arabis alpina | • - -l | sativa sativa sativa sativa sativa sativa abies otia scala abies tum capill rum capill rum capill |
| AF110436 AF050457 D44449 X04049 AF110439 AF110431 AF110431 AF110431 AF110433 AF110433 AF110443 AF110443 | D63454 D63457 AE194174 Z23170 U48373 U48367 AF195866 Z48234 X14172 X14172 X96738 | X03243 X66784 X75412 X03242 AF069305 M18822 U32444 U60264 X95550 U31284 AB016231 AB016232 AB016232 AB016232 |
| AAF23534.1 AAC34295.1 BAA07911.1 CAA27681.1 AAF23537.1 CAA32934.1 AAF23529.1 AAF23535.1 CAA34547.1 AAF23541.1 AAF23541.1 | | CAACOOO.1 CAACOOO.1 CAACOOO.1 CAACOOO.1 CAACOOO.1 AACOOOO.1 AACOOOO.2 AACOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO |
| Brassica oleracea Brassica oleracea Nicotiana tabacum Brassica rapa Brassica rapa Brassica rapa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Brassica napus Brassica napus | Nicotiana tabacum Petunia x hybrida Solanum tuberosum Solanum tuberosum Arabis alpina Solanum tuberosum Solanum tuberosum Lycopersicon esculentum Lycopersicon esculentum Vitis vinifera Arabis alpina | KK P KCH G K |
| Z18921 AB032474 AF088885 D38563 D38564 AB054061 AP001800 AP001800 L27821 AP001800 AY028699 AY028699 | 414 X81853 X54106 M25153 M25154 AF110429 X53242 M25152 X77233 M86724 AF1194173 AF110426 |) 40040W 0004 W |
| CAA79355.1 BAA92837.1 AAD52097.1 BAA07576.1 BAA07577.2 BAB21001.1 BAA94516.1 BAA94517.1 AAA33915.1 AAA33915.1 AAA3454529.2 | SEQ ID NO. CAA57446.1 CAA38039.1 AAA33807.1 AAE23527.1 CAA37333.1 AAA33808.1 CAA54450.1 AAA34133.1 AAA34133.1 AAA34133.1 AAA34133.1 | AARE 250.0.1 AARE 3546.1 AARE 3546.1 AARE 3546.1 AARE 352.1 AARE 353.1 AARE 353.1 |

| | Oryza satıva | | | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Oryza sativa | Oryza sativa | | | Nicotiana tabacum | Nicotiana tabacum | Lotus japonicus | Lotus japonicus | Zea mays | Lotus japonicus | | Volvox carteri | Lotus japonicus | Lotus japonicus | Beta vulgaris | Glycine max | Lotus japonicus | Triticum aestivum | Daucus carota | Pisum sativum | Oryza sativa | Lotus japonicus | Prunus armeniaca | Pisum sativum | Lotus japonicus | Pisum sativum | Nicotiana plumbaginifolia | Pisum sativum | Pisum sativum | Cichorium intybus x Cichorium | |
|--------------------------|--------------|---------------------|---------------------|-----------------------|-----------------------|-----------------|--------------|-----------------|-----------------|-------------------|------------------|----------------|---------------------------|-------------------|---------------------|---------------------|---------------------|-----------------|---------------------------|---------------------------|---------------------------|-------------------|-------------------|----------------------------|-------------|-------------------------|-------------------|-------------------------|----------------------------|----------------------------|-----------------|------------------|---------------|-----------------|---------------|---------------------------|---------------|---------------|-------------------------------|--------------|
| AE044489 | AF238472 | AF085164 | AF100766 | AF237570 | AF238477 | AF237567 | AF164020 | AF085167 | AF085166 | AP003338 | AF238475 | | 420 | L16767 | L16787 | 273960 | Z73959 | AF112244 | Z73940 | Z49190 | L08131 | 273954 | Z73941 | Z49152 | 058853 | Z73951 | AF112964 | AJ001367 | D12544 | AJ292320 | Z73942 | U82219 | D12542 | Z73943 | X65650 | X64941 | 249902 | D12545 | AJ296336 | |
| AAC01746.1 | AAF'/8016.1 | AAD44029.1 | AAD46416.1 | AAF68400.1 | AAF78021.1 | AAF68397.1 | AAD46916.1 | AAD44032.1 | AAD44031.1 | BAB39437.1 | AAF78019.1 | | SEQ ID NO. 4 | AAA73563.1 | AAA34109.1 | CAA98188.1 | CAA98187.1 | AAD18006.1 | CAA98168.1 | CAA89049.1 | AAA34254.1 | CAA98182.1 | CAA98169.1 | CAA89021.1 | AAB97114.1 | CAA98179.1 | AAD28731.1 | CAA04701.1 | BAA02112.1 | CAC19792.1 | CAA98170.1 | AAB71504.1 | BAA02110.1 | CAA98171.1 | CAA46600.1 | CAA46112.1 | CAA90082.1 | BAA02113.1 | CAC24477.1 | endivia |
| Marchantia paleacea var. | | Ceratodon purpureus | Ceratodon purpureus | Selaginella martensii | Physcomitrella patens | Sorghum bicolor | Glycine max | Pisum sativum | Pisum sativum | Solanum tuberosum | Lathyrus sativus | Cucurbita pepo | Populus tremula x Populus | | Armoracia rusticana | Armoracia rusticana | Armoracia rusticana | Sorghum bicolor | Adiantum capillus-veneris | Adiantum capillus-veneris | Nicotiana plumbaginifolia | Nicotiana tabacum | Solanum tuberosum | Populus balsamifera subsp. | | Lycopersicon esculentum | Solanum tuberosum | Lycopersicon esculentum | Oryza sativa subsp. indica | Populus balsamifera subsp. | | | | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Triticum aestivum | Oryza sativa |
| AB022917 | | U56698 | U72993 | X61458 | X75025 | U56729 | L34842 | X14077 | M37217 | S84872 | U84970 | M15265 | AJ001318 | | AB036762 | AB036764 | AB036763 | AF182394 | AB016168 | AB016151 | X14676 | L10114 | Y14572 | AF309806 | | AJ002281 | S51538 | AF122901 | X57563 | AF309807 | | | 418 | AF238474 | AF164021 | AF248493 | AF077130 | AF044260 | 051330 | AF237568 |
| BAB39687.1 | | AAB67863.1 | AAB19058.1 | CAA43698.1 | CAA52933.1 | AAB41397.1 | AAA33957.1 | CAA32242.1 | AAA33682.1 | AAB21533.2 | AAB47994.1 | AAA33115.1 | CAA04679.1 | tremuloides | BAA99408.1 | BAA99410.1 | BAA99409.1 | AAB41398.2 | BAA31856.1 | BAA31710.1 | CAA74992.1 | AAA34092.1 | CAA74908.1 | AAG25725.1 | trichocarpa | CAA05293.1 | AAB24397.1 | AAD50631.1 | CAA40795.2 | AAG25726.1 | trichocarpa | | | AAF78018.1 | AAD46917.1 | AAF78044.1 | AAC27489.1 | AAC02535.1 | AAC49629.1 | AAF68398.1 |

| | | ·· ·· 1 | dtii | dtii | | | | | | | | | | | | | 23 | 6 | | | | æ | | | | | | | | | | | | | | | | |
|-----------------|--------------------------------|--------------------------|-------------|---------------------------|----------------|----------------|-----------------------|-----------------------|---------------|---------------------------|-------------------|-------------------|----------------|---------------|-------------------|-------------------------------|-------------------|-------------------|-------------------|----------------------|--------------------------------|------------------------|----------------------|-------------------|-------------------|----------------------|----------------------|-------------------|------------------|-------------------|-----------------------|-----------------------|------------------|----------------------|---------------------------|---------------------------|------------------------|------------|
| | Secale cereale Oryza sativa | Secale cereale | | Chlamydomonas reinhardtii | Brassica napus | Brassica napus | Oryza sativa | Triticum aestivum | Pisum sativum | Pisum sativum | Spinacia oleracea | Spinacia oleracea | | | Nicotiana tabacum | Cucumis sativus | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Petroselinum crispum | Avena fatua | Pimpinella brachycarpa | Petroselinum crispum | Nicotiana tabacum | Nicotiana tabacum | Petroselinum crispum | Petroselinum crispum | Nicotiana tabacum | Avena fatua | Nicotiana tabacum | Petroselinum crispum | Petroselinum crispum | Betula pendula | Petroselinum crispum | Nicotiana tabacum | Nicotiana tabacum | | |
| U59379 | AE159386 AP002912 | AF186240 | X62335 | X80888 | AF160870 | U76831 | AJ005841 | AJ005840 | X76269 | U35831 | X51462 | X51463 | | 425 | AF096299 | L44134 | AF193802 | AB022693 | AB020590 | AF121353 | Z48429 | AF080595 | U48831 | AB026890 | AF096298 | U58540 | AF204925 | AB041520 | Z48431 | AB020023 | U56834 | AF204926 | AJ279697 | AF121354 | AF193771 | AF193770 | | 433 |
| | | AAD56954.1 | CAA44209.1 | CAA56851.1 | AAD45358.1 | AAB52409.1 | CAA06736.1 | CAA06735.1 | CAA53900.1 | AAC49358.1 | CAA35826.1 | CAA35827.1 | | SEQ ID NO. | AAD16139.1 | AAC37515.1 | AAF23898.1 | BAA82107.1 | BAA77383.1 | AAD55974.1 | CAA88326.1 | AAC31956.1 | AAC49527.1 | BAA86031.1 | AAD16138.1 | AAC49529.1 | AAG35658.1 | BAB16432.1 | CAA88331.1 | BAA77358.1 | AAC49528.1 | AAG35659.1 | CAB66338.1 | AAD27591.1 | AAF61864.1 | AAF61863.1 | | SEQ ID NO. |
| Lotus japonicus | | Nicotiana tabacum | ď | | Oryza sativa | Zea mays | Camptotheca acuminata | Camptotheca acuminata | Zea mays | Chlamydomonas reinhardtii | | | Brassica napus | Pisum sativum | Pisum sativum | Mesembryanthemum crystallinum | Spinacia oleracea | Oryza sativa | Picea mariana | Brassica napus | Triticum turgidum subsp. durum | Nicotiana tabacum | Fagopyrum esculentum | Oryza sativa | Oryza sativa | Oryza sativa | Triticum aestivum | Nicotiana tabacum | Ricinus communis | Lolium perenne | Phalaris coerulescens | Phalaris coerulescens | Hordeum bulbosum | Brassica rapa | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | Brassica oleracea var. | |
| Z73947 | 421 | AE081794 | AE OU OU OU | 422 | AB003491 | M76685 | AF042321 | AF042320 | M76684 | AF047024 | | 423 | AF018174 | X63537 | U35830 | AF069314 | X14959 | AB053294 | AF051206 | 059380 | AJ001903 | Z11803 | D87984 | D21836 | U92541 | D26547 | AF286593 | X58527 | Z70677 | AF159387 | AF159389 | AF159388 | AF159385 | 43 | X78822 | X80887 | AF273844 | |
| CAA98175.1 | | AAD04034.1 | 1.06.09.704 | SEQ ID NO. | BAA19928.1 | AAA33491.1 | AAB97526.1 | AAB97087.1 | AAA33490.1 | AAC25986.1 | | | AAC04671.1 | CAA45098.1 | AAC49357.1 | AAC19392.1 | CAA33082.1 | BAB20886.1 | AAC32111.1 | AAB53695.1 | CAA05081.1 | CAA77847.1 | BAA13524.1 | BAA04864.1 | AAB51522.1 | BAA05546.1 | AAF88067.1 | CAA41415.1 | CAA94534.1 | AAD49232.1 | AAD49234.1 | AAD49233.1 | AAD49230.1 | BAA25681.1 | CAA55399.1 | CAA56850.1 | AAG35777.1 | alboglabra |

| CAA59800.1 | X85805 | Zea mays | AAD20330.1 | AF110268 | Oryza sativa |
|---------------------------------------|----------|-------------------------------|------------|----------|-------------------------------|
| AAB60276.1 | 686600 | Zea mays | CAB85496.1 | AJ132894 | |
| ω, | AF156691 | Nicotiana plumbaginifolia | CAC28223.1 | AJ286748 | |
| BAA08134.1 | D45189 | Zostera marina | CAC28222.1 | AJ286747 | Sesbania rostrata |
| 8 | D10207 | Oryza sativa | CAB85497.1 | AJ132893 | Medicago truncatula |
| AAB17186.1 | U72148 | Lycopersicon esculentum | AAB84204.1 | AF029258 | Kosteletzkya virginica |
| • | X76535 | Solanum tuberosum | CAC28220.1 | AJ286745 | Sesbania rostrata |
| CAA47275.1 | X66737 | Nicotiana plumbaginifolia | | | |
| 2 | AF029256 | Kosteletzkya virginica | | 434 | |
| CAB69823.1 | AJ271438 | Prunus persica | AAE13731.1 | AF002248 | Pisum sativum |
| 0 | AB022442 | Vicia faba | CAA78932.1 | Z17226 | Pinus sylvestris |
| | X85804 | Phaseolus vulgaris | CAA78901.1 | Z16409 | Pinus sylvestris |
| ဖ် | AJ310524 | | CAA57877.1 | X82497 | Nicotiana tabacum |
| ω, | | Mesembryanthemum crystallinum | AAF90200.1 | AF287276 | Hordeum vulgare |
| 4. | S79323 | Vicia faba | AAC67557.1 | AF094775 | Oryza sativa |
| 6 | ~ | Nicotiana plumbaginifolia | CAA32197.1 | X14036 | Lycopersicon esculentum |
| 4 | AJ271439 | ~ | AAA34159.1 | M20241 | Lycopersicon esculentum |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | M27888 | Nicotiana plumbaginifolia | AAA33711.1 | M21317 | Petunia x hybrida |
| 4 | ZI. | | CAA57492.1 | X81962 | Pisum sativum |
| 6 | AF179442 | Lycopersicon esculentum | CAA41406.1 | X58516 | Pinus sylvestris & |
| 4 | M80489 | plu | CAA59049.1 | X84308 | Hordeum vulgare |
| i G | X76536 | | AAB65793.1 | AF010321 | Oryza sativa |
| m | M60166 | Lycopersicon esculentum | AAD55568.1 | AF110786 | Volvox carteri f. nagariensis |
| | M80490 | Nicotiana plumbaqinifolia | CAA41407.1 | X58517 | Pinus sylvestris |
| , | AJ310523 | | CAA33330.1 | X15258 | Lycopersicon esculentum |
| | D31843 | Orvza sativa | CAA50763.1 | X71965 | Pyrobotrys stellata |
| Ŋ | AJ132892 | Medicado truncatula | AAA84545.1 | L19651 | Chloroplast Pisum sativum |
| | AJ132891 | Medicago truncatula | AAF44703.1 | AF241525 | Alonsoa meridionalis |
| | AF156683 | സ് | CAA45523.1 | X64198 | Nicotiana tabacum |
| | AX029190 | Lilium longiflorum | AAD55569.1 | AF110787 | Volvox carteri f. nagariensis |
| | M80491 | Nicotiana plumbaginifolia | AAA34140.1 | M17633 | Lycopersicon esculentum |
| • | X73901 | Dunaliella bioculata | AAC67558.1 | AF094776 | Oryza sativa |
| • | U54690 | | AAF23819.1 | AF218305 | Hordeum vulgare |
| | AF289025 | ď | CAA46235.1 | X65119 | Chlamydomonas reinhardtii |
| AAA81348.1 | 55 | Vicia faba | AAD03734.1 | AF104633 | Chlamydomonas reinhardtii |
| AAA34096.1 | ത | Nicotiana plumbaqinifolia | AAD03733.1 | AF104632 | Chlamydomonas reinhardtii |
| AAA20600.1 | U08984 | | AAA34186.1 | J03558 | Lycopersicon esculentum |
| AAA20601.1 | 008985 | may | AAG28464.1 | AF195794 | Chlamydomonas reinhardtii |
| AAK32118.1 | AF308816 | Hordeum vulgare | CAA41404.1 | X58514 | Pinus sylvestris |
| CAC10554.1 | AJ295612 | Hordeum vulgare | CAA41405.1 | X58515 | Pinus sylvestris |
| AAF97591.1 | AF263917 | Lycopersicon esculentum | CAA78900.1 | Z16408 | Pinus sylvestris |

| | | | | | | | | | | | | | | | | | 23 | 8 | | | | | | | | | | | , | | subsp. durum | | | | | | | |
|--|--------------------|--------------------|-------------------|-----------------|----------------|-----------------|--------------|------------|--------------------|--------------------|------------|-------------------|-------------------|-----------------|-----------------|-----------------|---------------|-------------------|-------------------|-------------------|---------------|-----------------|-----------------|---------------|------------------|---------------|--------------------|------------------|---------------|--------------------|-----------------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-----------------|
| Gossypium hirsutum Hordeum vulgare Hordeum vulgare | Gossypium hirsutum | Gossypium hirsutum | Triticum aestivum | Capsicum annuum | Pyrus communis | Hordeum vulgare | Oryza sativa | Zea mays | Gossypium hirsutum | Gossypium hirsutum | Zea mays | Malus x domestica | Capsicum annuum | Sorghum bicolor | Sorghum bicolor | Cicer arietinum | Beta vulgaris | Malus x domestica | Spinacia oleracea | Brassica napus | Prunus dulcis | Hordeum vulgare | Hordeum vulgare | Pinus radiata | Oryza sativa | Frunus dulcis | Oryza sativa | Corylus avellana | Daucus carota | Prunus avium | Triticum turgidum sub | | | Oryza sativa | Pisum sativum | Zea mays | Oryza sativa | Zea mays |
| AF195865 X68656 U18127 | AF195864 | AF195863 | AE334185 | AF208833 | AF221503 | AF109195 | Z23271 | U66105 | U15153 | S78173 | J04176 | AF221502 | AF208834 | X71668 | X71667 | AJ002958 | X92748 | AJ277164 | M58635 | AF101038 | X96716 | X68655 | Z37114 | U90342 | U77295 | X96714 | | AF329829 | M64746 | AF221501 | X63669 | | 445 | AF067401 | AB048713 | AF263457 | AP001168 | AF067400 |
| AAF35186.1 CAA48623.1 AAA86694.1 | AAF35185.1 | AAF35184.1 | AAK20395.1 | AAE23459.1 | AAF26451.1 | AAF14232.1 | CAA80809.1 | AAB06443.1 | AAA75599.1 | AAB34774.1 | AAA33493.1 | AAF26450.1 | AAF23460.1 | CAA50661.1 | CAA50660.1 | CAA05771.1 | CAA63407.1 | CAB96874.1 | AAA34032.1 | AAD09107.1 | CAA65477.1 | CAA48622.1 | CAA85483.1 | AAB80805.1 | AAB18815.1 | CAA65475.1 | CAA69949.1 | AAK28533.1 | AAB96834.1 | AAF26449.1 | CAA45210.1 | | | AAC98091.1 | BAB39155.1 | AAG13663.1 | BAA90816.1 | AAC98090.1 |
| | | | | | | | | | | | | | | | | | | | | | ı | | | | | | | | | | | | | | | | | |
| Asarina barclaiana Hordeum vulgare | Hordeum vulgare | Pisum sativum | Cicer arietinum | Lemna gibba | Beta vulgaris | Vigna radiata | Zea mays | Zea mays | Zea mays | Petunia sp. | | | Solanum tuberosum | Oryza sativa | sativ | | 1 | | Petunia x hybrida | Petunia x hybrida | х | × | 1 | | Nicotiana glauca | Oryza sativa | Gossypium hirsutum | Oryza sativa | Oryza sativa | Gossypium hirsutum | Aerides japonica | Hordeum vulgare | Hordeum vulgare | Hordeum vulgare | Hordeum vulgare | Avicennia marina | Triticum aestivum | Hordeum vulgare |
| AF241524 X63052 X56538 | X12735 | K02067 | AJ131044 | M29334 | Y13865 | AF279250 | U23188 | U23189 | X55892 | X02358 | | 436 | U52079 | AP000391 | AP001111 | AP001111 | | 438 | Z25802 | X71060 | X71059 | AB027454 | | 439 | AF151214 | U31766 | AF228333 | AF017359 | AF017358 | AF044204 | 16 | X68654 | 266529 | U63993 | 266528 | AF331710 | AE302788 | 237115 |
| AAF44702.1 CAA44777.1 CAA39883.1 | CAA31232.1 | AAA33651.1 | CAA10284.1 | AAA33396.1 | CAA74179.1 | AAE89207.1 | AAA64414.1 | AAA64415.1 | CAA39376.1 | CAA26211.1 | | SEQ ID NO. 4 | AAD10836.1 | BAA83352.1 | BAA90508.1 | BAA90507.1 | | SEO ID NO. 4 | CAA81057.1 | CAA50377.1 | CAA50376.1 | BAA89008.1 | | SEO ID NO. 4 | 8385.1 | AAA74624.1 | AAG29777.1 | AAB70539.1 | AAB70538.1 | AAC00499.1 | AAF71695.1 | CAA48621.1 | CAA91436.1 | AAB05812.1 | CAA91435.1 | AAK01293.1 | AAG27707.1 | CAA85484.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Vitis vinifera Ipomoea purpurea Vigna mungo | Gossypium hirsutum Gossypium hirsutum | Hordeum vulgare | Chloroplast Medicado sativa | Nicotiana tabacum | ਜ | Cicer arietinum Chlorella vulgaris | 23 | Vigna radiata | Lycopersicon esculentum | Lycopersicon esculentum | Zea mays Dofinia v hvhrida | Pinus sylvestris | Pisum sativum | Lycopersicon esculentum | | Pyrobotrys stellata | Orvza sativa | Viqna radiata | Pisum sativum | Nicotiana tabacum | Lycopersicon esculentum | Hordeum vulgare | Oryza sativa | Lycopersicon esculentum | Nicotiana tabacum | Lycopersicon esculentum |
|---|--|--|-----------------------------|-------------------|------------|--|----------------------------------|---------------|-------------------------|-------------------------|-------------------------------------|------------------|---------------|---------------------------------|----------------|---------------------|----------------|----------------|--------------------|---------------------------------|-------------------------|-----------------|--------------|-------------------------|-------------------|-------------------------|
| AE000372 AE028237 AB012116 | 460 AF132855 AF132854 | 462 AJ133278 | 464 AF332134 | AB017480 | AJ012165 | AJ006095 AB001684 | 475 | AF139470 | M32606 | M32605 | U23190 M21317 | X58516 | X81962 | X14036 | M20241 | X71965 | AF058796 | AF139466 | AF002248 | X82497 | X15258 | AE287276 | AF094775 | M17633 | .X64198 | J03558 |
| AAB81683.1 AAB86473.1 BAA36412.1 | SEQ ID NO. AAD29050.1 AAD29049.1 | SEQ ID NO. CAB56225.1 | | BAA33755.2 | CAA09935.1 | CAA06853.1 BAA57906.1 | | | AAA34146.1 | AAA34143.1 | AAA64416.1 | CAA41406.1 | CAA57492.1 | CAA32197.1 | AAA34159.1 | CAA50763.1 | AAC14566.1 | AAD27878.1 | AAF13731.1 | CAA57877.1 | CAA33330.1 | AAF90200.1 | AAC67557.1 | AAA34140.1 | CAA45523.1 | AAA34186.1 |
| Glycine max | | Chlamydomonas reinhardtii Chlamydomonas reinhardtii | Oryza sativa | Dotinis v hybride | × | Petunia x hybrida Scutellaria baicalensis | Vigna mungo Nicotiana tabacum | | Vigna mungo | Phaseolus vulgaris | Solanum tuberosum Arassica nanns | ч- | | Vitis labrusca x Vitis vinifera | Vitis vinifera | Ipomoea batatas | Vitis vinifera | Vitis vinifera | Perilla frutescens | Vitis labrusca x Vitis vinifera | | | | | o · | Vitis vinifera |
| 452 U20260 M31545 | M31243 L39279 X65974 X65973 | U03632 U03633 | 458 AB023482 | 459 | X71060 | X71059 AB031274 | AB012114 AF190634 | AB033758 | AB012115 | 5 | U82367 AF287143 | AB002818 | AF101972 | AB047090 | AB047093 | AB038248 | AB047099 | AB047097 | AB013596 | AB047091 | AB009370 | AB047098 | AB047094 | AB047092 | AB047096 | AFU003/1 |
| SEQ ID NO. 4 AAC48996.1 | AAA81881.1 CAA46787.1 CAA46786.1 | AAA18861.1 AAA18862.1 | SEQ ID NO. 4 BAA78745.1 | SEQ ID NO. 4 | CAA50377.1 | CAA50376.1 BAA83484.1 | BAA36410.1 AAF61647.1 | BAA93039.1 | BAA36411.1 | AAD51778.1 | AAB48444.L AAF98390 1 | BAA19659.1 | AAD04166.1 | BAB41017.1 | BAB41020.1 | BAA90787.1 | BAB41026.1 | BAB41024.1 | BAA36421.1 | BAB41018.1 | BAA36972.1 | BAB41025.1 | BAB41021.1 | BAB41019.1 | BAB41023.1 | AAB81682.1 |

| | Linum | 240 | | | |
|---|--|---|---|--|---|
| Brassica juncea Pisum sativum Medicago sativa Medicago sativa Oryza sativa Oryza sativa Sorghum bicolor Triticum aestivum Vicia faba Chloris gayana Zea mays Zea mays Sorghum bicolor Sorghum bicolor | | | Lea mays Rordeum vulgare Zea mays Zea mays Prunus persica Tetraselmis sp. RG-15 | Oryza sativa Physcomitrella patens Pinus sylvestris Solanum tuberosum Cicer arietinum Lycopersicon esculentum | Solanum tuberosum Oryza sativa Oryza sativa Solanum tuberosum Medicago sativa Solanum tuberosum Lemna gibba |
| AJ223496 D64037 M83086 L39371 AF271995 X59925 AJ001705 AJ011302 AF268091 X15239 AB012228 X65137 X55664 | X15642 X14588 AE159051 X87148 | X87149 X91404 477 | X95/2/ V23189 X63052 U23188 L36064 AF017998 | X13908 AB026686 X14506 U21111 AJ131044 M14443 | U20983 X13909 D00641 U21113 AF072931 U21114 M29334 |
| CAA11414.1 BAA10902.1 AAB46618.1 AAB41903.1 AAG00180.1 CAA02549.1 CAA07610.1 CAA09588.1 AAG42288.1 CAA33317.1 BAA28170.1 CAA33317.1 CAA339197.1 | CAA33663.1 CAA32728.2 AAD45696.1 CAA60626.1 | | CAA65042.1 AAA64415.1 CAA44777.1 AAA60414.1 AAA50310.1 AAA50310.1 | CAA32108.1 BAA77273.1 CAA32658.1 AAA80591.1 CAA10284.1 AAA34147.1 | AAA80589.1 CAA32109.1 BAA00536.1 AAA80593.1 AAC25775.1 AAA80594.1 |
| | hirsutu rinervi berosum berosum | Mesembryanthemum crystallinum Flaveria pringlei Flaveria trinervia Glycine max | Flaveria pringlei Nicotiana tabacum Lycopersicon esculentum Sesbania rostrata Glycine max Glycine max | Picea abies Solanum tuberosum Lycopersicon esculentum Mesembryanthemum crystallinum Lotus corniculatus Saccharum sp. | |
| X58517 X69215 M34396 X81808 X58514 AF241525 X15894 X16436 AF218305 476 L49175 X64143 | AF008939 AF248080 X90982 X67053 | X13660 Z48966 AF248079 D10717 | X64144 X59016 AJ243416 AJ286750 D13998 AB008540 | X79090 AJ011844 AJ243417 X14587 AF135371 M86661 | D13987 X61304 Z25853 AF288382 Z68125 X61489 |
| CAA491407.1 CAA49149.1 AAA68425.1 CAA57407.1 CAA41405.1 CAA41404.1 AAE44703.1 CAA33903.1 CAA33903.1 CAA34459.1 AAE23819.1 SEQ ID NO. 4 AAB18633.1 CAA45504.1 | AAB80714.1 AAG17619.1 CAA62469.1 CAA47437.1 | | CAA45505.1 CAA41758.1 CAB65170.1 CAC28225.1 BAA03100.1 BAA33100.1 | CAA55700.1 CAA09807.1 CAB65171.1 CAA32727.1 AAD31452.1 AAC33164.1 | BAA03094.1 CAA43601.1 CAA81072.1 AAK28444.1 CAA92209.1 CAA43709.1 |

| BAA03104.1 CAA47950.1 | D14002 X67714 | Lactuca sativa Pinus contorta | BAA01394.1 AAA33930.1 | D10524 M84968 | Nicotiana tabacum Silene vulgaris |
|--------------------------|------------------|----------------------------------|--------------------------|------------------|--------------------------------------|
| AAA33124.1 | M16057 | Cucumis sativus | AAA33931.1 | M84969 | Silene vulgaris |
| BAA25396.1 | AB012641 | Nicotiana sylvestris | CAB38119.1 | AJ010296 | |
| AAB18209.1 | U73218 | Triticum aestivum | CAB38118.1 | AJ010295 | Zea mays |
| AAA50172.1 | U01964 | Glycine max | AAG34811.1 | AF243376 | Glycine max |
| AAA33636.1 | M23532 | Physcomitrella patens | CAA09190.1 | AJ010451 | Alopecurus myosuroides |
| CAA39883.1 | X56538 | Pisum sativum | CAA09192.1 | AJ010453 | Alopecurus myosuroides |
| AAB61237.1 | AF003128 | Mesembryanthemum crystallinum | CAA09193.1 | AJ010454 | Alopecurus myosuroides |
| AAB61238.1 | AF003129 | Mesembryanthemum crystallinum | AAG34814.1 | AF243379 | Glycine max |
| AAA18529.1 | L07119 | Chloroplast Gossypium hirsutum | CAA09191.1 | AJ010452 | Alopecurus myosuroides |
| CAA99993.1 | 275663 | Apium graveolens | AAG34812.1 | AF243377 | Glycine max |
| AAB61236.1 | AF003127 | Mesembryanthemum crystallinum | CAA39487.1 | X56012 | Triticum aestivum |
| CAA39376.1 | X55892 | | AAD56395.1 | AF184059 | Triticum aestivum |
| CAA32657.1 | X14505 | Pinus sylvestris | CAA68993.1 | Y07721 | Petunia x hybrida |
| AAA80592.1 | 021112 | Solanum tuberosum | AAA33469.1 | M16902 | Zea mays |
| BAA24493.1 | AB006081 | Fagus crenata | AAA33470.1 | M16901 | Zea mays |
| CAA57408.1 | X81809 | abie | AAA20585.1 | U12679 | Zea mays |
| BAA25389.1 | AB012637 | Nicotiana sylvestris | CAA56047.1 | X79515 | Zea mays |
| BAA25391.1 | AB012637 | Nicotiana sylvestris | CAA39480.1 | X56004 | Triticum aestivum |
| AAC78690.1 | 873603 | Pinus thunbergii | AAC64007.1 | AF062403 | Oryza sativa |
| CAA32900.1 | X14794 | Zea mays | AAG34823.1 | AF244680 | Zea mays |
| | | | AAG34817.1 | AF244674 | Zea mays |
| | 479 | | CAA05354.1 | AJ002380 | Oryza sativa |
| AAF72557.1 | AF130426 | Lycopersicon esculentum | AAG34820.1 | AF244677 | Zea mays |
| AAF72556.1 | AF130425 | Lycopersicon esculentum | AAG34821.1 | AF244678 | Zea mays |
| AAD44161.1 | AF130423 | Lycopersicon esculentum | CAB66333.1 | AJ279691 | Betula pendula |
| BAA83338.1 | AB027528 | Physcomitrella patens | AAG34818.1 | AF244675 | Zea mays |
| AAF72555.1 | AF130424 | Lycopersicon esculentum | AAG34816.1 | AF244673 | Zea mays |
| CAA04247.1 | AJ000695 | Lycopersicon esculentum | AAG34822.1 | AE244679 | Zea mays |
| CAA04246.1 | AJ000694 | Mougeotia scalaris | CAA05355.1 | AJ002381 | Oryza sativa |
| SEO ID NO. 4 | 480 | | SEO ID NO. 4 | 482 | |
| | AF133302 | Brassica rapa subsp. pekinensis | | AB010416 | Raphanus sativus |
| AAG40130.1 | AF203879 | Oryza sativa | AAB04557.1 | U62778 | Gossypium hirsutum |
| | | | CAA49854.1 | X70417 | Antirrhinum majus |
| | 481 | | AAK26770.1 | AF326503 | Zea mays |
| CAA55039.1 | X78203 | Hyoscyamus muticus | AAF90121.1 | AF254799 | Hordeum vulgare |
| AAB65163.1 | AF002692 | Solanum commersonii | AAK26768.1 | AF326501 | Zea mays |
| CAA96431.1 | Z71749 | Nicotiana plumbaginifolia | AAK26769.1 | AF326502 | Zea mays |

| U86763 Triticum aestivum AAD43343.1 AFL59139 D84669 Raphanus sativus AAG4881.1 ARC101256 APL13381 Brassica sativus AAFT8756.1 ARZ71356 U86762 Triticum eestivum AAFT8754.1 ARZ71356 U86762 Hordeum vulgate CAB43062.1 AAD13000 X80266 Hordeum vulgate CAB43062.1 AAD13000 ABD48248 DYzas sativa CAB43062.1 AAD13000 ABD52650 Zea mays CAB66620.1 ABD01919 AFD37061 Zea mays CAB66620.1 ABD01919 AFD37061 Medicago sativa AAD1708.1 ART18425 AFD37061 Medicago sativa AAD1708.1 ART13919 AFD3343 Lea mays AAC29343 AAC70848.1 ART13919 AFD3506 Llycine max AAD1708.1 ART13919 AAC13306 AFD3506 Llycine max AAC7848.1 AAC13256 ABD2658 Lyczne mays AAC7848.1 AAC7848.1 ABD2656 Lyczne mays <th> 0</th> <th></th> <th>_</th> <th></th> <th>. –</th> <th></th> <th></th> <th></th> | 0 | | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | . – | | | |
|--|---|--------------|--------------|------------|-----------------|----------------|--------------|-------------------|------------|-------------------------------|-------------------|-----------------|-------------------------|------------|------------------------|--------------|---------------|---------------|--------------|--------------|------------------|--------------|-------------------|--------------|-------------------|--------------|-------------|------------|--------------|----------------|------------|--------------|-------------------|--------------|-----------------|--------------------|-------------|---------------|---------------|-------------------------|
| U86763 Triticum aestivum AAD43343.1 D84669 Raphanus sativus AAG45488.1 AF118381 Brassica napus AAG45488.1 U86762 Triticum aestivum CAB43062.1 U86762 ARTITICUM aestivum CAB43062.1 AR09266 Horteum vulgare CAB43062.1 AR037061 Aea mays CAB43062.1 AF037061 Aea mays CAB43062.1 AF037061 Aea mays AAG48166.1 AF027073 Medicago sativa AAG7848.1 AF02560 Tulipa gesneriana AAG7848.1 AF02773 Medicago sativa AAG7848.1 ABD2658 Oryza sativa AAC78486.1 ABD2659 Oryza sativa AAC78486.1 ABD26561 Oryza sativa AAC78486.1 ABD26559 Oryza sativa AAC78486.1 ABD26561 Oryza sativa AAC78486.1 ABD32661 Oryza sativa AAC78486.1 AF002735 Oryza sativa AAC7848.1 AF002069 Oryza sativa AAC | Gossypium hirsutum Lycopersicon esculentum | Oryza sativa | sativa | | | | | Nicotiana tabacum | | Vigna unguiculata | var. | | Lycopersicon esculentum | Zea mays | Pimpinella brachycarpa | Oryza sativa | oleracea var. | oleracea var. | oleracea | sativa | Ricinus communis | | | | Nicotiana tabacum | | | | | Brassica napus | | | | | Hordeum vulgare | Phaseolus vulgaris | Ipomoea nil | Beta vulgaris | Beta vulgaris | Linum usitatissimum |
| 086763 Triticum aestivum AAD43343.1 D84669 Raphanus sativus AAG54988.1 AF118381 Brassica napus AAF78756.1 U86762 Brassica napus AAF78754.1 U86762 Brassica oleracea var. botrytis CAB43062.1 X80266 Hordeum vulgare CAB43062.1 AF034248 Pyrus communis BAA19466.1 D25534 Zea mays AAB61392.1 AF037061 Zea mays AAB61392.1 AF020793 Medicago sativa AAB51392.1 AF020793 Medicago sativa AAB51392.1 AF020793 Medicago sativa AAB51392.1 AF020793 Medicago sativa AAB7486.1 AF024366 BAA11135.1 AF03437 Clycine max AAB7486.1 AF03506 Oryza sativa AAB7486.1 AB02656 Oryza sativa AAB7486.1 AB02661 Oryza sativa AAB7486.1 AF08914 Petunia x hybrida AAB78688.1 AF08914 Petunia x hybrida AAB7868.1 <td>AF159139 AY013256</td> <td>AF271358</td> <td>AEZ/1356</td> <td>AJ133000</td> <td>AJ133001</td> <td>AB001920</td> <td>AB001919</td> <td>Z84822</td> <td>AF154425</td> <td>U92656</td> <td>AF113918</td> <td>AF090445</td> <td>AY013253</td> <td>D73410</td> <td>U96438</td> <td>AF271357</td> <td>U85482</td> <td>AF113919</td> <td>AE090444</td> <td>D73411</td> <td>L33686</td> <td>U72693</td> <td>AY013252</td> <td>AF201661</td> <td>AF195614</td> <td>AY013254</td> <td></td> <td>489</td> <td>AJ311624</td> <td>U21743</td> <td>AB015593</td> <td>AF032975</td> <td>AF051156</td> <td>AB010876</td> <td>X15962</td> <td>AJ276491</td> <td>D45425</td> <td>AF310017</td> <td>AF310018</td> <td>AE310960</td> | AF159139 AY013256 | AF271358 | AEZ/1356 | AJ133000 | AJ133001 | AB001920 | AB001919 | Z84822 | AF154425 | U92656 | AF113918 | AF090445 | AY013253 | D73410 | U96438 | AF271357 | U85482 | AF113919 | AE090444 | D73411 | L33686 | U72693 | AY013252 | AF201661 | AF195614 | AY013254 | | 489 | AJ311624 | U21743 | AB015593 | AF032975 | AF051156 | AB010876 | X15962 | AJ276491 | D45425 | AF310017 | AF310018 | AE310960 |
| U86763 Triticum aestivum D84669 Raphanus sativus AF118381 Triticum aestivum U92651 Triticum aestivum U92651 Brassica napus U86762 Triticum aestivum U92651 Brassica oleracea var. X80266 Pyrus communis D2534 Oryza sativa AF037061 Zea mays AF020793 Medicago sativa AF020793 Medicago sativa AF029343 Coryza sativa AB026558 Oryza sativa AB026559 Oryza sativa AB026561 Oryza sativa AB026561 Oryza sativa AB026561 Oryza sativa AF022735 Detunia x hybrida Oryza sativa AF0227625 Buphorbia esula AF022660 Oryza sativa AB026560 Oryza sativa | AAD43343.1 AAG45488.1 | AAF78756.1 | AAF'/8'/54.1 | CAB43062.1 | CAB43063.1 | BAA19467.1 | BAA19466.1 | CAB06620.1 | AAG48162.1 | AAB51392.1 | AAD17208.1 | AAC78487.1 | AAG45486.1 | BAA11135.1 | AAB70463.1 | AAF78755.1 | AAC79125.1 | AAD17209.1 | AAC78486.1 | BAA11136.1 | AAB04095.1 | AAB37305.1 | AAG45485.1 | AAF17557.1 | AAF05818.1 | AAG50297.1 | | | CAC34417.1 | AAA86365.1 | BAB17848.1 | AAC04836.1 | AAC05682.1 | BAA74702.1 | CAA75907.1 | CAB77393.1 | BAA08266.1 | AAG36666.1 | AAG36667.1 | AAK28807.1 |
| 8 4 4 8 8 8 | aes sat | | aestivum | ea var. | Hordeum vulgare | Pyrus communis | Oryza sativa | Zea mays | Zea mays | Mesembryanthemum crystallinum | Tulipa gesneriana | Medicago sativa | | | Glycine max | Zea mays | Oryza sativa | | Oryza sativa | Oryza sativa | | Oryza sativa | Spinacia oleracea | Oryza sativa | Petunia x hybrida | Oryza sativa | Glycine max | | Oryza sativa | Oryza sativa | | Oryza sativa | Spinacia oleracea | Oryza sativa | | | | | | Lycopersicon esculentum |
| | U86763 D84669 | AF118381 | U86762 | 092651 | | 4 | D25534 | AF037061 | AF326500 | U43291 | X95650 | AF020793 | | 483 | AF034572 | AJ293343 | AB026558 | Y14339 | U92540 | Ŋ | AB032061 | AB026561 | X96974 | AF022735 | AF088914 | D37886 | AF255338 | AF227625 | AB023482 | AP002069 | AP002069 | AB026560 | D78173 | AB026562 | | 484 | AF029242 | | 487 | AY013255 |
| | AAD10495.1 BAA12711.1 | AAD39372.1 | • | AAB51393.1 | CAA56553.1 | BAB12722.1 | BAA05017.1 | AAC09245.1 | AAK26767.1 | AAB17284.1 | CAA64952.1 | | | ID NO. | AAC28135.1 | CAC19494.1 | BAA96829.1 | CAA74725.1 | AAB51521.1 | BAA96830.1 | BAA99540.1 | BAA96832.1 | CAA65660.1 | AAB82138.1 | AAC35982.1 | BAA07128.1 | AAF70292.1 | AAF34770.1 | BAA78755.1 | BAA95832.1 | • | BAA96831.1 | BAA21651.1 | | | | AAB84193.1 | | | AAG45487.1 |

| Beta vulgaris Oryza sativa Zea mays Zea mays Brassica rapa Mitochondrion Pisum sativum Nicotiana tabacum | | Oryza sativa Oryza sativa Oryza sativa Ca mays Zea mays Erysimum cheiri Volvox carteri Daucus carota Lotus japonicus Pisum sativum Pisum sativum Pisum sativum Lotus japonicus |
|--|--|--|
| Z49191 AF250327 AF126053 AF126055 AF042330 L19093 AJ222545 | AF233446 Z73962 AJ251210 S79308 AF165925 S79309 AF233447 AB029510 AF126052 AF239751 | APOULESS ABO29508 ABO29509 AF126054 AF126054 AF161018 L08128 AJ001367 Z73944 Z49900 Z73944 Z73946 Z73947 X69980 Z73946 Z73946 Z73947 X6980 Z73946 Z73947 X6980 Z73946 Z73947 Z73946 Z73946 Z73947 Z73946 Z73946 Z73946 Z73947 Z73946 Z73946 Z73946 Z73946 Z73947 Z73946 Z73947 Z73946 Z73946 Z73946 Z73946 Z73946 Z73946 Z73947 Z73946 Z73947 Z73947 Z73947 |
| CAA89050.1 AAF91343.1 AAD34356.1 AAD34358.1 AAB97458.1 AAA96980.1 CAA10815.2 | AAF43429.1 CAA98190.1 CAB62075.1 AAB35093.1 AAC32124.1 AAD47828.1 AAF43430.1 BAA84494.1 AAF43923.1 AAF43923.1 | |
| AF310016 Beta vulgaris AJ222979 Pisum sativum AL117264 Oryza sativa AP003020 Oryza sativa AP003018 Oryza sativa AF032974 Oryza sativa AB028454 Barbula unguiculata | AF072694 Oryza sativa AB024338 Atriplex lentiformis M93041 Mesembryanthemum crystallinum AF132671 Nicotiana plumbaginifolia AJ250832 Pisum sativum AJ250834 Pisum sativum AJ250833 Hordeum vulgare AF250933 Hordeum vulgare AF049065 Pinus radiata AJ237943 Triticum aestivum aes | AFU6//31 AJ237942 AB012138 AF032971 AF032971 AF03223 M63223 M21962 AJ012583 M36986 AJ012583 M36986 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ012583 AJ03961 AF115476 AF11 |
| AAG36665.1 CAA11031.1 CAB55394.1 BAB39980.1 BAB39965.1 AAC04835.1 BAA86880.1 | AAC25777.1 BAA78563.1 AAA33030.1 AAF03355.1 CAB65369.1 CAB65371.1 AAG00425.1 AAG01425.1 AAC05146.1 CAB55559.1 | |

| | Linus | o | | | | | | | | | | | | | | 24 | 4 | | linum | | | | | | | | | | | | | | | | | | |
|--|-------------------------------|-------------------------|---------------|-------------------------|------------------------|--------------------------------|---------------------------|-----------------|---------------------|--------------------|-------------------|----------------------------|-------------------|----------------------------|------------|-----------------|----------------------------|------------------------|-------------------------------|------------------|---------------------|-------------------|-----------------------|----------------------------|-------------------|------------|-------------------|------------|--------------------|-------------------|-------------------|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Vicia faba Vicia faba | Mesembryanthemum crystallinum | Lycopersicon esculentum | Pisum sativum | Lycopersicon esculentum | Zea mays | Oryza sativa | Brassica oleracea | Oryza sativa | Catharanthus roseus | Nicotiana tabacum | Nicotiana tabacum | Triticum aestivum | Avicennia marina | Lycopersicon esculentum | | Oryza sativa | Zea mays | Zea mays | Mesembryanthemum crystallinum | Prunus armeniaca | Glycine max | Triticum aestivum | Pseudotsuga menziesii | Picea mariana | | 1 | Citrullus lanatus | | Solanum tuberosum | Oryza sativa | Oryza sativa | Zea mays | Solanum tuberosum | Solanum tuberosum | | Spinacia oleracea | Nicotiana tabacum |
| AB038790 AB038789 | 253 AF176040 | X73419 | L29077 | L23762 | AF034946 | U15971 | U17250 | D17786 | AF091621 | AB026055 | AB026056 | M62720 | AF262934 | X82938 | AJ005348 | AP001081 | AF032468 | AJ002959 | AF165420 | AE008910 | AF180143 | M28059 | AJ131733 | AE051240 | | 495 | D28777 | AB029511 | AE044172 | AE073697 | AE073695 | X85803 | AB029512 | AF044173 | D14722 | X66860 | AJ299249 |
| BAA92337.1 BAA92336.1 | | CAA51821.1 | AAA64427.1 | AAA34125.1 | AAB88617.1 | AAB02168.1 | AAA86089.1 | BAA21006.1 | AAD42941.1 | BAB40310.1 | BAB40311.1 | AAA34310.1 | AAF73016.1 | CAA58111.1 | CAA06493.1 | BAA90392.1 | AAC12662.1 | CAA05772.1 | AAF22280.1 | AAB63513.1 | AAF03236.1 | AAA34309.1 | CAA10494.1 | AAC32141.1 | | | BAA05965.1 | BAB20861.1 | AAC25635.1 | AAD23909.1 | AAD23907.1 | CAA59798.1 | BAB20862.1 | AAC25636.1 | BAA03542.1 | CAA47329.1 | CAC12819.1 |
| | Catharanthus roseus | | | Acetabularia cliftonii | Acetabularia cliftonii | Medicago sativa subsp. x varia | Chlamydomonas reinhardtii | Medicago sativa | Nicotiana tabacum | Phaseolus vulgaris | Brassica napus | Oryza sativa subsp. indica | Nicotiana tabacum | Oryza sativa subsp. indica | | Medicago sativa | Oryza sativa subsp. indica | Acetabularia cliftonii | Nicotiana tabacum | Brassica napus | Catharanthus roseus | Vicia faba | Vicia faba | Oryza sativa subsp. indica | Helianthus annuus | | Fagus sylvatica | sati | Hevea brasiliensis | Malus x domestica | Nicotiana tabacum | Fagus sylvatica | | Vicia faba | Malus x domestica | ದ | Vicia faba |
| Z93768 AJ002485 AB038648 | AJ00/332 | AJ002486 A,T002488 | M60215 | Z28627 | Z28632 | X80788 | AF156101 | AJ002487 | Z93770 | Z48221 | X57438 | AF159061 | AJ007496 | AF134552 | AB039918 | X70399 | AF173881 | Z26654 | 293772 | X57439 | AJ007333 | AB039917 | AB039916 | AF283668 | 226041 | AE097182 | AJ298829 | 049113 | AF107464 | 247076 | 293771 | AJ298828 | 247078 | AB038786 | 247077 | AB038791 | AB038787 |
| CAB07803.1 CAA05491.1 BAA92244.1 | CAAU / 4 / 0.1 | CARU3492.1 | AAA33545.1 | CAA82263.1 | CAA82264.1 | CAA56766.1 | AAD38856.1 | CAA05493.1 | CAB07805.1 | CAA88254.1 | CAA40686.1 | AAD41126.1 | CAB46506.1 | AAD22116.1 | BAA92699.1 | CAA49849.1 | AAD48068.1 | CAA81395.1 | CAB07807.1 | CAA40687.1 | CAA07471.1 | BAA92698.1 | BAA92697.1 | AAF86353.1 | CAA81126.1 | AAC72838.1 | CAC11129.1 | AAA91806.1 | AAD09953.1 | CAA87385.1 | CAB07806.1 | CAC11128.1 | CAA87387.1 | BAA92333.1 | CAA87386.1 | BAA92338.1 | BAA92334.1 |

| | | | | | | | | αί | | | | | | | | | | 24 | ļ5 | | | | | | | | | | | | | _ | | | | | | | |
|------------|--------------------------------------|--------------|------------|------------|---------------------|-----------------|-------------|---------------------------|-------------|-------------|-------------------|-----------------|------------------------|------------------------|------------------------|----------------------|------------------------|-------------------|--------------------|--------------|-----------------------|-------------------|-------------------|---------------------|-------------------|-------------------------|---------------------|---------------------------|-------------------|-------------------|-----------------------|--------------------------|-----------------|-------------------|-----------------------|------------------------|-------------------|---------------------|----------------|
| Zea mays | Oryza saciva Zee mevs | Oryza sativa | | | carnarantnus roseus | Lemna minor | Allium cepa | Enteromorpha intestinalis | | | Brassica juncea | Brassica juncea | Brassica juncea | Dianthus caryophyllus | Nicotiana tabacum | Nicotiana sylvestris | Pisum sativum | Datura stramonium | Glycine max | Oryza sativa | Dianthus caryophyllus | Nicotiana tabacum | Nicotiana tabacum | Theobroma cacao | Vitis vinifera | Lycopersicon esculentum | Arabidopsis arenosa | Capsella bursa-pastoris | Arabis drummondii | Barbarea vulgaris | Nasturtium officinale | Thellungiella salsuginea | Thlaspi arvense | Stanleya pinnata | Sisymbrium altissimum | Aethionema grandiflora | Brassica oleracea | Arabidopsis arenosa | Brassica nigra |
| AE244673 | AJUU238U AF244681 | AJ002381 | 0 | 1001001 | 063/84 | AJ249831 | AF212155 | AF069951 | | 499 | AE077547 | AF220097 | AF220098 | AF002017 | AF127241 | AB012873 | 237540 | AJ251898 | U35367 | AP000559 | U63832 | AF127240 | AF127239 | AF045666 | X96791 | L16582 | AF045685 | AE045684 | AF045680 | AF045681 | AF045690 | AF045689 | AF045688 | AF045687 | AE045686 | AE045665 | AF045683 | AF045674 | AF045682 |
| AAG34816.1 | AAG34824.1 | CAA05355.1 | C E | | AABU58/1.2 | CAB65911.1 | AAF18999.1 | AAC26855.1 | | SEQ ID NO. | AAC62017.1 | AAF26434.1 | AAF26435.1 | AAB60880.1 | AAF42972.1 | BAA25685.1 | CAA85773.1 | CAB64599.1 | AAD09204.1 | BAA84799.1 | AAB67887.1 | AAF42971.1 | AAF42970.1 | AAC68511.1 | CAA65585.1 | AAA61347.1 | AAC68530.1 | AAC68529.1 | AAC68525.1 | AAC68526.1 | AAC68535.1 | AAC68534.1 | AAC68533.1 | AAC68532.1 | AAC68531.1 | AAC68510.1 | AAC68528.1 | AAC68519.1 | AAC68527.1 |
| ىد | Solanum tuberosum Cicer arietinum | 9 8 | ъ. Н | S . | S O | Pyrus pyrifolia | | | Glycine max | Glycine max | Petunia x hybrida | Zea mays | Alopecurus myosuroides | Alopecurus myosuroides | Alopecurus myosuroides | Zea mays | Alopecurus myosuroides | Glycine max | Hyoscyamus muticus | Zea mays | Silene vulgaris | Zea mays | Silene vulgaris | Solanum commersonii | Nicotiana tabacum | Zea mays | Oryza sativa | Nicotiana plumbaginifolia | Zea mays | Zea mays | Triticum aestivum | Zea mays | Zea mays | Triticum aestivum | Zea mays | Triticum aestivum | Persea americana | Zea mays | Zea mays |
| AB040503 | AB029513 | AL442113 | D37963 | AEU/5090 | AF'073698 | AF195239 | | 497 | AF243377 | AF243379 | Y07721 | AJ010296 | AJ010451 | AJ010453 | AJ010452 | AJ010295 | AJ010454 | AF243376 | X78203 | U12679 | M84968 | X79515 | M84969 | AF002692 | D10524 | AF244680 | AF062403 | Z71749 | M16901 | M16902 | X56012 | AF244674 | AF244679 | AF184059 | AF244677 | X56004 | AF133894 | AF244678 | AF244675 |
| BAA93051.1 | BABZ0863.1 | CAC09469.1 | BAA07177.1 | AADZ3908.1 | AAD23910.1 | AAF78529.1 | | SEQ ID NO. 4 | AAG34812.1 | AAG34814.1 | CAA68993.1 | CAB38119.1 | CAA09190.1 | CAA09192.1 | CAA09191.1 | CAB38118.1 | CAA09193.1 | AAG34811.1 | CAA55039.1 | AAA20585.1 | AAA33930.1 | CAA56047.1 | AAA33931.1 | AAB65163.1 | BAA01394.1 | AAG34823.1 | AAC64007.1 | CAA96431.1 | AAA33470.1 | AAA33469.1 | CAA39487.1 | AAG34817.1 | AAG34822.1 | AAD56395.1 | AAG34820.1 | CAA39480.1 | AAF61392.1 | AAG34821.1 | AAG34818.1 |

| Pisum sativum Vigna radiata Spinacia oleracea Oryza sativa Oryza sativa | oryza sativa | Zea mays Nicotiana tabacum Oryza sativa Brassica nams | Glycine max Glycine max Oryza sativa | Pinus sylvestris Nicotiana tabacum Phaseolus vulgaris Zea mavs | max na max | Lophopyrum elongatum Oryza sativa Oryza sativa Lophopyrum elongatum | Populus nigra Populus nigra Daucus carota Malus x domestica | Lycopersicon esculentum Lycopersicon esculentum Lycopersicon hirsutum Glycine max | Petunia x hybrida Petunia x hybrida Picea abies |
|---|--|--|--|---|--|--|---|--|---|
| AF271892 AF15667 X99937 AB042643 AB042644 | 532 AP002071 | U67422 AF302082 AB023482 | AF244889 AF244890 00069 | AJ250467 D31737 AF285172 AF023164 | AF244888 AY007545 AF197947 | AF131222 AP000559 AP000391 AF339747 AF023165 | AB041503 AB041504 U93048 AF053127 | AF220603 U59316 AF318493 AF197946 | 538 AF132002 AF132001 AF253971 |
| AAE75791.1 AAE40306.1 CAA68193.1 BAA95704.1 BAA95705.1 | | AAB09771.1 AAG25966.1 BAA78764.1 | AAF91323.1 AAF91324.1 CAB51834.1 | CAC20842.1 BAA06538.1 AAG00510.1 | AAF91322.1 AAG16628.1 AAF59906.1 | AAF43496.1 BAA84787.1 BAA83373.1 AAK11674.1 | BAA94509.1 BAA94510.1 AAB61708.1 AAC36318.1 | AAE76313.1 AAB47421.1 AAK11569.1 AAE59905.1 | SEQ ID NO. AAD39440.1 AAD39439.1 AAG32659.1 |
| Thellungiella salsuginea Arabis drummondii Nasturtium officinale Thlaspi arvense Polanisia dodecandra | eria bursa-pascorr area vulgaris leya pinnata mbrium altissimum | Brassica oleracea Brassica nigra Carica papaya | si ti | Lycopersicon esculentum | Phaseolus vulgaris | Lycopersicon esculentum Populus nigra Spinacia oleracea | Fritillaria agrestis Oryza sativa Oryza sativa Hordeum vulgare | Hordeum vulgare Physcomitrella patens Chlamydomonas reinhardtii Chlamydomonas reinhardtii Scenedesmus obliquus | Pediastrum boryanum Nicotiana sylvestris |
| AF045678 AF04569 AF045677 AF045677 AF045673 | AF045670 AF045670 AF045676 AF045675 | AF045672 AF045671 AF045667 | AF132498 AB005880 AF026809 | 501 X74072 | 513 U77935 | 514 X13934 Z50185 X04693 | AF031545 AF031545 AF093636 AF009412 Z28347 | ထ က | AB017810 521 D16247 |
| AAC68523.1 AAC68514.1 AAC68524.1 AAC68522.1 AAC68513.1 | AAC68518.1 AAC68515.1 AAC68521.1 AAC68520.1 | AAC68517.1 AAC68516.1 AAC68512.1 | AAD24801.1 BAA21617.1 AAB82607.1 | SEQ ID NO. 5 CAA52201.1 | • 🛏 | | CAASUSOS.1 AAB86855.1 AAC78108.1 AAB63590.1 CAA82201.1 | CAA68696.1 BAA77274.1 AAA33089.1 AAA33078.1 AAD03610.1 | |

| M12277 Triticum aestivum U16825 Chlamydomonas reinhardtii U16724 Chlamydomonas reinhardtii X84376 Zea mays X06964 Volvox carteri X06963 Volvox carteri X95689 Allium cepa | 11 | U68462 Striga asiatica AF172094 Picea rubens AF246714 Phalaenopsis sp. 'True Lady' AF288226 Setaria italica AF112538 Malva pusilla X63603 Nicotiana tabacum AF143208 Vigna radiata AB032361 Mimosa pudica X55749 Solanum tuberosum AF111812 Brassica napus | |
|---|--|--|--|
| AAA34292.1 M13 AAA984456.1 U13 AAA98445.1 U13 AAA98445.1 U13 CAA59110.1 X8. CAA30036.1 X00 CAA30036.1 X00 CAA30034.1 X00 | ID NO. 55 6491.1 0623.1 7024.1 ID NO. 55 1886.1 9651.1 | AAC49652.1 UG AAE03692.1 AE AAE71264.1 AE AAG10041.1 AE AAD41039.1 AE CAA45149.1 XG AAE31643.1 AE BAA89214.1 AB CAA39278.1 X5 | |
| | SEQ AAD4 BAA9 BAA7 SEQ AAC3 AAC4 | 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | A C C C A A A A A A A A A A A A A A A A |
| 4944495 | Atriplex nortensis Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum | Pisum sativum Pisum sativum Oryza sativa Oryza sativa | o by at |
| AF253970 AF134116 AJ299252 AB037183 AB036883 AF071893 AF245119 AB023482 | AE274033 AE211527 AE211531 AE211530 539 D63331 D83078 AB027054 | 541 AJ011589 AF030516 AC084218 542 AF140490 545 X00043 | A0045 A0045 U10042 M13377 M13370 M36659 Y18575 AC073166 AB018245 AC9537 X69179 AF038387 |
| AAG32658.1 AAD22495.3 CAC12822.1 BAB16083.1 AAC24587.1 AAF63205.1 BAAF63205.1 | · | SEQ ID NO. 3 CAB56756.1 AAD01907.1 AAG48834.1 SEQ ID NO. 3 AAD29703.1 SEQ ID NO. 3 | CABO1914.1 AAA38496.1 AAA33476.1 AAA33475.1 AAA33471.1 CAC34411.1 CAC34411.1 CAC48924.1 CAA48923.1 AAB94924.1 CAA56154.1 |

| CAA39279.1 | X55750 | Solanum tuberosum | BAA96628.1 | AP002482 | Oryza sativa |
|---|---|---------------------------|--------------|-------------|--|
| CAA55923.1 | X79378 | Sorghum bicolor | BAA05649.1 | D26602 | Nicotiana tabacum |
| CAA34356.1 | X1628U | Oryza satıva | CAA5/898.I | X8Z548 | Hordeum vulgare |
| AACIOU34.1 | AFUGIOLS | Coleociaete scurata | AACASSA.L | | oryza saczya |
| 7 7 | USIU43 | | CAMODE 44. I | A90991 | SOTATION CODELOS MIN |
| AAB18644.1 | 0/6193 | | AAD23582.1 | AF.128443 | |
| CAA33873.1 | X15864 | Oryza sativa | AAF19402.1 | AF203480 | Lycopersicon esculentum |
| AAC64128.1 | AF091810 | Anemia phyllitidis | AAF19403.1 | AF203481 | Lycopersicon esculentum |
| AAD02328.1 | AF044573 | Brassica oleracea | CAA46556.1 | X65606 | Hordeum vulgare |
| AAC05272.1 | AE049106 | Glycine max | CAA07813.1 | AJ007990 | Hordeum vulgare |
| AAC16055.1 | AF061020 | Mesostigma viride | AAF19401.1 | AF203479 | Glycine max |
| AAF87302.1 | AF281323 | Magnolia denudata | BAA83688.1 | AB011967 | Oryza sativa |
| BAA09450.1 | D50839 | Chlamydomonas reinhardtii | AAB05457.1 | 055768 | Oryza sativa |
| BAA09449.1 | D50838 | Chlamydomonas reinhardtii | AAD17800.1 | AF090835 | Mesembryanthemum crystallinum |
| AAA34243.1 | M33963 | Volvox carteri | AAD28791.1 | AF145593 | |
| AAC16053.1 | AF061018 | Scherffelia dubia | AAD52098.1 | U70923 | Nicotiana tabacum |
| AAA33433.1 | J01238 | Zea mays | CAA82993.1 | Z30332 | Spinacia oleracea |
| AAC64126.1 | AF091808 | Anemia phyllitidis | CAA46554.1 | X65604 | Hordeum vulgare |
| CAA33871.1 | X15862 | Oryza sativa | BAA34675.1 | AB011670 | Triticum aestivum |
| AAA33940.1 | J01297 | Glycine max | | | 24 |
| BAA25911.1 | AB013098 | Nannochloris bacillaris | SEO ID NO. 5 | 554 | 18 |
| AAD48335.1 | AE090969 | Selacinella apoda | | AF261654 | Dianthus caryophyllus |
| AAD48334.1 | AF090968 | π | CAC09582.1 | AJ298994 | Fagus sylvatica |
| 1 · · · · · · · · · · · · · · · · · · · | 7 L L L L L L L L L L L L L L L L L L L | | 100000000 | 75077507 | N. 20 + 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. |
| CAA392/0.1 | 5 / 4 | Solanum tuberosum | AAGUU419.I | A£ 24 / 300 | |
| SEQ ID NO. | 553 | | SEQ ID NO. 5 | 555 | |
| AAF67262.1 | AF165186 | Nicotiana tabacum | AAF20002.1 | AF213936 | Prunus dulcis |
| CAA04261.2 | AJ000728 | O | AAC32034.1 | AF023472 | Hordeum vulgare |
| AAC83393.1 | U83625 | Zea mays | AAD01600.1 | AE016713 | Lycopersicon esculentum |
| BAB32405.1 | AB055514 | Nicotiana tabacum | AAF07875.1 | AF140606 | Oryza sativa |
| CAC24705.1 | AJ302651 | Nicotiana tabacum | AAD16016.1 | AF080545 | Nepenthes alata |
| AAG40578.1 | AF216314 | Oryza sativa | CAC07206.1 | AJ278966 | Brassica napus |
| BAA06731.1 | D31964 | Nicotiana tabacum | AAB69642.1 | AF000392 | Lotus japonicus |
| AAG53979.1 | AF325168 | Nicotiana tabacum | CAA93316.1 | Z69370 | Cucumis sativus |
| CAA08758.1 | AJ009609 | Brassica napus | BAB19760.1 | AB052788 | Glycine max |
| CAA08757.1 | AJ009608 | Brassica napus | BAB19757.1 | AB052785 | Glycine max |
| BAA05648.1 | D26601 | Nicotiana tabacum | BAB19756.1 | AB052784 | Glycine max |
| AAF34436.1 | AF172282 | Oryza sativa | AAD42860.1 | AF154930 | Prunus dulcis |
| CAA08995.1 | AJ010091 | Brassica napus | | | |
| CAA08997.1 | AJ010093 | Brassica napus | | 556 | |
| CAA71142.1 | X10036 | Cucumis sativus | BAA20848.1 | AB004932 | Vigna radiata |

| | | 249 | uc u |
|--|---|--|---|
| Oryza sativa Daucus carota Daucus carota Daucus carota Daucus carota Daucus carota Daucus carota | | Lotus japonicus Glycine max Lupinus angustifolius Lotus corniculatus Chloroplast Glycine max Panicum miliaceum Medicago sativa Canavalia lineata Panicum miliaceum Plastid Canavalia lineata Panicum miliaceum Panicum miliaceum Panicum miliaceum Canavalia sativa | Lolium perenne Lithospermum erythrorhizon Lithospermum erythrorhizon Glycine max Rubus idaeus |
| 561 X96681 D26573 D26576 D26578 D26574 D26574 D26574 L23875 | M92094 L25334 X61577 AF034210 AF03429 X63429 D25322 | X94184 L09702 X59761 AF029898 S60967 D45076 L25335 U89494 X63428 AJ001360 X63430 D25323 L40579 D67042 | 564 AF052221 D49367 D49366 X69955 AF239685 |
| SEQ ID NO. CAA65456.2 BAA05622.1 BAA05625.1 BAA21017.1 BAA05624.1 BAA05623.1 SEQ ID NO. AAA33134.1 AAA50160.1 | AAA33408.1 AAB46610.1 CAA43779.1 AAC50015.1 AAC50014.1 BAA03504.1 CAA45023.1 | CAA63894.1 AAA33942.1 CAA42430.1 AAC12674.1 AAB26677.2 BAA08106.1 AAB68396.1 CAA45022.1 CAA45022.1 CAA45024.1 BAA04993.1 AAA98603.1 BAA23815.1 BAA23815.1 | SEQ ID NO. AAF37732.1 BAA0836.2 BAA0835.1 CAC36095.1 AAF91308.1 |
| Pisum sativum Pisum sativum Vigna radiata Glycine max Glycine max Vigna radiata Pisum sativum Pisum sativum Glycine max | Brassica napus Helianthus annuus Ricinus communis Borago officinalis Borago officinalis Triticum aestivum Ceratodon purpureus | Ceratodon purpureus Physcomitrella patens Physcomitrella patens Oryza sativa subsp. japonica Gossypium hirsutum Lycopersicon esculentum Hordeum vulgare Brassica napus Prunus dulcis Oryza sativa Cucumis sativus Lotus iaponicus | Glycine max Glycine max Glycine max Glycine max Frunus dulcis |
| X68215 X68216 AB004933 J03919 J03920 AB004931 X68218 X68217 AF169830 | AJ224160 X87143 AF005096 AF133728 AF007561 U79010 AF031194 AJ250734 | AJ250735 AJ222981 AJ222980 AF222980 AF150630 AF150630 AF016713 AF023472 AJZ78966 AF213936 AF13936 AF13936 | ABO52785 ABO52785 ABO52784 AEO80545 AF154930 |
| CAA48297.1 CAA48298.1 BAA20849.1 AAA33944.1 AAA33944.1 CAA48300.1 CAA48299.1 AAD50278.1 | | | AB19757.1 BAB19756.1 BAB19760.1 AAD16016.1 AAD42860.1 |

| Sorghum bicolor Pseudotsuga menziesii Pseudolarix amabilis | Picea mariana Chloroplast Mesostigma viride Zea mays | Zea mays Zea mays Pisum sativum Pinus banksiana Lycopersicon esculentum Artemisia annua | Spinacia oleracea Pisum sativum Lolium perenne Mesembryanthemum crystalligum Capsicum annuum Helianthus annuus Spinacia oleracea | Pisum sativum Oryza sativa Flaveria bidentis Saccharum officinarum Flaveria bidentis Glycine max Lycopersicon esculentum Pisum sativum Brassica rapa | Lycopersicon esculentum Glycine max Glycine max Nicotiana plumbaginifolia Brassica oleracea |
|--|--|--|--|--|--|
| U23787 AF144507 AF144528 | 565 AF051249 AF166114 AF069908 | AF069910 U56691 AF124755 AF143812 AF182286 | D11465 D11465 Z37990 AE271362 AE072289 AF108881 U72142 | X71388 D16292 U10283 U55019 U10282 U50150 X75324 AF191098 | 567 AE233745 568 AE195029 AE195028 AE156691 X99972 |
| AAA64913.1 AAF74000.2 AAE74021.2 | SEQ ID NO. AAC32149.1 AAE43837.1 AAC72192.1 | | | CAA50511.1 BAA03798.1 AAA19005.1 AAB40609.1 AAA19004.1 AAA93030.1 CAA53073.1 AAF08537.1 BAA96460.1 | SEQ ID NO. AAF60293.1 SEQ ID NO. AAG28436.1 AAG28435.1 AAD46188.1 CAA68234.1 |
| daeu na ta na ta | | Solanum tuberosum Solanum tuberosum Lolium perenne Lolium perenne Rubus idaeus Populus x generosa Petroselinum crispum | Petroseiinum crispum Oryza sativa Pinus taeda Pinus taeda Pinus taeda Pinus taeda Pinus taeda Pinus taeda | Cathaya argyrophylla Pinus armandii Pinus armandii Pinus armandii Glycine max Tsuga canadensis Pseudotsuga sinensis Nothotsuga longibracteata Cedrus atlantica | Tsuga canadensis Pseudotsuga sinensis Pseudotsuga menziesii Pinus banksiana Pinus banksiana Juglans nigra Pseudotsuga sinensis Pseudotsuga menziesii Abies firma |
| 00 (| AF008184 AF041050 AF212317 AF041049 U50845 | MOZ/23 AF150686 AF05222 AF239687 AF3324 | X13325 X52623 U39404 U39405 U12013 U12012 AF150687 | AF144505 AF144502 AF144501 AF144503 X69954 AF144526 AF144511 AF144523 | AF144525 AF144509 AF144500 AF144499 AJ278455 AF144510 AF144516 |
| AAE91309.1 AAB18638.1 BAA07828.1 | AAC39366.1 AAC24504.1 AAG43823.1 AAC24503.1 AAB18637.1 | AAA3842.1 AAD40664.1 AAE37733.1 AAE31734.1 AAE91310.1 AAC39365.1 CAA31696.1 | CAA31697.1 CAA36850.1 AAB42382.1 AAB42383.1 AAA92669.1 AAA92668.1 AAA940665.1 AAF73997.2 | AAF73998.2 AAF73994.2 AAF73996.2 CAA49575.1 AAF74004.2 AAF74016.2 AAF74016.2 | AAF74018.2 AAF74002.2 AAF73993.2 AAF73992.1 CAB97359.1 CAB97359.1 AAF74003.2 AAF74003.2 |

| AAA34094.1 AAF98344.1 | M80489 AF275745 | Nicotiana plumbaginifolia Incopersicon esculentum | AAA34096.1 AAG01028.1 | M80492 AF289025 | Nicotiana plumbaginifolia Cucumis sativus |
|--------------------------|--------------------|--|--------------------------|--------------------|--|
| AAD55399.1 | AF179442 | | | | |
| AAA34052.1 | M27888 | Nicotiana plumbaginifolia | | 569 | |
| CAA54046.1 | X76536 | | AAC49186.1 | U37088 | |
| AAA34098.1 | M80490 | Nicotiana plumbaginifolia | AAG28600.1 | AF247134 | Limnanthes douglasii |
| AAB41898.1 | U84891 | Mesembryanthemum crystallinum | AAC34858.1 | AF082033 | Hemerocallis hybrid cultivar |
| CAA52107.1 | X73901 | Dunaliella bioculata | AAB72178.1 | AF009563 | Brassica napus |
| BAA06629.1 | D31843 | Oryza sativa | AAA96054.1 | U50771 | Brassica napus |
| AAB60276.1 | 686600 | Zea mays | CAA71898.1 | Y11007 | Brassica juncea |
| CAC29435.1 | AJ310523 | Vicia faba | AAK11266.1 | AF333040 | Dunaliella salina |
| AAA34173.1 | M60166 | Lycopersicon esculentum | CAC17746.1 | AJ291728 | Zea mays |
| CAB69824.1 | AJ271439 | Prunus persica | AAC25109.1 | AF054497 | Brassica napus |
| AAD46187.1 | AF156683 | Nicotiana plumbaginifolia | AAC25110.1 | AF054498 | Brassica napus |
| AAB49042.1 | U54690 | Dunaliella acidophila | AAC25111.1 | AF054499 | Brassica rapa |
| CAA59799.1 | X85804 | Phaseolus vulgaris | AAC25112.1 | AF054500 | Brassica oleracea |
| AAB84202.2 | AF029256 | Kosteletzkya virginica | | | |
| CAA47275.1 | X66737 | Nicotiana plumbaginifolia | | 571 | |
| AAB35314.2 | S79323 | Vicia faba | AAD41126.1 | AF159061 | Oryza sativa subsp. indica |
| BAA37150.1 | AB022442 | Vicia faba | BAA92697.1 | AB039916 | Vicia faba |
| CAC29436.1 | AJ310524 | Vicia faba | BAA92698.1 | AB039917 | Vicia faba |
| AAK31799.1 | AY029190 | Lilium longiflorum | CAC11129.1 | AJ298829 | Fagus sylvatica |
| CAA54045.1 | X76535 | Solanum tuberosum | AAC72838.1 | AF097182 | Oryza sativa |
| BAA01058.1 | D10207 | Oryza sativa | AAD09953.1 | AF107464 | Hevea brasiliensis |
| AAB17186.1 | U72148 | Lycopersicon esculentum | CAA81126.1 | 226041 | Helianthus annuus |
| CAB85495.1 | AJ132892 | Medicago truncatula | AAA91806.1 | U49113 | Oryza sativa |
| CAB85494.1 | 9 | Medicago truncatula | CAB07806.1 | 293771 | Nicotiana tabacum |
| CAA59800.1 | X85805 | Zea mays | AAD48068.1 | AF173881 | Oryza sativa subsp. indica |
| BAA08134.1 | D45189 | Zostera marina | CAB46506.1 | AJ007496 | Nicotiana tabacum |
| CAB69823.1 | AJ271438 | Prunus persica | AAD22116.1 | AF134552 | Oryza sativa subsp. indica |
| AAD46186.1 | AF156679 | Nicotiana plumbaginifolia | BAA92699.1 | AB039918 | Vicia faba |
| AAD31896.1 | AF145478 | Mesembryanthemum crystallinum | CAA49849.1 | X70399 | Medicago sativa |
| BAA90510.2 | AP001111 | Oryza sativa | CAA40687.1 | X57439 | Brassica napus |
| AAD11617.1 | AF050495 | Lycopersicon esculentum | CAB07807.1 | Z93772 | Nicotiana tabacum |
| AAD11618.1 | AF050496 | Lycopersicon esculentum | CAA07471.1 | AJ007333 | Catharanthus roseus |
| AAA34138.1 | M96324 | Lycopersicon esculentum | AAF86353.1 | AF283668 | Oryza sativa subsp. indica |
| 0 | 9 | Dunaliella bioculata | CAA81395.1 | Z26654 | Acetabularia cliftonii |
| œ | U38965 | Vicia faba | CAA87385.1 | 247076 | Malus x domestica |
| œ. | AF308816 | | CAA05491.1 | AJ002485 | Medicago sativa |
| 디 | 08 | Hordeum vulgare | CAA82263.1 | 228627 | Acetabularia cliftonii |
| AAE97591.1 | AF263917 | Lycopersicon esculentum | CAA07470.1 | AJ007332 | Catharanthus roseus |

| | | ß | Ø | ഗ | | | tii | | | | | | | | | | | 2: | 52 | | | | | | | | | | | | | | | | | | | | |
|--------------------|---------------------------|--|--------------------------------|-------------------------|-------------------|-------------------|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------|-----------------|---------------|-------------------|-------------------|-------------------|-------------------|--------------------------------|------------|-------------------|---------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|-----------------------|------------------|
| | Hevea brasiliensis | nevea prasitiensis Haematococcus pluviali | Haematococcus pluvialis | Haematococcus pluvialis | Nicotiana tabacum | Daucus carota | Chlamydomonas reinhardtii | | | Petunia x hybrida | Datisca glomerata | Nicotiana tabacum | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Oryza sativa | Brassica rapa | Brassica rapa | Petunia x hybrida | × | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | | | Picea mariana |
| AF188062 | AF111842 | AF082326 | AF082325 | AB019034 | Y09634 | AF227951 | AF082869 | | 573 | D26086 | AF119050 | AF053077 | D26084 | D26083 | D26085 | AF332876 | U76554 | U76555 | AB035132 | AB006597 | AB035133 | AB006605 | AB000453 | AB006606 | AB006600 | AB000455 | AB006598 | AB006599 | AB000451 | AB006604 | AB006603 | AB000452 | AB006601 | AB006602 | AB000454 | AB000456 | | 574 | AF051246 |
| AAF29975.1 | AAD41765.1 | AAC32209.1 | AAC32208.1 | BAA33978.1 | CAA70850.1 | AAF91499.1 | AAC32601.1 | | SEQ ID NO. | BAA05079.1 | AAD26942.1 | AAC06243.1 | BAA05077.1 | BAA05076.1 | BAA05078.1 | AAK01713.1 | AAB53260.1 | AAB53261.1 | BAA96070.1 | BAA21919.1 | BAA96071.1 | BAA21927.1 | BAA19112.1 | BAA21928.1 | BAA21922.1 | BAA19114.1 | BAA21920.1 | BAA21921.1 | BAA19110.1 | BAA21926.1 | BAA21925.1 | BAA19111.1 | BAA21923.1 | BAA21924.1 | BAA19113.1 | BAA19926.1 | | | AAC32146.1 |
| Phaseolus vulgaris | Chlamydomonas reinhardtii | vicia raba Zea mays | Medicago sativa subsp. x varia | Nicotiana tabacum | Medicago sativa | Nicotiana tabacum | Acetabularia cliftonii | Nicotiana tabacum | Brassica oleracea | Medicago sativa | Oryza sativa | Medicago sativa | Brassica napus | Malus x domestica | Malus x domestica | Vicia faba | Fagus sylvatica | | Fagus sylvatica | Vicia faba | Vicia faba | Vicia faba | Medicago sativa subsp. x varia | | | Brassica oleracea var. botrytis | Oryza sativa | Clarkia breweri | Nicotiana tabacum | Adonis palaestina | Adonis palaestina | Clarkia breweri | Lactuca sativa | Nicotiana tabacum | Tagetes erecta | Tagetes erecta | Camptotheca acuminata | Camptotheca acuminata | Clarkia xantiana |
| 248221 | AF156101 | ABU38648 M60215 | X80788 | Z93768 | AJ002487 | Z93769 | Z28632 | Z93770 | X63558 | AJ002486 | U31773 | AJ002488 | X57438 | 247077 | 247078 | AB038787 | AJ298828 | AB038788 | AJ298986 | AB038790 | AB038789 | AB038791 | AF196285 | | 572 | AF236092 | AF188065 | U48963 | AB049816 | AF188061 | AF188060 | X82627 | AF188063 | AB049815 | AF188064 | AF251011 | AF031079 | AF031080 | 048962 |
| CAA88254.1 | • | BAA32244.1 AAA33545.1 | CAA56766.1 | CAB07803.1 | CAA05493.1 | CAB07804.1 | CAA82264.1 | CAB07805.1 | CAA45119.1 | CAA05492.1 | AAA74625.1 | CAA05494.1 | CAA40686.1 | CAA87386.1 | CAA87387.1 | BAA92334.1 | CAC11128.1 | BAA92335.1 | CAC09574.1 | BAA92337.1 | BAA92336.1 | BAA92338.1 | AAG29592.1 | | SEQ ID NO. | AAF36996.1 | AAF29978.1 | AAB67743.1 | BAB40974.1 | AAF29974.1 | AAF29973.1 | CAA57947.1 | AAF29976.1 | BAB40973.1 | AAF29977.1 | AAG10423.1 | AAB94132.1 | AAB94133.1 | AAB67742.1 |

patens

253 Lithospermum erythrorhizon Lithospermum erythrorhizon Lycopersicon esculentum Tradescantia virginiana Physcomitrella patens Physcomitrella patens Populus tremuloides Populus x generosa Gossypium hirsutum Gossypium hirsutum Nicotiana tabacum Nicotiana tabacum Solanum tuberosum Petunia x hybrida Lotus japonicus Lotus japonicus Lotus japonicus Capsicum annuum Lotus japonicus Lotus japonicus Erysimum cheiri Lolium perenne Volvox carteri Pisum sativum Pisum sativum Pisum sativum Daucus carota Beta vulgaris Picea mariana Oryza sativa Oryza sativa Rubus idaeus Rubus idaeus Oryza sativa Oryza sativa Oryza sativa Glycine max Zea mays Zea mays AP001859 AB029508 AF108883 AF239685 AE041050 AE239686 AF233446 AB029509 AF126054 AF161018 AF008184 AE052221 AB029510 AF126052 AF233447 AF239751 AJ001367 D49366 050846 X52623 U50845 249900 U38466 M62755 879309 L08128 Z73944 Z73948 273936 273947 U35026 D49367 X69955 879308 Z49152 Z49901 249902 Z73962 577 BAA08366.2 AAA33842.1 AAD10389.1 BAA84493.1 AAD45722.1 CAA89021.1 CAA90080.1 CAA98172.1 CAA90082.1 CAA98176.1 AAF65510.1 CAA98164.1 CAA98175.1 SEQ ID NO. CAC36095.1 AAF91308.1 AAC24504.1 BAA08365.1 AAC39366.1 AAF91309.1 AAF37732.1 AAB18637.1 AAE43429.1 CAA98190.1 AAB35093.1 BAA84494.1 AAB35094.1 AAD34355.1 AAF43430.1 AAF43923.1 BAA94775.1 BAA84492.1 AAD34357.1 AAA34251.1 CAA90081.1 CAA04701.1 AAA80680.1 AAB18638.1 CAA36850.1 Mesembryanthemum crystallinum Oryza sativa subsp. japonica Oryza sativa subsp. japonica Mitochondrion Pisum sativum Lycopersicon esculentum Physcomitrella patens patens Saccharum officinarum Nicotiana tabacum Flaveria bidentis Petunia x hybrida Spinacia oleracea Flaveria bidentis Helianthus annuus Spinacia oleracea Spinacia oleracea Lotus japonicus Cicer arietinum Capsicum annuum Cicer arietinum Physcomitrella Physcomitrella Lolium perenne Pisum sativum Beta vulgaris Brassica rapa Pisum sativum Pisum sativum Brassica rapa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Glycine max Zea mays Zea mays AJ011383 AF108881 AJ222545 AF329814 AF218381 AF126055 AB024996 AF250327 AF126053 AF042330 AF146340 AF115476 AB014058 AF088915 AB026567 AB026563 AF191098 AF072289 AF271362 AB026565 AB029400 AF146341 D78172 273961 U10283 U72142 D10659 U55019 L19093 050150 X71388 D11465 Z37990 X75324 U10282 D16292 249191 576 CAA53073.1 AAK27450.1 AAE91407.1 BAA02018.1 CAA86071.1 SEQ ID NO. CAA89050.1 CAA10815.2 AAF28764.1 AAF91343.1 AAD34356.1 AAD44769.1 AAD44768.1 AAD26198.1 BAA96836.1 BAA28276.1 AAC35983.1 BAA21650.1 BAA96838.1 CAA09603.1 BAA96834.1 AAF08537.1 3AA96460.1 AAC25999.1 AAA19005.1 AAB67996.1 BAA01510.1 AAF65509.1 AAB40609.1 AAA93030.1 CAA50511.1 AAA19004.1 BAA03798.1 AAA96980.1 CAA98189.1 AAD34358.1 BAA76424.1 AAB97458.1 SEQ ID NO.

| | 254 | g | |
|--|--|--|---|
| Nicotiana tabacum Lycopersicon esculentum Oryza sativa Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Triticum aestivum Cichorium intybus Triticum aestivum | | Lycopersicon esculentum Physcomitrella patens Physcomitrella patens Physcomitrella patens Spinacia oleracea Chloroplast Pisum sativum Chloroplast Zea mays Chloroplast Zea mays | Medicago sativa Oryza sativa |
| U90214 AF143442 AP000815 S73826 S73826 S73827 X82544 S73828 D30809 AF067187 D30810 D12919 X94449 X94449 X95193 X92489 | U30475 AB042767 AB028074 AB028076 AB028077 AB028077 | X94947 AB028073 AB028080 AB028079 AB028079 S81 Z54351 AF144684 AF039305 | 582 AF191301 583 AP001550 |
| | AAA74017.1 BAB18169.1 BAA93462.1 BAA93464.1 BAA93465.1 BAA93466.1 | CAA64417.1 BAA93461.1 BAA93468.1 BAA93467.1 SEQ ID NO. CAA91162.1 AAD33936.1 AAD33936.1 AAC05019.1 AAB96657.1 | SEQ ID NO. AAF16526.1 SEQ ID NO. BAA92986.1 |
| | Pinus armandii Pinus armandii Glycine max Nothotsuga longibracteata Pseudotsuga sinensis Cedrus atlantica Isuga canadensis | Tsuga canadensis Pseudotsuga menziesii Pseudotsuga sinensis Juglans nigra Pseudotsuga sinensis Pinus banksiana Pseudotsuga menziesii Pinus banksiana Abies firma Sorghum bicolor Pseudotsuga menziesii | iticu cotia iticu |
| AF212317 AF150686 AF239687 D43773 AF0041049 X13324 X13325 AF05222 AF05222 AF05222 AF05222 AF160687 AF144502 AF144505 AF144505 | AF144501 AF144503 X69954 AF144523 AF144511 AF144529 | AF144525 AF144508 AF144509 AJ278455 AF144500 AF1444506 AF144499 AF144514 U23787 AF144507 | 578 D12921 AF031487 X56782 |
| AAG43823.1 AAD40664.1 AAF91310.1 BAA07828.1 AAC24503.1 CAA31696.1 CAA31697.1 AAF37734.1 AAF37734.1 AAF37734.1 AAF37734.1 AAF37734.1 AAF37734.1 AAF73997.2 AAF73995.2 AAF73995.2 | 40000400 | AAF74018.2 AAF74001.2 AAF74002.2 CAB97359.1 AAF73993.2 AAF73999.2 AAF73992.1 AAF73992.1 AAF74007.2 | |

| AAF19807.1 AAF19403.1 | AF180356 AF203481 | Brassica oleracea Lycopersicon esculentum | AAB80919.1 | AF020787 | Oryza sativa |
|--|--|--|--|--|--|
| AAF19402.1 BAA05648.1 CAA73068.1 | AF203480 D26601 Y12465 | Lycopersicon esculentum Nicotiana tabacum Sorghum bicolor | SEQ ID NO. SAC09422.1 polymorpha | 590 M68929 | Mitochondrion Marchantia |
| BAA13440.1 BAA13440.1 AAF23900.1 AAF23901.2 | | iriticum aestivum Ipomoea batatas Oryza sativa Oryza sativa | SEQ ID NO. (AAD02328.1 AAC49651.1 | 603 AE044573 U68461 | Brassica oleracea Striga asiatica |
| AAD17800.1 CAA73067.1 BAA12715.1 CAA89202.1 | AE090835 Y12464 D85039 Z49233 AF216527 | | AAC49652.1 AAF40438.1 BAA89214.1 AAC31886.1 CAA39280.1 | U68462 AF234528 AB032361 AF059484 X55751 | Striga asiatica Avena nuda Mimosa pudica Gossypium hirsutum Solanum tuberosum |
| AAB80693.1 CAA39936.1 AAB47181.1 BAA12691.1 | U69174 X56599 S82324 D84507 AF289237 | Glycine max Daucus carota Zea mays Zea mays Zea mays | CAA45149.1 AAF71265.1 CAA33874.1 CAA39278.1 AAD41039.1 | X63603 AE246715 X15865 X55749 AF112538 | Nicotiana tabacum Phalaenopsis sp. 'True Lady' Oryza sativa Solanum tuberosum Malva pusilla |
| CAA58750.1 BAA12692.1 CAA57157.1 AAD23582.1 BAA19553.1 | · — | Daucus carota Zea mays Oryza sativa Glycine max Oryza sativa | AAG10041.1 AAF03692.1 AAD03741.1 CAA47899.1 AAF82805.1 | AF288226 AF172094 AF111812 X67666 AF282624 | Setaria italica Setaria italica Picea rubens Brassica napus Pisum sativum Helianthus annuus |
| CAA65244.1 CAA07481.1 AAG46110.1 CAA65500.1 AAA69507.1 AAD28192.2 BAA22410.1 | X95997 AJ007366 AC073166 X96723 U28376 AF115406 | Solanum tuberosum Zea mays Oryza sativa Medicago sativa Zea mays Solanum tuberosum Zea mays | CAA48609.1 AAF31643.1 CAA39281.1 CAA34356.1 CAA55923.1 AAF71264.1 | X68649 AF143208 X55752 X16280 X79378 AF246714 U81047 | Pisum sativum Vigna radiata Solanum tuberosum Oryza sativa Sorghum bicolor Phalaenopsis sp. 'True Lady' |
| | X10036 AF239819 U73937 D13436 AB011968 Y11649 X61387 D26602 | Cucumis sativus Zea mays Nicotiana tabacum Oryza sativa Oryza sativa Zea mays Zea mays Nicotiana tabacum | AAB38511.1 AAB18641.1 AAB18641.1 CAA62028.1 CAA39279.1 AAC64127.1 AAC64127.1 AAB38514.1 AAB38514.1 AAB38514.1 | US1046 U76191 U76190 X90378 X55750 AF091809 AF061019 U81049 U76193 | Pisum sativum Pisum sativum Pisum sativum Pisum sativum Solanum tuberosum Anemia phyllitidis Coleochaete scutata Pisum sativum Pisum sativum Pisum sativum Pisum sativum |

| | Ricinus communis Datisca glomerata Medicago sativa Triticum turgidum subsp. durum Triticum turgidum subsp. durum Triticum aestivum Cucumis sativus | Triticum turgidum subsp. durum Triticum turgidum subsp. durum Oryza sativa Volvox carteri f. nagariensis Chlamydomonas reinhardtii o Chlamydomonas reinhardtii Nicotiana tabacum | Gossypium hirsutum Lupinus albus Solanum tuberosum Lycopersicon esculentum Solanum tuberosum Oryza sativa Zea mays | Triticum turgidum Triticum turgidum Chlamydomonas reinhardtii Chlorella kessleri Gossypium hirsutum |
|--|--|--|---|---|
| X63106 AB012716 AF002667 X66874 AF035458 AF035457 AF035457 | U41385 AF131223 Z11499 AJZ77377 AJZ77379 U11496 ABO47268 | AJ277378 AJ277380 AB039278 AF110784 AF036939 AF027727 | 608 AF006489 AJ003197 X62123 U89839 X57557 D12637 X59086 X57556 X15712 X15711 X95863 | X95864 X65194 M76669 AF006490 |
| | AAB05641.1 AAD28260.1 CAA77575.1 CAC21228.1 CAC21230.1 AAA19660.1 BAB18780.1 | CAC21229.1 CAC21231.1 BAA92322.1 AAD55566.1 AAD6069.1 AAC49896.1 CAA72092.1 | SEQ ID NO. AAB72047.1 CAA05979.1 CAA44054.1 AAB49700.1 CAA40782.1 BAA02161.1 CAA41812.1 CAA41812.1 CAA33743.1 CAA33742.1 | CAA65120.1 CAA6511.1 AAA33027.1 AAB72048.1 |
| Anemia phyllitidis Zea mays Glycine max Oryza sativa Magnolia denudata Chlamydomonas reinhardtii Chlamydomonas reinhardtii Scherffelia dubia Glycine max | Glycine max Volvox carteri Nannochloris bacillaris Selaginella apoda Cosmarium botrytis Psilotum nudum Solanum tuberosum | Brassica napus Spinacia oleracea Oryza sativa Cucumis sativus Cucumis sativus Lycopersicon esculentum | Malus x domestica Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea Lycopersicon esculentum Daucus carota Petunia x hybrida Spinacia oleracea Lycopersicon esculentum Triticum aestivum Pisum sativum Glycine max | Chramydomonas reinmarder Lycopersicon esculentum Cucumis sativus Spinacia oleracea Glycine max |
| AF091810 J01238 AF049106 X15864 AF281323 D50839 D50838 AF061018 | V00450 M33963 AB013098 AF090969 AF090970 AF091811 X55746 | 606 AF035414 AF034618 X67711 AJ249330 AJ249331 X54030 | AF161180 AF034617 AF033852 L41253 X60088 X06932 X61491 X54029 AF005993 X62799 | M.0.723 L08830 AJ249329 L23551 AF031241 |
| AAC64128.1 AAA33433.1 AAC05272.1 CAA33873.1 AAE9450.1 BAA09449.1 AAC16053.1 AAA33940.1 | CAA23728.1 AAA34243.1 BAA25911.1 AAD48335.1 AAD48336.1 AAC64129.1 CAA39276.1 | N 0 4 4 8 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | AAF34134.1 AAB88133.1 AAB88132.1 AAB97316.1 AAB42685.1 CAA42685.1 CAA43711.1 CAA37970.1 AAB99745.1 CAA44620.1 | AAA34139.1 CAB72128.1 AAA21808.1 AAB86942.1 |

| BAA08104.1 | D45074 | Panicum miliaceum | AAF61392.1 | AF133894 | Persea americana |
|------------|----------|--------------------------------|--------------|----------|-------------------------------|
| BAA08105.1 | D45075 | Panicum miliaceum | CAB38118.1 | AJ010295 | Zea mays |
| |) | | AAG34814.1 | AF243379 | Glycine max |
| SEQ ID NO. | 609 | | AAG34812.1 | AF243377 | Glycine max |
| CAA29056.1 | X05512 | Spinacia oleracea | CAA09190.1 | AJ010451 | Alopecurus myosuroides |
| AAA20823.1 | M87435 | Zea mays | CAA09193.1 | AJ010454 | Alopecurus myosuroides |
| AAB81994.1 | AE026400 | Onobrychis vicitfolia | AAG34811.1 | AF243376 | Glycine max |
| BAA96362.1 | AB043962 | Bruguiera gymnorhiza | CAA09192.1 | AJ010453 | Alopecurus myosuroides |
| AAB40980.1 | U22330 | ы | CAA09191.1 | AJ010452 | Alopecurus myosuroides |
| | | | AAD56395.1 | AF184059 | Triticum aestivum |
| SEQ ID NO. | 610 . | | CAA68993.1 | Y07721 | Petunia x hybrida |
| CAA46507.1 | X65540 | Plastid Triticum aestivum | CAA39487.1 | X56012 | Triticum aestivum |
| CAA52439.1 | X74418 | Chlamydomonas reinhardtii | AAC64007.1 | AF062403 | Oryza sativa |
| BAA94305.1 | AB035313 | Chlamydomonas sp. W80 | AAG34817.1 | AF244674 | Zea mays |
| CAA74960.1 | X14608 | Chlamydomonas reinhardtii | AAA20585.1 | U12679 | Zea mays |
| CAA61409.1 | 90068X | Saccharum hybrid cultivar H65- | CAA56047.1 | X79515 | Zea mays |
| 7052 | | | AAA33470.1 | M16901 | Zea mays |
| BAA25422.1 | AB007193 | Oryza sativa | AAA33469.1 | M16902 | Zea mays |
| AAF23509.1 | AF218845 | Porteresia coarctata | AAG34821.1 | AF244678 | Zea mays |
| AAG31813.1 | AF317553 | Beta vulgaris | AAG34820.1 | AF244677 | Sea mays |
| AAA32915.1 | M80597 | Beta vulgaris | CAA39480.1 | X56004 | Triticum aestivum |
| AAA82750.1 | U20179 | Brassica napus | AAG34823.1 | AF244680 | Zea mays |
| AAD12243.1 | AE081796 | Brassica napus | AAG34818.1 | AF244675 | Zea mays |
| CAA48719.1 | X68826 | Pisum sativum | AAG34822.1 | AF244679 | Zea mays |
| AAD25541.1 | AF134051 | Solanum tuberosum | AAG34816.1 | AF244673 | Zea mays |
| CAA43860.1 | X61690 | Spinacia oleracea | CAA05354.1 | AJ002380 | Oryza sativa |
| CAB39759.1 | AJ133598 | Plastid Pisum sativum | CAB66333.1 | AJ279691 | Betula pendula |
| CAA37908.1 | X53957 | Triticum aestivum | CAA05355.1 | AJ002381 | Oryza sativa |
| BAA25423.1 | AB007194 | Oryza sativa | | | |
| CAB46084.1 | AJ243392 | Pisum sativum | SEQ ID NO. 6 | 612 | |
| AAD28755.1 | AF130251 | Musa acuminata | AAC19396.1 | AF069318 | Mesembryanthemum crystallinum |
| CAA54265.1 | X76946 | Solanum tuberosum | AAD28640.1 | AF068686 | Glycine max |
| | | | CAA07683.1 | AJ007789 | Nicotiana tabacum |
| SEQ ID NO. | 611 | | BAA92518.1 | AP001383 | Oryza sativa |
| AAB65163.1 | AF002692 | Solanum commersonii | BAA90346.1 | AP001080 | Oryza sativa |
| CAA55039.1 | X78203 | Hyoscyamus muticus | AAC12646.1 | AF055296 | Zantedeschia aethiopica |
| BAA01394.1 | D10524 | Nicotiana tabacum | | | |
| AAA33930.1 | M84968 | $\overline{}$ | | 615 | |
| CAA96431.1 | 271749 | Nicotiana plumbaginifolia | CAB56544.1 | X51608 | Triticum aestivum |
| AAA33931.1 | M84969 | Silene vulgaris | CAA41020.1 | X57952 | Triticum aestivum |

| | | 258 | • | |
|---|--|---|---|---|
| Lycopersicon esculentum Taxus cuspidata Cucurbita maxima Hordeum vulgare Helianthus annuus Solanum melongena Capsicum annuum Glycine max | Glycine max Thlaspi arvense Berberis stolonifera Coptis japonica Catharanthus roseus Solanum melongena Eschscholzia californica Glycine max Mentha spicata | Eschscholzia californica Glycine max Papaver somniferum Glycine max Helianthus tuberosus Helianthus tuberosus Cicar arietinum | Lotus japonicus Glycyrhiza echinata Lycopersicon esculentum Ipomoea nil | Oryza sativa Lycopersicon esculentum Triticum aestivum Zea mays Catharanthus roseus Oryza sativa Nicotiana tabacum Secale cereale Euphorbia esula Picea mariana Triticum aestivum |
| U54770 AF318211 AF212991 AF326277 AF216313 X71656 AF122821 AF022464 | D86351 L24438 U09610 ABO25030 AJ238612 X71657 AF014800 AF135485 | AF014801 D83968 AF191772 AF022458 AJ000477 AJ000478 | AB024931 AB024931 AB023636 621 M96549 M99431 | AF123259 U55859 U55859 S59780 L14594 AB037681 X63195 Z30243 AF221856 AF251230 U55860 |
| AAB17070.1 AAK00946.1 AAG41777.1 AAK11616.1 AAF20011.1 CAA50647.1 AAF27282.1 | BAA13076.1 AAA19701.1 AAC48987.1 BAB12433.1 CAB56503.1 CAA50648.1 AAC39452.1 AAD38930.1 | AAC39453.1 BAA12159.1 AAF05621.1 AAB94587.1 CAA04116.1 CAA04117.1 | | CAA/19/8.1 AAD30456.1 AAD11549.1 AAB26482.2 AAA16785.1 BAA90487.1 CAA44877.1 CAA82945.1 AAF31705.1 AAC32131.1 |
| Pisum sativum Spinacia oleracea Spinacia oleracea Mesembryanthemum crystallinum Chlamydomonas reinhardtii Chlamydomonas reinhardtii Beta vulgaris | Solanum tuberosum Nicotiana tabacum Ipomoea nil Zea mays Canavalia gladiata Oryza sativa Triticum aestivum | Zea mays Brassica rapa Glycine max Oryza sativa | Oryza sativa Oryza sativa Phaseolus coccineus Citrus x paradisi Glycine max | Brassica rapa Glycine max Oryza sativa Oryza sativa Oryza sativa Oryza sativa Citrus x paradisi Glycine max Vigna radiata |
| Y11248 X07654 M21338 M73707 M36123 AF228914 | 616 AJ002391 AF00226 U39747 X58282 AB000637 AF093632 Z11540 | AJO06708 617 L31937 U12150 U72942 | AFUUUGIS AFU44059 AF293407 AF283535 Z13956 618 | L31937 U12150 AF044059 U72942 AP000615 AF293407 AF283535 Z13956 619 AF279252 |
| CAA72118.1 CAA30499.1 AAA34036.1 AAA33090.1 AAE36402.1 AAD55057.1 | SEQ ID NO. (CAA05365.1 AAB61215.1 AAC50019.1 CAA41220.1 BAA19156.1 AAC78104.1 CAA77641.1 | | | AAA91049.1 AAC97524.1 AAC00503.1 AAB17095.1 BAA85411.1 AAG17880.1 AAG38520.1 CAA78359.1. SEQ ID NO. |

| | | | | | | | | | | | | | | | | 2: | 59 | | | | olium | olium | | | | | | | | | | | | | | | |
|----------------|--|--------------------------------------|------------|-------------------|----------------|-----------------|--------------|---------------|-------------------|----------------------|----------------------|----------------|---------------|---------------|----------------|-----------------|---------------|-------------------|-------------|-------------------------|-------------------------------|-------------------------------|-----------------|-----------------|-------------------|--------------|-------------------|-------------------|--------------|-----------------------|--------------|---------------------|--------------|------------|------------|-------------------|---------------------------|
| Volvox carteri | Polytomella agilis Polytomella agilis | Polytomella agilis | | Triticum aestivum | Zinnia elegans | Pisum sativum | | | Oryza sativa | Lophopyrum elongatum | Lophopyrum elongatum | Brassica napus | Populus nigra | Populus nigra | Brassica napus | Oryza sativa | Oryza sativa | Glycine max | Glycine max | Lycopersicon esculentum | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Zea mays | Oryza meyeriana | Zea mays | Oryza sativa | Zea mays | Brassica oleracea | Oryza sativa | Lycopersicon hirsutum | Oryza sativa | Catharanthus roseus | Oryza sativa | | | Triticum aestivum | Oryza sativa |
| L24547 | M33371 M33373 | M33372 | X54845 | U76897 | D63138 | X54846 | | 624 | AB023482 | AF131222 | AE339747 | AY007545 | AB041503 | AB041504 | AY028699 | 69000 | AC073405 | AF249318 | AF249317 | U28007 | AF220602 | U59317 | AF023164 | AF290411 | 067422 | AP001800 | AF023165 | X12531 | AP001800 | AF318490 | AF172282 | Z73295 | AP001800 | | 626 | AF020716 | 285984 |
| AAA99439.1 | AAA33804.1 AAA33803.1 | AAB03892.1 | CAA38614.1 | AAD10493.1 | BAA82639.1 | CAA38615.1 | | SEQ ID NO. | BAA78764.1 | AAF43496.1 | AAK11674.1 | AAG16628.1 | . BAA94509.1 | BAA94510.1 | AAK21965.1 | CAB51834.1 | AAG03090.1 | AAE91337.1 | AAF91336.1 | AAC61805.1 | AAF76307.1 | AAB47424.1 | AAC27894.1 | AAG33377.1 | AAB09771.1 | BAA94529.2 | AAC27895.1 | CAA73134.1 | BAA94516.1 | AAK11566.1 | AAE34428.1 | • | BAA94517.1 | | SEQ ID NO. | AAD10241.1 | CAB06653.1 |
| Oryza sativa | Zea mays | Triticum aestivum Elensine indica | T) | Oryza sativa | Oryza sativa | Eleusine indica | Oryza sativa | Pisum sativum | Triticum aestivum | Anemia phyllitidis | Zinnia elegans | Lupinus albus | Zea mays | Oryza sativa | Oryza sativa | Hordeum vulgare | Lupinus albus | Triticum aestivum | Glycine max | Zinnia elegans | Daucus carota | Zea mays | Eleusine indica | Eleusine indica | Triticum aestivum | | Triticum aestivum | Zea mays | Zea mays | Zea mays | - | Solanum tuberosum | Zea mays | Zea mays | | | Chlamydomonas reinhardtii |
| Z15018 | 622 L10634 | U76746 AF059287 | AC084320 | D13224 | D30717 | AF059289 | X79367 | X54844 | U76895 | X69185 | D63136 | X70184 | L10633 | D30716 | X78143 | X09741 | U47660 | U76745 | M21297 | D63137 | U63927 | X74656 | AF059290 | AF059288 | U76744 | X98406 | 076896 | X74654 | X52878 | L10636 | Z33402 | 233382 | X52879 | L10635 | X74655 | K03281 | MI.0064 |
| CAA78738.1 | SEQ ID NO. 6 | AAD10489.1 | AAK09229.1 | BAA02505.1 | BAA06382.1 | AAD20180.1 | CAA55912.1 | CAA38613.1 | AAD10490.1 | CAA48929.1 | BAA82637.1 | CAA49736.1 | AAA20186.1 | BAA06381.1 | CAA55022.1 | CAA70891.1 | AAB03267.1 | AAD10488.1 | AAA34010.1 | BAA82638.1 | AAB64308.1 | CAA52720.1 | AAD20181.1 | AAD20179.1 | AAD10487.1 | CAA67056.1 | AAD10492.1 | CAA52718.1 | CAA37060.1 | • | CAA83853.1 | CAA83847.1 | CAA37061.1 | AAA19707.1 | CAA52719.1 | AAA33102.1 | AAA33101.1 |

| AAG48835.1 AAD10242.1 | AC084218 AF020717 | Oryza sativa Triticum aestivum | CAA39936.1 CAA08995.1 | X56599 AJ010091 | Daucus carota Brassica napus |
|--------------------------|----------------------|-----------------------------------|--------------------------|----------------------|--|
| SEQ ID NO. | 628 | | BAA05649.1 AAF19403.1 | D26602 AF203481 | Nicotiana tabacum Lycopersicon esculentum |
| BAA90375.1 BAB03361.1 | AP001081 AP002486 | Oryza sativa Orvza sativa | AAC25423.1 AAF19402.1 | AF072908 AF203480 | Nicotiana tabacum Lycopersicon esculentum |
| CAA62901.1 | | | CAA65244.1 | X95997 | Solanum tuberosum |
| ON CT OHS | 629 | | CAA57898.1 | X82548 | Hordeum vulgare |
| BAA96875.1 | AB045121 | Oryza sativa | AAD23582.1 | AF128443 | Glycine max |
| BAA78746.1 | | Oryza sativa | AAF34436.1 | AE172282 | Oryza sativa |
| AAG43550.1 | | | BAA05648.1 | D26601 | Nicotiana tabacum |
| BAA90357.1 | | | | | |
| BAA77204.1 | | Cicer arietinum | SEQ ID NO. 6 | 634 | |
| BAA90806.1 | AP001168 | Oryza sativa | AAF73075.1 | AF268595 | Hordeum vulgare |
| SEQ ID NO. | 630 | | SEQ ID NO. 6 | 635 | |
| AAD50592.1 | AF093752 | Triticum aestivum | CAB85467.1 | AJ250316 | Brassica juncea |
| AAG22095.1 | AF308658 | Typha latifolia | BAA22441.1 | D63954 | Zea mays |
| | | | BAA11475.1 | D79979 | Nicotiana tabacum |
| SEQ ID NO. | 632 | | AAA70334.1 | U25817 | indicum |
| AAF21901.1 | AF109392 | Brassica napus | AAB39387.1 | 059477 | Perilla frutescens |
| | | | CAA07638.1 | AJ007739 | Solanum tuberosum |
| SEQ ID NO. | 633 | | AAF27933.1 | AE222989 | Capsicum annuum |
| CAB82852.1 | Z30329 | Mesembryanthemum crystallinum | AAB72241.1 | 075745 | Petroselinum crispum |
| BAB18105.1 | AB042715 | Chlamydomonas reinhardtii | AAA61776.1 | L22965 | Chloroplast Glycine soja |
| BAB18104.1 | AB042714 | Chlamydomonas reinhardtii | AAF12821.1 | AE200717 | Vernicia fordii |
| BAA83689.1 | · | | AAA86690.1 | U17063 | Limnanthes douglasii |
| BAA83688.1 | | Oryza sativa | AAD13527.1 | AF061027 | Vernicia fordii |
| CAA73067.1 | | Sorghum bicolor | BAA22442.1 | D84409 | Zea mays |
| AAF22219.1 | AF141378 | Zea mays | BAA22440.1 | D63953 | Zea mays |
| BAA96628.1 | AP002482 | Oryza sativa | BAA07785.2 | D43688 | Triticum aestivum |
| CAA89202.1 | 249233 | Chlamydomonas eugametos | AAA61774.1 | L22963 | Chloroplast Brassica napus |
| CAA73068.1 | Y12465 | Sorghum bicolor | AAC98967.1 | AE047172 | Vernicia fordii |
| BAA34675.1 | AB011670 | Triticum aestivum | CAB45155.1 | AJ011004 | Vernicia fordii |
| AAF06969.1 | AF162661 | Kalanchoe fedtschenkoi | AAC16443.1 | AF020204 | Pelargonium x hortorum |
| AAF06970.1 | AF162662 | Kalanchoe fedtschenkoi | AAA61775.1 | L22962 | Brassica napus |
| BAA90814.1 | AP001168 | Oryza sativa | AAA61777.1 | L22964 | Chloroplast Glycine soja |
| AAB62693.1 | | Oryza sativa | AAA32994.1 | L01418 | Brassica napus |
| AAF21062.1 | . , | | AAD15744.1 | AF047039 | Perilla frutescens |
| CAA71142.1 | X10036 | Cucumis sativus | BAA28358.1 | D84678 | Triticum aestivum |

| Zea mays Zea mays Pisum sativum Brassica napus Brassica napus | Zea mays Zea mays Zea mays | Dianthus caryophyllus Zea mays Zea mays Zea mays Zea mays | Zea mays Zea mays Zea mays | Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Cicer arietinum Oryza sativa | Malus x domestica Brassica rapa Medicaco sativa | Medicago sativa Medicago sativa Nicotiana tabacum Pisum sativum Zea mays Capsicum annuum Nicotiana tabacum Euphorbia esula |
|--|--|--|--|---|---|---|
| X81831 Y11368 AF218296 AF214008 AF214007 AF155332 | 639 AB042267 AB042261 AB042268 | AF339732 AB031012 AB024291 AB031011 AB004882 | AB042260 AB042269 AB060130 640 | AF211532 AB023482 AB045121 AP001080 AB026262 AP001168 | 642 AE150084 AE150085 644 X6469 | L07042 X83880 X70703 AB016802 AF247136 U94192 AF242308 |
| | SEQ ID NO. BAB20580.1 BAB20579.1 BAB20581.1 | AAK14395.1 BAAK5113.1 BAA82873.1 BAA85112.1 BAA75253.1 | BAB17300.1 BAB20582.1 BAB41137.1 SEQ ID NO. | AAG43550.1 BAA78746.1 BAA96875.1 BAA90357.1 BAA77204.1 | SEQ ID NO. AAD39991.1 AAD39992.1 SEQ ID NO. CAA47099.1 | AAB41548.1 CAA58761.1 CAA50036.1 BAA74734.1 AAF81420.1 AAB58396.1 |
| Nicotiana tabacum Oryza sativa Glycine max Zea mays Oryza sativa Hordeum vulgare Dunaliella salina | Sesamum indicum Calendula officinalis Petroselinum crispum | Zea mays Triticum aestivum | Thlaspi arvense Persea americana Sorghum bicolor Asparagus officinalis Asparagus officinalis | Glycine max Nepeta racemosa Nepeta racemosa Glycine max Solanum melongena Glycine max Nicotiana tabacum | Capsicum annuum Mentha x piperita Catharanthus roseus Solanum melongena Solanum melongena | Mentha spicata Mentha spicata Mentha x piperita Catharanthus roseus Glycine max Lycopersicon esculentum x Brassica napus |
| D26509 D78506 AB051215 D63952 D78505 AJ250664 AF083613 | AF192486 AJ245938 U86072 | 636 U49388 U49387 638 | L24438 M32885 AF029858 AB037244 AB037245 | AF022460 Y09423 Y09424 AF022459 X70981 AF022157 AF166332 | AF122821 233875 AJ238612 X71654 D14990 AF124816 | AF12481 AF12481 AJ29571 AF02245 AF15088 Peruvia |
| BAA05515.1 BAA11397.1 BAB18135.1 BAA22439.1 BAA11396.1 CAB71341.1 AAD48897.1 | AAF80560.1 CAB64256.1 AAB80696.1 | SEQ ID NO. 6 AAB16830.1 AAB16829.1 SEQ ID NO. 6 | AAA19701.1 AAA32913.1 AAC39318.1 BAB40323.1 BAB40324.1 | AAB94589.1 CAA70575.1 CAA70576.1 AAB94588.1 CAA50312.1 AAB94584.1 | AAF27282.1 CAA83941.1 CAB56503.1 CAA50645.1 BAA03635.1 | AAD44150.1 AAD44150.1 CAC27827.1 AAB94587.1 AAD37433.1 Lycopersicon AAG14963.1 |

| tabacum tabacum nas reinhardtii va tabacum va va subsp. japonica tabacum tabacum tabacum tabacum tabacum tabacum tabacum tabacum | Nicotiana tabacum Oryza sativa Lophopyrum elongatum Lophopyrum elongatum Brassica napus Populus nigra Populus nigra Oryza sativa Brassica napus Oryza sativa Nicotiana tabacum | on esculentum ota x x riana on hirsutum us roseus va on pimpinellifolium on pimpinellifolium on pimpinellifolium |
|---|--|--|
| 0 1 1 1 1 | Oryza sativa Lophopyrum elo Lophopyrum elo Brassica napus Populus nigra Populus nigra Oryza sativa Brassica napus Oryza sativa | Lycopersicon es Zea mays Zea mays Daucus carota Glycine max Glycine max Oryza meyeriana Zea mays Lycopersicon hi Catharanthus ro Oryza sativa Lycopersicon pi Lycopersicon pi Lycopersicon pi |
| AB003037 AB053091 X78589 AP002744 AB003038 AC068924 AF210816 AB053096 AB053090 AB053093 AB053093 AB053093 | AB053092 647 AB023482 AF339747 AF131222 AY007545 AB041503 AB041503 AB041504 00069 AY028699 AC073405 | U28007 U67422 AF023164 U93048 AF249317 AF290411 AF023165 AF318490 Z73295 AF172282 AF172282 U59315 U02271 |
| BAB40709.1 BAB40702.1 CAA55326.1 BAB19066.1 BAB40710.1 AAF78897.1 BAB40707.1 BAB40700.1 BAB40700.1 BAB40700.1 BAB40700.1 | SEQ ID NO. BAA78764.1 AAK11674.1 AAK1674.1 AAG16628.1 BAA94509.1 BAA94510.1 CAB51834.1 AAK21965.1 AAG03090.1 | AAC61805.1 AAB09771.1 AAC27894.1 AAB61708.1 AAF91336.1 AAF91337.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC33377.1 AAC3317.1 AAC3317.1 |
| Pisum sativum Medicago sativa Petroselinum crispum Nicotiana tabacum Ipomoea batatas Avena sativa Capsicum annuum Triticum aestivum Oryza sativa Oryza sativa Oryza sativa Cryza sativa Nicotiana tabacum Nicotiana tabacum | | Medicago sativa Cicer arietinum Ipomoea batatas Selaginella lepidophylla Pisum sativum Iycopersicon esculentum Antirrhinum majus Chenopodium rubrum Solanum tuberosum Nicotiana tabacum Zea mays Oryza sativa |
| AF153061 X82270 Y12785 D61377 AF149424 X79993 AF247135 AF079318 AF332873 AF216315 AJ250311 AB016801 AB055515 | X82268 AJ224336 AB035141 X69971 AF154329 X83440 AF241166 AF216317 AF216316 AJ251330 AF194415 AF17392 | AF129087 AJ275316 AF174291 U96716 AB008187 Y17226 X97637 Y10160 646 L46702 U52078 AF223412 AP002817 |
| AAF73236.1 CAA57721.1 CAA73323.1 BAA09600.1 AAB37790.1 CAA56314.1 AAF81419.1 AAF81419.1 AAF81710.1 AAK01710.1 AAK01710.1 BAA74733.1 BAB32406.1 CAA58760.1 | CAA57719.1 CAB37188.1 BAB18271.1 CAA49592.1 AAF73257.1 CAA58466.1 AAF61238.1 AAF61238.1 AAG40580.1 AAG40580.1 CAB61889.1 AAF23902.1 AAD52659.1 | |

| ıcea | | | ide | | reinhardtii | reinhardtii | ldls | | | | , | oda | apoda | ns.m | | | 2 | 63 ucnu | mnso | mna. | .vum | | cea | | .vum | | ıcım | . f. nagariensis | reinhardtii | pseudoacacia | | | | | esculentum | ijus | ı | |
|--------------------------|--|--------------|-------------------|-------------|---------------|----------------|-------------------|-----------------|---------------|--------------|-------------------|------------------------------|--------------------|-------------------|-----------------|------------|---------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------------------|---------------|-------------------|---------------|-------------------|------------------|--------------------|----------------|---------------|--------------------|-----------------|---------------------|----------------|-------------------|-------------------|---|
| | Fisum sativum Glycine max | Oryza sativa | Mesostigma viride | Glycine max | Chlamydomonas | Chlamydomonas | Anemia phylitidis | Zea mays | Glycine max | Oryza sativa | Volvox carteri | Selaginella apoda | Selaginella ap | Solanum tuberosum | | | Populus nigra | Nicotiana tabacum | Solanum tuberosum | Triticum aestivum | Triticum aestivum | Populus nigra | Spinacia olera | Pisum sativum | Triticum aestivum | Populus nigra | Nicotiana tabacum | Volvox carteri | Chlamydomonas | Robinia pseudo | Picea mariana | Avena sativa | | | Lycopersicon e | Antirrhinum majus | Oryza sativa | 1 |
| AE044573 U81049 | 0/6193 AF049106 | X15864 | AF061020 | J01297 | D50839 | D50838 | ALOSTROS | J01238 | V00450 | X15862 | M33963 | AF090969 | AE090968 | X55746 | | 650 | AB018412 | 248977 | AF073473 | X73528 | X15233 | AB018411 | X68430 | AF275639 | X15232 | AB018410 | Z48976 | AF110782 | 014912 | AB005551 | AF051241 | U44801 | | 654 | AJ297917 | X97640 | AP001168 | |
| AAB38514.1 | AAB18644.1 AAC05272.1 | CAA33873.1 | AAC16055.1 | AAA33940.1 | BAA09450.1 | BAA09449.1 | AAC64126.1 | AAA33433.1 | CAA23728.1 | CAA33871.1 | AAA34243.1 | AAD48335.1 | AAD48334.1 | CAA39276.1 | | SEQ ID NO. | BAA33803.1 | CAA88841.1 | AAC26785.1 | CAA51931.1 | CAA33303.1 | BAA33802.1 | CAA48479.1 | AAF85975.1 | CAA33302.1 | BAA33801.1 | CAA88840.1 | AAD55564.1 | AAA70082.1 | BAA21478.1 | AAC32142.1 | AAA86837.1 | | | CAC15504.1 | CAA66236.1 | BAA90814.1 | |
| con | Lycopersicon esculentum Nicotiana tabacum | sati | Oryza sativa | | | Brassica napus | Marva pusilla | Setaria italica | Mimosa pudica | Picea rubens | Helianthus annuus | Phalaenopsis sp. 'True Lady' | Gossypium hirsutum | Solanum tuberosum | Striga asiatica | g | Vigna radiata | Pisum sativum | Nicotiana tabacum | Solanum tuberosum | Pisum sativum | Solanum tuberosum | Phalaenopsis sp. 'True Lady' | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Anemia phyllitidis | Oryza sativa | Avena nuda | Anemia phyllitidis | Sorghum bicolor | Coleochaete scutata | Oryza sativa | Solanum tuberosum | Scherffelia dubia | |
| AF318491 U59316 | AF142596 | AP001551 | AP001551 | | 649 | AF111812 | ηı | AF288226 | AB032361 | AF172094 | AF282624 | AF246715 | AF059484 | X55751 | U68462 | U68461 | AF143208 | X67666 | X63603 | X55752 | X68649 | X55749 | AF246714 | U81047 | U81046 | U76191 | 076190 | X90378 | AF091809 | X15865 | AF234528 | AF091810 | X79378 | AF061019 | X16280 | X55750 | AF061018 | |
| AAK11567.1 AAB47421.1 | AAF 10313.1 AAF 66615.1 | 9 | BAA92953.1 | | | • | • | AAG10041.1 | • | AAF03692.1 | AAF82805.1 | AAF71265.1 | AAC31886.1 | CAA39280.1 | AAC49652.1 | AAC49651.1 | AAF31643.1 | CAA47899.1 | CAA45149.1 | CAA39281.1 | CAA48609.1 | CAA39278.1 | AAF71264.1 | AAB38512.1 | AAB38511.1 | AAB18642.1 | AAB18641.1 | CAA62028.1 | AAC64127.1 | CAA33874.1 | AAF40438.1 | AAC64128.1 | CAA55923.1 | AAC16054.1 | CAA34356.1 | CAA39279.1 | AAC16053.1 | |

| BAA96628.1 BAAD23582.1 BAAC5649.1 AAF05112.1 CAA862244.1 CAA862244.1 CAA86224.1 CAA86224.1 CAA73061.1 CAA73067.1 CAA73067.1 | AP002482 AF128443 D26602 AF158091 X95997 Z38126 Y10036 Z17313 Z49233 X82548 AF216527 AB002109 AJ295939 Y12464 AJ010093 X68410 AJ131048 AFC035944 AGC084763 | Oryza sativa Glycine max Micotiana tabacum Mesembryanthemum crystallinum Solanum tuberosum Malus x domestica Cucumis sativus Malus x domestica Culamydomonas eugametos Hordeum vulgare Dunaliella tertiolecta Oryza sativa Medicago sativa Sorghum bicolor Sorghum bicolor Brassica napus Medicago sativa Cicer arietinum Fragaria x ananassa Oryza sativa Oryza sativa | | AJ238612 AF166332 X71654 D14990 X70981 AF218296 AF124816 Y09424 X96784 AF124815 AF124817 AF124817 AF124817 AF124817 AF124817 AF124009 AF214009 AF214008 AF214007 AF214007 AF214007 | Catharanthus roseus Nicotiana tabacum Solanum melongena Solanum melongena Solanum melongena Solanum melongena Pisum sativum Mentha x piperita Nepeta racemosa Nicotiana tabacum Mentha x piperita |
|---|--|---|--|--|---|
| | AB059621 AP001278 AF132743 | Oryza sativa Oryza sativa Oryza sativa Detunia v hvhrida | BAB21153.1 BAA94219.1 AAC49181.1 BAA94236.1 | AP002899 AP001633 U39289 AP001633 | Oryza sativa Oryza sativa Brassica napus Orvza sativa |
| | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | retunia x nybrida Petunia x hybrida Oryza sativa Zea mays Oryza sativa | BAA94228.1 BAA94224.1 BAA94215.1 AAC49182.1 | AP001633 AP001633 AP001633 U39319 | |
| 5 | 55 M32885 AF029858 L24438 AB037244 AB037245 AF022459 AF022460 Y09423 AF122821 | Persea americana Sorghum bicolor Thlaspi arvense Asparagus officinalis Asparagus officinalis Glycine max Glycine max Nepeta racemosa Capsicum annuum Glycine max | SEQ ID NO. AAF91323.1 CAC20842.1 AAB36558.1 AAF91322.1 AAF91324.1 AAF59906.1 AAF59906.1 AAF59906.1 BAAF3373.1 BAA83773.1 | 667 AF244889 AJ250467 U77888 AE244886 AF244890 AF053127 AF197946 AP000391 AP000391 | Glycine max Pinus sylvestris Ipomoea nil Glycine max Glycine max Malus x domestica Glycine max Glycine max Clycine max Oryza sativa Oryza sativa |

| 203 | |
|---|---|
| 01 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Phaseolus vulgaris Oryza sativa Populus nigra Brassica napus Populus nigra Oryza sativa Populus nigra Oryza sativa Populus nigra Oryza sativa Populus astiva Catharanthus roseus Lophopyrum elongatum Oryza sativa Sea mays Oryza sativa Oryza sativa |
| U72723 U37133 U72724 AB029327 U77888 U72726 U93048 670 Y10804 M90663 M90663 M55604 AJ299395 AF357838 AJ011418 AF051239 672 U93048 | AP000391 127821 AP000559 AC073405 AF078082 AP001551 AB041504 AY007545 AB041503 AP001551 AB030083 U20948 Z73295 AF339747 AF131222 00069 U82481 AF172282 AF172282 AF172282 AF172282 |
| | BAA83373.1 AAA33915.1 BAA84787.1 AAG03090.1 AAD21872.1 BAA94510.1 BAA94510.1 BAA94509.1 BAA92953.1 BAA92953.1 BAA92953.1 BAAC23542.1 CAB71834.1 AAC23542.1 CAB51834.1 AAF34428.1 BAAB3834.1 AAF34428.1 BAAB3834.1 |
| sativa longist sativa longist lana tab lana tab sativa sativa longist scarota srsicon ersicon | Lycopersicon esculentum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare . Malus x domestica Glycine max Glycine max Glycine max Glycine max Glycine max Oryza sativa Pinus sylvestris Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa |
| AF172282 U72725 U37133 U72723 AB029327 U72724 U72726 U93048 668 AJ002235 AJ002236 AJ002236 AJ002237 U15936 AF053995 AF053998 AF053998 AF053998 | AF053997 AP002521 AP002539 AL117265 AF166121 669 AF197946 AF197946 AF197946 AF244889 AF244890 AF244890 AF244890 AF24890 |
| AAE34426.1 AAB82755.1 AAC49123.1 AAC80225.1 BAA88636.1 AAB82756.1 AAB82756.1 AAB82756.1 AAB62792.1 AAB6279.1 CAA05279.1 CAA05279.1 CAA05279.1 AAA65235.1 AAA65235.1 AAAC78596.1 AAC78596.1 AAC78596.1 | |

| | | 266 | 4 |
|---|---|---|--|
| | in i | Malus x domestica Oryza sativa Daucus carota Spinacia oleracea Lycopersicon esculentum Cucumis sativus Cucumis sativus Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea Fetunia x hybrida Brassica napus Spinacia oleracea Iycopersicon esculentum Triticum aestivum Pisum sativum Glycine max Chlamydomonas reinhardtii | |
| X79993 AJ297917 AF332873 AF216315 X70703 X83880 AF242308 AF149424 X83879 | U94192 AF247136 AB035141 AJ224336 D61377 AF079318 Y12785 AF129087 | AF161180 X67711 X60088 AF034618 X54030 AJ249330 AJ249331 AF034616 AF034616 AF034616 AF033852 X06932 AF035414 X61491 X54029 AF005993 X62799 AF0125 X62799 | AJZ49329 LO8830 X63106 AB012716 |
| CAA56314.1 CAC15504.1 AAK01710.1 AAG40579.1 CAA50036.1 CAA58761.1 AAD37790.1 CAA58760.1 | | | CAB72128.1 AAA34139.1 CAA44820.1 BAA34919.1 |
| Brassica oleracea Brassica oleracea Nicotiana tabacum Lycopersicon esculentum Lycopersicon pimpinellifolium Solanum tuberosum | | na s x x x x x x x x x x x x x x x x x x | <u> </u> |
| Y12531 Y12530 AF142596 U59318 AF220603 U59317 673 | AJ249962 AF267755 674 Y12674 Y08607 AJ224165 AJ02315 AJ02315 | AJ295939 AJ002314 X83620 X83619 X77763 AB059621 AP001278 X68411 X68410 X99100 Y13437 AJ131048 Y11527 AJ13527 AF194415 AF197392 X82270 | AF153061 L07042 X66469 AJ250311 |
| | | CAC08564.1 CAA58595.1 CAA58594.1 CAA54803.1 BAA92214.1 CAA48474.1 CAA48474.1 CAA48472.1 CAA48472.1 CAA73848.1 CAA73848.1 CAA7239.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 CAA72390.1 | AAF73236.1 AAB41548.1 CAA47099.1 CAC13967.1 |

| | | | | | | | | | | | | | | | | | | 20 |) / | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------------|-------------------|-------------------|---------------|----------------|----------------|-------------------------|-------------------|-------------------------|-------------------|-------------------|----------------|--------------------|----------------------|-----------------|---------------|----------------------------|----------------|-------------------|------------------------|-------------------------|----------------|------------|-------------------|-------------------|--------------|-------------------|-------------------------|-------------|--------------|-------------------|-------------------|-------------------|-------------------------|------------|-----------------|-------------------------|------------------|-------------------|
| Pisum sativum Apium graveolens | Nicotiana tabacum | | Pisum sativum | Pisum sativum | Lens culinaris | Lens culinaris | Lycopersicon esculentum | Lens culinaris | Lycopersicon esculentum | Euphorbia esula | Triticum aestivum | Zea mays | Lilium longiflorum | Fritillaria agrestis | Cicer arietinum | Pisum sativum | Triticum aestivum | Volvox carteri | | Lycopersicon pennellii | Lycopersicon chilense | | | Spinacia oleracea | Malus x domestica | | Spinacia oleracea | Lycopersicon esculentum | Glycine max | Glycine max | Spinacia oleracea | Spinacia oleracea | Spinacia oleracea | | | Brassica juncea | Lycopersicon esculentum | Brassica juncea | Glycine max |
| X05636 Y12599 | AB029614 | AE352247 | AF352246 | AF352248 | AF352253 | AF352251 | AJ224933 | AF352252 | U03391 | AF222804 | AF107024 | X57077 | AB012694 | AF031547 | AJ006767 | L34578 | AF107022 | L07946 | Z11842 | 001890 | AE253416 | | 680 | AF034618 | AF161180 | AE005993 | L23551 | L08830 | AF031241 | AF338252 | AF035458 | AE039084 | AF035457 | | 681 | X10848 | AE017983 | AJ005587 | AF128453 |
| CAA29123.1 | BAA88671.1 | AAK29450.1 | AAK29449.1 | AAK29451.1 | AAK29456.1 | AAK29454.1 | CAA12232.1 | AAK29455.1 | AAA50578.1 | AAF27930.1 | AAD41007.1 | CAA40362.1 | BAA87331.1 | AAB86857.1 | CAA07233.1 | AAA50303.1 | AAD41005.1 | AAA74723.1 | CAA77867.1 | AAB03076.1 | AAF64525.1 | | | AAB88134.1 | AAF34134.1 | AAB99745.1 | AAA21808.1 | AAA34139.1 | AAB86942.1 | AAK21920.1 | AAB91473.1 | AAB96660.1 | AAB91472.1 | | SEQ ID NO. | CAA71801.1 | AAB71230.1 | CAA06613.1 | AAG13459.1 |
| Solanum commersonii | Spinacia oleracea | Spinacia oleracea | Spinacia oleracea | | | Vicia faba | | Brassica oleracea | | Brassica oleracea | Raphanus sativus | Vitis vinifera | Zea mays | Oryza sativa | Zea mays | Zea mays | Craterostigma plantagineum | Vitis vinifera | Nicotiana tabacum | Hordeum vulgare | Lycopersicon esculentum | Pyrus communis | Zea mays | Zea mays | Beta vulgaris | Oryza sativa | Lupinus albus | Solanum tuberosum | | | Oryza sativa | O | Triticum aestivum | Lycopersicon esculentum | | | Lathyrus sativus | Lathyrus sativus | Nicotiana tabacum |
| AF002667 | AF035457 | AF035458 | AF039084 | | 676 | AF266760 | AB012044 | X95639 | AB030695 | X95640 | AB030696 | AF188843 | AF131201 | AJ224327 | AE326488 | AF326487 | | AF188844 | | X76911 | X73848 | AB058679 | AJ271796 | AF326489 | U60149 | AE022737 | AJ222973 | Y18311 | | 677 | AB037681 | X98582 | U55859 | AF123259 | | 678 | AE352250 | AE352249 | L29456 |
| AAB65162.1 | AAB91472.1 | AAB91473.1 | AAB96660.1 | | SEO ID NO. 6 | 22.1 | BAA32777.1 | CAA64895.1 | BAA92258.1 | CAA64896.1 | BAA92259.1 | Ġ | AAD29676.1 | CAA11896.1 | AAK26755.1 | AAK26754.1 | CAA04652.1 | AAF80557.1 | AAB81601.1 | CAA54233.1 | CAA52068.1 | BAB40142.1 | CAC33802.1 | AAK26756.1 | AAB67870.1 | AAB82140.1 | CAA11025.1 | CAB46350.1 | | SEQ ID NO. 6 | BAA90487.1 | CAA67191.1 | AAD11549.1 | AAD30456.1 | | SEQ ID NO. | AAK29453.1 | AAK29452.1 | AAC41651.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | nordeum vulgare Catharanthus roseus Catharanthus roseus Catharanthus roseus |
|--|---|
| X90692 113653 AF247700 D11102 D42065 M73234 Y10462 D42064 Y10462 D42064 A73234 Y10462 D42064 A73234 A7271659 C68130 U49741 AP01633 U49382 X78878 AP002839 AP002839 AF0248647 AF2486678 AF2486678 AF2486678 | A/88/6 684 AF008597 U71605 U71604 |
| CAA62225.1 AAA65636.1 AAE65464.2 BAA01877.1 BAA032973.1 CAA71488.1 BAA07664.1 BAA077664.1 BAA042963.2 CAA70817.1 CAA70817.1 CAA52064.1 BAA92064.1 BAA92064.1 BAA92062.1 CAA70815.1 CAA55478.1 AAD01264.1 AAD01264.1 CAA55478.1 AAD01263.1 AAD01266.1 AAD01266.1 AAD01266.1 AAD01266.1 AAD02150.1 AAD02150.1 AAD02150.1 AAD02150.1 AAD02150.1 AAD02150.1 | SEQ ID NO. AAB97311.1 AAC49827.1 AAC49827.1 |
| | Oryza satıva Triticum aestivum Populus kitakamiensis Triticum aestivum Phaseolus vulgaris Raohanus sativus |
| X95563 682 AJO11939 X90695 L36158 Y10469 ABD024437 L36981 X906981 X906981 X906981 X906981 X906981 X906981 X906981 X906981 X906981 X19023 AJZ42742 V51191 AJG1192 AF145350 L36157 AF014467 AF07211 X66125 Z22920 X97351 AF149280 AF14467 AF149280 AF149280 AF149280 AF149280 AF149280 AF149280 AF149280 | AF0144/0 X85228 D30653 X85230 AF149277 |
| to the second se | AAC49821.1 CAA59485.1 BAA06335.1 CAA59487.1 AAD37427.1 CAA62597.1 |

| | Gossvoium hirsutum | Papaver somniferum | | | Glycine max | Zea mays | Zea mays | Zea mavs | Zea mays | Alopecurus myosuroides | Aegilops tauschii | Zea mays | Zea mays | Zea mays | Alopecurus myosuroides | | | Glycine max | Zea mays | Zea mays | Glycine max | Zea mays | Glycine max | Zea mays | Zea mays | Glycine max | Zea mays | Glycine max | Zea mays | Zea mays | Zea mays | Glycine max | Picea mariana | Glycine max | Zea mays | Euphorbia esula | | | Zea mays |
|--|--------------------|--------------------|-------------|-------------------|----------------|-------------------|------------|------------|------------|------------------------|-------------------|---------------------|-------------------|--------------|------------------------|-------------------------|-------------------------|-------------|--------------|--------------------|--------------------|--------------------|-------------------------|---------------|-------------------------|-----------------------------|-------------------|-------------------|------------|-------------------|------------|-------------|---------------|-------------|------------|-----------------|------------|------------------|-------------|
| 695 | AF159229 | AF118924 | AF118925 | AF118926 | AF243360 | AF244696 | AF244699 | AF244687 | AF244703 | AJ010449 | AF004358 | AF244707 | AF244692 | AF244705 | AJ010448 | AJ010450 | AF244702 | AF243362 | AF244695 | AF244691 | AF243374 | AF244686 | AF243363 | AF244694 | AF244706 | AF243368 | AF244690 | AF243366 | AF244698 | AF244701 | AF244693 | AF243367 | AF051214 | AF243361 | AF244700 | | AF244688 | AE244704 | AF244697 |
| SEO ID NO. | AAF29773.1 | AAF22517.1 | AAF22518.1 | AAF22519.1 | AAG34795.1 | AAG34839.1 | AAG34842.1 | AAG34830.1 | AAG34846.1 | CAA09188.1 | AAD10129.1 | AAG34850.1 | AAG34835.1 | AAG34848.1 | CAA09187.1 | CAA09189.1 | AAG34845.1 | AAG34797.1 | AAG34838.1 | AAG34834.1 | AAG34809.1 | AAG34829.1 | AAG34798.1 | AAG34837.1 | AAG34849.1 | AAG34803.1 | AAG34833.1 | AAG34801.1 | AAG34841.1 | AAG34844.1 | AAG34836.1 | AAG34802.1 | AAC32118.1 | AAG34796.1 | AAG34843.1 | AAF64450.1 | AAG34831.1 | AAG34847.1 | AAG34840.T |
| Solanum melongena Solanum chacoense | Medicado sativa | Oryza sativa | Ipomoea nil | Petunia x hybrida | Lactuca sativa | Petunia x hybrida | Malus sp. | | | Vitis vinifera | Vitis vinifera | Medicago truncatula | Nicotiana tabacum | Oryza sativa | Oryza sativa | Lycopersicon esculentum | Lycopersicon esculentum | Picea abies | Oryza sativa | Chlorella kessleri | Chlorella kessleri | Chlorella kessleri | Lycopersicon esculentum | Beta vulgaris | Lycopersicon esculentum | Apium graveolens var. dulce | Solanum tuberosum | Nicotiana tabacum | Zea mays | Spinacia oleracea | | | Oryza sativa | Zea mays | Zea mays | | E | ₫ | Ficea ables |
| X77368 AF104925 | X78994 | AP002069 | D83041 | X60512 | AB012203 | AF022142 | X69664 | | 685 | AJ001061 | X09590 | U38651 | X66856 | AB052885 | AB052884 | | AJ010942 | o) | AB052883 | X75440 | X55349 | X07520 | AJ132223 | AF173655 | AJ132225 | AF215837 | AF215853 | S | AF215854 | AF215851 | , | 989 | AF030387 | AF045033 | AF030385 | , | 690 | AF 14 / /26 | 08780 |
| CAA54557.1 AAC95363.1 | CAA55628.1 | BAA95828.1 | BAA21897.1 | CAA43027.1 | BAA37127.1 | AAC49929.1 | CAA49353.1 | | | | CAA70777.1 | AAB06594.1 | CAA47324.1 | BAB19864.1 | BAB19863.1 | CAB52689.1 | CAA09419.1 | CAB06079.1 | BAB19862.1 | CAA53192.1 | CAA39036.1 | CAA68813.1 | CAB52688.1 | AAD55054.1 | CAB52690.1 | AAG43998.1 | AAF74567.1 | 9 | ω | AAF74565.1 | | · · | AAB86939.1 | AAC03022.1 | AAB86937.1 | | . · | AAE 6 / UU 2 . 1 | TTOOTTOOW |

Ipomoea batatas

D87707 L27484

AAA61682.1

669

SEQ ID NO.

BAA13440.1

Zea mays

Mesembryanthemum crystallinum 270 Lycopersicon esculentum Marchantia polymorpha Marchantia polymorpha Marchantia polymorpha Marchantia polymorpha Nicotiana sylvestris Spinacia oleracea Nicotiana tabacum Solanum tuberosum Medicago sativa Tortula ruralis Cucurbita pepo Pisum sativum Vigna radiata Vigna radiata Pisum sativum Oryza sativa Glycine max Glycine max Zea mays AF079782 AB042643 AC084218 AJ007366 AP000615 AB017515 AB017516 AF072908 AF115406 AF271892 AB042644 AF048691 AB017517 AB017515 AC073166 AF156667 AE090835 X99937 X81394 U63298 069173 328376 069174 D16247 U83707 D84408 U08140 D85039 X96723 D13436 L15390 D87042 090262 U82087 X81393 701 704 AAB62580.1 SEQ ID NO. AAC49665.1 BAA03763.1 CAA68193.1 BAA95705.1 BAA95704.1 AAB70706.1 BAA12715.1 AAA69507.1 AAD17800.1 AAD28192.2 AAF75791.1 AAE40306.1 AAD20980.1 AAG48833.1 SEQ ID NO. AAA33443.1 BAA13232.1 AAB49984.1 BAA12338.1 CAA07481.1 AAB80692.1 AAC49405.1 BAA85396.1 CAA57156.1 AAC05270.1 BAA81749.1 BAA81751.1 BAA81750.1 BAA81748.1 CAA57157.1 AAC25423.1 CAA65500.1 AAB80693.1 BAA02698.1 AAG46110.1 Lycopersicon esculentum Asparagus officinalis Asparagus officinalis Glycyrrhiza echinata Trifolium pratense Trifolium pratense Mentha x piperita Helianthus annuus riticum aestivum Trifolium repens Trifolium repens Cucurbita maxima Taxus cuspidata Hordeum vulgare Capsicum annuum Nepeta racemosa Cicer arietinum Lens culinaris Lens culinaris Mentha spicata Lupinus albus Beta vulgaris Vigna radiata Vigna radiata Vigna radiata Pisum sativum Vigna radiata Vigna radiata Oryza sativa Oryza sativa Glycine max Glycine max Glycine max Glycine max Glycine max AC022457 AF093630 AF124815 AF195815 AF195806 AF195809 AF124816 AF195810 AB023636 AF195819 AF195807 AF022462 AB037244 AB037245 AF195813 AJ249800 AF195805 AF279252 AF216313 AB036772 AF195818 AF195817 AF135484 AF195814 AF195808 AF212991 AF195812 AF122821 AF195804 AF022464 AF195811 AF318211 AE326277 054770 Y09423 969 SEO ID NO. AAK27801.1 AAC78102.1 SEQ ID NO. AAF89209.1 AAB17070.1 AAG41777.1 AAK00946.1 AAK11616.1 AAF20011.1 BAB40322.1 AAF45142.1 AAF34533.1 AAD44150.1 AAE34538.1 AAF34536.1 AAF27282.1 AAE34525.1 AAD38929.1 AAB94593.1 AAF34527.1 CAA70575.1 AAF34530.1 AAF34535.1 AAE34532.1 AAF34529.1 AAD44151.1 AAF34531.1 BAA76380.1 AAF45143.1 AAE34528.1 AAB94591.1 BAB40323.1 BAB40324.1 AAF34534.1 CAB56742.1 AAE34526.1

| W O 02/010035 | | | 1 € 1/ €501/20005 |
|---|--|--|--|
| i. . x varæa :dtii O | r į | 271 sp. x | ialis |
| Malus x domestica Catharanthus roseus Medicago sativa Acetabularia cliftonii Medicago sativa subsp. x Chlamydomonas reinhardti Nicotiana tabacum Phaseolus vulgaris Zea mays Vicia faba | Nicotiana tabacum Medicago sativa Acetabularia cliftonii Brassica oleracea Medicago sativa Oryza sativa Nicotiana tabacum Medicago sativa | x domestica x domestica faba sylvatica faba faba faba faba faba faba go sativa subsp. | Prunus persica Prunus persica Prunus persica Prunus persica Hordeum vulgare Zea mays Zea mays |
| Malus x domestica Catharanthus rosen Medicago sativa Acetabularia clifi Medicago sativa si Chlamydomonas relinicotiana tabacum Phaseolus vulgarizea mays | Nicotiana tabacum Medicago sativa Acetabularia clif Brassica oleracea Medicago sativa Oryza sativa Nicotiana tabacum Medicago sativa | Malus x domestic Malus x domestic Vicia faba Fagus sylvatica Vicia faba Fagus sylvatica Vicia faba Vicia faba Vicia faba Vicia faba Wicia faba | Prunus persica Prunus persica Prunus persica Prunus persica Hordeum vulgare Zea mays |
| 247076 AJ007332 AJ002485 Z28627 X80788 AF156101 Z93768 Z48221 MG0215 AB038648 | Z93769 AJ002487 Z28632 X63558 AJ002486 U31773 Z93770 AJ002488 | A247078 A47078 A547078 A547078 A558787 A558787 A558888 A558888 A558886 | 706 AJ012656 AJ012655 AJ012653 AJ01161 X82124 710 AF178976 AF069952 |
| CAA87385.1 CAA07470.1 CAA05491.1 CAA82263.1 CAA56766.1 AAD38856.1 CAA88254.1 CAA88254.1 AAA33545.1 | CABO7804.1 CAA82264.1 CAA82119.1 CAA65119.1 CAA05492.1 AAA74625.1 CAA07805.1 CAA05494.1 | CAA87386.1 CAA87386.1 CAA87384.1 CAC11128.1 BAA92335.1 CAC09574.1 BAA92336.1 BAA92336.1 | SEQ ID NO. CAA10104.1 CAA10103.1 CAA10102.1 CAA10101.1 CAA04565.1 CAA57636.1 SEQ ID NO. AAF17236.1 AAC26856.1 |
| Daucus carota Cucumis sativus Fragaria x ananassa Dunaliella tertiolecta Chlamydomonas eugametos Oryza sativa Oryza sativa Solanum tuberosum Arachis hypogaea | Daucus carota Zea mays Tradescantia virginiana Oryza sativa T.ilium longiflorum | Lycopersicon esculentum Vicia faba Fagus sylvatica Hevea brasiliensis Vicia faba Oryza sativa Oryza sativa Oryza sativa | Nicotiana tabacum Nicotiana tabacum Oryza sativa subsp. indica Oryza sativa subsp. indica Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Brassica napus Medicago sativa Vicia faba Catharanthus roseus Oryza sativa subsp. indica |
| X56599 AY027885 AF035944 AF216527 Z49233 AF194413 AF194414 AF030879 Y18055 AF051211 | X83869 D84507 S82324 D38452 D84508 AF289237 AF009337 AP001168 | AF203481 705 AB039916 AJ298829 AF107464 AB039917 AF097182 AF159061 U49113 | ZZ6041 Z93771 AF173881 AF134552 AJ007496 Z93772 X57439 X70399 AB039918 AJ007333 AF283668 |
| CAA39936.1 AAK26164.1 AAB8537.1 AAF21062.1 CAA89202.1 AAF23900.1 AAF23901.2 AAC78558.1 CAB46228.1 | CAA58750.1 BAA12691.1 AAB47181.1 BAA22410.1 BAA12692.1 AAG01179.1 AAC4961.1 BAA90814.1 | | CAB81126.1 CAB07806.1 AAD48068.1 AAD22116.1 CAB07807.1 CAA40687.1 CAA49849.1 BAA2699.1 CAA07471.1 AAF86353.1 |

| WO 02/016655 | | PC1/US01/26685 |
|---|--|---|
| Iycopersicon esculentum Solanum tuberosum Iycopersicon esculentum Hordeum vulgare Stylosanthes hamata Hordeum vulgare Stylosanthes hamata Zea mays Sporobolus stapfianus Stylosanthes hamata Brassica juncea Zea mays | | Solanum tuberosum Glycine max Nicotiana plumbaginifolia Nicotiana plumbaginifolia Capsicum annuum Citrus unshiu Citrus unshiu Helianthus annuus |
| AF347614 AF309643 AF347613 U52867 X82256 X96431 X82256 X96761 X82454 AJ223495 AF016306 | 718 U78947 U78949 AE198176 AE198174 U49734 719 M88254 AJ272523 AJ272525 AJ272525 AJ272525 | AJ272522 AF160197 724 AF124161 AF124162 729 X68017 AF220218 AD308385 AJ308385 |
| AAK27688.1 AAG41419.1 AAK27687.1 AAA97952.1 CAA57711.1 CAA65291.1 CAA65291.1 CAA65536.1 CAA65536.1 CAA657831.1 CAA654543.1 | | CAC32999.1 AAD44338.1 SEQ ID NO. AAD18052.1 AAD18053.1 SEQ ID NO. CAA48155.1 AAF33237.1 BAB18514.1 CAC27383.1 CAC27383.1 |
| Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Brassica napus Brassica napus | sati. ole ole tara tara tiva icon icon gran x hy tube dome | Dianthus caryophyllus Zea mays |
| 711 AP001633 AP001633 AP001633 AP001633 AP001633 U39289 U39289 U39319 AP002899 | U31462 AJ250433 U34817 AF288196 713 U64789 715 AB011796 AF240764 Z22543 X92178 AF119095 | AF339732 AB042268 AB042267 AB042261 AB031012 AB024291 AB042260 AB004882 AB031011 AB031011 AB042269 AB060130 |
| SEQ ID NO. 7 BAA94228.1 BAA94224.1 BAA94219.1 BAA94236.1 BAA94215.1 AAC49181.1 AAC49182.1 BABZ1153.1 | | AAK14395.1 BAB20581.1 BAB20580.1 BAB20579.1 BAA85113.1 BAA82873.1 BAA82873.1 BAA82873.1 BAA82873.1 BAA8112.1 BAB20582.1 BAB20582.1 |
| | | |

| Avena sativa Oryza sativa | | Medicago sativa | Medicago sativa Petunia x hybrida | Medicago sativa Petunia x hybrida Zea mays Tromosa hatatas | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Viqna radiata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays Beta vulgaris | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays Aea mays Peta vulgaris Pisum sativum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays Aea mays Pera vulgaris Pisum sativum Brassica napus | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Petroselinum crispum Vigna radiata Zea mays Zea mays Zea mays Aea mays Rea vulgaris Pisum sativum Brassica napus Nicotiana tabacum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea wulgaris Pisum sativum Brassica napus Nicotiana tabacum Antirrhinum majus | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirrhinum majus Antirrhinum majus Petroselinum crispum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Antirrhinum majus Petroselinum crispum Medicago sativa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatass Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirum Brassica napus Nicotiana tabacum Antirrhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatass Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirum Brassica napus Nicotiana tabacum Antirrhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirum sativum Brassica napus Nicotiana tabacum Antirrhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirum sativum Brassica napus Nicotiana tabacum Antirrhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhium apius Nicotiana tabacum Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Lycopersicon esculentum Vigna aconitifolia Lycopersicon esculentum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Chenopodium rubrum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Pisum sativum Brassica napus Nicotiana tabacum Antirrhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Pisum sativum Brassica napus Nicotiana tabacum Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Anticrhiuum abacum Anticrhiuum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirthiuum acispum Antirthiuum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays Petunia x hybrida Oryza sativa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhiuum majus Pisum sativum Brassica napus Nicotiana tabacum Antirhiuum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays Petunia x hybrida Oryza sativa Antirrhiuum majus | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Pisum sativum Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays Petunia x hybrida Oryza sativa Antirrhinum majus Vigna radiata | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Petroselinum crispum Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon sativa Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon sativa Allium cepa Medicago sativa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirthinum majus Petroselinum crispum Antirthinum majus Petroselinum crispum Antirthinum majus Wedicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays Petunia x hybrida Oryza sativa Zea mays Petunia x hybrida Oryza sativa Antirrhinum majus Vigna radiata Oryza sativa Doryza sativa | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirthinum majus Pisum sativum Brassica napus Nicotiana tabacum Antirthinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Antirrhinum majus Vigna radiata Oryza sativa Dunaliella tertiolecta Nicotiana tabacum | Medicago sativa Petunia x hybrida Zea mays Ipomoea batatas Triticum aestivum Vigna radiata Zea mays Zea mays Zea mays Zea mays Antirhinum majus Pisum sativum Antirhinum majus Petroselinum crispum Medicago sativa Lycopersicon esculentum Vigna unguiculata Sesbania rostrata Vigna aconitifolia Lycopersicon esculentum Chenopodium rubrum Allium cepa Medicago sativa Zea mays Petunia x hybrida Oryza sativa Zea mays Petunia x hybrida Oryza sativa Antirrhinum majus Vigna radiata Oryza sativa Dunaliella tertiolecta Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum |
|------------------------------|------------|---------------------------|---|---|--|--|---|--|---|--|--|--|--|---|--|---|---|---|--|---|---|--|--|---|---|--|---|--|---|---|--|---|---|---|--|---|
| X79993 AJ250311 | AF129087 | 113040 75330010 | AF 2 3 3 0 1 3 AF 1 4 9 4 2 4 | AF079318 | X12785 | AF129886 | X61387 | AF271237 | Y11526 | | 732 | 271703 | AB008187 | U18365 | AF289467 | X97637 | L34206 | X70707 | Y17226 | X89400 | 275661 | M99497 | Y17225 | X10160 | AB006033 | M58365 | M60526 | Y13646 | D64036 | X97638 | AF129886 | X58194 | AF038570 | AF289466 | 7.12970T.M | AU29/91/ |
| CAA56314.1 CAC13967.1 | AAD28617.1 | CAA/399/.I | AAG300/2.1 | AAC28850.1 | CAA73323.1 | AAD30506.1 | CAA43659.1 | AAF76187.1 | CAA72290.1 | | | CAA96385.1 | BAA33152.1 | AAA92823.1 | AAG01534.1 | CAA66233.1 | AAC41680.1 | CAA50038.1 | CAA76701.1 | CAA61581.1 | CAA99991.1 | AAA34241.1 | CAA76700.1 | CAA71242.1 | BAA21673.1 | AAB41817.1 | AAA33479.1 | CAA73997.1 | BAA19553.1 | CAA66234.1 | AAD30506.1 | CAA41172.1 | AAD08721.1 | AAG01533.1 | L 1000000 | CACLOSO4.1 |
| s x para is melo | ersio | marcissus pseudonarcissus | Indeces electa Incoperation eastlentim | Lycopersicon esculentum | Zea mays | Lycopersicon esculentum | −ਾ | Tagetes erecta | Haematococcus pluvialis | Dunaliella bardawil | Lycopersicon esculentum | | | Nicotiana tabacum | Mesembryanthemum crystallinum | Zea mays | Brassica napus | Oryza sativa | Antirrhinum majus | Nicotiana tabacum | Pisum sativum | Lycopersicon esculentum | Medicago sativa | Medicago sativa | Allium cepa | Lycopersicon esculentum | Pisum sativum | Capsicum annuum | Nicotiana tabacum | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Chenopodium rubrum | Medicago sativa | Orvza sativa | |
| AF152892 Z37543 | 74 | A/8814 | AECSIULS X60441 | 1 4 | 1 (1) | 42 | AB032797 | AF158024 | AF305430 | 9190 | X67143 | | 730 | U73937 | AF234652 | M60526 | U18365 | D64036 | X97637 | AF289467 | AF153061 | X17225 | X82270 | X70707 | AB006033 | AJ297916 | AB008187 | AF247135 | AF289466 | Y17226 | AF289465 | X83879 | X10160 | X82268 | X58194 | F (T 0 C X) |
| AAD38051.2 CAA85775.1 | ή, | | | CAA47625.1 | | 7 | • | • | AAK15621.1 | AAB51287.1 | CAA47624.1 | | | 4 | 0 | | AAA92823.1 | BAA19553.1 | CAA66233.1 | AAG01534.1 | AAF73236.1 | CAA76700.1 | CAA57721.1 | CAA50038.1 | BAA21673.1 | CAC15503.1 | BAA33152.1 | AAF81419.1 | AAG01533.1 | CAA76701.1 | AAG01532.1 | CAA58760.1 | CAA71242.1 | CAA57719.1 | CAA41172.1 | |

| _,, | |
|---|--|
| Glycine max Lophopyrum elongatum Lophopyrum elongatum Zea mays Pinus sylvestris Glycine max Nicotiana tabacum Glycine max Daucus carota Oryza sativa Ipomoea nil Ipomoea nil Ipomoea nil Nicotiana tabacum Pinus radiata Oryza sativa Ipomoea purpurea Humulus lupulus Ipomoea purpurea Hypericum androsaemum Betula pendula Psilotum nudum Ipomoea nil Ipomoea nil Ppericum androsaemum Betula pendula | Casuarina glauca Ipomoea batatas Glycine max Ipomoea batatas Vitis vinifera Ipomoea batatas Vitis vinifera Ipomoea purpurea Ipomoea nil Ip |
| AF244888 AF339747 AF131222 U67422 AJ250467 AF197946 U93048 AP001800 00069 U77888 U77888 U77888 AF142596 AF14259 | AJ132323 AB037388 L03352 AB037391 AB015872 AB015872 AB01827 AB01827 AB001827 AB027535 AB027534 AB027534 |
| | CAA10641.1 BAA90327.1 AAA33951.1 BAA90330.1 BAA31259.1 BAA31259.1 BAA31259.1 BAA31259.1 BAA31259.1 BAA31259.1 BAA90338.1 BAA21788.1 BAA87337.1 BAA87337.1 BAA90328.1 |
| Antirrhinum majus Chlamydomonas reinhardtii Antirrhinum majus Medicago sativa Medicago sativa Micotiana tabacum Avena fatua Petroselinum crispum Cucumis sativus Nicotiana tabacum Petroselinum crispum Cucumis sativus Nicotiana tabacum Avena fatua Betula pendula Nicotiana tabacum Avena fatua Betula crispum Avena fatua Betula pendula Nicotiana tabacum Petroselinum crispum Matricaria chamomilla Petroselinum crispum Petroselinum crispum | Brassica napus Glycine max Oryza sativa Iycopersicon esculentum Glycine max Populus nigra Populus nigra Brassica napus Oryza sativa Glycine max Glycine max Glycine max |
| X97640 AB035141 X97639 X66469 L07042 D61377 735 AF096299 U48831 U58540 L44134 AF01289 U56834 AF01293771 AF193771 AF1193771 AF1193771 AF121354 AB035271 | 738 AY007545 AE249317 AP000367 U28007 AF249318 AB041503 AB041504 AY028699 AB023482 AF2448890 AF2448890 |
| CAA66236.1 BAB18271.1 CAA66235.1 CAA47099.1 AAB41548.1 BAA09600.1 SEQ ID NO. 7 AAD16139.1 CAA88326.1 AAC49529.1 AAC49529.1 AAC49528.1 | |

PCT/US01/26685 WO 02/016655

| Ipomoea batatas Brassica napus Brassica napus Sandersonia aurantiaca Hemerocallis hybrid cultivaro Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum vulgare Phaseolus vulgaris | Hordeum vulgare Oryza sativa Oryza sativa Oryza sativa Phaseolus vulgaris Hordeum vulgare Ricinus communis Pseudotsuga menziesii Hordeum vulgare | Vicia sativa Lycopersicon esculentum Lycopersicon esculentum Ananas comosus Ananas comosus Phalaenopsis sp. SM9108 Nicotiana tabacum Ananas comosus Zea mays Ananas comosus |
|---|--|--|
| 742 AF242372 I AF089849 B AF089848 B AF133839 S U12637 H Z97023 H Z97021 H | 5 6 4 5 6 8 | 7 |
| SEQ ID NO. 7 AAK27968.1 AAD53012.1 AAD53011.1 AAC35211.1 CAB09699.1 CAB17074.1 | AAD10337.1 CAA56844.1 BAA83472.1 AAB68374.1 CAA12118.1 AAC62396.1 AAC62396.1 AAC62396.1 AAC85035.1 | |
| Ipomoea batatas Humulus lupulus Vitis vinifera Callistephus chinensis Ipomoea batatas Petunia x hybrida Catharanthus roseus Petunia x hybrida Ruhus idaeus | Glycine max Glycine max Glycine max Glycine max Glycine max Solanum tuberosum Solanum tuberosum | Iycopersicon esculentum Solanum berthaultii Oryza sativa Spinacia oleracea Mesembryanthemum crystallinum Pisum sativum Mesembryanthemum crystallinum Mesembryanthemum crystallinum Oryza sativa Spinacia oleracea Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Crlamydomonas reinhardtii Sorghum bicolor Glycine max Lycopersicon esculentum Sorghum bicolor Oryza sativa Lycopersicon esculentum Sorghum bicolor Oryza sativa Lycopersicon esculentum Salvia columbariae Lycopersicon esculentum |
| AB037393 AJ304877 AF020709 Z67988 AB037390 S80857 AJ131813 X14591 | X54644 X65636 X53958 L07647 AB037680 U47738 | AF143505 X97980 AP002481 Z30332 Z30333 M92989 Z30331 Z30331 Z30330 X71057 AF132743 |
| BAA90332.1 CAC19808.1 AAB72091.1 CAA91930.1 BAA90329.1 AAB36038.1 CAA10511.1 CAA32731.1 | | AAF66637.1 CAA66616.1 BAA96593.1 CAA82994.1 AAA50304.1 CAA82992.1 CAA82992.1 CAA82992.1 CAA82991.1 CAA82991.1 CAA50374.1 AAD37166.1 BAA83689.1 AAF97501.1 CAA73068.1 AAF97501.1 CAA73068.1 AAB93863.1 AAB93863.1 |

| " | U Z | U.I | vv | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | • | · | 1,, | US | UI. | , 20 | ,00 | J | |
|--|----------------------|---------------|-------------------|-------------------|-------------------------|------------------------|-----------------|---------------|---------------------------|----------------|-----------------|-----------------|-------------------------|---------------------------|------------------------|--------------|-----------------|-------------------|-------------------|-------------------|-------------------|---------------|-------------------|---------------------|-------------------|---------------|-----------------|---------------------------|-------------------|---------------------------|---------------|-------------------|-------------------|---------------|-------------------|--------------------|---------------|------------|----------------|
| Ħ | | | | | ııır | . x varia | | | | | | | mr | | | | | 27 | '6 | | | | | | | | | dtii | | | | | | | | | | | |
| Brassica oleracea Lycopersicon esculentum | Triticum aestivum | Pisum sativum | Spinacia oleracea | Cicer arietinum | Lycopersicon esculentum | Medicago sativa subsp. | Zea mays | | | Pisum sativum | Capsicum annuum | Capsicum annuum | Lycopersicon esculentum | Physcomitrella patens | Capsicum annuum | Oryza sativa | Capsicum annuum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Oryza sativa | Oryza sativa | Triticum aestivum | Triticum aestivum | Bidens pilosa | Capsicum annuum | Chlamydomonas reinhardtii | Prunus avium | | Pisum sativum | Petunia x hybrida | Petunia x hybrida | | Malus x domestica | Lilium longiflorum | Daucus carota | | Brassica napus |
| X97022 AF243180 | AF031195 | 225471 | U76296 | AJ012693 | AF243181 | AJ248323 | AF093537 | | 757 | U13736 | X97558 | AJ010645 | M67472 | X90560 | U83402 | AP000815 | AF108889 | U20297 | U20296 | U20295 | U20294 | L18914 | Z12828 | U48692 | U48691 | X89890 | X98404 | M20729 | AE292108 | AF231026 | U13882 | M80836 | M80831 | U37936 | X60738 | Z12839 | X59751 | AF150059 | 010150 |
| CAA65749.1 | AAD10251.1 | CAA80963.1 | AAC32448.1 | CAA10134.1 | AAF66243.1 | CAB65280.1 | AAC64163.1 | | SEQ ID NO. | AAA92677.1 | CAA66159.1 | CAA09302.1 | AAA34144.1 | CAA62150.1 | AAB46588.1 | BAA87825.1 | AAF65511.1 | AAA85157.1 | AAA85156.1 | AAA62351.1 | AAA85155.1 | AAA33900.1 | CAA78288.1 | AAC49583.1 | AAC49582.1 | CAA61980.1 | CAA67054.1 | AAA33083.1 | AAG11418.1 | AAF33852.1 | AAA92681.1 | AAA33706.1 | AAA33705.1 | AAA98933.1 | CAA43143.1 | CAA78301.1 | CAA42423.1 | AAF73157.1 | AAA19571.1 |
| | Plastid Orvza sativa | 7 | | Petunia x hybrida | Picea mariana | Picea mariana | Tortula ruralis | Quercus suber | Nicotiana plumbaqinifolia | Brassica napus | | | Zea mays | Chlamydomonas reinhardtii | Chlamydomonas sp. HS-5 | ı | | Pisum sativum | Pisum sativum | | | Panax ginseng | Solanum tuberosum | Pyrobotrys stellata | Pisum sativum | | | Prunus armeniaca | Cichorium intybus | Chlamydomonas reinhardtii | 1 | | Nicotiana tabacum | Pisum sativum | | | Oryza sativa | | |
| 0 | | | 749 | | 1 AF051244 | | | | | | | . 750 | | | 1 AU066514 | | . 751 | | 1 U10044 | | | | 1 Z30162 | | | | . 752 | 1 093168 | 1 AF101423 | | | . 753 | | | | . 754 | | | . 756 |
| () () | CAA33924 1 | | SEO ID NO | AAD13389.1 | AAC32144.1 | AAC32112.1 | AAF67144.1 | CAA04690.1 | CAA70083.1 | AAA86368.1 | | SEO ID NO. | AAC97381.1 | CAA58669.1 | BAA78586.1 | | SEO ID NO. | AAA86952.1 | AAA86950.1 | CAA50035.1 | AAA86951.1 | BAA96367.1 | CAB57298.1 | CAA48289. | AAA86949. | | SEO ID NO. | AAB97143.1 | AAC84136.1 | CAA64626.1 | | SEO ID NO. | AAA57159. | AAA86953.1 | | SEO ID NO. | BAB21002.1 | | SEQ ID NO |

| eum | 277 | <u>:</u> نظ |
|--|---|--|
| Daucus carota Oryza sativa Physcomitrella patens Physcomitrella patens Physcomitrella patens Physcomitrella patens Physcomitrella patens Oryza sativa Craterostigma plantagineum Physcomitrella patens Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa | Oryza sativa Picea abies Chlamydomonas sp. W80 Hordeum vulgare Pisum sativum Nicotiana tabacum Nicotiana tabacum Spinacia oleracea | Nicotiana glutinosa Panax ginseng Perilla frutescens Picea mariana Chlamydomonas reinhardtii Chlamydomonas sp. HS-5 Oryza sativa Panicum miliaceum Panicum miliaceum Glycine max Panicum miliaceum |
| D26574 AF145729 AB028073 AB028080 AB028080 AB028072 AF145730 AJ005820 AB028075 X96681 AF211193 AC079890 AJ005833 AF145727 | 765 AP001389 AJ132537 AB009086 AJ222784 766 X14020 M87839 M87839 M87838 | 767 U23784 AB043976 AF237624 AF051232 X66413 AU066500 769 D67043 X63428 D25323 L40579 X63430 |
| BAA05623.1 AAD37698.1 BAA93461.1 BAA93467.1 BAA93460.1 AAD37699.1 CAA06717.1 BAA93463.1 CAA65456.2 AAF19980.1 AAK31270.1 CAA06728.1 | SEQ ID NO. BAA92738.1 CAC27142.1 BAA23724.1 CAA10989.1 SEQ ID NO. CAA32185.1 AAA34114.1 AAA34086.1 | SEQ ID NO. AAA80638.1 BAA96368.1 AAC32133.1 CAA47044.1 BAA78583.1 SEQ ID NO. BAA23815.1 CAA45022.1 BAA04993.1 AAA98603.1 CAA45024.1 |
| Brassica juncea Elaeis guineensis Chara corallina Chara corallina Chara corallina Chara sativa subsp. indica Vigna radiata Zea mays Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum | Zea mays Scherffelia dubia Solanum tuberosum Solanum tuberosum Symplocarpus renifolius Oryza sativa Symplocarpus renifolius Trificum aestivum | |
| M88307 AF295637 AB041712 AB044711 AB04456 L20691 X74490 X77397 U49103 U49105 U48689 | 760 D30744 AJ131825 761 AJ002586 Y11220 AB024733 AB024734 AB044734 | AB042420 AB049997 762 AF184277 D26578 Y17306 AF184278 D26575 AB028078 AB028077 AB028076 D26573 D26573 |
| AAA87347.1 AAG27432.1 BAA94696.1 BAA96536.1 BAA34237.1 AAA34237.1 CAA52602.1 CAA54583.1 AAC49586.1 AAC49586.1 AAC49586.1 | SEQ ID NO. 7 BAA06405.1 CAC20908.1 SEQ ID NO. 7 CAB60277.1 CAA72107.1 BAA92172.1 BAA92173.1 BAA92173.1 | |

| CAA45023.1 | X63429 | Panicum miliaceum | CAA70894.1 | X09747 | Zea mays |
|-------------|----------|-------------------------------|--------------|----------|-------------------------------|
| AAA33134.1 | M92660 | Daucus carota | CAA70895.1 | X09748 | Hordeum vulgare |
| BAA04992.1 | D25322 | Panicum miliaceum | CAA70896.1 | Y09749 | Vicia faba |
| CAA43779.1 | X61577 | Medicago sativa | CAA70899.1 | X09752 | Secale cereale |
| AAB46610.1 | L25334 | Medicago sativa | CAA70900.1 | Y09753 | Secale cereale |
| AAA33408.1 | M92094 | Lupinus angustifolius | CAA70897.1 | X09750 | Plantago major |
| AAA50160.1 | L23875 | Lupinus angustifolius | AAF33669.1 | AF079871 | Nicotiana tabacum |
| BAA03504.1 | D14673 | Oryza sativa | AAF33670.1 | AE079872 | Nicotiana tabacum |
| CAA63894.1 | X94184 | Lotus japonicus | | | |
| AAC50014.1 | AF034210 | Glycine max | SEQ ID NO. 7 | 772 | |
| AAC50015.1 | AF034210 | Glycine max | AAD33959.1 | AF145976 | Pisum sativum |
| AAB46611.1 | L25335 | Medicago sativa | | | |
| AAA33942.1 | L09702 | Glycine max | SEQ ID NO. 7 | 774 | |
| AAB26677.2 | 260967 | Chloroplast Glycine max | CAA98183.1 | 273955 | Lotus japonicus |
| AAC12674.1 | AF029898 | Lotus corniculatus | CAA54506.1 | X77301 | Glycine max |
| CAA42430.1 | X59761 | Lupinus angustifolius | BAA02108.1 | D12540 | Pisum sativum |
| BAA08106.1 | D45076 | Panicum miliaceum | AAD48018.1 | AF165095 | Gossypium hirsutum |
| AAB68396.1 | U89494 | Canavalia lineata | CAA98186.1 | Z73958 | Lotus japonicus |
| CAA04697.1 | AJ001360 | Plastid Canavalia lineata | AAD48019.1 | AF165096 | Gossypium hirsutum |
| BAA23814.1 | D67042 | Oryza sativa | AAB47558.1 | U87143 | Mesembryanthemum crystalligum |
| | | | CAA54507.1 | X77302 | Glycine max - 8 |
| Ċ. | 770 | | BAA02114.1 | D12546 | Pisum sativum |
| CAB62555.1 | AJ249962 | Daucus carota | CAA98181.1 | Z73953 | Lotus japonicus |
| CAA68912.1 | Y07632 | Zea mays | BAA02113.1 | D12545 | Pisum sativum |
| CAA65254.1 | X96390 | Lycopersicon esculentum | BAA06701.1 | D31905 | Zea mays |
| CAA56175.1 | 879779 | Solanum tuberosum | BAA02904.1 | D13758 | Oryza sativa |
| AAF36832.1 | AE207745 | Triticum aestivum | AAK15703.1 | AF327517 | Oryza sativa |
| CAB54856.1 | AJ132686 | Zea mays | AAB97114.1 | U58853 | Glycine max |
| AAD16278.1 | AE099095 | Samanea saman | CAA98180.1 | Z73952 | Lotus japonicus |
| CAA71598.1 | X10579 | Vicia faba | CAA89049.1 | Z49190 | Beta vulgaris |
| CAC05489.1 | AJ271447 | Populus tremula x Populus | CAA98177.1 | 273949 | Lotus japonicus |
| tremuloides | | | BAA02112.1 | D12544 | Pisum sativum |
| BAA96150.1 | AP002092 | Oryza sativa | BAA02437.1 | D13152 | Oryza sativa |
| BAA96192.1 | AP002093 | Oryza sativa | CAA98179.1 | Z73951 | Lotus japonicus |
| BAA84085.1 | AB032074 | Nicotiana paniculata | BAA02110.1 | D12542 | Pisum sativum |
| CAA12645.1 | AJ225805 | Egeria densa | BAA02111.1 | D12543 | Pisum sativum |
| AAD39492.1 | AF145272 | Samanea saman | CAA41966.1 | X59276 | Oryza sativa |
| CAC10514.1 | AJ299019 | Samanea saman | CAA98184.1 | Z73956 | Lotus japonicus |
| CAC05488.1 | AJ271446 | Populus tremula x Populus | CAA95859.1 | 271276 | Mangifera indica |
| tremuloides | | | CAA55865.1 | X79278 | Medicago sativa |
| AAF81251.1 | AF267755 | Mesembryanthemum crystallinum | BAA02109.1 | D12541 | Pisum sativum |

| D63331 Nicotiana tabacum D83078 Nicotiana tabacum AB027054 Oryza sativa | Brassica 83 Glycine | Glycine m 96 Glycine m 71 Chloropla | X90731 Brassica napus X90730 Brassica napus X90732 Brassica napus X90729 Brassica napus | X90728 Brassica napus 779 Hordeum vulgare | 29 25 81 | 781 AB012932 Vigna radiata AB018526 Ipomoea nil | 783 U51192 Glycine max U51191 Glycine max L13653 Lycopersicon esculentum L13654 Lycopersicon esculentum | Spinacia oler Oryza sativa Spirodela pol Nicotiana tab | AF244921 Spinacia oleracea AB024437 Scutellaria baicalensis M37637 Arachis hypogaea AJ401276 Zea mays X94943 Lycopersicon esculentum |
|---|---|---|--|---|--|--|---|--|--|
| BAA09645.1 BAA11770.1 BAA77679.1 | SEQ ID NO. CAA62261.1 AAF80463.1 | AAB67836.1 AAG44776.1 AAG44765.1 | CAA62265.1 CAA62264.1 CAA62266.1 CAA62263.1 | CAA62262.1 SEQ ID NO. | AAC26197.1 AAK06774.1 AAD55563.1 | SEQ ID NO. BAA25753.1 BAA75232.1 | SEQ ID NO. AAD11482.1 AAD11481.1 AAA65636.1 AAA65637.1 | CAA76374.2 BAA03644.1 CAA80502.1 BAA07664.1 BAA07663.1 | AAF63024.1 BAA77387.1 AAA32676.1 CAC21393.1 CAA64413.1 |
| Pisum sativum Lotus japonicus Zea mays Facus sylvatica | Lotus japonicus Volvox carteri Oryza sativa | Glycine max Oryza sativa | Zea mays Oryza sativa Oryza sativa | Oryza sativa Oryza sativa Oryza sativa | sati sati | Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare Triticum aestivum | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa | sati sati m vu [ca n | Brassica rapa |
| | CAA34253.1 Z73954 AAA34253.1 L08130 AAB28535.1 S66160 | | SEQ ID NO. 775 CAA47962.1 X67733 AAF34428.1 AF172282 BAA94517.1 AP001800 | BAA94516.1 AP001800 AAA33915.1 L27821 BAA94529.2 AP001800 BAA9964.1 AP001551 | | | | 1 | SEQ ID NO. 776 AAB95118.1 U71244 SEQ ID NO. 777 |

| ა •⊣ | 280 |
|--|---|
| Brassica nigra Rauvolfia serpentina Costus speciosus Prunus serotina Prunus avium Manihot esculenta Manihot esculenta Dalbergia cochinchinensis Catharanthus roseus Polygonum tinctorium Cucurbita pepo Pinus contorta Manihot esculenta Zea mays | |
| U72154 AF149311 D83177 AF221526 U39228 X94986 S35175 AF163097 AF112888 ABD03089 AF170087 AF170087 AF170087 AF170087 U95298 U44087 U33816 U25157 U44773 | AF082991 X56734 U33817 X78433 AF293849 AF321287 L41869 221977 AJ005950 U28047 AJ005950 U28047 U90262 AJ007366 U82087 U69173 U08140 AB017515 AB017515 |
| AAB38784.1 AAF03675.1 BAA11831.1 AAF34650.1 AAB22166.1 CAA64442.1 AAB22162.1 AAB22162.1 AAE28800.1 AAE28800.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 AAC69619.1 | |
| Glycine max Glycine max Stylosanthes humilis Medicago sativa Phaseolus vulgaris Nicotiana tabacum Glycine max Ipomoea batatas Phaseolus vulgaris Phaseolus vulgaris Phaseolus vulgaris Phaseolus vulgaris Cryza sativa Spinacia oleracea Lycopersicon esculentum Lycopersicon esculentum Clycine max Spinacia oleracea Zea mays Medicago sativa Glycine max | Spinacia oleracea Mercurialis annua Medicago sativa Asparagus officinalis Populus balsamifera subsp. Vigna angularis Raphanus sativa Oryza sativa Oryza sativa Trifolium repens Lycopersicon esculentum Oryza sativa Brassica napus |
| U51193 U51194 L77080 X90693 AF149279 AF145349 AC242742 AF149277 AF149277 AF149280 AF149280 AF149280 AF14923 X71593 X71593 X71593 AF014502 X10468 AJ401274 L36157 AF007211 | AF244924 X91232 X90694 AB042103 X97351 D11337 X91172 AF011469 AF001081 AF247700 AF001073 AJ011939 784 AF088276 X93301 AF088276 X93301 AF088276 X83301 AF088277 |
| AAD11483.1 AAB67737.1 CAA62226.1 AAD37429.2 BAA82307.1 AAD37375.1 CAB94692.1 AAD37427.1 AAD37430.1 BAA92500.1 CAB67121.1 CAB67121.1 CAB67121.1 CAB67121.1 CAB67121.1 CAB67121.1 CAB67121.1 CAB67121.1 | |

| | 281 | napus |
|---|--|---|
| Nicotiana tabacum Pisum sativum Solanum tuberosum Glycine max Glycine max Nicotiana rustica Nicotiana rustica Solanum tuberosum Brassica napus Glycine max Glycine max Uigna unguiculata Digitaria sanguinalis Oryza sativa | (1) | napus subsp. oleracea rapa oleracea rapa cliva rapa rapa rapa oleracea rapa rapa rapa |
| AF223351 Y15253 X94183 U41474 U25027 X95877 Y11931 X93564 AF108123 U41473 U41473 U85250 AJ291467 AF332874 AF332874 AF172282 AP001800 AP001800 | APO01800 L27821 Y12530 X98520 AB000970 | AJ245479 AB032473 D38563 AB032474 D38564 M76647 AP001551 D30049 D88193 U00443 X67733 Z18921 AB054061 Y18260 |
| AAF33823.1 CAA63893.1 CAA63893.1 AAB03258.1 AAA65127.1 CAA65127.1 CAA63777.1 AAB03259.1 AAB03259.1 AAB41107.1 CAC13988.1 AAK01711.1 SEQ ID NO. AAF34428.1 BAA94516.1 | AAC23542.1 BAA94529.2 AAA33915.1 CAA73133.1 CAA67145.1 BAA23676.1 | CAB89179.1 BAA92836.1 BAA07576.1 BAA07577.2 AAA33000.1 BAA02954.1 BAA06285.1 BAA06285.1 CAA7962.1 CAA79355.1 CAA79355.1 CAA79355.1 CAA79355.1 |
| Marchantia polymorpha Zea mays Oryza sativa Oryza sativa Oryza sativa Zea mays Nicotiana tabacum Oryza sativa Domoca batatas Glycine max Mesembryanthemum crystallinum Medicago sativa Oryza sativa Daucus carota Zea mays Zea mays Solanum tuberosum Cucumis sativus | _ m n m m | |
| AB017515 115390 X81393 AP000615 AF048691 127484 AF072908 AC073166 D13436 D13436 D87707 U69174 AF090835 X96723 X81394 X56599 D85039 U28376 AF1115406 | 2 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | Y18055 X83869 S82324 D84507 D38450 D84508 AF289237 AF009337 AF009337 AF001168 U24188 U38446 787 X94289 |
| BAAB1748.1 AAA33443.1 CAA57156.1 BAA85396.1 AAC05270.1 AAG1682.1 AAG2698.1 BAA13440.1 BAA17800.1 CAA65500.1 CAA65500.1 CAA65500.1 CAA67157.1 CAA39936.1 BAA12715.1 AAA69507.1 | AAES8537.1 CAA89202.1 AAF23900.1 AAF23901.2 AAC78558.1 AAC32116.1 | |

| | s S | uoz | 282 | | Lzon |
|--|---|---|---|--|---|
| Picea mariana Lycopersicon esculentum Pisum sativum Oryza sativa Lycopersicon esculentum | ,,-l | Populus tremuloides Glycine max Iolium perenne Lithospermum erythrorhizon Capsicum annuum Rubus idaeus | Petroselinum crispum Petroselinum crispum Lolium perenne Populus tremuloides Rubus idaeus Populus x generosa Populus x generosa | tab tab taber tuber tuber tuber tuber teda seda | Lithospermum erythrorhizon Oryza sativa Picea smithiana Pinus armandii |
| AF051225 AJ243455 U52520 X82035 AJ011108 | A243452 A2243452 D82349 U10077 D50869 | 790 AF041050 X69955 AF052221 D49367 AF212317 AF239685 | ALOSZEZ X13325 X13324 AF052223 AF041049 AF239686 AF008184 | U50845 U50846 D43773 M62755 AF239687 AF150686 U39405 U12013 | D49366 X52623 AF144504 AF144502 |
| AAC32126.1 CAB46645.1 AAD11475.2 CAA57555.1 | CABOUGGS CABGG642.1 BAA11560.1 BAA20237.1 BAA09465.1 BAA09466.1 | SEQ ID NO. AAC24504.1 CAC36095.1 AAF37732.1 BAA08366.2 AAG43823.1 AAF91308.1 | AAF31697.1 CAA31696.1 CAA31696.1 AAC24503.1 AAF91309.1 AAC39366.1 | AAB18637.1 AAB18638.1 BAA07828.1 AAF91310.1 AAF91310.1 AAB42383.1 AAB42382.1 AAB42382.1 AAA92669.1 | BAA08365.1 CAA36850.1 AAF73997.2 AAF73995.2 AAF73994.2 |
| Oryza sativa Oryza sativa Oryza sativa Oryza sativa subsp. japonica | Sesbania rostrata Glycine max Antirrhinum majus Lupinus luteus | Lupinus luteus Catharanthus roseus Lupinus luteus Lupinus luteus Lupinus luteus Lupinus luteus Lupinus luteus | Chenopodium rubrum Antirrhinum majus Petunia x hybrida Petroselinum crispum Nicotiana tabacum Glycine max Glycine max | a aaaaaaa | Oryza sativa Oryza sativa Zea mays Medicago sativa Medicago sativa |
| AP001551 AP003338 AF238475 AF230507 | 789 Z75660 X62820 X76122 U24194 | AF126107 D86386 U24193 AF126106 U44857 AF126108 | Y10161 X76123 AJ250315 L34207 Z37978 Z26331 D50871 | AF126105 AJ243454 X62303 U10079 U10078 AP002804 U66608 U66607 | AB024987 X82036 U10076 X78504 X68741 |
| BAA92953.1 BAB39437.1 AAF78019.1 AAF43400.1 | | AAD31790.1 BAA20411.1 AAC61888.1 AAD31789.1 AAC24245.1 AAD31791.1 BAA231791.1 | CAA/1243.1 CAA53729.1 CAB58998.1 AAC41681.1 CAB81558.1 CAA81232.1 BAA09467.1 | AAB720239.1 CAB46644.1 CAB46644.1 CAA4188.1 AAA20239.1 AAA20238.1 BAB72021.1 AAB72020.1 BAA33154.1 | |

| | | | | | | | | | | | | | | | | | | 20 | 3 | | | | | | | | | | | | | | | · | | | | | |
|---|----------------|--------------|----------------------|---------------------------|-------------------------|----------------------|------------------|------------------|----------------------|-----------------------|------------------|-----------------|-----------------|--------------|------------------|---------------|-----------------------|--------------|--------------|-------------|--------------|-------------------|-----------------------------|--------------------|---------------------|--------------------|--------------------|-------------------|--------------------|----------------|---------------|--------------------|-------------------|-------------------|----------------------|------------------|--------------|-------------------------|----------------|
| Lycopersicon esculentum Picea abies | Oryza sativa | Oryza sativa | Beta vulgaris | | Lycopersicon esculentum | | | Sinapis alba | Sinapis alba | | | Daucus carota | Ipomoea nil | Oryza sativa | Pinus sylvestris | Ipomoea nil | Brassica napus | Oryza sativa | Glycine max | Glycine max | Oryza sativa | Malus x domestica | Oryza sativa | Phaseolus vulgaris | Oryza sativa | Phaseolus vulgaris | Ipomoea nil | Oryza sativa | Brassica napus | Populus nigra | Populus nigra | Populus nigra | Oryza sativa | Oryza sativa | Oryza longistaminata | Zea mays | | | Glycine max |
| AJ010942 Z83829 | AB052883 | AP000615 | AF173655 | AJ132223 | AJ132225 | | 962 | X84208 | X16190 | | 799 | U93048 | U77888 | AP000559 | AJ250467 | 077888 | AY028699 | X89226 | AE197947 | AE197946 | AC073405 | AE053127 | L27821 | AF285172 | AF172282 | AF078082 | U77888 | AP001551 | AY007545 | AB041503 | AB030083 | AB041504 | AE172282 | AP001800 | 072725 | U82481 | | 800 | AJ010201 |
| CAB06079.1 | BAB19862.1 | BAA85398.1 | AAD55054.1 | CAB52688.1 | CAB52690.1 | | SEQ ID NO. | CAA58994.1 | CAA76116.1 | | SEQ ID NO. | AAB61708.1 | AAG52992.1 | BAA84787.1 | CAC20842.1 | AAB36558.1 | AAK21965.1 | CAA61510.1 | AAF59906.1 | AAF59905.1 | AAG03090.1 | AAC36318.1 | AAA33915.1 | AAG00510.1 | AAF34426.1 | AAD21872.1 | AAG52994.1 | BAA92954.1 | AAG16628.1 | BAA94509.1 | BAA82556.1 | BAA94510.1 | AAF34428.1 | BAA94529.2 | AAB82755.1 | AAB93834.1 | | SEQ ID NO. | CAB38030.1 |
| Cathaya argyrophylla Solanum tuberosum | Pinus armandii | Glycine max | Pseudotsuga sinensis | Nothotsuga longibracteata | | Pseudotsuga sinensis | Tsuga canadensis | Tsuga canadensis | Pseudotsuga sinensis | Pseudotsuga menziesii | Cedrus atlantica | Pinus banksiana | Pinus banksiana | Abies firma | Sorghum bicolor | Judlans nigra | Pseudotsuga menziesii | • | | Glycine max | | | Apium graveolens var. dulce | •Н | Medicago truncatula | Oryza sativa | Chlorella kessleri | Spinacia oleracea | Chlorella kessleri | Vitis vinifera | Vicia faba | Chlorella kessleri | Solanum tuberosum | Nicotiana tabacum | Zea mays | Ricinus communis | Oryza sativa | Lycopersicon esculentum | Vitis vinifera |
| AF144505 AF150687 | AF144503 | X69954 | AF144511 | AF144523 | AF144508 | AF144509 | 52 | AF144525 | AF144510 | AF144506 | AF144529 | AF144500 | AF144499 | AF144514 | U23787 | AJ278455 | AF144507 | | 791 | U31097 | | 95 | AF215837 | X66856 | U38651 | AB052885 | X75440 | AF215851 | X07520 | AJ001061 | 293775 | X55349 | AF215853 | AF215852 | AF215854 | L08196 | AB052884 | AJ132224 | X09590 |
| AAF73998.2 AAD40665.1 | • | CAA49575.1 | • | AAF74016.2 | | AAF74002.2 | AAF74019.2 | AAF74018.2 | AAF74003.2 | AAF73999.2 | AAF74022.2 | AAF73993.2 | • | AAE74007.2 | AAA64913.1 | 6 | 0 | | SEQ ID NO. 7 | 9756.1 | | SEQ ID NO. 7 | 3998. | CAA47324.1 | AAB06594.1 | BAB19864.1 | CAA53192.1 | AAF74565.1 | CAA68813.1 | CAA04511.1 | CAB07812.1 | CAA39036.1 | AAF74567.1 | AAF74566.1 | AAF74568.1 | AAA79761.1 | BAB19863.1 | CAB52689.1 | CAA70777.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| BAA20365.1 AB004307 Nicotiana tabacum BAA07479.1 D38445 Oryza sativa | D12815 Oryza D17410 Oryza | BAA90642.1 AP001129 Oryza sativa Raa85425 1 aP000616 Oryza sativa | D17790 Oryza | | | AF321525 | 1 AF321528 | AAK09369.1 AF321527 Pisum sativum | AAK09368.1 AF321526 Pisum sativum | | SEQ ID NO. 804 | BAA82107.1 AB022693 Nicotiana tabacum | AAC31956.1 AF080595 Pimpinella brachycarpa | . U48831 Petroselinum | AAD55974.1 AF121353 Petroselinum crispum | BAA77383.1 AB020590 Nicotiana tabacum | CAA88326.1 Z48429 Avena fatua | BAA86031.1 AB026890 Nicotiana tabacum | · | AAC37515.1 L44134 Cucumis sativus | | | | AAC49528.1 U56834 Petroselinum crispum | AB041520 | AB020023 | Z48431 Avena fatua | AF204925 Petroselinum | AAD27591.1 AF121354 Petroselinum crispum | AAG35659.1 AF204926 Petroselinum crispum | CAB66338.1 AJ279697 Betula pendula | AAF61864.1 AF193771 Nicotiana tabacum | AAF61863.1 AF193770 Nicotiana tabacum | | 806 | AJI3ZZZ4 Lycopersicon | CAA09419.1 AJ010942 Lycopersicon esculentum |
|---|------------------------------|--|--------------|-------------------|-----------------|------------------|------------------|-----------------------------------|-----------------------------------|-----------------|------------------|---------------------------------------|--|-----------------------|--|---------------------------------------|-------------------------------|---------------------------------------|--------------|-----------------------------------|-------|--------------|----------------------|--|-------------|------------|---------------------------|-----------------------|--|--|------------------------------------|---------------------------------------|---------------------------------------|-----------------|------------|-----------------------|---|
| BAA20365 BAA07479 | BAA02 BAA04 | BAA90 | BAA04 | AAB40 | CAA67 | AAK09 | AAK09 | AAK09 | AAK09 | | SEQ 1 | BAA82 | AAC31 | AAC49 | AAD55 | BAA77 | CAA88 | BAA86 | AAD16 | AAC37 | AAF23 | AAC49 | AAD16 | AAC49 | BAB16 | BAA77 | CAA88 | AAG35 | AAD27 | AAG35 | CAB66 | AAF61 | AAF61 | | SEQ 1 | CABSZ | CAAUS |
| Prunus persica | Glycine max | Prunus persica | | Solanum tuberosum | Nepenthes alata | Ricinus communis | Ricinus communis | Vicia faba | Solanum tuberosum | Nepenthes alata | Ricinus communis | Nepenthes alata | Vicia faba | Ricinus communis | Vicia faba | Vicia faba | Nicotiana sylvestris | Nicotiana sylvestris | Oryza sativa | Chlorella protothecoides | | | Helianthus tuberosus | Helianthus tuberosus | Picea abies | | Chlamydomonas reinhardtii | Volvox carteri | Mesembryanthemum crystallinum | Pisum sativum | Oryza sativa | Vicia faba | Spinacia oleracea | Capsicum annuum | 8 | m | Zea mays |
| AF068844 | 801 AJ010201 | AE068844 | 802 | X09825 | AF080542 | AJ007574 | AJ132228 | X09591 | X09826 | AF080543 | Y11121 | AF080544 | AF061434 | Z68759 | AF061435 | AF061436 | U64823 | U31932 | AB022783 | AJ238635 | | 803 | Z26251 | U58629 | AJ132538 | U10545 | X78851 | U22328 | M25528 | X12446 | D87547 | U14956 | M86349 | AJ250378 | | AB035644 | AB035645 |
| AAC19381.1 | | AAC19381.1 | SEQ ID NO. 8 | CAA70968.1 | AAD16013.1 | CAA07563.1 | CAA10608.1 | CAA70778.1 | CAA70969.1 | AAD16014.1 | CAA72006.1 | AAD16015.1 | AAF15944.1 | CAA92992.1 | AAF15945.1 | AAF15946.1 | AAB96830.1 | AAB48944.1 | BAA93437.1 | CAB42599.1 | | SEQ ID NO. 8 | CAA81210.1 | AAB02721.1 | CAC27143.1 | AAA79131.1 | CAA55406.1 | AAB40978.1 | AAA33029.1 | CAA30978.1 | BAA13417.1 | AAA21758.1 | AAA34029.1 | CAB71293.1 | CAA74359.1 | BAA88236.1 | BAA88237.1 |

| LLinu | crystallinum | 285 | napus .ifolium um .ifolium |
|---|--|--|--|
| Solanum chacoense Spinacia oleracea Picea abies Mesembryanthemum crystallinu Brassica oleracea Raphanus sativus Brassica oleracea | sativus ba anthemum sativus napus | | Brassica rapa Brassica napus subsp. napus Brassica napus Brassica oleracea Brassica oleracea Nicotiana tabacum Lycopersicon esculentum Lycopersicon hirsutum Brassica oleracea Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Brassica rapa Brassica napus Catharanthus roseus Brassica oleracea |
| AF290201 L77969 Z93764 U26538 AF299050 AB030695 | AF004293 AB030696 AJ289701 U26537 AB012044 AY028699 AY028699 | U93048 AB00048 AF078082 Y18259 U00443 M76647 Y18260 Y12531 | D88193 AJ245479 M97667 X98520 Y12530 AF142596 AF220603 AF318492 Y14286 U59317 U59318 AF220602 D38563 AY3295 Z73295 |
| AAG02208.1 AAA99274.1 CAB07783.1 AAG68701.1 AAG23179.1 BAA92258.1 AAG23180.1 | | AAB61708.1 BAA23676.1 BAA21872.1 CAB41878.1 AAA62232.1 AAA33000.1 CAB41879.1 CAA73134.1 BAA06285.1 | BAA21132.1 CAB89179.1 AAA33008.1 CAA67145.1 CAA73133.1 AAF76514.1 AAF76514.1 AAF7652.1 AAB47424.1 AAB47422.1 AAB47422.1 AAB47622.1 AAB47622.1 AAF76307.1 BAA07576.1 |
| Picea abies Oryza sativa Nicotiana tabacum Ricinus communis Ricinus communis Vitis vinifera Mediciano truncatula | Vitis Vinitera Oryza sativa Oryza sativa Chlorella kessleri Chlorella kessleri Chlorella kessleri Uryza sativa Lycopersicon esculentum | ul abr | Samanea saman Mesembryanthemum crystallinum Raphanus sativus Raphanus sativus Raphanus sativus Mesembryanthemum crystallinum Oryza sativa Allium cepa Beta vulgaris Solanum tuberosum Picea mariana Beta vulgaris Solanum tuberosum Picea mariana Beta vulgaris Solanum tuberosum Picea mariana Beta vulgaris Atriplex canescens Brassica oleracea |
| 283829 AB052885 X66856 L08188 L08196 AJ001061 | Y09590 AB052884 AP000399 X75440 X07520 X55349 AB052883 AJ132255 | AU15225 AF173655 AF215837 AF215851 AF215854 AF215853 AF149282 AF149282 | AF067185 U73466 AB030697 AB012045 AB030698 AF133530 AF062393 AF255795 U60147 Y18312 AF051202 U60148 U18403 AF314656 U73467 |
| CAB06079.1 BAB19864.1 CAA47324.1 AAA79857.1 AAA04511.1 AAB06594.1 | CAA70777.1 BAB19863.1 BAA83554.1 CAA53192.1 CAA68813.1 CAA39036.1 BAB19862.1 CAA39036.1 | AAD55054.1 AAG43958.1 AAF74565.1 AAF74568.1 AAF74566.1 AAD37424.1 AAD37424.1 | SEQ ID NO. 8 AAC17529.1 AAB18227.1 BAA92260.1 BAA32778.1 BAA92261.1 AAD31846.1 AAC16545.1 AAE65845.1 AAE67868.1 CAB46351.1 AAB67869.1 AAB67869.1 AAB67869.1 AAB67869.1 |

| AAB93834.1 | U82481 | | CAA61198.1 | X87946 | Oryza sativa |
|------------|----------|----------------------------|------------|----------|------------------------------|
| BAA9283/.1 | ABU324/4 | Brassica oleracea | RAMATICS:I | A30180 | pism sativm |
| AAASSAIS.I | | oryza saczya | BAA00886.1 | D10002 | Pisum sativum |
| SEQ ID NO. | 808 | | AAA17993.1 | M91192 | Trifolium subterraneum |
| 1919 | AF206320 | Musa acuminata | AAA33805.1 | 111747 | Populus x generosa |
| AAF19195.1 | AF206319 | Musa acuminata | AAC78457.1 | AE036948 | Prunus avium |
| AAF63756.1 | AF243475 | Vitis vinifera | BAA23367.1 | D85850 | carota |
| CAA70735.1 | Y09541 | Zinnia elegans | CAB42793.1 | AJ238753 | Citrus clementina x Citrus |
| CAA63496.1 | X92943 | Musa acuminata | reticulata | | |
| AAB71208.1 | U63550 | Fragaria x ananassa | AAA99500.1 | L36822 | Stylosanthes humilis |
| AAA86241.1 | U41472 | Medicago sativa | CAA55075.1 | X78269 | Nicotiana tabacum |
| CAA43414.1 | x61102 | æ | BAA22963.1 | D17467 | Nicotiana tabacum |
| CAA47630.1 | X67158 | | BAA22947.1 | AB008199 | Nicotiana tabacum |
| CAA43413.1 | X61101 | | CAA57057.1 | X81159 | Petroselinum crispum |
| CAA47631.1 | X67159 | Nicotiana tabacum | AAG49585.1 | AF325496 | Ipomoea nil |
| | | | CAA57056.1 | X81158 | Petroselinum crispum |
| SEQ ID NO. | 810 | | CAB42794.1 | AJ238754 | Citrus clementina x Citrus |
| AAG49551.1 | AF264022 | Poa secunda | reticulata | | |
| CAA44598.1 | X62724 | Hordeum vulgare | CAA05251.1 | AJ002221 | Digitalis lanata |
| AAB88619.1 | | Zea mavs | BAA07860.1 | D43802 | ensis |
| CAA44599.1 | X62725 | Hordeum vulgare | CAB60719.1 | AJ250836 | Cicer arietinum |
| | | 3 | CAA68256.1 | X99997 | Bromheadia finlaysoniana |
| SEO ID NO. | 813 | | AAK15640.1 | AF326116 | Agastache rugosa |
| AAA34122.1 | M84466 | Nicotiana tabacum | CAA34226.1 | X16099 | Oryza sativa subsp. japonica |
| BAA22948.1 | AB008200 | Nicotiana tabacum | AAF40223.1 | AF237954 | idaeus |
| AAA34176.1 | M90692 | Lycopersicon esculentum | BAA11459.1 | D78640 | Ipomoea batatas |
| AAE40224.1 | AE237955 | ens | BAA06337.1 | D30657 | Populus kitakamiensis |
| CAA37129.1 | X52953 | Glycine max | AAD45384.1 | AF165998 | Vigna unguiculata |
| CAA68036.1 | X99705 | Triticum aestivum | CAA53733.1 | X76130 | Cucumis melo |
| AAA33389.1 | M29232 | Ipomoea batatas | AAA51873.1 | 016130 | Persea americana |
| AAA34179.2 | M83314 | Lycopersicon esculentum | BAB19128.1 | AB041361 | Dianthus caryophyllus |
| BAA21643.1 | D30656 | Populus kitakamiensis | CAA34715.1 | X16772 | Petroselinum crispum |
| AAB67733.1 | U43338 | Citrus limon | BAA07861.1 | D43803 | Populus kitakamiensis |
| BAA95629.1 | AB042520 | Catharanthus roseus | | | |
| BAA05643.1 | D26596 | Camellia sinensis | | 814 | |
| CAA73065.1 | X12461 | Helianthus annuus | AAC39318.1 | AF029858 | Sorghum bicolor |
| BAA24929.1 | D83076 | Lithospermum erythrorhizon | AAA19701.1 | L24438 | Thlaspi arvense |
| BAA24928.1 | D83075 | Lithospermum erythrorhizon | BAB40323.1 | AB037244 | Asparagus officinalis |
| BAA00885.1 | | Pisum sativum | AAA32913.1 | M32885 | Persea americana |
| AAA84889.1 | U39792 | Pinus taeda | BAB40324.1 | AB037245 | Asparagus officinalis |

| ; ; ; | | | | | |
|--------------------------|--------------------|--------------------------------|--------------------------|------------------|--|
| AAB94589.1 CAA70575.1 | AF022460 Y09423 | GLycine max Nepeta racemosa | AAC49214.1 AAC49213.1 | U39862 U39864 | Oryza Longistaminata Oryza eichingeri |
| AAF27282.1 | AF122821 | Capsicum annuum | AAC49220.1 | 039866 | |
| AAB94584.1 | AF022157 | Glycine max | AAC49218.1 | U39867 | Oryza rufipogon |
| AAB94588.1 | AF022459 | Glycine max | | | |
| AAD47832.1 | AF166332 | Nicotiana tabacum | SEQ ID NO. 8 | 818 | |
| CAA50312.1 | X70981 | Solanum melongena | CAA04644.1 | AJ001270 | Phaseolus vulgaris |
| BAA03635.1 | D14990 | Solanum melongena | AAD20634.1 | AF126255 | Anchusa officinalis |
| CAA50645.1 | X71654 | Solanum melongena | BAA92365.1 | AB039746 | Spirodela punctata |
| CAA70576.1 | Y09424 | Nepeta racemosa | AAF19821.1 | AF200825 | Ipomoea batatas |
| BAB40322.1 | AB036772 | Triticum aestivum | CAA06921.1 | AJ006224 | Ipomoea batatas |
| CAB56503.1 | AJ238612 | Catharanthus roseus | AAF19822.1 | AF200826 | Ipomoea batatas |
| AAD44150.1 | AF124815 | Mentha spicata | AAF19820.1 | AF200824 | |
| CAA83941.1 | Z33875 | Mentha x piperita | CAA07280.1 | AJ006870 | Ipomoea batatas |
| AAD56282.1 | AF155332 | Petunia x hybrida | BAA97038.1 | AB029086 | Tagetes patula |
| AAD44152.1 | AF124817 | Mentha x piperita | BAA97745.1 | AB037887 | Lupinus albus |
| AAD37433.1 | AF150881 | Lycopersicon esculentum x | BAA82130.1 | AB023385 | Lupinus albus |
| Lycopersicon | n peruvianum | | BAA82133.1 | AB023388 | Lycopersicon esculentum |
| AAD44151.1 | | Mentha x piperita | BAA82131.1 | AB023386 | Glycine max |
| AAG44132.1 | AF218296 | Pisum sativum | BAA82132.1 | AB023387 | Oryza sativa |
| AAG14963.1 | AF214009 | Brassica napus | | | |
| CAA65580.1 | X96784 | Nicotiana tabacum | | 819 | |
| AAG14961.1 | AF214007 | Brassica napus | AAF76898.1 | AF274033 | Atriplex hortensis |
| AAG14962.1 | AF214008 | Brassica napus | CAC12822.1 | AJ299252 | Nicotiana tabacum |
| CAC27827.1 | AJ295719 | Catharanthus roseus | AAF63205.1 | AF245119 | Mesembryanthemum crystallinum |
| CAA64635.1 | X95342 | Nicotiana tabacum | BAA78738.1 | AB023482 | Oryza sativa |
| AAB17562.1 | U72654 | Eustoma grandiflorum | AAC24587.1 | AE071893 | Prunus armeniaca |
| | | | CAB96899.1 | AJ251249 | Catharanthus roseus |
| | 816 | | CAB96900.1 | AJ251250 | Catharanthus roseus |
| AAD15818.1 | AF061107 | Zea mays | BAB16083.1 | AB036883 | Oryza sativa |
| AAC28907.1 | U18349 | Phaseolus vulgaris | AAF23899.1 | AE193803 | Oryza sativa |
| AAB00686.1 | U18348 | Phaseolus vulgaris | BAA99376.1 | AP002526 | Oryza sativa |
| AAC49219.1 | U39860 | Oryza sativa | AAK01089.1 | AF298231 | Hordeum vulgare |
| CAB92300.1 | AJ251719 | Zea mays | | | |
| CAA07615.1 | AJ007709 | Gerbera hybrida | SEQ ID NO. 8 | 820 | |
| AAG25928.1 | AF260919 | Petunia x hybrida | AAF03236.1 | AF180143 | Glycine max |
| AAG25927.1 | AF260918 | Petunia x hybrida | AAA34309.1 | M28059 | Triticum aestivum |
| AAC39455.1 | AF020545 | Petunia x hybrida | AAB88617.1 | AF034946 | Zea mays |
| AAC49217.1 | U39861 | Oryza rufipogon | AAA34125.1 | L23762 | Lycopersicon esculentum |
| AAC49216.1 | U39865 | Oryza officinalis | AAA64427.1 | L29077 | Pisum sativum |
| AAC49212.1 | U39863 | Oryza australiensis | CAA51821.1 | X73419 | Lycopersicon esculentum |

| | | | 1 11099880 | 207776 | Arena sativa |
|--------------|----------|-------------------------------|------------|----------|-------------------------------|
| SEO ID NO. 8 | 828 | | BAA03955.1 | D16504 | Chlorella vulgaris |
| 0205.1 | AF349964 | Daucus carota | CAB66336.1 | AJ279695 | Betula pendula |
| AAB38974.1 | U81318 | Triticum aestivum | CAA10663.1 | AJ132399 | Hordeum vulgare |
| CAA81127.1 | Z26042 | Anemia phyllitidis | AAC05718.1 | AF008121 | Eleusine indica |
| AAF66823.1 | AF190655 | Nicotiana tabacum | AAA79910.1 | U12589 | Pisum sativum |
| AAF66825.1 | AF190657 | Nicotiana tabacum | CAA33734.1 | X15704 | Zea mays |
| AAF63202.1 | AF240679 | Cucumis sativus | CAA06618.1 | AJ005598 | Eleusine indica |
| AAC39368.1 | AF043297 | Chlamydomonas reinhardtii | AAC05717.1 | AF008120 | Eleusine indica |
| AAF66824.1 | AF190656 | Nicotiana tabacum | AAG02564.1 | AY007250 | Daucus carota |
| AAD37807.1 | AF153689 | Oryza sativa | AAG16905.1 | AF182523 | Oryza sativa |
| AAB61594.1 | AF003126 | Mesembryanthemum crystallinum | CAA33733.1 | X15704 | Zea mays |
| CAC01238.1 | AJ292768 | Nicotiana plumbaginifolia | AAD10486.1 | U76558 | Triticum aestivum |
| AAC49850.1 | U90212 | Nicotiana tabacum | CAA69724.1 | Y08490 | Hordeum vulgare |
| CAC01237.1 | AJ292767 | Nicotiana plumbaqinifolia | CAA06619.1 | AJ005599 | Eleusine indica |
| CAB75429.1 | AJ272011 | _ | CAA48927.1 | X69183 | Anemia phyllitidis |
| AAA79045.1 | U34742 | Spinacia oleracea | AAA99438.1 | L24546 | Volvox carteri |
| CAA41023.1 | X57955 | Spinacia oleracea | CAA31326.1 | X12846 | Volvox carteri |
| CAA46234.1 | X65118 | ന | CAA62916.1 | X91806 | Oryza sativa |
| CAA46233.1 | X65117 | | AAA33095.1 | M11447 | Chlamydomonas reinhardtii |
| CAA66479.1 | X97905 | ď | BAB19779.1 | AB052822 | Nicotiana tabacum |
| CAA06469.1 | AJ005286 | Hordeum vulgare | AAB86649.1 | AF032876 | Chloromonas sp. ANT1 |
| CAA11893.1 | AJ224324 | Hordeum vulgare | CAA62917.1 | X91807 | Oryza sativa |
| BAA22411.1 | D38485 | Triticum aestivum | AAB86648.1 | AF032877 | Chloromonas sp. ANT3 |
| CAA11894.1 | AJ224325 | Hordeum vulgare | AAA33098.1 | M11448 | Chlamydomonas reinhardtii |
| AAA33486.1 | M74566 | Zea mays | AAB08791.1 | U40042 | Hordeum vulgare |
| CAA57551.1 | X82030 | Phaseolus vulgaris | CAA44861.1 | X63176 | Zea mays |
| AAA33039.1 | L15080 | Mesembryanthemum crystallinum | AAA33518.1 | M60171 | Zea mays |
| AAB71417.1 | U81287 | Pisum sativum | AAB84298.1 | AF030548 | Oryza sativa |
| | | | BAA92148.1 | AB038515 | Chlorella ellipsoidea |
| SEQ ID NO. | 829 | | AAB36609.1 | U37794 | Eucalyptus globulus subsp. |
| CAA44863.1 | X63178 | Zea mays | bicostata | | |
| CAA77988.1 | 211931 | Oryza sativa | CAA48928.1 | X69184 | Anemia phyllitidis |
| | X91808 | Oryza sativa | AAD11425.1 | AE097662 | Mesembryanthemum crystallinum |
| AAC05719.1 | AF008122 | Eleusine indica | CAB76917.1 | AJ276012 | Hordeum vulgare |
| AAA16225.1 | U05258 | Zea mays | CAA52158.1 | X73980 | Zea mays |
| CAA44862.1 | X63177 | Zea mays | CAA38613.1 | X54844 | Pisum sativum |
| CAA67942.1 | X99623 | Hordeum vulgare | AAB64308.1 | U63927 | Daucus carota |
| CAB77672.1 | AJ133710 | Miscanthus sinensis | AAD20178.1 | AE059287 | Eleusine indica |
| CAB77671.1 | AJ133709 | Miscanthus sinensis | BAA82638.1 | D63137 | Zinnia elegans |
| CAA47635.1 | X67162 | Prunus dulcis | | | |

| | | | | | | | | | | | | | | | | | | | 29 | 0 | | | | | | | | | | | | | | | | | napus | | | |
|------------|-----------------|---------------------|-------------------------|-------------------|-------------------------|-------------------------------|---------------|-------------------------------|-------------------|---------------|-------------------------------|-----------------|--------------------|-------------------------|-------------------------|-------------------|--------------------|--------------------|-------------------------|-------------------------|--------------------|-------------------------|-----------------|--------------|-------------|--------------|-----------------|--------------------|---------------|---------------------------|-------------------------|------------------|---------------|---------------------|-----------------|-------------------------|-------------------------|-------------------|-------------------|---------------|
| | Lotus japonicus | Pisum sativum | Lotus japonicus | Petunia x hybrida | Lycopersicon esculentum | Lotus japonicus | Beta vulgaris | Lotus japonicus | Daucus carota | Pisum sativum | Lycopersicon esculentum | Lotus japonicus | Pisum sativum | Lycopersicon esculentum | Lotus japonicus | Pisum sativum | Brassica rapa | Volvox carteri | Lotus japonicus | Beta vulgaris | Lotus japonicus | Volvox carteri | Lotus japonicus | Zea mays | Glycine max | | | Glycyrrhiza glabra | Pisum sativum | Panax ginseng | Abies magnifica | Luffa cylindrica | Olea europaea | Medicago truncatula | | | Brassica napus subsp. n | Brassica oleracea | Brassica oleracea | Brassica rapa |
| S66160 | Z73931 | D12547 | X97853 | U35026 | U38465 | Z73948 | Z49152 | 273944 | AJ001367 | Z49900 | AF096249 | Z73946 | Z49902 | X69980 | Z73947 | Z49901 | U38471 | L08128 | Z73945 | Z49190 | Z73951 | L08130 | Z73937 | U22433 | U32185 | | 833 | AB025968 | D89619 | AB009029 | AF216755 | AB033334 | AB025344 | X15366 | | 834 | AJ245479 | AB032473 | AB032474 | AB054061 |
| AAB28535.1 | CAA98159.1 | BAA02115.1 | CAA66447.1 | AAD10389.1 | AAA80679.1 | CAA98176.1 | CAA89021.1 | CAA98172.1 | CAA04701.1 | CAA90080.1 | AAD46405.1 | CAA98174.1 | CAA90082.1 | CAA49600.1 | CAA98175.1 | CAA90081.1 | AAB17726.1 | AAA34251.1 | CAA98173.1 | CAA89049.1 | CAA98179.1 | AAA34253.1 | CAA98165.1 | AAA63902.1 | AAA90955.1 | | | BAA76902.1 | BAA23533.1 | BAA33460.1 | AAG44096.1 | BAA85266.1 | BAA86931.1 | CAA75588.1 | | | CAB89179.1 | BAA92836.1 | BAA92837.1 | . BAB21001.1 |
| | | Solanum berthaultii | Lycopersicon esculentum | Oryza sativa | Spinacia oleracea | Mesembryanthemum crystallinum | Pisum sativum | Mesembryanthemum crystallinum | Spinacia oleracea | Oryza sativa | Mesembryanthemum crystallinum | columbaria | Salvia columbariae | Salvia columbariae | Lycopersicon esculentum | Nicotiana tabacum | Salvia columbariae | Salvia columbariae | Lycopersicon esculentum | Lycopersicon esculentum | Salvia columbariae | Lycopersicon esculentum | Hordeum vulgare | Oryza sativa | | | Lotus japonicus | Cicer arietinum | Pisum sativum | Nicotiana plumbaginifolia | Lycopersicon esculentum | Pisum sativum | Glycine max | Nicotiana tabacum | Capsicum annuum | Lycopersicon esculentum | Lotus japonicus | Pisum sativum | Lotus japonicus | Glycine max |
| 830 | 06606X | X97980 | AF143505 | AP002481 | Z30332 | Z30333 | M92989 | Z30331 | Z30330 | AP002816 | Z30329 | AF089097 | AE089099 | AF089100 | U89678 | X71057 | AF089101 | AF089102 | 089679 | 089680 | AF089103 | U89681 | X65604 | AE132743 | | 832 | Z73932 | AB024994 | D12548 | Y08425 | U38464 | D12550 | 058854 | X72212 | AF108883 | U38466 | Z73933 | D12549 | Z73934 | L27417 |
| | CAA62476.1 | CAA66616.1 | AAF66637.1 | BAA96593.1 | CAA82993.1 | CAA82994.1 | AAA50304.1 | CAA82992.1 | CAA82991.1 | BAB03409.1 | CAB82852.1 | AAD50584.1 | AAD50585.1 | AAD50586.1 | AAB93859.1 | CAA50374.1 | AAD50587.1 | AAD50588.1 | AAB93860.1 | AAB93861.1 | AAD50589.1 | AAB93862.1 | CAA46554.1 | AAD37166.1 | | SEQ ID NO. 8 | CAA98160.1 | BAA76422.1 | BAA02116.1 | CAA69701.1 | AAA80678.1 | BAA02118.1 | AAB97115.1 | CAA51011.1 | AAF65510.1 | AAA80680.1 | CAA98161.1 | BAA02117.1 | CAA98162.1 | AAA50159.1 |

| 291 | |
|---|---|
| Sorghum bicolor Triticum aestivum Nicotiana sylvestris Hordeum vulgare Nicotiana sylvestris Sinapis alba Sinapis alba Pelargonium x hortorum Pelargonium x hortorum Citrus unshiu Hordeum vulgare Nicotiana plumbaginifolia Glycine max Oryza sativa Cryza sativa Cryza sativa Sea mays Euphorbia esula Triticum aestivum Nicotiana tabacum Hordeum vulgare Sorghum bicolor Oryza sativa Euphorbia esula Triticum aestivum Nicotiana tabacum Hordeum vulgare Sorghum bicolor Oryza sativa Euphorbia esula Triticum sestivum Nicotiana tabacum Hordeum vulgare Sorghum bicolor Oryza sativa Euphorbia esula Lycopersicon esculentum Lycopersicon esculentum Orwza sativa | Oryza sativa Triphysaria versicolor Lycopersicon esculentum Lycopersicon esculentum Zinnia elegans Prunus armeniaca Prunus avium Prunus persica Zinnia elegans Cicer arietinum Fragaria x ananassa Prunus armeniaca |
| X57662 U32310 D16204 Z48624 D16206 D16205 L31374 AF009003 AF009003 AB007819 AJ224324 AJ292768 AF169205 AJ002893 AJ002894 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF034945 AF0000885 AJ0004997 AJ243340 AF243340 | AE247164 AE230277 U82123 AE059488 AE230331 U93167 AE297521 AB029083 AE230332 AJ291817 AE159563 |
| | AAF62182.1 AAF32410.1 AAC63088.1 AAD13632.1 AAF35900.1 AAC33529.1 AAG13982.1 AAG13982.1 AAG13982.1 AAF35901.1 CAC19184.1 AAF31101.1 |
| | Eustoma grandiflorum Glycyrrhiza echinata Glycyrrhiza echinata Oryza sativa Nicotiana sylvestris Nicotiana sylvestris Sorghum bicolor Nicotiana glutinosa |
| 835 AJC39051 ABD022732 AJO12581 AJC38439 ABD025016 AJC38439 ABD025016 AJC3844 AJC49800 M32885 D83968 AF155332 AF022461 X95342 D86351 AF155332 AF022461 X95342 AF022461 X95342 AF022461 X95342 AF022461 AF218296 AF175278 U29333 AF175278 AF022458 AF01802 ABO6790 ABO6790 | U72654 AB022733 AB001380 836 S66160 839 D83696 D26182 AF310215 AF005359 |
| | |

| Zea mays Oryza sativa Zea mays Lithospermum erythrorhizon Brassica juncea Populus tremula x Populus | sn sn | Medicago sativa Pisum sativum Colanum tuberosum Pisum sativum Colanum tuberosum Pisum sativum Colanum sativum Pisum sativum Colanum sativum Pisum sativum Colanum sativum Pisum sativa Colanum sativa Oryza sativa Oryza sativa Oryza sativa |
|--|--|--|
| 846 AF135014 AP001129 U16254 AB026124 AA132363 AF190881 | AF056027 849 AF305783 AF156781 AF207687 AF207688 AF156780 AF139807 | AE156782 AB038669 AB038668 AB038555 AB038554 AB027614 AB027613 AB027616 AB027616 AB027616 AB027616 AB030444 AB030444 AB030444 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 AB030445 |
| SEQ ID NO. 8 AAD46491.1 BAAN90623.1 AAA52202.1 BAA77024.1 SEQ ID NO. 8 CAC24691.1 AAG17172.1 | Ø | |
| Cucumis sativus Pinus taeda Triphysaria versicolor Prunus avium Gossypium hirsutum Pinus taeda Nicotiana tabacum Pinus taeda | | Triphysaria versicolor Regnellidium diphyllum Oryza sativa Cicer arietinum Lycopersicon esculentum Oryza sativa Eustoma grandiflorum Festuca pratensis Striga asiatica Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Striga asiatica Striga asiatica Nicotiana tabacum Striga asiatica Datisca glomerata |
| U30382 AF085330 AF230276 AF297522 AF043284 U64893 AF049354 | U64892 AF096776 AJ239068 U85246 AF167360 AF049353 AF202119 AF230333 AF184233 | AF230278 AF230278 AF247163 AJ291816 AJ291816 AF247162 AB049406 AJ276007 AF291659 AF049350 AF049352 AJ270960 AF184232 AF109156 AF109156 AF109156 |
| AAB37746.1 AAF32409.1 AAG13983.1 AAC39512.1 AAB40637.1 AAB40634.1 AAB40634.1 | AABS8074.1 AAC64201.1 CAB43197.1 AAB81662.1 AAC96080.1 AAF17570.1 AAF35902.1 AAG32921.1 | |

| AAB41696.1 | 1169142 | Spinacia oleracea | CAC21393.1 | AJ401276 | Zea mays |
|--------------|-----------|----------------------------|--------------|----------|----------------------------|
| BAB18544.1 | AB043540 | a | AAA65636.1 | L13653 | |
| | X09876 | Nicotiana tabacum | CAB67121.1 | Y19023 | Lycopersicon esculentum |
| CAA41377.1 | X58463 | Beta vulgarıs | CAMOZZZII | A90094 | בפתדימם ממנדים |
| CAA49425.1 | X69770 | Atriplex hortensis | CAA50597.1 | X71593 | Lycopersicon esculentum |
| AAB70010.1 | AF017150 | Amaranthus hypochondriacus | AAD37376.1 | AFT45350 | Glycine max |
| CAA41376.1 | X58462 | Beta vulgaris | AAB67737.1 | L77080 | |
| AAB58165.1 | AF000132 | Amaranthus hypochondriacus | CAA71489.1 | X10463 | Spinacia oleracea |
| | AB001348 | Orvza sativa | CAA71496.1 | X10470 | Spinacia oleracea |
| | AB043539 | Avicennia marina | CAA71494.1 | X10468 | Spinacia oleracea |
| AAC03055.1 | AF045770 | Orvza sativa | BAA06334.1 | D30652 | Populus kitakamiensis |
| CAA53076.1 | X75327 | Pisum sativum | CAA66034.1 | X97348 | Populus balsamifera subsp. |
| BAA05466.1 | D26448 | Hordeum vulgare | trichocarpa | | |
| AAF08296.1 | AF196292 | Apium graveolens | BAA94962.1 | AB042103 | Asparagus officinalis |
| AAB47571.1 | U87848 | Nicotiana plumbaginifolia | CAA80502.1 | 222920 | Spirodela polyrrhiza |
| AAG43027.1 | AF323586 | Oryza sativa | CAA66035.1 | X97349 | Populus balsamifera subsp. |
| AAB33843.1 | 377096 | Brassica napus | trichocarpa | | |
| CAA53075.1 | X75326 | | BAA11852.1 | D83224 | nigra |
| | | 1 | CAA66036.1 | X97350 | Populus balsamifera subsp. |
| SEO ID NO. 8 | 858 | | trichocarpa | | |
| | 136158 | Medicado sativa | BAA07241.1 | D38051 | Populus kitakamiensis 🕓 |
| CP271495 1 | V10469 | | AAD11481.1 | U51191 | Glycine max |
| CAA00881 1 | A,T011939 | - | AAC98519.1 | AE007211 | Glycine max |
| CA460008 1 | | Medicado sativa | AAA32973.1 | M73234 | Hordeum vulgare |
| 7 1022227 | 1.36981 | • | AAB47602.1 | L07554 | Linum usitatissimum |
| 1 90500044 | 1159284 | Linnm nsitatissimum | AAB41810.1 | L36156 | Medicago sativa |
| BAA77387 1 | AB02437 | Scutellaria baicalensis | AAF63027.1 | AF244924 | Spinacia oleracea |
| Caa66037 1 | } _ | Populus balsamifera subsp. | AAA34108.1 | J02979 | Nicotiana tabacum |
| trichocarpa | | | AAD43561.1 | AF155124 | Gossypium hirsutum |
| CAA71488.1 | X10462 | Spinacia oleracea | | | |
| BAA01950.1 | D11337 | Vigna angularis | SEQ ID NO. 8 | ഗ | |
| BAA14143.1 | D90115 | Armoracia rusticana | CAA06339.1 | AJ005082 | Cyamopsis tetragonoloba |
| CAA71490.1 | Y10464 | Spinacia oleracea | AAA86532.1 | U31544 | Pisum sativum |
| CAR94692 1 | A.T242742 | Ipomoea batatas | CAA06338.1 | AJ005081 | Cyamopsis tetragonoloba |
| BA92497.1 | AP001383 | - (6) | CAC14890.1 | AJ295156 | Phragmites australis |
| AAC36707.1 | AE078691 | Manihot esculenta | CAB61752.1 | AJ275318 | |
| BAA92422.1 | AP001366 | | BAB40967.1 | AB059568 | Pisum sativum |
| CAA62226.1 | X90693 | Medicago sativa | AAB68605.1 | U82433 | Prunus armeniaca |
| AAF63024.1 | AF244921 | Spinacia oleracea | | | |
| AAA32676.1 | M37637 | Arachis hypogaea | | 860 | |
| BAA11853.1 | D83225 | Populus nigra | AAF98390.1 | AF287143 | Brassica napus |

| folia | ifoli; | olia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---------------------------|---------------------------|----------------|-------------------|--------------|-------------------|-------------------|-------------------------|-------------------|-------------------|-------------------|--------------------|-------------------------|------------------------|-----------------------------|--------------------|---------------------------------|-------------------|----------------|----------------|--------------------|----------------|-------------------|----------------|-------------------|---------------------------------|-----------------|----------------|-------------------|------------------|-------------------|-------------------|---------------------|---------------------|--------------|---------------------|---------------------|----------------|---------------------|---------------------|
| Nicotiana plumbaginifolia | Nicotiana plumbaginifolia | Nicotiana plumbaginifolia | Musa acuminata | Musa acuminata | Oryza sativa | Triticum aestivum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Hordeum vulgare | Hordeum vulgare | Hevea brasiliensis | Oryza sativa | | | Oryza sativa | Glycine max | Nicotiana tabacum | Oryza sativa | Oryza sativa | Hevea brasiliensis | Glycine max | Solanum tuberosum | | Solanum tuberosum | Hevea brasiliensis | Citrus sinensis | | Nicotiana tabacum | | | Solanum tuberosum | Linum usitatissimum | Nicotiana glutinosa | | Linum usitatissimum | Linum usitatissimum | Glycine max | Linum usitatissimum | Linum usitatissimum |
| X07280 | M23120 | M63634 | AF001523 | AF004838 | U72252 | AF112965 | M60402 | M59442 | M60403 | M62907 | AF030771 | U22147 | AB027429 | AB027430 | AJ277900 | U72250 | M37753 | AF141654 | AF030166 | 072253 | AJ133470 | U41323 | U01901 | 001000 | AF067863 | AF311749 | AJ000081 | X53129 | X81560 | | 862 | AJ009720 | AF310964 | U15605 | AF310968 | AF310960 | AF310966 | AF175388 | AF310962 | AF310961 |
| CAA30261.1 | AAA51643.1 | AAA34078.1 | AAB82772.2 | AAF08679.1 | AAD10383.1 | AAD28732.1 | AAA63539.1 | AAA63541.1 | AAA63540.1 | AAA32939.1 | AAC14399.1 | AAA87456.1 | BAA77784.1 | BAA77785.1 | CAB91554.1 | AAD10381.1 | AAA33946.1 | AAD33881.1 | AAB86541.1 | AAD10384.1 | CAB38443.1 | AAB03501.1 | AAA18928.1 | AAA88794.1 | AAC19114.1 | AAG24921.1 | CAA03908.1 | CAA37289.1 | CAA57255.1 | | | CAA08798.1 | AAK28810.1 | AAA50763.1 | AAK28812.1 | AAK28806.1 | AAK28811.1 | AAG09951.1 | AAK28809.1 | AAK28808.1 |
| Citrus inshin | υ H- c | Petunia x hybrida | Zea mays | Verbena x hybrida | | | | Scutellaria baicalensis | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Forsythia x intermedia | Dorotheanthus bellidiformis | Perilla frutescens | Vitis labrusca x Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis labrusca x Vitis vinifera | Vitis vinifera | Vitis vinifera | Ipomoea batatas | Ipomoea purpurea | Gentiana triflora | Petunia x hybrida | | | Oryza sativa | Salix gilgiana | Pisum sativum | Brassica napus | Triticum aestivum | Nicotiana tabacum |
| AB033758 | | AB027455 | L34847 | 359 | S | 45 | 10 | N | U32643 | o | U32644 | AF346431 | X85138 | AF127218 | Y18871 | AB002818 | AB047090 | AB047096 | AB047094 | AB047092 | AB047095 | AB047093 | AB047099 | AB047098 | AB047097 | AB047091 | AE000371 | AF000372 | $^{\circ}$ | 823 | D85186 | AB027454 | | 361 | 072255 | 94 | AJ251646 | X69887 | U30323 | Z28697 |
| 1 0503040 | | BAA89009.1 | • | 642 | | AAE17077.1 | • | 4. | AAB36652.1 | AAK28304.1 | AAB36653.1 | AAK28303.1 | CAA59450.1 | AAD21086.1 | CAB56231.1 | BAA19659.1 | BAB41017.1 | BAB41023.1 | \vdash | BAB41019.1 | BAB41022.1 | BAB41020.1 | BAB41026.1 | BAB41025.1 | BAB41024.1 | BAB41018.1 | AAB81682.1 | AAB81683.1 | BAA90787.1 | m, | BAA12737.1 | œ. | | SEQ ID NO. 8 | AAD10386.1 | BAA89481.1 | CAB85903.1 | CAA49513.1 | AAA90953.1 | CAA82271.1 |

| AAK28805.1 | AF310960 | Linum usitatissimum | AAD25300.1 | AE088276 | Lycopersicon esculentum |
|------------|----------|---------------------|------------|-----------|--|
| AAK28803.1 | AF310958 | Linum usitatissimum | CAA63704.1 | X93301 | |
| AAK28804.1 | AF310959 | Linum usitatissimum | AAD24966.1 | AF109150 | Lycopersicon esculentum |
| CAC35321.1 | AJ310150 | Linum usitatissimum | AAD25225.1 | AF088279 | Potamogeton crispus |
| CAC35327.1 | AJ310152 | Linum usitatissimum | | | |
| AAG09953.1 | AF175398 | Glycine max | | 864 | |
| CAC35332.1 | AJ310157 | Linum usitatissimum | AAC12662.1 | AF032468 | Zea mays |
| AAD25973.1 | AE093646 | Linum usitatissimum | CAA05772.1 | AJ002959 | Zea mays |
| CAC35337.1 | AJ310162 | Linum usitatissimum | AAA34310.1 | M62720 | Triticum aestivum |
| CAC35325.1 | AJ310150 | Linum usitatissimum | AAF73016.1 | AF262934 | Avicennia marina |
| CAC35336.1 | AJ310161 | Linum usitatissimum | BAB40310.1 | AB026055 | Nicotiana tabacum |
| CAC35328.1 | AJ310153 | | BAB40311.1 | AB026056 | Nicotiana tabacum |
| CAC35330.1 | AJ310155 | Linum usitatissimum | AAA34125.1 | L23762 | Lycopersicon esculentum |
| CAC35333.1 | AJ310158 | Linum usitatissimum | AAB88617.1 | AE034946 | Zea mays |
| CAC35339.1 | AJ310164 | Linum usitatissimum | CAA51821.1 | X73419 | Lycopersicon esculentum |
| CAC35338.1 | AJ310163 | Linum usitatissimum | AAD51109.1 | AF176040 | Mesembryanthemum crystallinum |
| CAC35329.1 | AJ310154 | Linum usitatissimum | AAA64427.1 | L29077 | Pisum sativum |
| CAC35331.1 | AJ310156 | Linum usitatissimum | AAD42941.1 | AF091621 | Catharanthus roseus |
| CAC35334.1 | AJ310159 | Linum usitatissimum | AAB02168.1 | U15971 | Oryza sativa |
| CAC35326.1 | AJ310151 | Linum usitatissimum | BAA90392.1 | AP001081 | Oryza sativa |
| CAC35323.1 | AJ310150 | Linum usitatissimum | AAB63513.1 | AE008910 | |
| AAG09952.1 | AF175389 | Glycine max | AAA86089.1 | U17250 | Brassica oleracea |
| AAG43546.1 | AF211528 | Nicotiana tabacum | CAA10494.1 | AJ131733 | Pseudotsuga menziesii |
| AAD25967.1 | AE093640 | Linum usitatissimum | CAA58111.1 | X82938 | Lycopersicon esculentum |
| AAD25970.1 | A£093643 | Linum usitatissimum | AAG23847.1 | AY004247 | Lycopersicon esculentum |
| AAD25966.1 | AF093639 | Linum usitatissimum | AAF22280.1 | AF165420 | Mesembryanthemum crystallinum |
| AAD25971.1 | AE093644 | Linum usitatissimum | AAA34309.1 | M28059 | Triticum aestivum |
| AAD25965.1 | AF093638 | Linum usitatissimum | BAA21006.1 | D17786 | Oryza sativa |
| AAB47618.1 | U73916 | Linum usitatissimum | AAF03236.1 | AF180143 | Glycine max |
| CAA08797.1 | AJ009719 | Solanum tuberosum | AAC32141.1 | AF051240 | Picea maríana |
| AAD25968.1 | AF093641 | Linum usitatissimum | | | |
| • | 54 | | | 865 | |
| AAD25975.1 | AF093648 | Linum usitatissimum | CAA65735.1 | X97012 | Solanum tuberosum |
| AAA91022.1 | U27081 | Linum usitatissimum | | | |
| 2 | 364 | usi | | 866 | |
| o, | m | Linum usitatissimum | CAA63056.1 | X92075 | Solanum tuberosum |
| 97 | 9364 | nsī | AAF15291.1 | AF201458 | |
| 1021. | 27081 | Linum usitatissimum | CAA43167.1 | x60755 | Cicer arietinum |
| AAG01052.1 | AF175395 | Glycine max | | 1 | |
| ; ; | (| | | 867 | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 |
| SEQ ID NO. | 863 | | AAD02558.1 | Ar.049933 | Petunia x nybrida |

| japonica | | 296 |
|--|--|--|
| Solanum tuberosum Solanum tuberosum Triticum aestivum Zea mays Ipomoea batatas Oryza sativa Oryza sativa | sa sa cum cum cum cum cum | Solanum tuberosum Solanum tuberosum Nicotiana tabacum Manihot esculenta Ipomoea batatas Manihot esculenta Hordeum vulgare Brassica napus Phaseolus vulgaris Solanum tuberosum Solanum tuberosum Solanum tuberosum Iilium longiflorum Pisum sativum Lilium longiflorum Pisum sativum Triticum aestivum Triticum aestivum Triticum aestivum |
| X69805 Y08786 U66376 U65948 AB042937 D10752 AF136268 | AU237897 AU237897 AU237897 AU237897 AU2320 X77012 Y12320 AE286317 AB029549 AF002820 | AJ011887 AJ011886 AB028067 X69713 AB042940 X69712 AF064563 U10150 AF030032 U20297 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20296 U20297 U20297 U20297 U20297 U20297 U20297 U20296 U20297 U2 |
| CAA49463.1 CAA70038.1 AAB17086.1 AAB67316.1 BAA01584.1 AAD28284.1 | DAAO1855.1 CAB40981.1 CAB40979.1 CAB40980.1 AAG27622.1 CAA54308.1 CAA72987.1 AAG27621.1 AAG27621.1 AAG27621.1 | |
| .1.1 | Zea mays Zea mays Zea mays Zea mays Zea mays Zea mays Chlamydomonas reinhardtii Glycine max Solanum tuberosum Solanum tuberosum | Solanum tuberosum Triticum aestivum Aegilops tauschii Phaseolus vulgaris Pisum sativum Solanum tuberosum Solanum tuberosum Oryza sativa Triticum aestivum Aegilops tauschii Triticum aestivum Zea mays Zea mays Oryza sativa Hordeum vulgare Pisum sativum Hordeum vulgare Zea mays Sorghum bicolor Zea mays |
| 870 X78213 X86553 U62748 U29383 U62753 | 062/49 062750 040147 062752 062751 AP001550 X66411 146848 872 AJ011885 AJ011885 | AFO76680 AFO76680 AFO76680 ABO29548 X800099 AJ011889 AJ011889 AJ011889 AJ000004 DI 6201 AF286319 Y11282 AF338431 AF338432 AF0338432 AF072725 AF072725 AF064560 X80010 AF064561 AF064561 AF064561 AF169833 D11081 |
| SEQ ID NO. 8 CAA55047.1 CAA60251.1 AAD11459.1 AAC49360.1 AAC49360.1 | | CABAOTAS.1 CABAOTAS.1 AAD30186.1 AAD30187.1 BAA82348.1 CAB40747.1 CAB40747.1 CAB40747.1 CAB40747.1 CAB40747.1 CAB40747.1 AAG27623.1 AAG27623.1 AAG27623.1 AAG2762.1 AAG2762.1 AAG2762.1 AAG3764.1 AAG3764.1 AAG3764.1 AAG3764.1 AAG3764.1 AAG69753.1 AAG69753.1 AAG69753.1 AAG69753.1 AAG69753.1 AAG69753.1 AAG69753.1 |

| CAA67554.1 X99100 Trifolium repens CAA72330.1 Y11591 Ricinus communis CAA10288.1 AJ131048 Cicer arietinum CAA72291.1 Y11527 Oryza sativa CAA58760.1 X83879 Nicotiana tabacum CAB37188.1 AJ224336 Medicago sativa AAF65766.1 AF242308 Euphorbia esula CAA47099 1 X66469 Medicago sativa |
|---|
| <u> </u> |
| Triticum aestivum Triticum aestivum Triticum aestivum Oryza sativa Oryza sativa Oryza sativa Triticum aestivum |
| U48688 Triticum aestivum U48242 Triticum aestivum Z12827 Oryza sativa L18914 Oryza sativa Z12828 Oryza sativa L14071 Bryonia dioica |

| | | | | 298 | | olium olium olium | | |
|---|---|--|---|---|--|---|---|--|
| Brassica oleracea Oryza sativa | Lycopersicon esculentum Glycine max Glycine max | Brassica napus Zea mays Zea mays | Populus nigra Populus nigra Brassica napus Oryza sativa Nicotiana tabacum | Zea mays Zea mays Lophopyrum elongatum Lophopyrum elongatum Nicotiana tabacum Catharanthus roseus | Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Oryza sativa | Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon hirsutum Malus x domestica | Glycine max Glycine max Lycopersicon hirsutum | Lycopersicon esculentum Solanum tuberosum Solanum tuberosum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum |
| AB032473 AJ243961 879 | U28007 AF249317 AF249318 | AY007545 AF023164 AF023165 | AB041503 AB041504 AY028699 AC073405 AF302082 | AB023402 U67422 AF131222 AF339747 AF142596 Z73295 | 00069 U59316 AF220603 AJ243961 | AF220602 U02271 U59315 AF318490 AF053127 | AF244889 AF244890 AF318491 | X77015 X77015 X67845 U50152 U50151 |
| BAA92836.1 CAB51836.1 SEO TO NO | 5.1 | AAG16628.1 AAC27894.1 AAC27895.1 | BAA94509.1 BAA94510.1 AAK21965.1 AAG03090.1 AAG25966.1 | AAB09771.1 AAB09771.1 AAK11674.1 AAK166615.1 CAA97692.1 | CAB51834.1 AAB47421.1 AAF76313.1 CAB51836.1 | AAE76306.1 AAC48914.1 AAB47423.1 AAK11566.1 AAC36318.1 | AAF91323.1 AAF91324.1 AAK11567.1 | • = = = = = = |
| Pisum sativum Oryza sativa Oryza sativa Niodiana tabadum | •r | Zea mays Oryza sativa Zea mays | Zea mays Lycopersicon esculentum Glycine max | Grycine max Zea mays Brassica napus Zea mays Populus nigra | Brassica napus Oryza sativa Lophopyrum elongatum Lophopyrum elongatum | Nicotiana tabacum Oryza sativa Zea mays Nicotiana tabacum Oryza sativa | Catharanthus roseus Lycopersicon esculentum Lycopersicon pimpinellifolium | con con con con napu napu |
| Z66544 U07339 U26660 | MO7338 MJ251246 MJ2512246 | D14457 X92743 Z21721 | D14456 878 U28007 AF249317 | AF023164 AY007545 AF023165 AF041503 AB041503 | AY028699 AC073405 AF339747 AF131222 | AF302082 AB023482 U67422 AF142596 00069 | Z73295 AF220603 U59316 AF220602 | US9315 AF318490 AF318491 AJ245479 M97667 AF053127 |
| CAA91445.1 AAA68290.1 AAC49442.1 | | 440 | | AAC27894.1 AAC27894.1 AAC27895.1 BAA94509.1 BAA94510.1 | AAK21965.1 AAG03090.1 AAK11674.1 AAF43496.1 | AAG25966.1 BAA78764.1 AAB09771.1 AAF66615.1 CAB51834.1 | CAA97692.1 AAF76313.1 AAB47421.1 AAF76306.1 | |

| | 299 | ස උ |
|--|---|--|
| Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare Oryza sativa Oryza sativa Oryza sativa | Nicotiana tabacum Oryza sativa Lycopersicon esculentum Petunia x hybrida Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Petunia x hybrida Nicotiana tabacum Ricotiana tabacum Antirrhinum majus | Lycopersicon esculentum Lycopersicon esculentum Zea mays Zea mays Zea mays Lycopersicon esculentum Pimpinella brachycarpa Lycopersicon esculentum Oryza sativa subsp. indica Nicotiana glutinosa Nicotiana tabacum Solanum tuberosum Solanum tuberosum |
| D31737 AE237568 AP001800 AE248493 00069 AE238477 AF100771 AF164021 AF238474 AF003338 AF238475 | B83 AP000399 884 X99134 Z13996 U72762 AB028651 AB028650 Z13997 AB028649 AJ006292 | X98308 X99210 M73028 AF210616 X95296 AF161711 X95297 Y15219 Y15219 V15605 AF211528 AJ009720 |
| BAA06538.1 AAF68398.1 BAA94517.1 AAF78044.1 CAB51834.1 AAD46420.1 AAD46917.1 AAD46917.1 AAF78018.1 AAC01746.1 BAB39437.1 AAF78019.1 | SEQ ID NO. BAR83575.1 SEQ ID NO. CAR67575.1 CAR78386.1 AAB41101.1 BAR88222.1 CAR78387.1 BAR88224.1 BAR88224.1 | |
| Petroselinum crispum Phaseolus vulgaris Triticum aestivum Brassica rapa subsp. pekinensis Vicia sativa Vicia sativa Catharanthus roseus Glycine max Petunia x hybrida Persea americana | Catharanthus roseus Catharanthus roseus Glycine max Petunia x hybrida Pisum sativum Solanum melongena Pisum sativum Lycopersicon esculentum x Glycine max Sinapis alba Brassica napus Glycine max Brassica napus Glycine max Glycine max Glycine max Brassica napus | |
| X99825 AB037678 881 AF123609 AY029178 AF092917 AF030260 AJ238402 AF022457 AF155332 M32885 | L190/4 D83968 AF081575 AF175278 X70824 U29333 AF150881 D86351 AF069494 AF214007 AF022461 AF7022461 AF7022461 AF7022461 | Y09423 AB001379 882 AJ298992 M67449 AY027437 AY005077 AF305911 AF096250 AF305912 AF110518 AF110519 AY029067 |
| | AAA1/132.1 BAA12159.1 AAG032274.1 AAG09208.1 CAA50155.1 AAC49188.2 AAD37433.1 Lycopersicon BAA13076.1 AAD03415.1 AAG14961.1 AAG14962.1 AAG14962.1 AAG14962.1 | |

| 300 | oleracea |
|--|--|
| Linum usitatissimum Linum usitatissimum Linum usitatissimum Spinacia oleracea Solanum tuberosum Zea mays Antirrhinum majus Antirrhinum augus Gea mays Cea mays Cea mays Cea mays Cea mays Cea mays Oryza sativam Zea mays Oryza sativa | Cicer arietinum Capsicum annuum Brassica juncea Chloroplast Spinacia oleracea Oryza sativa |
| AF310960 AF310960 AF310961 889 AF041848 AF073830 AF007582 AJ011623 | AJO06024 X64874 Y10846 L05184 AF073696 AF073698 |
| AAK28805.1 AAK28806.1 SEQ ID NO. AAC18055.1 AAC26113.1 AAB64291.1 SEQ ID NO. CAB56569.1 CAB56569.1 CAA63113.1 CAA63113.1 CAA63113.1 CAA63061.1 CAB56569.1 CAA63061.1 CAB56569.1 CAA63061.1 CAA63061.1 CAA63061.1 CAA63061.1 AAB51071.1 | CAA06819.1 CAA46086.1 CAA71799.1 AAA16973.1 AAD23908.1 |
| | |
| Glycine max Glycine max Linum usitatissimum Li | as e usi usi usi usi |
| AF175399 AF175388 AF093638 AF093641 U27081 U27081 U27081 A310155 A5093646 A4310151 AF093649 AF175394 | AF139523 AF310966 AF310960 AF310968 AF310964 |
| AAG09954.1 AAG09951.1 AAD25968.1 AAD25968.1 AAA91022.1 CAC35330.1 AAD25973.1 CAC35326.1 AAD25974.1 AAD25976.1 CAC35332.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35333.1 CAC35332.1 CAC35332.1 CAC35332.1 CAC35332.1 CAC35332.1 CAC35332.1 CAC35332.1 | AAF61452.1 AAK28811.1 AAK28806.1 AAK28812.1 AAK28810.1 |

| Petroselinum crispum Eschscholzia californica Picea abies Pisum sativum Populus x generosa Helianthus tuberosus Vicia sativa Pisum sativum Pisum sativum | Spinacia oleracea Volvox carteri f. nagariensis Vigna radiata Flaveria trinervia Hordeum vulgare Oryza sativa Chloroplast Lactuca sativa | Nicotiana sylvestris Zea mays Oryza sativa Hordeum vulgare Raphanus sativus Malus x domestica Nicotiana tabacum Capsicum annuum Lycopersicon esculentum Nicotiana tabacum Fragaria x ananassa Zea mays Zea mays Zea mays Zea mays |
|--|--|--|
| AF024634 U67186 AJ132538 AF057182 AF302498 Z26251 Z26252 AF057179 | 897 X71397 AF110793 898 AF139468 M83119 U08135 AF093634 AF162201 AF162201 | 899 X61664 AE052076 AE093635 X16092 900 AB000706 U77952 X70902 Z48451 AJ011943 X70903 X91839 S66813 L08426 S53630 L08425 |
| AAB97736.1 AAC05022.1 CAC27143.1 AAC14746.1 AAK15261.1 CAA81210.1 CAA81211.1 AAC14743.1 | SEQ ID NO. CAA50520.1 AAD55575.1 SEQ ID NO. AAD27880.2 AAA33344.1 AAA68147.1 AAAC78106.1 AAF19787.1 | SEQ ID NO. CAA43841.1 AAC26196.1 AAC78107.1 CAA34218.1 SEQ ID NO. BAA25432.1 AAB47752.1 CAA50259.1 CAA60882.1 CAA60882.1 CAA60882.1 CAA60882.1 CAA60882.1 CAA633431.1 AAB28589.1 AAB28589.1 AAB28589.1 AAB28589.1 |
| Vicia faba Pisum sativum Capsicum annuum Mesembryanthemum crystallinum Spinacia oleracea Nicotiana tabacum Zea mays Oryza sativa | | Pisum sativum Chlamydomonas reinhardtii Pisum sativum Pisum sativum Volvox carteri Chlamydomonas reinhardtii Pisum sativum Papaver somniferum Helianthus tuberosus Vigna radiata Populus x generosa Pseudotsuga menziesii Triticum aestivum Populus x generosa |
| 896 U14956 X12446 AJ250378 M25528 M86349 Y14032 AB035645 | APO01129 APO00616 AB035644 D87547 D38445 D12815 D17410 AB004307 X99419 U10418 AF321525 | AF321528 U10545 AF321527 AF321526 U22328 X78851 L15567 L15566 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 L15565 AF3313 AF302496 Z49767 AF302497 |
| | BAA80642.1 BAA88236.1 BAA13417.1 BAA07479.1 BAA02248.1 BAA02232.1 BAA20365.1 CAA67796.1 AAB40034.1 AAK09367.1 | AAK09370.1 AAAK09369.1 AAK09368.1 AAB40978.1 CAA55406.1 AAB59303.1 AAB59303.1 AAB59304.1 CAA45703.1 CAA49446.1 AAC05021.1 CAA81209.1 AAC05021.1 CAA81209.1 AAC05021.1 CAA81209.1 AAC05021.1 CAA81209.1 AAC05021.1 |

| CAA34376.1 | X16309 | Zea mays | AAA63901.1 | U22432 | Zea mays |
|------------|----------|-------------------------------|------------|----------|---------------------|
| AAA33436.1 | J04550 | Zea mays | AAB97115.1 | U58854 | Glycine max |
| | | Avena sativa | AAB28535.1 | S66160 | Oryza sativa |
| AAF37576.1 | AF233229 | Ceratodon purpureus | | | ı |
| \sim 1 | L08427 | Zea mays | | 902 | |
| | | | AAA50763.1 | U15605 | Nicotiana glutinosa |
| NO. | 901 | | CAA08798.1 | AJ009720 | Solanum tuberosum |
| 138 | Z73955 | Lotus japonicus | AAG09951.1 | AF175388 | Glycine max |
| CAA54506.1 | X77301 | Glycine max | AAK28809.1 | AF310962 | Linum usitatissimum |
| BAA02108.1 | D12540 | Pisum sativum | AAK28810.1 | AF310964 | Linum usitatissimum |
| AAD48018.1 | AF165095 | Gossypium hirsutum | AAK28804.1 | AF310959 | Linum usitatissimum |
| CAA98186.1 | LO. | Lotus japonicus | AAK28812.1 | AF310968 | Linum usitatissimum |
| \vdash | tO. | Gossypium hirsutum | AAK28805.1 | AF310960 | Linum usitatissimum |
| AAB47558.1 | U87143 | Mesembryanthemum crystallinum | AAK28803.1 | AF310958 | Linum usitatissimum |
| CAA54507.1 | \circ | Glycine max | AAK28808.1 | AF310961 | Linum usitatissimum |
| BAA06701.1 | D31905 | Zea mays | AAK28811.1 | AF310966 | Linum usitatissimum |
| BAA02904.1 | Ω | Oryza sativa | AAK28806.1 | AF310960 | Linum usitatissimum |
| AAK15703.1 | ~ | Oryza sativa | CAC35328.1 | AJ310153 | Linum usitatissimum |
| CAA89049.1 | 6 | Beta vulgaris | AAG43546.1 | AF211528 | Nicotiana tabacum |
| 8 | 35 | | CAC35332.1 | AJ310157 | Linum usitatissimum |
| BAA02114.1 | D12546 | Pisum sativum | CAC35325.1 | AJ310150 | Linum usitatissimum |
| CAA98180.1 | 35 | Lotus japonicus | CAC35336.1 | AJ310161 | Linum usitatissimum |
| \vdash | LO | Glycine max | CAA08797.1 | AJ009719 | Solanum tuberosum |
| CAA98179.1 | LO. | | CAC35321.1 | AJ310150 | Linum usitatissimum |
| 딥 | 퍃 | Pisum sativum | CAC35329.1 | AJ310154 | Linum usitatissimum |
| BAA02437.1 | S | Oryza sativa | CAC35326.1 | AJ310151 | Linum usitatissimum |
| <u></u> | ₹ | Lotus japonicus | CAC35339.1 | AJ310164 | Linum usitatissimum |
| BAA02112.1 | D12544 | Pisum sativum | CAC35338.1 | AJ310163 | Linum usitatissimum |
| | 4 | Pisum sativum | CAC35330.1 | AJ310155 | Linum usitatissimum |
| æ | 2 | | CAC35334.1 | AJ310159 | Linum usitatissimum |
| BAA02110.1 | 4 | Pisum sativum | CAC35337.1 | AJ310162 | Linum usitatissimum |
| CAA41966.1 | ~ | Oryza sativa | CAC35327.1 | AJ310152 | Linum usitatissimum |
| CAA95859.1 | 7 | Mangifera indica | CAC35323.1 | AJ310150 | Linum usitatissimum |
| BAA06702.1 | \sim | Zea mays | CAC35331.1 | AJ310156 | Linum usitatissimum |
| CAA98178.1 | LO. | Lotus japonicus | CAC3533.1 | AJ310158 | Linum usitatissimum |
| 210 | D12541 | Pisum sativum | AAD25974.1 | AF093647 | Linum usitatissimum |
| 64 | ~ | Pisum sativum | AAD25976.1 | AF093649 | Linum usitatissimum |
| S | 85 | Eagus sylvatica | AAG09953.1 | AF175398 | Glycine max |
| CAA55865.1 | 927 | dica | AAD25966.1 | AF093639 | Linum usitatissimum |
| ω | 39 | Lotus japonicus | AAD25965.1 | AF093638 | Linum usitatissimum |
| AAA34253.1 | 813 | Volvox carteri | AAD25967.1 | AF093640 | Linum usitatissimum |

| Brassica oleracea Oryza sativa Brassica oleracea Sorghum bicolor | n n n n n n n n n n n n n n n n n n n | na tabacum frutescens purpurea inifera inifera x hybrida x hybrida x hybrida inifera sicon esculentum esculenta inifera inifera inifera melongena inifera melongena |
|---|--|--|
| | | |
| AB032473 L27821 AB032474 904 AE199453 AE190634 | AF287143 AF127218 AB033758 AB031274 D85186 X77462 AB000623 AB0038248 U32644 U32644 U32644 | AF346432 X07940 AF320086 X13500 AB013596 AF028237 X07937 AB047099 AF165148 AB1647099 AF165148 AB047099 AB047099 AB047099 AF000371 AF000372 AB0470997 AF000372 AB0470997 |
| BAA92836.1 AAA33915.1 BAA92837.1 SEQ ID NO. AAF17077.1 AAF61647.1 | AAF98390.1 AAD21086.1 BAA93039.1 BAA83484.1 BAA12737.1 CAA54612.1 BAA19155.1 BAA89008.1 BAA89008.1 BAA89008.1 AAB36653.1 AAB36653.1 | AAK28304.1 CAA30761.1 AAK16410.1 CAA31855.1 BAA36421.1 AAB86473.1 CAA30760.1 BAB41021.1 BAB41025.1 BAB41019.1 BAB41019.1 BAB41019.1 BAB41018.1 BAB41017.1 BAB41017.1 BAB41023.1 CAA59450.1 CAA59450.1 CAA59450.1 CAA59450.1 |
| Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Glycine max Linum usitatissimum | | |
| AE093643 AE093648 AE093644 U73916 AE093642 AE175389 AE093645 | U27081 AF093646 U27081 AF175399 903 M67449 AJ298992 AY027437 AJ005077 AF110519 AF110518 | AF096250 AF305911 AF305912 AY028699 AF244889 AF244888 AF320086 D31737 D88193 D30049 Z73295 AJ010091 00069 AF131222 AF131222 AF339747 U00443 AF053127 U20948 AB000970 |
| AAD25970.1 AAD25975.1 AAD25971.1 AAB47618.1 AAD25969.1 AAG09952.1 | | AAD46406.1 AAG31141.1 AAK30005.1 AAK21965.1 AAF91323.1 AAF91324.1 AAF91322.1 AAK16409.1 BAAO6285.1 CAAO8995.1 CAAO8995.1 CAAO8995.1 CAAO8995.1 AAF11674.1 AAF2332.1 AAC23542.1 BAAC23542.1 BAAC33678.1 |

| | lac | | | ; | S | | | | | 3 | 04 | | | | | | | | | | | | | | | | | | | | |
|---|---|---------------------------------------|---------------------------------------|------------|--|------------|-------------------|------------|------------------------------------|--|-------------------------|-------------------|------------------|-----------------|-------------------------|------------------|--------------|------------|------------|-------------|-------------------------------|------------------|----------------|------------------------|----------------------|----------------------|-------------------|----------------------|-------------------------|-------------------|-------------------|
| Malus x domestica Hordeum vulgare Gerbera hybrida Lilium hybrid division I | Lilium hybrid cv. 'Acapulcc Zea mays Oryza sativa | Oryza sativa Dianthus caryophyllus | Oryza satıva Petunia x hybrida | | Dianthus gratianopolitanus Perilla frutescens | .0 | Gentiana triflora | Zea mays | Zed mays Forsythia x intermedia | ; 0 | Lycopersicon esculentum | Antirrhinum majus | Ipomoea purpurea | Ipomoea batatas | | Ipomoea purpurea | | | | | Bromheadia finlaysoniana | Ipomoea purpurea | | | Petroselinum crispum | Petroselinum crispum | Antirrhinum majus | | Lycopersicon esculentum | Nicotiana tabacum | Glycine max |
| AF117268 S69616 Z17221 AB058641 | AF169801 Y16041 AB003495 | ABU03496 Z67983 | YU7956 AE233639 | X15537 | AF291097 AB002817 | AF010283 | D85185 | Y16042 | Y16U4U V09127 | AF010283 | 218277 | X15536 | AB018438 | AB019243 | AF028601 | AB018437 | AB011667 | AB006793 | AB006792 | AB012924 | AF007096 | AB011667 | | 010 | AJ292745 | AJ292744 | X13676 | X13675 | AF176641 | D63951 | X10685 |
| AAD26204.1 AAB20555.1 CAA78930.1 BAB40789.1 | AAD49343.1 CAA75997.1 BAA36182.1 | BAA36183.1 CAA91924.1 | CAA69253.1 AAF60298.1 | CAA33544.1 | AAGU1030.1 BAA19658.1 | AAB94014.1 | BAA12736.1 | CAA75998.1 | CAA/5996.1 | AAB94015.1 | CAA79154.1 | CAA33543.1 | BAA74700.1 | BAA34637.1 | AAB84048.1 | BAA74699.1 | BAA36406.1 | BAA59333.1 | BAA22072.1 | BAB20075.1 | AAB62873.1 | BAA36405.1 | | | CAC00658.1 | CAC00657.1 | CAA74023.1 | CAA74022.1 | AAD55394.1 | BAA22204.1 | CAA71687.1 |
| Vitis vinifera Vitis vinifera Perilla frutescens | Malus x domestica Lycopersicon esculentum | | Ipomoea nil Ceratopteris richardii | | Ceratopteris richardii Ceratopteris richardii | icon | | | Ipomoea nil | blassica oletacea Tucopersicon escuientum | | | Hordeum vulgare | Picea mariana | Lycopersicon esculentum | Zea mays | Oryza sativa | | | Glycine max | Medicago sativa subsp. sativa | Pisum sativum | Vitis vinifera | Callistephus chinensis | Glycine max | Vitis vinifera | Daucus carota | Rosa hybrid cultivar | Fragaria x ananassa | Camellia sinensis | Camellia sinensis |
| AB047093 AB047095 AB002818 | 05 AF05376 U76408 | AJ276389 AB016000 | AB016001 AB043956 | U65648 | AB043954 AB043955 | 076409 | AF080104 | AE308454 | AB015999 | ME 193013 | AF000141 | AF050180 | AF022390 | U90092 | AF000142 | AF100455 | AF050181 | | 906 | AE202182 | U28213 | AF107404 | Y11749 | Z67981 | AF167556 | X75964 | AF184271 | D85102 | AF029685 | AB018686 | AB018685 |
| BAB41020.1 BAB41022.1 BAA19659.1 | SEQ ID NO. 9 AAF43095.1 AAD00252.1 | | BAA31700.1 BAB18584.1 | AAB41849.1 | BAB18582.1 BAB18583.1 | AAD09582.1 | AAC33008.1 | AAG27464.1 | BAA31698.1 | AAE 23 133.2 | AAC49917.1 | AAC32817.1 | AAB81079.1 | | | AAD13611.1 | AAC32818.1 | | | AAF17576.1 | AAB41550.1 | AAD17997.1 | CAA72420.1 | CAA91922.1 | AAD54273.1 | CAA53578.1 | AAD56578.1 | BAA12723.1 | AAC25960.1 | BAA84940.1 | BAA84939.1 |

| Camellia sinensis Ipomoea purpurea Ipomoea purpurea Camellia sinensis Vitis vinifera Ipomoea batatas Glycine max Glycine max Ipomoea purpurea Daucus carota Fragaria x ananassa Zea mays Sorghum bicolor Zea mays | Phaseolus vulgaris Vicia faba Nicotiana plumbaginifolia 05 Nicotiana tabacum Daucus carota Triticum aestivum Anemia phyllitidis Spinacia oleracea Chlamydomonas reinhardtii Cucumis sativus Hordeum vulgare Nicotiana tabacum | Oryza sativa Pisum sativum Nicotiana tabacum Capsicum annuum Chloroplast Medicago sativa |
|---|--|--|
| AB018685 AB018438 AF028601 AB018686 X75964 AB019243 AF202182 AF167556 AB011667 AF184271 AF029685 Y16041 AF010283 Y16040 | 914 X82030 X97905 AJ292767 AF190655 AF349964 U81318 Z26042 U34742 AF043297 AF240679 AJ224325 AF190657 AJ005286 | 915 AJ238318 918 Z11510 920 AB017480 X90472 AF332134 |
| BAA84939.1 BAA74700.1 AAB84048.1 BAA84940.1 CAA53578.1 BAA34637.1 AAD54273.1 BAA5407.1 AAD56578.1 AAC5960.1 CAA75997.1 AAB94014.1 CAA75997.1 | SEQ ID NO. CAA57551.1 CAA66479.1 CAC01237.1 AAF66823.1 AAK30205.1 AAK30205.1 AAK30205.1 AAK30205.1 AAK30205.1 AAK30202.1 CAA11894.1 AAF66825.1 CAA11894.1 | SEQ 1D NO. CAC37011.1 SEQ 1D NO. CAA77595.1 SEQ 1D NO. BAA33755.2 CAA62084.1 AAK15322.1 |
| Phaseolus vulgaris Petroselinum crispum Oryza sativa Oryza sativa Phaseolus acutifolius Oryza sativa Triticum aestivum Hordeum vulgare Phaseolus vulgaris Petroselinum crispum Catharanthus roseus Petroselinum crispum Spinacia oleracea | o d a a a a a a a a a a a a a a a a a a | Gerbera hybrida Vitis vinifera Callistephus chinensis Daucus carota Lilium hybrid division I Ipomoea nil Malus x domestica Ipomoea nil Ipomoea purpurea Ipomoea purpurea |
| AF350505 X58577 D78609 AB021736 AY026054 L34551 Y09013 Y10834 U57389 Y108034 AY027510 AY027510 AY292743 | 912 AF278698 AJ231134 X98083 Y13734 AJ295838 AJ225838 AJ224986 AF217958 X79566 X97433 AF297877 Y15069 AF169801 | 21/21 211749 267981 AF184272 AB006792 AF117268 AB006793 AB018437 |
| AAK25822.1 CAA41453.1 BAA11431.1 BAA36492.1 AAK01953.1 AAC37418.1 CAA70216.1 CAA71795.1 AAB36514.1 CAC00656.1 CAC00656.1 CAC11499.1 CAA11499.1 | <u> </u> | CAA78930.1 CAA72420.1 CAA91922.1 AAD56579.1 BAA22072.1 AAD26204.1 BAA59333.1 BAA59333.1 BAA59333.1 |

| , | | | 1 | 700 | H |
|------------|----------|-----------------------------|--------------|----------|-------------------------------|
| AAD17230.1 | AF117339 | ď | AAKIL568.1 | AF318492 | Lycopersicon nirsutum |
| CAA09933.1 | AUUIZIOS | Capsical alliami | T.00077 350 | 17005734 | (1) (1) (1) (1) (1) (1) |
| BAA13021.1 |) | Spinacia oleracea | | 927 | |
| AAF27916.1 | 6 | | CAB51545.1 | AJ243876 | Lycopersicon esculentum |
| BAB19880.1 | AB052887 | Oryza sativa | | | |
| BAB17626.1 | AB033537 | Oryza sativa | SEQ ID NO. 9 | 928 | |
| BAB17625.1 | AB033536 | Oryza sativa | AAF80450.1 | AF161719 | Triticum aestivum |
| CAB55389.1 | AL117264 | | AAB72110.1 | U79958 | Pisum sativum |
| AAB67835.1 | 1143398 | Solanum tuberosum | AAF22842.1 | AF209910 | Prunus dulcis |
| AAF12877 1 | AF205377 | Chlamydomonas reinhardtii | AAK31596.1 | AY029172 | Helianthus annuus |
| AAF37267.1 | AF220406 | | AAB72113.1 | U79961 | Zea mays |
| CAA06853.1 | AJ006095 | Cicer arietinum | BAA92985.1 | AP001550 | Oryza sativa |
| SEO ID NO. | 926 | | SEQ ID NO. 9 | 929 | |
| 1965 1 | AV028699 | Brassica napus | AAK09431.1 | AF324244 | Phaseolus vulgaris |
| APG03090 1 | AC073405 | + | AAA18546.1 | M94204 | Nicotiana tabacum |
| AAG16628.1 | AY007545 | Brassica napus | AAF15312.1 | AF145053 | |
| AAB61708.1 | U93048 | ŧυ | AAG32661.1 | AE264877 | Zea mays |
| AAF43496.1 | AF131222 | Lophopyrum elongatum | AAK08141.1 | AF234537 | Pelargonium graveolens |
| AAK11674.1 | AF339747 | Lophopyrum elongatum | AAD54821.1 | AF137379 | Nephroselmis |
| BAA78764.1 | AB023482 | Oryza sativa | olivacea | | |
| AAA33915.1 | L27821 | Oryza sativa | CAA74893.1 | Y14561 | Pisum sativum |
| BAA94509.1 | AB041503 | Populus nigra | AAF43860.1 | AF166114 | Chloroplast Mesostigma viride |
| CAA73134.1 | X12531 | Brassica oleracea | CAA75382.1 | Y15108 | Glycine max |
| BAA94510.1 | AB041504 | Populus nigra | | | |
| CAB51834.1 | 69000 | Oryza sativa | | 936 | |
| AAC61805.1 | U28007 | Lycopersicon esculentum | AAB38796.1 | U73203 | Nicotiana glutinosa |
| AAC23542.1 | U20948 | Ipomoea trifida | AAB69757.1 | U75644 | |
| BAA92954.1 | AP001551 | Oryza sativa | AAC49666.1 | U83708 | Lycopersicon esculentum |
| CAA97692.1 | Z73295 | Catharanthus roseus | | | |
| AAF66615.1 | AF142596 | Nicotiana tabacum | | 937 | |
| AAB93834.1 | U82481 | Zea mays | AAC24195.1 | AE020425 | Nicotiana tabacum |
| | AF220603 | Lycopersicon esculentum | AAK18620.1 | AF352732 | Nicotiana tabacum |
| AAB47421.1 | U59316 | Lycopersicon esculentum | AAB40608.1 | U54774 | Nicotiana tabacum |
| CAB89179.1 | AJ245479 | Brassica napus subsp. napus | AAA33710.1 | L16977 | |
| AAA33008.1 | M97667 | Brassica napus | AAA33709.1 | L16797 | Petunia x hybrida |
| AAF91337.1 | AF249318 | Glycine max | AAC39483.1 | AE020424 | |
| AAF91324.1 | AF244890 | Glycine max | BAB32870.1 | AB056062 | Oryza sativa |
| AAF91323.1 | AF244889 | Glycine max | BAB32868.1 | AB056060 | |
| BAA23676.1 | AB000970 | Brassica rapa | BAB32871.1 | AB056063 | Oryza sativa |

| | | | | | | | | | | | | | | | | | | 30 |)/ | | | | | | | | | | | | | | | | | | | | |
|-------------------|-------------|--------------|-------------------|-------------|-------------------|-------------------|----------------|--------------------|------------------|--------------------|-------------------------|-----------------------------|-------------------|-------------------|-------------------------|-------------------|-------------------------|-------------------|-----------------|----------------|---------------------------------|-------------------------|----------------|-------------------------|---------------------------------|------------------------|----------------|--------------------|-------------------|-------------------|-------------------|-----------------------|-------------------|-------------------|-------------------------|-------------------|-------------------------|-------------------------|----------------------|
| Malus x domestica | Glycine max | Ipomoea nil | Glycine max | Glycine max | Ipomoea nil | Glycine max | Brassica napus | Oryza sativa | Pinus sylvestris | Oryza sativa | Ipomoea nil | Glycine max | Glycine max | Oryza sativa | Lycopersicon esculentum | Nicotiana tabacum | Oryza sativa | Glycine max | Oryza sativa | | | Cyamopsis tetragonoloba | Pisum sativum | Cyamopsis tetragonoloba | Pisum sativum | | | Brassica napus | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana benthamiana | Nicotiana tabacum | Nicotiana tabacum | Pisum sativum | Nicotiana tabacum | Pisum sativum | Oryza sativa | Populus nigra |
| AF053127 | AF244889 | 077888 | AF244890 | AF244888 | U77888 | AF197947 | AY028699 | AC073405 | AJ250467 | AF119222 | U77888 | AF249318 | AF249317 | L27821 | U28007 | AE302082 | AP000559 | AF197946 | AP000391 | | 940 | AJ005082 | U31544 | AJ005081 | AB059568 | | 941 | S64617 | AF085197 | AF038875 | AB025029 | AF305075 | AJ012662 | AF104412 | X16796 | X18135 | AB008186 | X54046 | AB041506 |
| AAC36318.1 | AAF91323.1 | AAG52992.1 | AAF91324.1 | AAF91322.1 | AAB36558.1 | AAE59906.1 | AAK21965.1 | AAG03090.1 | CAC20842.1 | AAD27675.1 | AAG52994.1 | AAF91337.1 | AAF91336.1 | AAA33915.1 | AAC61805.1 | AAG25966.1 | BAA84787.1 | AAF59905.1 | BAA83373.1 | | SEQ ID NO. | CAA06339.1 | AAA86532.1 | CAA06338.1 | BAB40967.1 | | | AAB27811.1 | AAC34126.1 | AAC27992.1 | BAA76349.1 | AAG24908.1 | CAA10108.1 | AAD19905.1 | CAA76392.1 | CAA77062.1 | BAA33151.1 | CAA37979.1 | BAA94512.1 |
| Oryza sativa | 1 | | Nicotiana tabacum | Zea mays | Petunia x hybrida | Verbena x hybrida | Brassica napus | Perilla frutescens | Citrus unshiu | Perilla frutescens | Scutellaria baicalensis | Dorotheanthus bellidiformis | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Petunia x hybrida | Sorghum bicolor | Vitis vinifera | Vitis Labrusca x Vitis vinifera | Vitis vinifera | Vitis vinifera | Gentiana triflora | Vitis Labrusca x Vitis vinifera | Forsythia x intermedia | Vitis vinifera | Perilla frutescens | Phaseolus lunatus | Ipomoea batatas | Ipomoea purpurea | Manihot esculenta | | | Lycopersicon esculentum | Zea mays | Lycopersicon esculentum | Lycopersicon esculentum | Petunia integrifolia |
| AB056061 | 2 | 938 | AE190634 | L34847 | AB027455 | AB013598 | AF287143 | AB013596 | AB033758 | AB013597 | AB031274 | X18871 | U32644 | U32643 | AE346431 | AE346432 | X85138 | AB027454 | AF199453 | AF000372 | AB047090 | AB047095 | AB047093 | D85186 | AB047091 | AF127218 | AF000371 | AB002818 | AF101972 | AB038248 | AF028237 | X77464 | | 939 | AF243040 | AF243041 | U58474 | U58473 | L27341 |
| BAB32869.1 | 7 | SEQ ID NO. 9 | AAF61647.1 | AAA59054.1 | BAA89009.1 | BAA36423.1 | AAF98390.1 | BAA36421.1 | BAA93039.1 | BAA36422.1 | BAA83484.1 | CAB56231.1 | AAB36653.1 | AAB36652.1 | AAK28303.1 | AAK28304.1 | CAA59450.1 | BAA89008.1 | AAF17077.1 | AAB81683.1 | BAB41017.1 | BAB41022.1 | BAB41020.1 | BAA12737.1 | BAB41018.1 | AAD21086.1 | AAB81682.1 | BAA19659.1 | AAD04166.1 | BAA90787.1 | AAB86473.1 | CAA54614.1 | | | AAK28345.1 | AAK28346.1 | AAC12254.1 | AAC12253.1 | AAA33715.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | 308 | | |
|--|---|--|--|--|
| Lycopersicon esculentum Lupinus luteus Lupinus luteus Solanum tuberosum subsp. Zea mays Zea mays Euphorbia esula Oryza sativa Solanum commersonii Oryza sativa | Brassica napus Chlamydomonas reinhardtii Oryza sativa Capsicum annuum Vicia faba Pseudotsuga menziesii Digitalis lanata | | | Lycopersicon esculentum Lycopersicon esculentum Oryza Oryza sativa Oryza sativa Sesamum indicum Oryza sativa Ambrosia artemisiifolia |
| M55019 Y16088 AF178458 AF126551 M55021 X68678 AF242312 L29469 U92087 L29470 | M55018 AF052206 L29471 AF291180 L32095 AJ132763 X97255 Z14081 | 944 AB037156 D10622 D38130 AF117334 | AJ224331 AB038394 AB038392 D31700 AB039673 D64115 X71124 | AF198389 AF198388 S49967 J03469 U54702 AF240007 J05595 L16624 X57658 |
| AAA63543.1 CAA76054.1 AAE00471.1 AAD22975.1 tuberosum AAA63403.1 CAA48638.1 AAE65770.1 AAE57045.1 AAB51386.1 | AAA62706.1 AAC05639.1 AAA57044.1 AAG01536.1 AAA64430.1 CAA10766.1 CAA65889.1 | · | CAA11899.1 BAB18768.1 BAB18766.1 BAA19608.1 BAA95416.1 BAA19610.1 CAA50437.1 | AAE23126.1 AAE23126.1 AAB24010.1 AAA33903.1 AAK15090.1 AAA33911.1 AAA32672.1 CAA40860.1 |
| Catharanthus roseus Zea mays Zea mays Daucus carota Glycine max Tetraselmis chui Dunaliella tertiolecta Daucus carota Daucus carota Oryza sativa | Zea mays Zea mays Triticum aestivum Avicennia marina Nicotiana tabacum | Fisum sativum Lycopersicon esculentum Mesembryanthemum crystallinum Lycopersicon esculentum Catharanthus roseus Orvza sativa | Oryza sativa Oryza sativa Prunus armeniaca Brassica oleracea Lycopersicon esculentum Pseudotsuga menziesii Lycopersicon esculentum Mesembryanthemum crystallinum | Triticum aestivum Picea mariana Oryza sativa Glycine max Phaseolus vulgaris Catharanthus roseus |
| X55052 X79065 U87949 X62976 X55706 AF012212 AF034201 D1055 D1055 | 942 AF032468 AJ002959 M62720 AF262934 AB026055 AB026056 | , 7 6 0 4 7 5 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 | U15971 AF008910 U17250 X82938 AJ131733 AY004247 | MZ8059 AF051240 D17786 AF180143 943 X774403 X85185 |
| CAA38893.1 CAA55669.1 AAD10528.1 CAB56779.1 CAA39239.1 AAB81177.2 AAB87568.1 BAA01412.1 BAA20971.1 | SEQ ID NO. 3 AAC12662.1 CAA05772.1 AAA34310.1 AAF73016.1 BAB40310.1 BAB40311.1 | AAA64427.1 CAA51821.1 AAD51109.1 AAD42941.1 BAA90392.1 | AAB03513.1 AAB63513.1 AAA86089.1 CAA58111.1 CAA10494.1 AAF23847.1 | AAA34309.1 AAC32141.1 BAA21006.1 AAF03236.1 SEQ ID NO. CAA52414.1 CAA59468.1 |

| | | | | | | | | | | | | αį | | | 3 | 309 |) | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|-------------------------|--------------------------------|-----------------------|-----------------------|-------------------------|--------------------|---------------|-----------------------|-----------------------|-------------------|--------------------------|-------------------|------------|-----------------|-------------------|------------------|------------------------|-------------|------------------------|------------------------|-----------------|-----------------|------------------------|---------------------------|--------------|--------------|------------|-------------------|------------|------------|--------------|----------------|------------|-----------------|-------------------|-------------------|
| Parthenium argentatum Zea mays | | Glycine max | Euphologa esula Glycine max | Dianthus caryophyllus | Dianthus caryophyllus | Euphorbia esula | Hyoscyamus muticus | Glycine max | Solanum commersonii | Dianthus caryophyllus | Zea mays | Nicotiana plumbaginifoli | Nicotiana tabacum | Zea mays | Glycine max | Petunia x hybrida | Coccomyxa sp. PA | Alopecurus myosuroides | Zea mays | Alopecurus myosuroides | Alopecurus myosuroides | Silene vulgaris | Silene vulgaris | Alopecurus myosuroides | Persea americana | Oryza sativa | Zea mays | Zea mays | Triticum aestivum | Zea mays | Zea mays | Oryza sativa | | | | Datura stramonium | Solanum tuberosum |
| X78213 Y07959 | 947 | AF243378 | AF243379 | X58390 | M64268 | AF263737 | X78203 | AF243377 | AF002692 | L05916 | AJ010296 | Z71749 | D10524 | AJ010295 | AF243380 | Y07721 | U42463 | AJ010452 | AF244682 | AJ010451 | AJ010454 | M84969 | M84968 | AJ010453 | AF133894 | AF062403 | M16902 | M16901 | AF184059 | X79515 | U12679 | AJ002380 | | 948 | L20475 | L20473 | AJ307584 |
| CAA55047.1 CAA69256.1 | SEQ ID NO. | AAG34813.1 | AAG34814.1 | CAA41279.1 | AAA33277.1 | AAF72197.1 | CAA55039.1 | AAG34812.1 | AAB65163.1 | AAA51450.1 | CAB38119.1 | CAA96431.1 | BAA01394.1 | CAB38118.1 | AAG34815.1 | CAA68993.1 | AAC50036.1 | CAA09191.1 | AAG34825.1 | CAA09190.1 | CAA09193.1 | AAA33931.1 | AAA33930.1 | CAA09192.1 | AAF61392.1 | AAC64007.1 | AAA33469.1 | AAA33470.1 | AAD56395.1 | CAA56047.1 | AAA20585.1 | CAA05354.1 | | | AAA33280.1 | AAA33281.1 | CAC34420.1 |
| .⊣ ⊭ | Solanum tuberosum Triticum aestivum | Lycopersicon esculentum | | | | Lycopersicon esculentum | Pisum sativum | Pisum sativum | Tripsacum dactyloides | Nicotiana tabacum | Nicotiana tabacum | Ipomoea trifida | Ipomoea trifida | Zea mays | Ipomoea trifida | Ipomoea trifida | Pisum sativum | Tripsacum dactyloides | Glycine max | Picea abies | | | Zea mays | Zea mays | Chlamydomonas reinhardtii | Zea mays | Oryza sativa | Zea mays | Zea mays | Zea mays | Zea mays | Glycine max | Lupinus luteus | Zea mays | Euphorbia esula | Ϋ́S | Oryza sativa |
| AF143677 AB038393 | L16450 AB038391 | AF198390 | AE283536 | | 945 | U21801 | AF053638 | AE097651 | U89270 | AJ223178 | AJ223177 | AE072447 | AE072449 | L20621 | AF072450 | AE072448 | AF053639 | U89271 | AF169018 | X74115 | | 946 | U62752 | U40147 | X66411 | 062750 | AP001550 | U62749 | X86553 | U29383 | U62748 | L46848 | X93587 | 062751 | AF227622 | 062753 | D21130 |
| AAD33907.1 BAB18767.1 | AAA16120.1 BAB18765.1 | AAF23128.1 | BABI8/09.1 AAG38521.1 | | SEQ ID NO. 9 | AAB00109.1 | AAF04193.1 | AAF04253.1 | AAB57737.1 | CAA11154.1 | CAA11153.1 | AAC35340.1 | AAC35342.1 | AAC37345.1 | AAC35343.1 | AAC35341.1 | AAF04194.1 | AAB57738.1 | AAF89645.1 | CAA52213.1 | | SEQ ID NO. 9 | AAB71079.1 | AAA91168.1 | CAA47042.1 | AAD11447.1 | BAA92988.1 | AAD11446.1 | CAA60251.1 | AAC49360.1 | AAD11459.1 | AAB63814.1 | CAA63786.1 | AAB71078.1 | AAF34767.1 | AAB71080.1 | BAA04668.1 |

| | Lotus japonicus Nicotiana tabacum Nicotiana tabacum | | Zea mays Mesembrvanthemum crvstallinum | | Mesembryanthemum crystallinum | Fagus sylvatica | | Mesembryanthemum crystallinum | lays | | | tabacum | iana tabacum | Citrus limon | | | ica napus | sica napus | sica napus | ica napus | ica napus | | us tremula x Populus | ı | mays | | | ıs avium | Petroselinum crispum | Petroselinum crispum | | |
|--|---|-------------------|---|------------|-------------------------------|-------------------|-------------|-------------------------------|-----------------|------------|---------------------|---------|--------------------|----------------------|-------------------------|-------------------------|-----------------|-------------------------|-------------------------|---------------------|-----------------|-----------------|---|--------------|-------------------|--------------|----------------|-----------------|----------------------|----------------------|-----|-------------------------------|
| | AF092432 Lotus japo AJ277086 Nicotiana AJ277087 Nicotiana | | AF213455 Zea mays AF075580 Mesembry | | | | | 81 | U81960 Zea mays | | | | AJ005900 Nicotiana | AF184068 Citru: | | | Y10156 Brassica | AJ223307 Brassica | Y10155 Brassica | S | U39319 Brassica | | AF115543 Populus | ı | AJ011794 Zea ma | | | AJ004916 Prunus | AF012867 Petro | AF012866 Petro: | | |
| | AAD17805.1 AFC CAC10358.1 AJ2 CAC10359.1 AJ3 | | AAG43835.1 AE2 AAC36698.1 AE6 | | | | | AAC36699.1 AF(| | | ς ζ | | | AAD56039.1 AE1 | | SEQ ID NO. 964 | CAA71238.1 Y1(| CAB62165.1 AJ | CAA71237.1 Y1(| | AAC49182.1 U3 | OF ON OT OW | , | tremuloides | CAB65535.1 AJ | | SEQ ID NO. 972 | | | AAB69322.2 AF(| | SEQ ID NO. 973 |
| Hyoscyamus niger Hyoscyamus niger Solanum tuberosum Solanum tuberosum | Datura stramonium Hyoscyamus niger Hyoscyamus niger | cuphea lanceolata | Brassica napus Brassica napus | m' | Oryza sativa | Nicotiana tabacum | a x hybrida | tiva | napus | truncatula | Medicago truncatu⊥a | | | Thlaspi caerulescens | Lycopersicon esculentum | Lycopersicon esculentum | Pisum sativum | Lycopersicon esculentum | Lycopersicon esculentum | Medicago truncatula | | 97cm co7 | 2 cm 2) 2 | | Nicotiana tabacum | Oryza sativa | Oryza sativa | Oryza sativa | Cicer arietinum | | | Mesembryanthemum crystallinum |
| D88156 AB026544 AJ245634 AJ292343 | 120474 120485 AR026545 | ያ ን ነው (| X64463 S60064 | Y13861 | AJ003025 | Y13862 | | AF093628 | X95462 | 276 | L22765 | | 949 | AF133267 | AF136579 | AF246266 | AF065444 | AF246266 | AF136580 | AY007281 | | 953 NEOF8757 | 2000 | 954 | AF211532 | AB045121 | AB023482 | AP000616 | AB026262 | | 958 | AE097667 |
| BAA13547.1 BAA85844.1 CAB52307.1 CAC19810.1 | AAA33282.1 AAB09776.1 BAA85845.1 | CAA45866.1 | CAA45793.1 | CAA74176.1 | CAA05816.1 | CAA74177.1 | CAA05879.1 | AAC78100.1 | CAA64729.1 | AAB05206.1 | AAB05205.1 | | SEQ ID NO. 9 | AAF61374.1 | AAD30548.1 | AAF97509.1 | AAC17441.1 | AAF97510.1 | AAD30549.1 | AAG09635.1 | | SEQ ID NO. 9 | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | SEQ ID NO. 9 | Н | BAA96875.1 | BAA78746.1 | BAA85438.1 | BAA77204.1 | | | AAD11430.1 |

| Mitochondrion Marchantia | Oryza sativa | Spinacia oleracea Spinacia oleracea Spinacia oleracea Plastid Marchantia polymorpha | Nicotiana tabacum Petunia x hybrida Petunia x hybrida Lycopersicon esculentum | Antirrhinum majus Antirrhinum majus Gossypium hirsutum Gossypium hirsutum Lycopersicon esculentum Orvza sativa | Lycopersicon esculentum Oryza sativa Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Oryza sativa Oryza sativa Glycine max Glycine max Glycine max Glycine max Glycine max Glycine sativa Oryza sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum |
|----------------------------------|--|--|--|--|--|
| 978 M68929 | 981 AE040700 | 983 M64682 M57413 X56691 X04465 | 984 AB028650 Z13996 Z13997 X95297 | A50297 A4006292 AF336283 AF336278 X95296 Y11415 | X99134 X11414 X98308 AB028649 X11352 D88617 AB029161 AB029160 AB029160 AB029160 AB029165 X11350 AC037425 U72762 AB028651 |
| SEQ ID NO. AAC09416.1 polymorpha | SEQ ID NO. AAC99620.1 | SEQ ID NO. AAA74715.1 AAA34041.1 CAA40019.1 CAA28130.1 | SEQ ID NO. BAA88222.1 CAA78386.1 CAA78387.1 CAA64615.1 | CAB43399.1 CAB43399.1 AAK19616.1 AAK19611.1 CAA64614.1 CAA72218.1 | CAA67575.1 CAA72217.1 CAA66952.1 BAA88221.1 CAA72187.1 BAA23337.1 BAA81732.1 BAA81732.1 BAA81732.1 BAA81730.1 BAA81730.1 BAA81730.1 BAA81730.1 BAA81730.1 CAA72185.1 AAG13574.1 AAG13574.1 |
| Oryza sativa | Daucus carota Citrus maxima Nicotisma tabacum | Nicoliana tabacum Solanum tuberosum Oryza sativa Beta vulgaris Populus x generosa Cucurbita sp. | Petroselinum crispum Helianthus annuus Petroselinum crispum Zea mavs | Led Mays Helianthus annuus Vallisneria gigantea Zea mays Helianthus annuus Chara corallina | Chara corallina Helianthus annuus Helianthus annuus Chlamydomonas reinhardtii Acetabularia cliftonii Zea mays Acetabularia cliftonii Vallisneria gigantea Anemia phyllitidis Anemia phyllitidis Gossypium hirsutum Vigna mungo Triticum aestivum Azolla rubra Vigna mungo Triticum aestivum Azolla rubra Vigna mungo |
| 974 AE024512 | AB017159 U19481 V84226 | A84220 X75082 AP000367 X84228 X84227 D38132 | 977 AF319457 U94781 AF338254 AF147738 | AE14/750 U94783 AE233886 AE104924 U94785 AB034154 | AB007459 U94784 AF077352 U94398 AF147739 U94397 X67103 X67103 X67103 U48786 U48786 U48786 U48787 |
| | SEC ID NO: 3 BAA32557.1 AAA82743.1 Caa59008 1 | CAA559008.1 CAA52976.1 BAA82390.1 CAA59010.1 CAA59009.1 BAA07328.1 | SEQ ID NO. 3 AAG49341.1 AAB71526.1 AAK21311.1 AAD31926.1 | AAB93521.1 AAB93521.1 AAF43440.1 AAD17931.2 AAB71529.1 BAA87057.1 | BAB03273.1 BAB71528.1 BAB71528.1 BAC27525.1 BAB53062.1 BAB53061.1 BAB53061.1 CAA47477.1 CAA47477.1 CAA47476.1 BAA92114.1 BAA92111.1 BAA92111.1 BAA92111.1 |

| | | | | | | | | | | | | | | | | | 3 | 31: | 2 | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-----------------|-------------------|-------------------|------------------------|----------------|-------------------------|------------|--------------------|------------------|---------------------|--------------|---------------------------|---------------|---------------------|--------------------------|-------------------------|-------------------|-------------------------|-------------------------|--------------|----------------|-----------------|-------------------|---------------------|-----------------|-----------------|-------------------------|-----------------|------------------|-------------------|---------------------|---------------------|------------------------|---------------------|-----------------|--------------------------|-----------------------|-----------------------|-----------------------|
| Daucus carota Matthiola incana | Medicago sativa | Petunia x hybrida | Petunia x hybrida | Callistephus chinensis | Vitis vinifera | Hordeum vulgare | | Perilla frutescens | Daucus carota | Ipomoea nil | | | Daucus carota | Medicago truncatula | Lycopersicon esculentum | Lycopersicon esculentum | Petunia x hybrida | Lycopersicon esculentum | Malus x domestica | | | Hordeum vulgare | . Hordeum vulgare | Oryza sativa | Hordeum vulgare | Sorghum bicolor | Lycopersicon esculentum | Hordeum vulgare | Sorghum bicolor | Hordeum vulgare | Solanum berthaultii | Solanum berthaultii | Lycopersicon pennellii | Solanum berthaultii | Sorghum bicolor | Matricaria chamomilla | Hordeum vulgare | Oryza sativa | Hordeum vulgare |
| AF184270 X72594 | X78994 | AF022142 | X60512 | X72593 | X75966 | X58138 | AF184273 | AB003779 | AF184274 | D83041 | | 886 | U83921 | AF134835 | AB022687 | AB022686 | U94748 | AF016845 | AF220203 | | 686 | X0960Z | X78878 | AP002539 | X78877 | AF061282 | AF242849 | X09603 | AF061282 | X78876 | AF006080 | AF006078 | AF248647 | AF006079 | AF061282 | AF141384 | 703897 | D17586 | Y09604 |
| AAD56577.1 CAA51192.1 | CAA55628.1 | AAC49929.1 | CAA43027.1 | CAA51191.1 | CAA53580.1 | CAA41146.1 | AAD56580.1 | BAA20143.1 | AAD56581.1 | BAA21897.1 | | | AAB63030.1 | AAF37386.1 | BAA76896.1 | BAA76895.1 | AAC18914.1 | AAB70241.1 | AAF27919.1 | | | CAA70815.1 | CAB59202.1 | BAB08188.1 | CAA55478.1 | AAD22150.1 | AAF44708.1 | CAA70816.1 | AAD22151.1 | CAB58992.1 | AAD01265.1 | AAD01263.1 | AAE64227.1 | AAD01264.1 | AAD22164.1 | AAD42963.2 | AAA32940.1 | BAA04510.1 | CAA70817.1 |
| Gossypium hirsutum Orvza sativa | Zea mays | Hordeum vulgare | Hordeum vulgare | Zea mays | Oryza sativa | Lycopersicon esculentum | | | Digitalis lanata | Catharanthus roseus | Oryza sativa | Chlamydomonas reinhardtii | Oryza sativa | Zea mays | Solanum tuberosum subsp. | | Zea mays | . Phaseolus vulgaris | Lycopersicon esculentum | Oryza sativa | Lupinus luteus | Lupinus luteus | Euphorbia esula | Solanum commersonii | Brassica napus | Vicia faba | Pseudotsuga menziesii | Capsicum annuum | Digitalis lanata | Nicotiana tabacum | | | Brassica napus | Oryza sativa | Malus sp. | Bromheadia finlaysoniana | Dianthus caryophyllus | Dianthus caryophyllus | Dianthus caryophyllus |
| AF336286 D88618 | AF210616 | X70879 | X70877 | M73028 | X96749 | X99210 | | 985 | X08273 | X85185 | L29469 | AE052206 | L29470 | X68678 | AF126551 | | M55021 | X74403 | M55019 | L29471 | AF178458 | X16088 | AF242312 | U92087 | M55018 | L32095 | AJ132763 | AF291180 | X97255 | Z14081 | | 987 | AJ237848 | AB026295 | X69664 | X89199 | U82432 | X70378 | X72592 |
| AAK19619.1 BAA23338.1 | AAG36774.1 | CAA50224.1 | CAA50222.1 | AAA33500.1 | CAA65525.1 | CAA67600.1 | | | CAA69598.1 | CAA59468.1 | AAA57045.1 | AAC05639.1 | AAA57046.1 | CAA48638.1 | AAD22975.1 | tuberosum | AAA63403.1 | CAA52414.1 | AAA63543.1 | AAA57044.1 | AAF00471.1 | CAA76054.1 | AAF65770.1 | AAB51386.1 | AAA62706.1 | AAA64430.1 | CAA10766.1 | AAG01536.1 | CAA65889.1 | CAA78459.1 | | SEQ ID NO. | CAC14568.1 | BAA81862.1 | CAA49353.1 | CAA61486.1 | AAB39995.1 | CAA49839.1 | CAA51190.1 |

| | 313 | κ |
|---|--|---|
| Zea mays Zea mays Zea mays Catharanthus roseus Avena sativa Secale cereale Trifolium repens Avena sativa Manihot esculenta Musa acuminata Brassica napus Brassica napus Brassica nigra Cicer arietinum Oryza sativa | Musa acuminata Fragaria x ananassa Vitis vinifera Musa acuminata Zinnia elegans Musa acuminata Medicago sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum | Musa acuminata Pinus contorta Dalbergia cochinchinensis Polygonum tinctorium Costus speciosus Rauvolfia serpentina Secale cereale Prunus avium Cucurbita pepo Prunus serotina Sorghum bicolor Manihot esculenta |
| U44773 X74217 AF112888 AF082991 AF293849 X56733 X78433 U95298 AF321287 Z21977 Z21977 X82577 U72154 AJ005950 | 1004 AF206320 U63550 AF243475 AF206319 Y09541 X92943 U41472 X671102 X61101 X67159 | AF321287 AF321287 AF072736 AF163097 AB003089 D83177 AF149311 AF293849 U39228 AF170087 AF21526 U33817 S35175 |
| AAB03266.1 CAA52293.1 AAF28800.1 AAD02839.1 AAG00614.1 CAA40057.1 CAA51981.1 AAK07429.1 CAA57913.1 AAB38784.1 CAA57913.1 | • = = = = = = = = = = = = = = = = = = = | SEQ ID NO. AAK07429.1 AAC69619.1 AAF04007.1 BAA78708.1 BAA11831.1 AAF03675.1 AAG00614.1 AAG25897.1 AAF34650.1 AAC49177.1 |
| Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Cicer arietinum Vigna radiata Vigna radiata Pisum sativum Taxus canadensis | | Prunus serotina Rauvolfia serpentina Cucurbita pepo Polygonum tinctorium Manihot esculenta Manihot esculenta Zea mays Sorghum bicolor Pinus contorta Trifolium repens Hordeum vulgare Zea mays Zea mays |
| D17587 D10985 AP002839 AP001633 AJ271659 U49741 U49382 Z68130 990 AF081514 AF109392 | 995 X59970 AP000836 X96727 X67310 Y14432 Y14431 Y16126 1003 U39228 D83177 AF163097 | AF221526 AF149311 AF170087 AB003089 X94986 S35175 U44087 U33817 AF072736 X56734 L41869 U25157 |
| BAA04511.1 BAA01757.1 BAB19126.1 BAA94235.1 CAB71127.1 AAA92064.1 AAA92062.1 CAA92216.1 SEQ ID NO. 9 AAD16018.1 SEQ ID NO. 9 | | AAF34650.1 AAF03675.1 AAG25897.1 BAA78708.1 CAA64442.1 AAB22162.1 AAC69619.1 CAA40058.1 AAA87339.1 AAA87339.1 AAA65946.1 |

| AAA87339.1 | L41869 | Vu | BAA93465.1 | AB028077 | Physcomitrella patens |
|------------|----------------------|----------------------------|--------------|----------|-------------------------------|
| CAA64442.1 | A94986 | Maninot escuienta | AAU3/699.I | AF145/30 | ativa |
| AAB03266.1 | AE 002391 1144773 | Aveila saciva Zee mavs | CAA63222.1 | X92489 | Daucus carota Glyrine max |
| AAD09850.1 | U44087 | Zea mays | | | |
| CAA52293.1 | X74217 | Zea mays | SEQ ID NO. 1 | 1007 | |
| AAD10503.1 | U33816 | Zea mays | AAB88617.1 | AF034946 | Zea mays |
| AAA65946.1 | U25157 | Zea mays | AAA34125.1 | L23762 | Lycopersicon esculentum |
| AAF28800.1 | AF112888 | Catharanthus roseus | AAA64427.1 | L29077 | Pisum sativum |
| CAA40058.1 | X56734 | Trifolium repens | CAA51821.1 | X73419 | Lycopersicon esculentum |
| CAA55196.1 | X78433 | Avena sativa | AAD51109.1 | AF176040 | Mesembryanthemum crystallinum |
| CAA40057.1 | X56733 | Trifolium repens | AAB02168.1 | U15971 | Oryza sativa |
| CAA79989.2 | Z21977 | Brassica napus | AAA86089.1 | U17250 | Brassica oleracea |
| AAB71381.1 | U95298 | Manihot esculenta | AAD42941.1 | AF091621 | Catharanthus roseus |
| CAA57913.1 | X82577 | Brassica napus | BAA21006.1 | D17786 | Oryza sativa |
| AAB38784.1 | 072154 | Brassica nigra | AAF73016.1 | AF262934 | Avicennia marina |
| ė | U28047 | Oryza sativa | AAA34310.1 | M62720 | Triticum aestivum |
| CAC08209.1 | AJ005950 | Cicer arietinum | BAB40310.1 | AB026055 | Nicotiana tabacum |
| | | | BAB40311.1 | AB026056 | Nicotiana tabacum |
| SEQ ID NO. | 1006 | | CAA58111.1 | X82938 | Lycopersicon esculentum 5 |
| AAG43283.1 | AF139210 | Oryza sativa | CAA06493.1 | AJ005348 | |
| AAD37698.1 | AF145729 | Oryza sativa | AAC12662.1 | AF032468 | Zea mays |
| AAF01765.1 | AF184278 | Glycine max | BAA90392.1 | AP001081 | Oryza sativa |
| AAD37695.1 | AF145726 | Oryza sativa | CAA05772.1 | AJ002959 | Zea mays |
| AAF19980.1 | AF211193 | Oryza sativa | AAF22280.1 | AF165420 | Mesembryanthemum crystallinum |
| AAK31270.1 | AC079890 | Oryza sativa | AAF03236.1 | AF180143 | Glycine max |
| CAA65456.2 | X96681 | Oryza sativa | AAG23847.1 | AY004247 | Lycopersicon esculentum |
| BAA93466.1 | AB028078 | Physcomitrella patens | AAB63513.1 | AF008910 | Prunus armeniaca |
| CAA64491.1 | X95193 | Pimpinella brachycarpa | AAA34309.1 | M28059 | Triticum aestivum |
| CAA62608.1 | X91212 | Lycopersicon esculentum | CAA10494.1 | AJ131733 | Pseudotsuga menziesii |
| CAA64152.1 | X94375 | Pimpinella brachycarpa | AAC32141.1 | AF051240 | Picea mariana |
| BAA05625.1 | D26576 | Daucus carota | | | |
| AAA63768.2 | AE339748 | Helianthus annuus | SEQ ID NO. 1 | 1008 | |
| AAD38144.1 | AF139497 | Prunus armeniaca | CAA63222.1 | X92489 | Glycine max |
| CAA06728.1 | AJ005833 | Craterostigma plantagineum | CAA64221.1 | X94449 | Pimpinella brachycarpa |
| AAD37700.1 | AF145731 | | CAA64152.1 | X94375 | Pimpinella brachycarpa |
| BAA93462.1 | AB028074 | | CAA64491.1 | X95193 | Pimpinella brachycarpa |
| • | 7 | Physcomitrella patens | CAA65456.2 | X96681 | Oryza sativa |
| • | AB042769 | | AAF19980.1 | AF211193 | Oryza sativa |
| BAA05624.1 | D26575 | | AAK31270.1 | AC079890 | Oryza sativa |
| BAA93467.1 | AB028079 | Physcomitrella patens | AAA74017.1 | U30475 | Glycine max |

| | 313 |
|--|--|
| Beta vulgaris Vigna radiata Vigna radiata Lens culinaris Glycine max Glycine max Glycine max Glycine max Fisum sativum Lupinus albus Beta vulgaris Trifolium repens Lens culinaris Trifolium repens Catharanthus roseus Solanum melongena Petunia x hybrida Sorghum bicolor Asparagus officinalis | Brassica rapa Brassica rapa Brassica rapa Vigna unguiculata Glycine max Glycine max Lycopersicon esculentum Zea mays Zea mays Zea mays Lycopersicon esculentum Ricinus communis Glycine max Oryza sativa Manihot esculenta Zea mays Castanea sativa Sorghum bicolor Coix lacryma-jobi Helianthus annuus Oryza sativa |
| AF195817 AF195806 AF195809 AF195818 AF022462 AF195812 AF195815 AF195815 AF195814 AF195814 AF195814 AF195814 AF195814 AF195814 AF195832 AF0238612 AF155332 AF029858 | 1010 141355 U51119 221954 D64115 D31700 AF198389 X87126 D63342 D10622 AF198388 Z49697 U51853 AP01073 AP01073 AF265551 D38130 AJ224331 X87168 AB037156 AB039673 J03469 |
| AAF34528.1 AAF34527.1 AAF34526.1 AAF345142.1 AAF34534.1 AAF34534.1 AAF34534.1 AAF34537.1 AAF34537.1 AAF34537.1 AAF34555.1 AAF34555.1 AAF34555.1 AAF34555.1 AAF34555.1 AAF34555.1 AAF34555.1 AAF34535.1 CAA56155.1 AAF34535.1 CAA5615.1 AAF34535.1 BAB40323.1 | SEQ ID NO. AAC37479.1 AAA96316.1 CAA79954.1 BAA19608.1 AAF23127.1 CAA60610.1 BAA09666.1 BAA09666.1 BAA09666.1 BAA0972126.1 CAA89697.1 AAF72202.1 AAA97905.1 AAA97905.1 CAA80634.1 BAA89582.1 AAA97903.1 AAF72202.1 BAA89582.1 AAA97903.1 AAA33903.1 |
| mmitrella sativa sativa sativa sativa sativa sativa sativa sativa sativa mmitrella sativa sat | rnyscomitrella patens Zinnia elegans Physcomitrella patens Daucus carota Physcomitrella patens Physcomitrella patens Oryza sativa Glycine max Glycine max Glycine max Glycine max Glycine max Trifrie max Antirrhinum majus Glycyrrhiza echinata Glycyrrhiza echinata Torenia hybrida Lotus japonicus Trifolium pratense Vigna radiata Vigna radiata Trifolium pratense Glycine max Glycine max Glycine max |
| AB028075 AF145726 AF145731 AF145727 AF145727 AF145727 AF145729 X94947 D26578 D26578 D26578 D26578 AF184277 AB028080 D26576 AB028080 AB184277 AB028080 AB184277 AB028080 AB184277 AB028080 AB184277 AB028080 | ABOL28076 ABO28076 D26574 ABO28078 ABO28072 AF145728 1009 D83968 D86351 AF135485 ABO28151 AF001380 ABO22153 ABO22152 ABO22152 ABO28152 ABO22153 ABO22153 ABO22153 ABO22153 ABO22153 ABO22154 AF195808 AF195807 |
| BAA93463.1 AAD37695.1 AAD37700.1 CAA06728.1 AAD37696.1 BAB18169.1 CAA06717.1 BAA05622.1 BAA93462.1 AAD37698.1 CAA64417.1 BAA05624.1 BAA05624.1 BAA93468.1 BAA93468.1 BAA93468.1 BAA93468.1 BAA93468.1 BAA93468.1 | BAB18171.1 BAB3464.1 BAB05623.1 BAB03466.1 BAB37697.1 SEQ ID NO. 1 BAB12159.1 BAB12076.1 AAD38930.1 BAR44071.1 BAR44072.1 BAR53452.1 AAF34529.1 AAF34528.1 AAF34528.1 AAF34528.1 |

| ਰੂ ਹ | |
|--|--|
| Cucumis melo var. reticular Cucumis sativus Malus x domestica Musa acuminata Mangifera indica Pelargonium x hortorum Lycopersicon esculentum Lycopersicon esculentum Rumex palustris Rumex palustris Brassica oleracea Nicotiana tabacum Lycopersicon esculentum Citrus sinensis Dianthus caryophyllus Lycopersicon esculentum Citrus sinensis Dianthus caryophyllus Lycopersicon esculentum Citrus sinensis Dianthus sarivus Prunus mume Prunus mume Prunus mume Prunus mume Rosa hybrid cultivar | Glycine max Glycine max Glycine max Euphorbia esula Glycine max Zea mays Zea mays Zea mays |
| AB052228 AB026498 AF032448 AF113748 AF227742 AF141928 AF043084 U41103 U63291 Y08359 AF047476 AF022727 AF022727 AF022727 AF022727 AF022727 AF022727 AF022727 AF022727 AF022727 AF02209 AF118843 AF026267 AB035806 AF118844 AB035806 AF118844 AB03500 AB031029 AB031029 | 1013 AF243362 AF243363 AF243368 AF239928 AF243366 AF243361 AF243374 AF243372 AF243375 AF243375 AF243375 AF244688 AF244688 |
| BAB18937.1 BAA85817.1 AAC31123.1 AAF61919.1 AAD37577.1 AAD37577.1 AAA85479.1 AAA85479.1 AAA85479.1 AAA897160.1 AAA897160.1 AAA897160.1 AAAB97160.1 AAAB97160.1 AAAB9718.1 AAB9718.1 AAD31396.1 AAD31396.1 BAA96745.1 BAA96745.1 AAD31396.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 BAA96745.1 | SEQ ID NO. PAG34797.1 PAG34797.1 PAG34803.1 PAG34801.1 PAG34804.1 PAG34804.1 PAG34807.1 PAG34810.1 PAG34831.1 PAG34831.1 PAG34831.1 PAG34831.1 PAG34831.1 |
| Oryza sativa Ipomoea batatas Ipomoea batatas Glycine max Pyrus communis Sesamum indicum Glycine max Hordeum vulgare Ambrosia artemisiifolia Dianthus caryophyllus Artemisia vulgaris Triticum aestivum Triticum aestivum Carica papaya Dianthus caryophyllus Triticum aestivum Criticum aestivum Oryza sativa Oryza sativa Oryza sativa Iriticum aestivum Solanum tuberosum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Citrus x paradisi | Brassica oleracea Carica papaya Pisum sativum Pisum sativum Vigna radiata Passiflora edulis Cucumis melo var. reticulatus Cucumis sativus Phalaenopsis sp. 'True Lady' Oryza sativa Nicotiana tabacum Solanum tuberosum Prunus persica Passiflora edulis |
| U54702 AF241536 AF117334 U51854 U82220 AF240007 U51855 Y12068 L16624 AY028994 AF143677 AB038392 X71124 AB038392 X71124 AB038392 X71124 AF064734 AB038393 X57658 J05595 AB038391 L16450 AF083253 AF198390 AF283536 | 1011 AE047477 AE311942 AE033746 AJ005829 AE098272 AB015497 AB045128 AB0452894 AE055894 AF055894 AF013979 AF013979 AF013979 AF013979 AF013979 AF013979 AF013979 AF013979 |
| AAB66355.1 AAB64480.1 AAD13812.1 AAA97906.1 AAA97906.1 AAA32672.1 AAA32672.1 AAA32672.1 AAA33907.1 BAB18766.1 CAA50437.1 BAB18766.1 CAA50437.1 AAC32853.1 AAA33911.1 BAB18767.1 CAA40860.1 AAC32853.1 AAA33911.1 BAB18769.1 BAB18769.1 BAB18769.1 BAB18769.1 AAC32853.1 AAA33911.1 | SEQ ID NO. AAC31157.1 AAG41977.1 AAB94773.1 CAA06723.1 AAD03598.1 BAA37137.1 BAAB73137.1 BAAB72193.1 AAB72193.1 AAB72193.1 AAB72193.1 AAB72193.1 AAB72193.1 AAB72193.1 |

| A0000923 Carica papaya AAB34621 M73826 Gen mays carica papaya AAB34621 M73826 Gilamydcomonas reinhardii AAB36363 Gilosof lating comonas reinhardii AAB364343 Gilyologo aabaya carica mays mosurcides BAAB34621 M73829 Fen mays carica mays mosurcides BAAB34621 M73829 Cen mays ARB944 AP010448 Alopecurus myosurcides BAAB34621 M73829 Cen mays ARB944 AP010449 Alopecurus myosurcides BAAB34621 M73829 Cen mays BAAB464561 D30763 Gramays activa AAB18651 D30866 Gramays activa AAB18651 D30866 Gramays activa AAB18651 D30866 Gramays activa AAB18651 | AAG34808.1 AAG34837.1 AAG34800.1 | AF243373 AF244694 AF243365 | Glycine max Zea mays Glycine max | SEQ ID NO. 1 CAA87068.1 AAK15005.1 | 1018 Z46944 AF233452 AF003125 | Citrus sinensis Impatiens balsamina Mesembrivanthemim crystallii |
|--|--|----------------------------------|----------------------------------|--|--|--|
| 243.76 Clayeine max AA3.4028 M.35660 Spinacia oleracea AA3.4006 Claimydomonas reinhardia S679 Colamum tubercoum AA3.3085.1 110.949 Chlamydomonas reinhardia CA3.26631 M.3566 Chlamydomonas reinhardia CA3.26631 M.3113 Claimydomonas reinhardia CA3.26631 M.3113 Claimydomonas reinhardia CA3.26631 M.3113 Claimydomonas reinhardia CA3.26631 M.3113 Claimydomonas reinhardia CA3.26631 M.3113 Caa mays CA3.2461 M.3113 Caa mays CA3.2462 CA3 | | AF244693 AJ000923 | vea mays Carica papaya | AAA33462.1 | AF 003123 M73828 | resemblyanthemum clystalli Zea mays |
| 24376 Zee mays AAA3365.1 1033516 Chlamydomonas reinhardti 24367 Glorium tubercoum chacacain and tubercoum at the color and tubercoum at the color and tubercoum at the color and tubercoum at the characteristic and tubercours myosurcides and tubercours and tub | | Y10820 | Glycine max | AAA34028.1 | M35660 | Spinacia oleracea |
| Solaum tuberosum AAA336651 110349 Silene latifolia subsp. 296347 Cichorium intybus x Cichorium CAA326811 X02422 Silene latifolia subsp. 296348 Cichorium intybus x Cichorium CAA326651 X37613 Silene latifolia subsp. 296348 Cichorium intybus x Cichorium CAA326651 X37613 Silene latifolia subsp. 296348 Alopecurus myosuroides AAA33461.1 X37831 Sea mays serivem AAA33461.1 X37831 Sea mays serivem AAA33461.1 X37831 Sea mays serive AAA33461.1 X3783 Sea mays serive AAA33461.1 X3783 Sea mays serive AAA33461.1 X3783 Sea mays serive AAA33461.1 X3782 Sea mays serive AAA33461.1 X3782 Sea mays serive AAA33461.1 X3782 Sea mays serive AAA02176.1 X3782 Sea mays serive AAA002176.1 X3782 Sea mays serive AAA002176.1 X3782 Sea mays Sea mays Sea mays serive AAA002176.1 X3782 Sea mays Sea ma | | AF244706 | Zea mays | AAC49171.1 | U29516 | Chlamydomonas reinhardtii |
| 296343 Citycine max CAA526281. X024322 Sither latifolia subsp. 296343 Cichorium intybus x Cichorium CAA522801. M37132 Sither latifolia subsp. 296343 Alopecurus myosuroides BAA33461. M7831 Zea mays 118924 Papaver somniferum BAA32348. BAA3346. D30794 Oryza sativa 118924 Papaver somniferum BAA3346.1 M7829 Zea mays 118924 Papaver somniferum AAA3346.1 M7829 Zea mays 118924 Papaver somniferum AAA3346.1 M7829 Zea mays 118924 Papaver somniferum AAA0217.5 D3076 D3076 D3076 118924 Papaver somniferum CAA3326.1 M7829 Damays D40247.5 118924 Papaver somniferum </td <td></td> <td>J03679</td> <td>Solanum tuberosum</td> <td>AAA33085.1</td> <td>L10349</td> <td>inhardti</td> | | J03679 | Solanum tuberosum | AAA33085.1 | L10349 | inhardti |
| 206343 Cichorium intybus x Cichorium AAA33461.1 M33713 Pissum activum AAA33461.1 M3373 Zea mays 118924 Papaver somniferum AAA33461.1 M73831 Zea mays 118924 Papaver somniferum AAA33461.1 M73831 Zea mays 118924 Papaver somniferum AAA33461.1 M73831 Zea mays 118924 Papaver somniferum AAA33460.1 M73830 Zea mays 118925 Papaver somniferum AAA33460.1 M73830 Zea mays 118926 Papaver somniferum AAA33460.1 M73830 Zea mays 118927 Lycopersicon esculentum AAA33450.1 M73820 Zea mays 118924 Alopecurus myosuroides AAA33450.1 M73820 Zea mays 118925 Lycopersicon esculentum AAA33450.1 M73820 Zea mays 118027 Mesembryanthemum crystallinum AAA002175.1 AB03803 Dryza sativa 1180243 Lotus japonicus AAA03260.1 AB03803 Dryza sativa 1180243 Lotus japonicus AAA0202175.1 AB03803 Dryza sativa 1180243 Lotus japonicus AAA0202175.1 AB03803 Dryza sativa 1180243 Lotus japonicus AAA74567.1 AAD180580 Dryza sativa 118024 AAB80680 AAB80680 Dryza sativa 118025 AAB80680 AAB80680 Dryza sativa 118027 AAB80680 AAB8080 Dryza sativa 11803 AAB80680 AAB8080 Dryza sativa 11803 AAB80680 AAB8080 Dryza sativa 11803 AAB80680 AAB8080 Dryza sativa 11804 AAB80680 AAB8080 Dryza sativa 11805 AAB80680 AAB8080 Dryza sativa 1180 | | AE243367 | | CAA26281.1 | X02432 | |
| Alopecurus myosuroides | | AJ296343 | × | AAA33665.1 | M31713 | Pisum sativum |
| March Marc | | 4 | • | CAA52980.1 | X75089 | Triticum aestivum |
| 18925 Papaver sountiferum BAA3248.1 B1916810 Zea mays 18924 Papaver sountiferum BAA3248.1 B1916810 Zea mays 18925 Papaver sountiferum BAA06456.1 D30794 Oryza sativa 18926 Papaver sountiferum BAA06456.1 D30794 Oryza sativa 18927 Papaver sountiferum DaA06436.1 D30763 Cea mays 193439 Lycopersicon esculentum BAA06436.1 D30763 Oryza sativa 18928 Papaver sountiferum BAA06436.1 D30763 Oryza sativa 18928 Papaver sountiferum BAA06436.1 D30763 Oryza sativa 18928 Papaver sountiferum DAA06436.1 D30763 Oryza sativa 18929 Papaver sativa Oryza sativa 18920 Oryza sativa | | AJ010448 | Alopecurus myosuroides | AAA33461.1 | M/3831 | Zea mays |
| 19424 Papever souniferum PAA03465.1 D30794 Oryza sativa 19824 Papaver souniferum PAA03460.1 M7830 Zea mays 19843 Lycopersicon esculentum PAA03463.1 D30763 Oryza sativa 1867 Medicago sativa Papaver souniferum PAA03463.1 D83763 Oryza sativa 1867 Medicago sativa PAB065.1 D83660 Oryza sativa 1860 Amala sativa Amala sativa Amala sativa 1860 Amala sativa Amala sativa 1860 Amala sativa Amala sativa Amala sativa Amala sativa 1861 Amala sativa Amala sativa Amala sativa Amala sativa 1862 Amala sativa Amala sativa Amala sativa Amala sativa 1863 Amala sativa Amala sativa Amala sativa Amala sativa 1864 Amala sativa Amala sat | | AF118925 | Papaver somniferum | BAA32348.1 | ABUI6810 | Zea mays |
| Papaver somniferum | | AJ010449 | Alopecurus myosuroides | BAA06456.1 | D30794 | Oryza sativa |
| AF193439 Lycopersicon esculentum AAA3459.1 M73829 Zea mays AAA34550 Mesembryanthemum crystallinum BAA19865.1 D33063 Capaicum annuum AE13657 AE213652 Zea mays Dottus japonicus AAB07275.1 AF03966 Capaicum annuum AE213455 Zea mays AE213265.1 AE01320 Capaicum annuum AE02431 Lotus japonicus AAB07275.1 AF03966 Capaicum annuum AE03432 Lotus japonicus AAB0760.1 AE01320 Capaicum annuum AE03432 Lotus japonicus AAB0760.1 AE01320 Capaicum annuum AE03432 Lotus japonicus AAB0760.1 AE01320 Capaicum annuum AU277743 Fagus sylvatica AAE7456.1 AE15853 Solanum tuberosum AA277086 Mioctiana tabacum AAE7456.1 AE15853 Solanum tuberosum AAC777087 Mesembryanthemum crystallinum AAE7456.1 AE15851 AE15863 Solanum tuberosum AAC777087 Mesembryanthemum crystallinum AAE7456.1 AF21583 Apim graveolens var. dult AAC777087 Mesembryanthemum crystallinum CAA03991.1 A7010942 Lycopersicon esculentum AB075601 AE1880 Lycopersicon esculentum AAC77780 Mesembryanthemum crystallinum CAA08919.1 A7010942 Lycopersicon esculentum AB075601 AE1880 Lycopersicon esculentum AAC9997601 AAC9999.1 AAC9990.1 AAC9990.1 AAC9990.1 AAC990.1 AAC | | AF118924 | Papaver somniferum | AAA33460.1 | M73830 | Zea mays |
| DAA06436.1 D30763 Dayoes sativa AF075580 | | AF193439 | Lycopersicon esculentum | AAA33459.1 | M73829 | Zea mays |
| 1016 Mesembryanthemum crystallinum BAA199756.1 275520 Iycopersicon esculentum AA075580 Mesembryanthemum crystallinum BAA19865.1 D83660 Oryza sativa AA07275.2 Deuts japonicus AA07275.2 AE038037 Ipomoea nil AE02843.2 Lotus japonicus AAB65699.1 AE010320 Cryza sativa AAB65699.1 AF010320 Cryza sativa AAB74567.1 AF215853 AAB74567.1 AF215853 AAB74567.1 AAB74567.1 AF215853 AAB74567.1 AAB74567.1 AAB74565.1 AF215854 AAB74567.1 AAB74565.1 AF215854 AAB74567.1 AAB74565.1 AF215854 AAB74567.1 AAB74565.1 AAB74756.1 | | | | BAA06436.1 | D30763 | Oryza sativa |
| Mesembryanthemum crystallinum BAA19865.1 D83660 Oryza sativa D8419865.1 D83660 Oryza sativa D8419865.1 D83660 Oryza sativa D8402131 D6108 D802431 D6108 | ⊣ | 016 | | CAA99756.1 | Z75520 | |
| Y11607 Medicago sativa AAD02175.1 AF039662 Capsicum annuum AF092431 Lotus japonicus ARA90760.1 AB038037 Ipomoca nil patens AF092432 Lotus japonicus ARA90760.1 AR038037 Ipomoca nil patens AF092432 Lotus japonicus ARA908699.1 AF010320 Oryza sativa AR777687 Micctiana tabacum AR774566.1 AF215853 Solanum tuberosum AR777682 Micctiana tabacum AR774566.1 AF215853 Solanum tuberosum AR777687 AR77766.1 AF215853 Solanum tuberosum AR777687 AR77766.1 AF215851 AF215854 Solanum tuberosum AR777688 AAR74566.1 AF215854 AF215854 AAR74566.1 AF215854 AAR74566.1 AF215854 AAR74566.1 AF215854 AAR74566.1 AAR74566.1 AR7215854 AAR74566.1 AAR74566.1 AR7215854 AAR74566.1 AAR74566.1 AAR74566.1 AAR74566.1 AAR74566.1 AAR74566.1 AAR74566.1 AAR7466.1 | | AE075580 | | BAA19865.1 | D83660 | |
| AF213455 Zea mays Chous japonicus BAA90760.1 AB038037 Ipomoea nil AF092431 Lotus japonicus AR05805.1 Y12734 Physcomitrella patens AF092432 Lotus japonicus AAB65699.1 AF010320 Oryza sativa AF075573 Mesembryanthemum crystallinum SEQ ID NO. 1020 Oryza sativa AJ2777087 Micotiana tabacum AAF7456.1 AF215853 Solanum tuberosum AJ277087 Micotiana tabacum AAF74566.1 AF215852 Solanum tuberosum AJ277087 Micotiana tabacum AAF74566.1 AF215852 Solanum tuberosum AJ298987 Fagus sylvatica AAF74566.1 AF215852 Solanum tuberosum AJ298987 Fagus sylvatica AAF74566.1 AF215854 Zea mays AF075563 Mesembryanthemum crystallinum CAA09419.1 AJ010042 Lycopersicon esculentum AF075563 Mesembryanthemum crystallinum CAB5689.1 AJ13224 Lycopersicon esculentum AF075561 Mesembryanthemum crystallinum CAA68919.1 AJ13224 CAA6891 <td></td> <td>X11607</td> <td>Medicago sativa</td> <td>AAD02175.1</td> <td>AF039662</td> <td></td> | | X11607 | Medicago sativa | AAD02175.1 | AF039662 | |
| AF092431 Lotus japonicus CAA73265.1 Y12734 Physcomitrella patens AF092432 Lotus japonicus AAB65699.1 AF010320 Oryza sativa AF092432 Lotus japonicus AAB66699.1 AF010320 Oryza sativa AJ277043 Fagus sylvatica AAF74567.1 AF215853 Solanum tuberosum AJ277087 Nicotiana tabacum AAF74566.1 AF215852 Nicotiana tabacum AJ277087 Nicotiana tabacum AAF74566.1 AF215852 Solanum tuberosum AJ277087 Nicotiana tabacum AAF74566.1 AF215852 Nicotiana tabacum AJ277087 Mesembryanthemum crystallinum AAF74566.1 AF215852 Solanum tuberosum AF07567 Mesembryanthemum crystallinum CAA0419.1 AF010942 Lycopersicon esculentu AF07569 Mesembryanthemum crystallinum CAA582689.1 AJ13224 Chlorella kessleri AF07561 Mesembryanthemum crystallinum CAA68813.1 Y0750 Chlorella kessleri AJ28988 Fagus sylvatica CAB68813.1 Y0750 Chlorella kessleri | | AF213455 | Zea mays | BAA90760.1 | AB038037 | |
| AF092432 Lotus japonicus AAB65699.1 AF010320 Oryza sativa AF07579 Mesembryanthemum crystallinum AJ2777086 Mesembryanthemum crystallinum AAF7456.1 AF215853 Solanum tuberosum AAF7456.1 AF215853 Solanum tuberosum AAF7456.1 AF215853 Nicotiana tabacum AAF7456.1 AF215853 Nicotiana tabacum AAF7456.1 AF215853 Nicotiana tabacum AAF7456.1 AF215853 Nicotiana tabacum AAF7456.1 AF215851 Spinacia oleracea Spinacia oleracea AAF7456.1 AF215851 AF215851 Spinacia oleracea AAF7456.1 AF215851 Spinacia oleracea AAF7456.1 AF215851 AF215851 Spinacia oleracea AAF7456.1 AF215851 AF2158 | | AF092431 | Lotus japonicus | CAA73265.1 | Y12734 | |
| AF07579 Mesembryanthemum crystallinum SEQ ID NO. 1020 AJ277743 Fagus sylvatica AAE7456.1 AF215853 Solanum tuberosum AJ277086 Nicotiana tabacum AAE7456.1 AF21585 Nicotiana tabacum AJ277087 Nicotiana tabacum AAE74566.1 AF21585 Nicotiana tabacum AJ298987 Fagus sylvatica AAE74566.1 AF21885 Solanum tuberosum AJ298987 Fagus sylvatica AAC43998.1 AF21885 Apium graveolens var. AJ298987 Fagus sylvatica AAC43998.1 AF21885 Apium graveolens var. AF079355 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Lycopersicon esculentu AF075603 Oryza sativa CAAE53192.1 AJ132224 Chlorella kessleri AF075581 Mesembryanthemum crystallinum CAAE3192.1 Y07520 Chlorella kessleri AJ298988 Fagus sylvatica CAAE8888 AAA79761.1 L08196 Riccinus communis AJ298988 Fagus sylvatica CAAB06813.1 X66856 Nicotiana tabacum AJ1 | | AF092432 | Lotus japonicus | AAB65699.1 | AE010320 | |
| AJ277743 Fagus sylvatica SEQ ID NO. 1020 AJ277086 Nicotiana tabacum AAF74567.1 AF215853 Solanum tuberosum AJ277087 Nicotiana tabacum AAF74566.1 AF215853 Nicotiana tabacum AJ277087 Mesembryanthemum crystallinum AAF74568.1 AF215854 Zea mays AJ277744 Fagus sylvatica AAG43998 AF215837 Apina graveolens var. AF079355 Mesembryanthemum crystallinum BAB19864.1 AB052885 Oryza sativa AF07967 Zea mays CAA69419.1 AJ010942 Lycopersicon esculentu AF075603 Oryza sativa CAA69419.1 AJ132224 Lycopersicon esculentu AF07563 Oryza sativa CAA68813.1 X75440 Chlorella kessleri AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 Chlorella kessleri AJ298988 Fagus sylvatica CAA68813.1 Y07520 Chlorella kessleri AJ298988 Fagus sylvatica CAA66656 AGA39086 AGA39086 AJ1997 Medicago sativa CAA | | AF075579 | E | | | |
| AJ277086 Nicotiana tabacum AAF74567.1 AF215853 Solanum tuberosum AJ277087 Nicotiana tabacum AAF74566.1 AF215852 Nicotiana tabacum AJ277087 Mesembryanthemum crystallinum AAF74566.1 AF215852 Nicotiana tabacum AJ277087 Mesembryanthemum crystallinum AAF74566.1 AF215854 Zea mays AJ277744 Fagus sylvatica AAG74398.1 AF215837 Apium graveolens var. AF079355 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Lycopersicon esculentu AF075603 AF07581 AAJ32224 Lycopersicon esculentu AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 Chlorella kessleri AJ298988 Fagus sylvatica CAB06079.1 Z83829 Picea abies 1017 Medicago sativa CAA4324.1 X66856 Nicotiana tabacum Z71997 Phaseolus vulgaris CAA39036.1 X55349 Chlorella kessleri ABB06594.1 U378651 Medicago truncatula | | AJ277743 | Fagus sylvatica | | .020 | |
| AJ277087 Nicotiana tabacum AAF74566.1 AF215852 Nicotiana tabacum AF075582 Mesembryanthemum crystallinum AAF74565.1 AF215851 Spinacia oleracea AJ298987 Fagus sylvatica AAF74568.1 AF215854 Zea mays AJ298987 Fagus sylvatica AAF74568.1 AF215854 Zea mays AJ077744 Feagus sylvatica CAA63998.1 AF215837 Apium graveolens var. AF077355 Mesembryanthemum crystallinum CAA63199.1 AJ010942 Lycopersicon esculentu AF075603 Oryza sativa CAA68813.1 AJ13224 Lycopersicon esculentu AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07540 Chlorella kessleri AJ298988 Fagus sylvatica CAA68813.1 Y07540 Chlorella kessleri AJ298988 Fagus sylvatica CAB0079.1 283829 Vicia faba J017 Medicago sativa CAB07812.1 X66856 Nicotiana tabacum Z71997 Phaseolus vulgaris CAA39036.1 X55349 Chlorella kessleri | | AJ277086 | | AAF74567.1 | AF215853 | Solanum tuberosum |
| AF075582 Mesembryanthemum crystallinum AAF74565.1 AAF74565.1 AF215854 Acamays Spinacia oleracea AAF74568.1 AJ29897 Fagus sylvatica AAG43998.1 AAF74568.1 AF215854 Acamays Zea mays AJ277744 Fagus sylvatica AF079355 Mesembryanthemum crystallinum CAA09419.1 ABD52885 Apium graveolens var. AF079367 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Ap010942 | | AJ277087 | Nicotiana tabacum | AAF74566.1 | AF215852 | |
| AJ298987 Fagus sylvatica AAF74568.1 AF215854 Zea mays AJ277744 Fagus sylvatica AAG43998.1 AF215837 Apium graveolens var. AF079355 Mesembryanthemum crystallinum CAA09419.1 AB052885 Oryza sativa AF075603 Cea mays CAA53192.1 AJ13224 Lycopersicon esculentu CAB52689.1 AF075603 Oryza sativa CAA53192.1 AJ132224 Lycopersicon esculentu CAB52689.1 AF075581 Mesembryanthemum crystallinum CAA68813.1 X75440 Chlorella kessleri CAB68813.1 AJ298988 Fagus sylvatica CAA68813.1 X07520 Chlorella kessleri CAB60079.1 AJ298988 Fagus sylvatica CAB06079.1 Z83829 Picea abies 1017 CAB07812.1 Z93775 Vicia faba Z71997 Medicago sativa CAA39036.1 X55349 Chlorella kessleri AAB06594.1 U38651 Medicago truncatula | | AF075582 | | AAF74565.1 | AF215851 | |
| AJ277744 Fagus sylvatica AAG43998.1 AF215837 Apium graveolens var. AF079355 Mesembryanthemum crystallinum CAA09419.1 AD010942 Cryza sativa AF097667 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Lycopersicon esculentu U81960 Zea mays CAA53192.1 AJ32224 Lycopersicon esculentu AF075603 Oryza sativa CAA68813.1 X75440 Chlorella kessleri AF07581 Mesembryanthemum crystallinum CAA68813.1 X7540 Chlorella kessleri AJ298988 Fagus sylvatica CAA68813.1 X07520 Chlorella kessleri AJ298988 Fagus sylvatica CAB06079.1 Z83829 Picea abies 1017 CAB07812.1 Z93775 Vicia faba Z71997 Medicago sativa CAA39036.1 X55349 Chlorella kessleri U77935 Phaseolus vulgaris CAA39036.1 U38651 Medicago truncatula | | AJ298987 | Fagus sylvatica | AAF74568.1 | AF215854 | Zea mays |
| AF079355 Mesembryanthemum crystallinum BAB19864.1 AB052885 Oryza sativa AF097667 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Lycopersicon U81960 Zea mays CAB52689.1 AJ13224 Lycopersicon AF075603 Oryza sativa CAA68813.1 X75440 Chlorella kes AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 Chlorella kes AJ29898 Fagus sylvatica AAA79761.1 L08196 Ricinus commu CAB06079.1 283829 Picea abies 1017 CAB07812.1 293775 Vicia faba Z71997 Medicago sativa CAA47324.1 X66856 Nicotiana tab U77935 Phaseolus vulgaris AAB06594.1 U38651 Medicago trum | | AJ277744 | | AAG43998.1 | AF215837 | |
| AF097667 Mesembryanthemum crystallinum CAA09419.1 AJ010942 Lycopersicon U81960 Zea mays CAB52689.1 AJ132224 Lycopersicon AF075603 Oryza sativa CAA68813.1 X75440 Chlorella kes AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 Chlorella kes AJ298988 Fagus sylvatica AAA79761.1 L08196 Ricinus commu CAB06079.1 Z83829 Picea abies 1017 CAB07812.1 Z93775 Vicia faba Z71997 Medicago sativa CAA47324.1 X66856 Nicotiana tab U77935 Phaseolus vulgaris AAB06594.1 U38651 Medicago trun | | AF079355 | | BAB19864.1 | AB052885 | Oryza sativa |
| U81960 Zea mays CAB52689.1 AJ132224 Lycopersicon AF075603 Oryza sativa CAA68813.1 X75440 Chlorella kes AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 Chlorella kes AJ298988 Fagus sylvatica AAA79761.1 L08196 Ricinus commu CAB06079.1 Z83829 Picea abies 1017 CAB07812.1 Z93775 Vicia faba Z71997 Medicago sativa CAA47324.1 X66856 Nicotiana tab U77935 Phaseolus vulgaris AAB06594.1 U38651 Medicago trun | | Q | | CAA09419.1 | AJ010942 | |
| AF075603 Oryza sativa AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 AJ298988 Fagus sylvatica CAB06079.1 Z83829 1017 Z71997 Medicago sativa CAB06594.1 U38651 | | U81960 | Zea mays | CAB52689.1 | AJ132224 | |
| AF075581 Mesembryanthemum crystallinum CAA68813.1 Y07520 AJ29898 Fagus sylvatica CAB06079.1 Z83829 1017 CAB06079.1 Z93775 Z71997 Medicago sativa CAA47324.1 X66856 U77935 Phaseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | | AF075603 | Oryza sativa | CAA53192.1 | X75440 | Chlorella kessleri |
| AJ298988 Fagus sylvatica AAA79761.1 L08196 CAB06079.1 Z83829 1017 Z71997 Medicago sativa CAA47324.1 X66856 U77935 Phaseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | | AF075581 | mrime | CAA68813.1 | Y07520 | Chlorella kessleri |
| CAB06079.1 Z83829 293775 Medicago sativa CAB47324.1 X66856 7935 Phaseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | | 898 | | AAA79761.1 | L08196 | Ricinus communis |
| CAB07812.1 293775 1997 Medicago sativa CAA47324.1 X66856 7935 Phaseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | | | | CAB06079.1 | Z83829 | Picea abies |
| Medicago sativa CAA47324.1 X66856 Paseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | Н | 017 | | CAB07812.1 | 293775 | |
| Phaseolus vulgaris CAA39036.1 X55349 AAB06594.1 U38651 | | Z71997 | (I) | CAA47324.1 | X66856 | Nicotiana tabacum |
| . U38651 | | U77935 | | CAA39036.1 | X55349 | Chlorella kessleri |
| | | | | AAB06594.1 | U38651 | Medicago truncatula |

| Solanum tuberosum Hyoscyamus niger Hyoscyamus niger Cuphea lanceolata Brassica napus Brassica napus Nicotiana tabacum Petunia x hybrida Nicotiana tabacum Oryza sativa Zea mays | Brassica napus Hordeum vulgare Triticum aestivum Oryza sativa Zea mays | Brassica napus Brassica napus Brassica napus Flaveria chloraefolia Flaveria chloraefolia | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Lycopersicon esculentum Pisum sativum Triticum aestivum Zea mays Cicer arietinum |
|---|---|--|---|
| AJ292343 AB026545 LZ0485 X64566 X64463 S60064 Y13861 AJ003124 Y13862 AJ003025 U89509 | X95462 U89510 1026 AJ242531 AB030956 AJ242530 | 1027 AE000307 AF000305 AF000306 M84135 U10275 M84136 | 1029 AF047428 AF04571 AF133118 AP002539 AP002521 1031 AF243180 Z25471 AF031195 AF093537 AJ012693 |
| CAC19810.1 BAA85845.1 AAB09776.1 CAA45793.1 AAB20114.2 CAA74176.1 CAA74177.1 CAA74177.1 CAA05816.1 | | SEQ ID NO. AAC63113.1 AAC63111.1 AAC63112.1 AAA33342.2 AAA61638.1 AAA33343.1 AAA87399.1 | SEQ ID NO. AAC98969.1 AAC98962.1 AAD31844.1 BAB08194.1 BAA96755.1 SEQ ID NO. AAF66242.1 CAA80963.1 AAD10251.1 AAC4163.1 CAA10134.1 |
| Vitis vinifera Ricinus communis Vitis vinifera Oryza sativa Oryza sativa Lycopersicon esculentum Oryza sativa Lycopersicon esculentum Beta vulgaris | Medicago sativa Phaseolus vulgaris Nicotiana tabacum Nicotiana tabacum Oryza sativa | | Mesembryanthemum crystallinum Nicotiana tabacum Nicotiana tabacum Oryza sativa Datura stramonium Datura stramonium Solanum tuberosum Hyoscyamus niger Hyoscyamus niger Datura stramonium |
| AJO01061 L08188 Y09590 AB052884 AB052883 AJ132225 AP000615 AJ132223 AF173655 | 271997 U77935 U77935 1022 AF211531 AF211530 AB023482 | 2008188222 | AF245119 AF211527 AF057373 AP002556 1025 120475 120473 AJ307584 D88156 AB026544 120474 AJ245634 |
| CAA04511.1 AAA79857.1 CAA70777.1 BAB19863.1 BAB19862.1 CAB52690.1 BAA85398.1 CAB52688.1 AAD55054.1 | | CAC12822.1 AAF76898.1 BAB16083.1 BAB03248.1 AAC24587.1 AAF23899.1 AAK01089.1 CAB96899.1 CAB96899.1 | AAF63205.1 AAG43545.1 AAC62619.1 BAA99376.1 SEQ ID NO. 1 AAA33281.1 CAC34420.1 BAA13547.1 BAA13547.1 BAA33282.1 CAB52307.1 |

| | | | | | | 319 | | | | | | | | | | |
|---|---|--|--|---|--|---|---|-------------------------|---|--------------------------------|---------------------|---|-------------------|---|---|---|
| Gossypium hirsutum Cicer arietinum Zinnia elegans | Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum | Oryza sativa Triphysaria versicolor Oryza sativa | | Lycopersicon esculentum Regnellidium diphyllum Prunus avium | Nicotiana tabacum Rumex palustris Tribhysaria versicolor | Zinnia elegans Lycopersicon esculentum | Eustoma grandiiotum Cicer arietinum Festuca pratensis | Lycopersicon esculentum | Festuca pratensis | Oryza sativa | Oryza sativa | Springera Creracea Nicotiana tabacum | Nicotiana tabacum | Secale cereale Chloroplast Nicotiana | Secale cereale | Chloroplast Nephroselmis Oryza sativa |
| AF043284 AJ291817 AF230332 VO7782 | AJ243340 AJ239068 AF096776 | U304// AF230277 U85246 | AJ004337 AF230276 AJ000885 | AF059489 AF202120 AF297522 | AF049354 AF167360 AF230278 | AF230333 AF059488 | AJ291816 AJ276007 | AF184233 AF247164 | AJ276006 | 1047 AB022 <i>6</i> 74 | AB022673 | X62368 | X62339 | X68340 S93166 | | AF13/3/9 AF010581 |
| AAC39512.1 CAC19184.1 AAF35901.1 | CAB46492.1 CAB43197.1 AAC64201.1 | AAB380/4.1 AAF32410.1 AAB81662.1 | CARO82/1.2 AAF32409.1 CAA04385.1 | AAD13633.1 AAF17571.1 AAG13983.1 | AAC96081.1 AAD49956.1 AAE32411.1 | AAF35902.1 AAD13632.1 | CAC19183.1 CAC06433.1 | AAG32921.1 | CAC06432.1 | SEQ ID NO. BAA37171.1 | BAA37170.1 | CAA44226.1 | CAA44214.1 | CAA48414.1 AAB21989.1 | sylvestris CAA48400.1 | AAD54786.1 olivacea AAB66886.1 |
| <pre>Lycopersicon esculentum Medicago sativa subsp. x varia Spinacia oleracea</pre> | Oryza sativa Oryza sativa | Populus balsamifera subsp. | Populus x canescens | Pisum sativum | Zea mays | Oryza sativa | Nicotiana tabacum | | Cucumis sativus Lycopersicon esculentum | Striga asiatica Pinus taeda | Fragaria x ananassa | | | Pinus taeda Prunus persica | Lycopersicon esculentum Prunus avium | Prunus armeniaca Cucumis sativus Prunus armenjaca |
| AF243181 AJ248323 U76296 | 1034 D87261 D87260 | 1035 AY012513 | AY012515 | 1039 U51918 | 1042 X59714 | 1045 AP000836 | 1046 AF049350 | AE049352 | U30460 AF184232 | AF291659 AF085330 | AF159563 | U64891 | U64890 | U64892 AB029083 | U82123 AF297521 | AF038815 U30382 U93167 |
| AAF66243.1 CAB65280.1 AAC32448.1 | SEQ ID NO. 1 BAA23143.1 BAA23142.1 | SEQ ID NO. 1 | 10 | SEQ ID NO. 1 AAA97411.1 | SEQ ID NO. 1 CAA42234.1 | SEQ ID NO. 1 BAA88182.1 | SEQ ID NO. | AAC96079.1 | AAB37749.1 AAG32920.1 | AAG01875.1 AAD47901.1 | AAF21101.1 | AAB40635.1 | AAB40634.1 | AAB40636.1 BAB19676.1 | AAC63088.1 AAG13982.1 | AAC33530.1 AAB37746.1 AAC33529.1 |

| | | | 320 | sus ns | æ |
|---|---|--|---|---|---|
| Linum usitatissimum Linum usitatissimum Linum usitatissimum | Glycine max Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum | Glycine max Linum usitatissimum | Spinacia oleracea Spinacia oleracea Atriplex hortensis Beta vulgaris Beta vulgaris Avicennia marina Oryza sativa | Amaranthus hypochondriacus Oryza sativa Oryza sativa Amaranthus hypochondriacus Avicennia marina Hordeum vulgare Oryza sativa | Nicotiana tabacum Zea mays Oryza sativa Sorghum bicolor Pisum sativum Nicotiana plumbaginifolia Apium graveolens Sorghum bicolor Zea mays |
| U73916 AE093647 AE093648 | AF175389 U27081 AF093641 U27081 AF093642 | AE175394 AE093646 AE093643 AE093640 AE093640 AE093644 AE093645 | 1061 M31480 U69142 X69770 X58462 X58463 AB043539 AB001348 | AF017150 AF162665 AB044537 AF000132 AB043540 D26448 AB030939 | Y09876 AF215823 AB037421 U12196 X75327 U87848 AF196292 U12195 |
| AAB47618.1 AAD25974.1 AAD25975.1 | AAG09952.1 AAA91022.1 AAD25968.1 AAA91021.1 AAD25969.1 | AAG01051.1 AAD25965.1 AAD25973.1 AAD25970.1 AAD25971.1 AAD25972.1 AAD25976.1 | | AAB70010.1 AAF73828.1 BAB19052.1 AAB58165.1 BAB18544.1 BAA05466.1 BAA96793.1 | CAA71003.1 AAG43988.1 BAA96794.1 AAC49268.1 CAA53076.1 AAB47571.1 AAF08296.1 AAC49267.1 CAA53075.1 |
| Chlorella vulgaris Plastid Prototheca wickerhamii | Chlamydomonas reinhardtii Chlamydomonas reinhardtii Volvox carteri | Nicotiana glutinosa Solanum tuberosum Glycine max Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum | Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Solanum tuberosum Nicotiana tabacum Linum usitatissimum Linum usitatissimum | Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum | Linum usitatissimum Chycine max |
| AB001684 AJ236874 | .059 AJO10110 X16619 AF233374 | 1060 U15605 AJO09720 AF175388 AF310964 AF310966 AF310966 AF310960 | AF310959 AF310962 AF310961 AJ009719 AF211528 AJ310164 AJ310153 | AJ310162 AJ310151 AJ310157 AJ310161 AJ310150 AJ310152 | AJ310163 AJ310154 AJ310159 AJ310150 AJ310156 AJ310150 AF093639 AF175395 |
| \vdash | SEQ ID NO. 1 CAA09001.1 CAA34615.1 AAF43427.1 | SEQ ID NO. 1 AAA50763.1 CAA08798.1 AAG09951.1 AAK28810.1 AAK28811.1 AAK28803.1 | AAK28804.1 AAK28809.1 AAK28805.1 CAA08797.1 AAG43546.1 CAC35339.1 CAC35328.1 | CAC35337.1 CAC35326.1 CAC35332.1 CAC35336.1 CAC35325.1 CAC35327.1 | CAC35338.1 CAC35329.1 CAC35333.1 CAC35321.1 CAC35321.1 CAC35323.1 AAD25966.1 AAG01052.1 |

| | | | | | | Llinum | | | | 32 | 1 | | | | | | | | | | | | | | | | | | | | |
|--|---|------------------------------------|--|----------------|--|-------------------------------|-------------|----------------------------------|---------------------|---------------------|---------------------|-------------------|----------------------|-------------------------|----------------------|------------|-------------------------|-------------------|---------------|-------------|-------------|------------------------|-----------------|------------|------------|------------|--------------|--------------|------------------|--------------------|-------------|
| Tradescantia virginiana Oryza sativa Oryza sativa Solanum tuberosum | Oryza sativa Nicotiana tabacum Zea mays | Zea mays Marchantia polymorpha | Marchantia polymorpha Daucus carota | Cucurbita pepo | Marchantia polymorpha Marchantia polymorpha | Mesembryanthemum crystallinum | Glycine max | Jomoea batatas | Zea mays | Fragaria x ananassa | Medicago sativa | Zea mays | | | Oryza sativa | | | Oryza sativa | Vigna radiata | Zea mays | Glycine max | Dunaliella tertiolecta | Cucumis sativus | | | | Oryza sativa | Oryza sativa | Arachis hypogaea | Lilium longiflorum | Glycine max |
| AF009337 AF194413 AF194414 AF030879 | X81394 AE072908 D85039 | U28376 AB017517 | AB017515 X56599 | U90262 | ABUL/516 AB017515 | AE090835 | U691/4 | AE 113406 D87707 | AJ007366 | AF035944 | X96723 | L27484 | U82087 | AB042550 | AP000615 | D84408 | X81393 | AF048691 | 008140 | D87042 | U69173 | AF216527 | AY027885 | L15390 | Z49233 | AC073166 | D13436 | AP001168 | X18055 | U24188 | AF203479 |
| AAC24961.1 AAF23900.1 AAF23901.2 AAC78558.1 | CAA57157.1 AAC25423.1 BAA12715.1 | AAA69507.1 BAA81751.1 | BAA81749.1 CAA39936.1 | AAB49984.1 | BAA81/50.1 BAA81748.1 | AAD17800.1 | AAB80693.1 | BAA13440.1 | CAA07481.1 | AAB88537.1 | CAA65500.1 | AAA61682.1 | AAB70706.1 | | BAA85396.1 | BAA12338.1 | CAA57156.1 | AAC05270.1 | AAC49405.1 | BAA13232.1 | AAB80692.1 | AAF21062.1 | AAK26164.1 | AAA33443.1 | CAA89202.1 | AAG46110.1 | BAA02698.1 | BAA90814.1 | CAB46228.1 | AAC49008.1 | AAF19401.1 |
| Oryza sativa Oryza sativa Brassica napus | s alba sa napus | Raphanus sativus Brassica napus | inthus roseus | | elinum crispum s | sativa | e max | Brassica napus Brassica napus | Catharanthus roseus | sativa | Catharanthus roseus | Triticum aestivum | Petroselinum crispum | Lycopersicon esculentum | Petroselinum crispum | est | Lycopersicon esculentum | rsicon esculentum | SV | um aestivum | um aestivum | um aestivum | e max | | | carota | ys | sy | ys Vs | ys | ys |
| 6 Oryza s 0 Oryza s Brassic | Sinapis al Brassica n | Raphanus Brassica | 1 Catharanth | Nicotiana | Petroselin Zea mavs | Oryza sati | Glycine max | Brassic | 0 Cathara | Oryza sativa | | Tritic | Petros | Tycope | Petros | Triticum a | Tycope | Lycopersic | Zea mays | Triticum a | Triticum a | Triticum a | Glycine ma | | | Daucus | Zea mays | Zea mays | | | Хеа тауѕ |
| AE32358 AE04577 S77096 | 1062 Y16953 X83920 | X92102 U27107 | 7 | Z48603 | U46217 II10270 | U4220 | | X83922 x83922 | 51 | 004295 | AE084972 | M28704 | X10809 | X74942 | X10810 | D64051 | X74943 | X74941 | X15165 | U07933 | M63999 | U10466 | Y10685 | | 1063 | X83869 | \$82324 | D84507 | D84508 | AF289237 | D38452 |
| AAG43027.1 AAC03055.1 AAB33843.1 | SEQ ID NO. CAA76555.1 CAA58772.1 | CAA63073.1 | | | AAC49398.1 | AAB40291.1 | AAB00098.1 | CAA58774.1 | AAK14790.1 | AAC49556.1 | AAD42938.1 | AAA34293.1 | CAA71768.1 | CAA52896.1 | CAA71770.1 | BAA10928.1 | CAA52897.1 | CAA52895.1 | CAB62402.1 | AAA17488.1 | AAA68429.1 | AAA19103.1 | CAA71687.1 | | SEQ ID NO. | CAA58750.1 | AAB47181.1 | BAA12691.1 | BAA12692.1 | AAG01179.1 | BAA22410.1 |

| AAD52098.1 | U70923 | Nicotiana tabacum | CAA06999.1 CAA07000.1 | AJ006378 AJ006379 | Lycopersicon esculentum Lycopersicon esculentum |
|--------------|----------|-------------------------|--------------------------|----------------------|--|
| ID NO. 1 | 1064 | | CAA67430.1 | X98930 | |
| CAB43937.1 | AJ006348 | Fragaria x ananassa | CAA67429.1 | X98929 | |
| • | 92 | Fragaria x ananassa | CAA76725.1 | X17276 | Lycopersicon esculentum |
| CAA65827.1 | X97189 | Capsicum annuum | CAA71234.1 | X10149 | Lycopersicon esculentum |
| AAA69909.1 | U13055 | Lycopersicon esculentum | CAA06414.1 | AJ005173 | Lycopersicon esculentum |
| AAC12684.1 | U76725 | Pinus radiata | CAA06412.1 | AJ005171 | Lycopersicon esculentum |
| AAA80495.1 | U20590 | Lycopersicon esculentum | CAA76727.1 | X17278 | Lycopersicon esculentum |
| BAA85150.1 | AB032830 | Pisum sativum | CAB67120.1 | X18932 | Lycopersicon esculentum |
| AAC12685.1 | U76756 | Pinus radiata | CAA06413.1 | AJ005172 | Lycopersicon esculentum |
| BAB32662.1 | AB055886 | Atriplex lentiformis | CAA07250.1 | AJ006786 | Lycopersicon esculentum |
| BAA77239.1 | AB025796 | Populus alba | BAB21149.1 | AP002899 | Oryza sativa |
| 59900.1 | AJ010950 | Capsicum annuum | CAB67119.1 | X18931 | Lycopersicon esculentum |
| 65828.1 | X97190 | Capsicum annuum | CAA64566.1 | X95270 | Lycopersicon esculentum |
| 39483.1 | AB049200 | Populus alba | CAA76724.1 | X17275 | Lycopersicon esculentum |
| 96135.1 | L41046 | Pisum sativum | CAA59964.1 | X85975 | Alnus glutinosa |
| AAC62241.1 | AE077339 | Lycopersicon esculentum | CAA76726.1 | X17277 | Lycopersicon esculentum |
| 72133.1 | Y11268 | Lycopersicon esculentum | CAA06997.1 | AJ006376 | Lycopersicon esculentum |
| 65600.1 | X96856 | Prunus persica | CAA07001.1 | AJ006380 | Lycopersicon esculentum & |
| 65597.1 | X96853 | Prunus persica | CAA07059.1 | AJ006480 | esculentum |
| 39482.1 | AB049199 | Populus alba | CAA06998.1 | AJ006377 | |
| 08699.1 | AF098292 | Lycopersicon esculentum | CAA07060.1 | AJ006481 | Lycopersicon esculentum |
| 65826.1 | X97188 | Capsicum annuum | CAA07062.1 | AJ006483 | Lycopersicon esculentum |
| 50737.1 | X87323 | Œ | BAB03290.1 | AB037371 | Oryza sativa |
| 78504.1 | U34754 | | AAG38994.1 | AF160513 | Glycine max |
| 02563.1 | M57400 | Phaseolus vulgaris | AAD02075.3 | AF036960 | Glycine max |
| 13938.1 | AJ006349 | Fragaria x ananassa | AAG09442.1 | AE200467 | |
| BAA96207.1 | AP002094 | | AAF13299.1 | AF181496 | Lycopersicon esculentum |
| AAA69908.1 | U13054 | Lycopersicon esculentum | BAA04839.1 | D21815 | Lilium longiflorum |
| BAA96209.1 | AP002094 | Oryza sativa | AAF31406.1 | AF201883 | Gossypioides kirkii |
| CAA11301.1 | AJ223386 | Fragaria x ananassa | CAA10987.1 | AJ222782 | Hordeum vulgare |
| AAC49704.1 | U78526 | Lycopersicon esculentum | | | |
| BAA94257.1 | AB040769 | Hordeum vulgare | | 1066 | |
| CAB51903.1 | AJ242807 | Brassica napus | BAA82556.1 | AB030083 | Populus nigra |
| AAA20082.1 | 000730 | Glycine max | AAD21872.1 | AF078082 | Phaseolus vulgaris |
| CAA11302.1 | AJ223387 | Fragaria x ananassa | AAF43408.1 | AF230515 | Oryza sativa subsp. japonica |
| • | 84 | Gossypium hirsutum | CAA73134.1 | Y12531 | Brassica oleracea |
| CAA80627.1 | 223081 | Vigna radiata | AAB93834.1 | U82481 | Zea mays |
| | | | BAA92954.1 | AP001551 | Oryza sativa |
| SEQ ID NO. 1 | 1065 | | AAK21965.1 | AY028699 | Brassica napus |
| | | | | | |

| | | | 1 | | |
|------------|----------|-----------------------------|--------------|--------------------|--|
| BAA92953.1 | AP001551 | Oryza sativa | BAB32406.1 | AB055515 x83879 | Nicotiana tabacum Nicotiana tabacum |
| AAD52097 1 | AFORBRE | 7 4 6 | CAA57721.1 | X82270 | Medicado sativa |
| | U20948 | Ipomoea trifida | AAF81420.1 | AF247136 | |
| | AY007545 | Frassica napus | AAD37790.1 | AF149424 | Ipomoea batatas |
| • | L27821 | Oryza sativa | AAG40580.1 | AF216316 | Oryza sativa |
| • | AB041503 | Populus nigra | CAB37188.1 | AJ224336 | Medicago sativa |
| AAD46420.1 | AF100771 | Hordeum vulgare | AAF61238.1 | AF241166 | Oryza sativa |
| ٠ | AB000970 | Brassica rapa | AAG40581.1 | AF216317 | Oryza sativa |
| | AP001800 | Oryza sativa | CAB61889.1 | AJ251330 | Oryza sativa |
| • | D88193 | Brassica rapa | CAA73323.1 | Y12785 | Petroselinum crispum |
| | D30049 | Brassica rapa | CAC13967.1 | AJ250311 | Oryza sativa |
| | AP001800 | Oryza sativa | CAA56314.1 | X79993 | Avena sativa |
| • | 093048 | Daucus carota | CAA49592.1 | X69971 | Nicotiana tabacum |
| CAA79355.1 | Z18921 | Brassica oleracea | CAA58466.1 | X83440 | Petunia x hybrida |
| • | AF339747 | Lophopyrum elongatum | AAK01710.1 | AF332873 | Oryza sativa |
| AAF43496.1 | AF131222 | Lophopyrum elongatum | AAG40579.1 | AF216315 | Oryza sativa |
| BAA94510.1 | AB041504 | Populus nigra | CAA57719.1 | X82268 | Medicago sativa |
| AAA33000.1 | M76647 | Brassica oleracea | AAC28850.1 | AF079318 | Triticum aestivum |
| CAA67145.1 | X98520 | Brassica oleracea | BAA74734.1 | AB016802 | Zea mays |
| AAB47421.1 | U59316 | Lycopersicon esculentum | AAF73257.1 | AF154329 | Pisum sativum |
| BAA07577.2 | D38564 | Brassica rapa | BAA09600.1 | D61377 | Nicotiana tabacum |
| œ. | M97667 | Brassica napus | AAF81419.1 | AF247135 | Capsicum annuum |
| CAB89179.1 | 45 | Brassica napus subsp. napus | BAA74733.1 | AB016801 | Zea mays |
| 7. | 7 | Brassica oleracea | CAA05328.1 | AJ002314 | Nicotiana tabacum |
| | | | CAA05329.1 | AJ002315 | Nicotiana tabacum |
| SEQ ID NO. | 1067 | | CAA11861.1 | AJ224164 | Petunia x hybrida |
| AAF23903.1 | AF194416 | Oryza sativa | CAA58595.1 | X83620 | Petunia x hybrida |
| AAD52659.1 | AF177392 | Oryza sativa | CAA11862.1 | AJ224165 | Petunia x hybrida |
| AAF23902.1 | AF194415 | Oryza sativa | CAA58594.1 | X83619 | Petunia x hybrida |
| AAD28617.1 | AF129087 | Medicago sativa | AAA92823.1 | U18365 | Brassica napus |
| CAB61750.1 | AJ275316 | Cicer arietinum | BAA92214.1 | AP001278 | Oryza sativa |
| AAB57843.1 | 096716 | Selaginella lepidophylla | CAA67554.1 | X99100 | Trifolium repens |
| AAF65766.1 | 0 | Euphorbia esula | | | |
| BAB18271.1 | AB035141 | Chlamydomonas reinhardtii | SEQ ID NO. 1 | 1070 | |
| \vdash | X83880 | Nicotiana tabacum | AAF76898.1 | AF274033 | Atriplex hortensis |
| CAA47099.1 | X66469 | Medicago sativa | CAC12822.1 | AJ299252 | Nicotiana tabacum |
| AAB41548.1 | L07042 | Medicago sativa | AAC24587.1 | AF071893 | Prunus armeniaca |
| AAB58396.1 | U94192 | Nicotiana tabacum | AAF23899.1 | AF193803 | |
| ന | X70703 | Sum | BAA78738.1 | AB023482 | Oryza sativa |
| AAF73236.1 | AF153061 | Pisum sativum | AAG43545.1 | AF211527 | Nicotiana tabacum |
| | | | | | |

| sembryanthemum cotiana tabacum yza sativa yza sativa tharanthus ros tharanthus ros yza sativa cotiana tabacum cotiana tabacum tabacum | CAB96874.1 AJ277164 CAA05771.1 AJ002958 CAA65475.1 X96714 AAA33493.1 J04176 CAA65477.1 X96716 AAB70538.1 AF017358 | AAF35184.1 AF195863 Gossypium hirsutum AAK20395.1 AF334185 Triticum aestivum m AAA86694.1 U18127 Hordeum vulgare | 1 TOTTODAK | AAA774.1 U15153 AAB34774.1 S78173 | AAA75599.1 015153 AAB34774.1 578173 CAA85484.1 237115 Lentum AAD46683.1 AE171094 Lentum AAB96834.1 M64746 Caa63407.1 203748 | AAA75599.1 U15153 AAB34774.1 S78173 CAA85484.1 Z37115 AAD46683.1 AE171094 AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 | AAA7599.1 015153 AAB34774.1 578173 CAA85484.1 237115 AAD4683.1 AF171094 AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 CAA91436.1 266529 AAB05812.1 U63993 | AAA75599.1 015153 AAB34774.1 578173 CAA85484.1 237115 Lentum AAD46683.1 AF171094 Lentum AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 CAA91436.1 266529 AAB05812.1 063993 AAB70540.1 AF017360 | AAA75599.1 U15153 AAB34774.1 S78173 CAA85484.1 Z37115 Lentum AAD46683.1 AF171094 Lentum AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 CAA91436.1 Z66529 AAB05812.1 U63993 AAB70540.1 Y08393 AAB1815.1 U77295 | AAA7599.1 U15153 AABA4774.1 S78173 CAA85484.1 S78173 CAA85484.1 S78173 Lentum AAD46683.1 AE171094 AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 CAA91436.1 Z66529 AAB705812.1 U63993 AAB705812.1 U63993 AAB18815.1 U77295 CAA48621.1 X68654 | ### AAA75599.1 11515.3 Gossypium hiz CAA85484.1 237115 Gossypium hiz CAA85484.1 237115 Hordeum vulga AAD46683.1 AF171094 Lilium longif and AAB96834.1 M64746 Daucus carotta CAA63407.1 X92748 Beta vulgaris AAB70541.1 AF017361 Oryza sativa AAB73494.1 M57249 Zea mays CAA91436.1 Z66529 Hordeum vulga AAB70540.1 V08691 Oryza sativa CAA69949.1 Y08691 Oryza sativa AAB18815.1 X68654 Hordeum vulga AAB48621.1 X68654 Hordeum vulga SEQ ID NO. 1073 **SEQ ID NO. 1073 **AAD46406.1 AF096250 Lycopersicon AAD10057.1 AF110519 | ### ### ############################## | ### AAA75599.1 U15153 Gossypium hiz CAA85484.1 S78173 Gossypium hiz CAA85484.1 S78173 Gossypium hiz CAA85484.1 S78173 Gossypium hiz CAA85484.1 S78173 Gossypium hiz CAA85407.1 AF171094 Lilium longif AAB70541.1 AF2748 Beta vulgaris AAB70541.1 AF017361 Oryza sativa AAA33494.1 M57249 Zea mays CAA91436.1 Z66529 Hordeum vulga AAB70540.1 V08393 Hordeum vulga AAB70540.1 AF017360 Oryza sativa CAA69949.1 Y08691 Oryza sativa AAB18815.1 V7295 Oryza sativa AAB18815.1 X68654 Hordeum vulga AAB46406.1 AF096250 Lycopersicon AAD10057.1 AF110519 Lycopersicon AAB10056.1 AF110518 Lycopersicon AAG31141.1 AF305912 Hordeum vulga | ### AAA75599.1 U15153 Gossypium hiz AAB34774.1 S78173 Gossypium hiz CAA85484.1 237115 Hordeum vulga AAB96834.1 #### AF171094 Lilium longif AAB96834.1 #### AF171094 Lilium longif AAB96834.1 #### AF171094 Lilium longif AAB70541.1 #### AF171094 Beta vulgaris AAB70541.1 ### AF017361 Oryza sativa AAB70540.1 ### AF017361 Oryza sativa CAA91436.1 Z66529 Hordeum vulga AAB70540.1 AF017360 Oryza sativa CAA69949.1 Y08691 Oryza sativa AAB18815.1 Y08691 Oryza sativa AAB18815.1 X68654 Hordeum vulga SAQ04606.1 ### AF096250 Lycopersicon AAD10057.1 ### AF10519 Lycopersicon AAD10056.1 AF110518 Lycopersicon AAG31141.1 AF305912 Hordeum vulga CAA06033.1 AF005077 Lycopersicon AAG31142.1 AF305912 Hordeum vulga CAA06033.1 AF0065077 Lycopersicon AAG31142.1 AF305912 Lycopersicon AAG063142.1 AF305912 Lycopersicon AAG06501 AF306501 Lycopersicon AAG06501 Lycopersicon AAG06501 Lycopersicon AAG06501 Lycopersicon AAG06501 Lycopersicon AAG06501 Lycopersicon AAG06501 Lyco | AAA75599.1 U15153 AAB7474.1 S78173 CAA85484.1 S78173 CAA85484.1 S78173 CAA85484.1 S78173 CAA85484.1 S78173 CAA85484.1 S78173 CAA683407.1 AF171094 AAB70541.1 M57249 CAA91436.1 Z66529 AAB705812.1 W63993 AAB705812.1 W63993 AAB705812.1 W63993 AAB70580.1 Y08691 AAB18815.1 U77295 CAA69949.1 Y08654 SEQ ID NO. 1073 AAD10057.1 AF110519 AAD10056.1 AF110518 AAG31141.1 AF305911 AAG31142.1 AY005077 AAR34002.1 M67449 | and and an arrange of a street | and the control of th | AAA75599.1 U15153 AAB34774.1 S78173 CAA85484.1 AF171094 entum AAB96834.1 M64746 CAA63407.1 X92748 AAB70541.1 AF017361 AAA33494.1 M57249 CAA91436.1 Z66529 AAB05812.1 M67249 CAA91436.1 Z66529 AAB05812.1 M57249 CAA69949.1 Y08691 AAB18815.1 U77295 CAA69949.1 Y08691 AAB18815.1 AF017360 AAB18815.1 AF017361 AAB1666.1 AF10518 AAB16066.1 AF10518 AAB16066.1 AF10518 AAB10056.1 AF305912 CAA66334.1 AY02967 AAA34002.1 AA799992 AAK711734.1 AY029892 AAK76189.1 AF238971 | AAA75599.1 U15153 AAB774.1 S78173 CAA85484.1 Z37115 AAD46683.1 AE171094 AAB96834.1 AE171094 AAB70541.1 AF017361 AAB70541.1 AF017361 AAB70541.1 AF017361 AAB705812.1 U63993 AAB705812.1 U63993 AAB705812.1 V68691 AAB18815.1 U77295 CAA69949.1 Y08691 AAB18815.1 U77295 CAA69949.1 Y68654 SEQ ID NO. 1073 AAD10057.1 AF110518 AAG31141.1 AF305912 CAA06334.1 AY005077 AAA34002.1 AAC305077 AAA34002.1 AAC399992 AAK11734.1 AY0298992 AAK78015.1 AF238471 AAB78015.1 AF238471 |
|---|--|--|--------------------------------------|--------------------------------------|--|--|---|---|--|---|--|--|--|--|--|--|--|---|---|
| | Mesembryanthemum crystallinum Nicotiana tabacum Oryza sativa Oryza sativa Catharanthus roseus Catharanthus roseus | Oryza sativa Nicotiana tabacum Nicotiana tabacum | Nicotiana tabacum Hordeum vulgare | Lycopersicon esculentum |) | Brassica oleracea Brassica oleracea | Brassica oleracea Brassica nama | Sica Sica Sica | sica | ypium Ypium Ius s | Oryza sativa | Oryza saczya Gossypium hirsutum | Gossypium hirsutum | gossypium miisacum Brassica napus | Sorghum bicolor | Prunus avium Zes mavs | dea mays Oryza sativa | Spinacia oleracea | Malus x domestica Sorchum bicolor |
| A A A A A A A A A A A A A A A A A A A | ന പരയ വര | BAA99376.1 AAC62619.1 AAG43548.1 | AAG43549.1 AAK01089.1 | SEQ ID NO. AAA34181.1 AAB39547.1 | | AAA73945.1 AAC63372.1 | AAA73947.1 | AAB37228.1 | | | 624. | AAG29777.1 | AAF35186.1 | AAD09107.1 | CAA50661.1 | AAF26449.1 | CAA80809.1 | AAA34032.1 | AAF26450.1 CAA50660.1 |

| Samanea saman Zea mays Solanum tuberosum Vicia faba | Ipomoea nil Lycopersicon esculentum Pisum sativum Pisum sativum Pisum sativum | sativum sativa sativum ne max ne max | Lycopersicon esculentum Lycopersicon esculentum Spinacia oleracea Oryza sativa Spirodela polyrrhiza Nicotiana tabacum Spinacia oleracea | | Lycopersicon esculentum Oryza sativa Oryza sativa Vigna angularis Stylosanthes humilis Arachis hypogaea Spinacia oleracea Medicago sativa |
|--|---|--|---|--|---|
| AJ299019 AJ132686 X79779 X10579 | 1077 AF315714 AF02984 AV276591 AV289773 Y09579 | AU289774 AB040053 AU276592 1078 U51191 U51192 | L13654 L13653 Y16776 D14997 Z22920 D42065 AF244921 | D42064 AB024437 AJ401276 U51193 U51194 X90693 X90694 L36157 | X94943 AP001073 AP001081 D11337 L77080 M37637 AF244924 X90692 |
| CAC10514.1 CAB54856.1 CAA56175.1 CAA71598.1 | | | AAA65637.1 AAA65636.1 CAA76374.2 BAA03644.1 CAA80502.1 BAA07664.1 | BAA0/663.1 BAA77387.1 CAC21393.1 AAD11483.1 AAD11484.1 CAA62226.1 CAA62226.1 | CAA64413.1 BAA89584.1 BAA90365.1 BAA01950.1 AAB67737.1 AAA32676.1 AAF63027.1 CAA6225.1 |
| Phaseolus vulgaris Oryza sativa Oryza sativa Oryza sativa | Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare Oryza sativa Nicotiana tabacum Glycine max | Glycine max Nicotiana tabacum Vigna radiata Spinacia oleracea Nicotiana sylvestris | · H ·H ·H ·H | um um ula ula | Populus tremula x Populus Populus tremula x Populus Samanea saman Oryza sativa Oryza sativa Samanea saman |
| AF285172 AP003338 AP003338 AF238476 | AF238475 AF237569 AF237567 AF085166 AP001800 AF14289 | AF244890 AF302082 1075 AF156667 X99937 D16247 | AF271892 AF079782 AB042643 AB042644 AC084218 | AF079872 AF079871 U65390 X96390 AB032074 AF207745 AJ249962 | AJ271446 AJ271447 AF145272 AP002093 AF099095 |
| AAGO0510.1 BAB39437.1 BAB39434.1 AAF78020.1 | | H.H. 0 H.H.H. | | AAF33670.1 AAF33669.1 AAB53255.1 CAA65254.1 BAA84085.1 AAF36832.1 CAB62555.1 | CAC05488.1 tremuloides CAC05489.1 tremuloides AAD39492.1 BAA96150.1 BAA96192.1 |

| Glycine max Lycopersicon hirsutum Zea mays Lycopersicon pimpinellifoli Lycopersicon esculentum Lycopersicon pimpinellifoli Oryza sativa Lycopersicon esculentum Glycine max | Fritillaria agrestis Cichorium intybus Oryza sativa Oryza sativa Oryza sativa Chlamydomonas reinhardtii Chlamydomonas reinhardtii Stellaria longipes | Oryza sativa Oryza sativa Oryza sativa Fritillaria agrestis Cichorium intybus Oryza sativa Chlamydomonas reinhardtii Chlamydomonas reinhardtii | Oryza sativa Hordeum vulgare Hordeum vulgare Hordeum vulgare Sorghum bicolor Hordeum vulgare Sorghum bicolor Lycopersicon esculentum Sorghum bicolor Oryza sativa |
|---|---|--|---|
| AF244888 AF318492 U67422 AF220603 AF220603 U59317 AP001551 U59318 AF244890 | AEC31540 AEC31540 AET101422 D12634 M63704 AEC17367 M35173 Z99829 | 1081 D12634 M63704 AF031540 AF101422 AF017367 M35173 Z99829 | 1082 AP002539 Y09602 X78878 X78877 AF061282 X78876 AF061282 AF242849 AF242849 |
| | AAB86850.1 AAC84135.1 BAA02159.1 AAA63515.1 AAA33084.1 CAB16954.1 CAB16954.1 | SEQ ID NO. BAA02159.1 AAA63515.1 AAB86850.1 AAC84135.1 AAB70265.1 AAA33084.1 CAB16954.1 | SEQ ID NO. BABO8188.1 CAA70815.1 CAA59202.1 CAA55478.1 AAD22150.1 CAB58992.1 AAD22151.1 AAD22151.1 AAD22151.1 AAD22151.1 AAD22151.1 AAD22164.1 |
| ស្ថ ថ្មីក្រុម | E 66 6 6 | Eraticum aestivum Brassica napus Brassica napus Oryza sativa Populus nigra Oryza sativa Lycopersicon esculentum | Lophopyrum elongatum Lophopyrum elongatum Glycine max Glycine max Zea mays Nicotiana tabacum Oryza sativa Phaseolus vulgaris Zea mays Daucus carota Catharanthus roseus |
| AJ401274 AF149277 AJ242742 LJ36156 AB027753 AF247700 AP001383 AF149280 X91232 | 001 001 001 001 001 001 001 | X85228 1079 AY007545 AY028699 AC073405 AB041503 AB041504 AB023482 U28007 | AF131222 AF339747 AF249318 AF249317 AF023164 AF142596 00069 AF078082 AF073048 Z73295 L27821 |
| CAC21391.1 CAB94692.1 CAB94692.1 CAB41810.1 BAA82307.1 CAF65464.2 BAA92500.1 CAA62615.1 CAA62615.1 | 773 948 196 196 302 302 742 737 737 | CAA59485.1 SEQ ID NO. 1 AAG16628.1 AAG03090.1 BAA94509.1 BAA94510.1 BAA78764.1 | AAK13496.1 AAK11674.1 AAF91336.1 AAC27894.1 AAC27894.1 AAC27894.1 AAC27895.1 AAC27895.1 AAB61708.1 CAA97692.1 |

| 327 | |
|--|---|
| | Pisum sativum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Cryza sativa Hordeum vulgare Rosa hybrid cultivar Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Clycine max Arachis hypogaea Fagus sylvatica Catharanthus roseus Glycine max Glycine max Brassica napus Oryza sativa |
| AJ131739 AF213476 AF213477 AE213480 AF213479 AD000399 AJ131740 US6103 AJ131741 US6103 AJ131741 U38188 AF062399 U39834 AF147879 U31813 M94159 U17097 AJ003221 | AB052729 M93436 M96432 1085 AJ05077 AF305911 AF305911 AY029067 AF305912 AY029067 AF110518 M67449 AY027437 AJ298992 Z73295 AF197947 AF197946 AJ010091 |
| | BAB41080.1 AAA34085.1 AAA34054.1 SEQ ID NO. CAA06334.1 AAG31142.1 AAG31142.1 AAG31142.1 AAD10056.1 AAD10057.1 AAD10056.1 CAC09580.1 CAC09580.1 CAC09580.1 CAA97692.1 CAA97692.1 CAA97692.1 |
| Hordeum vulgare Hordeum vulgare Lycopersicon pennellii Solanum berthaultii Solanum berthaultii Solanum berthaultii Matricaria chamomilla Oryza sativa Oryza sativa Oryza sativa Cicer arietinum Oryza sativa Lisan sativa Cicer arietinum Oryza sativa Cicer arietinum Oryza sativa Cicer arietinum Oryza sativa Vigna radiata Vigna radiata Vigna radiata Vigna radiata Sisum sativum Brassica rapa Brassica napus Brassica napus | Brassica napus Cuphea hookeriana Carthamus tinctorius Garcinia mangostana Carthamus tinctorius Capsicum chinense Iris germanica Garcinia mangostana Elaeis guineensis Brassica juncea Cuphea hookeriana Myristica fragrans Garcinia mangostana Cuphea hookeriana Helianthus annuus Elaeis guineensis Elaeis guineensis Elaeis oleifera Cuphea lanceolata Gossypium hirsutum |
| Y09603 J03897 AF248647 AF006080 AF006078 AF141384 D17587 D10985 Y09604 AP001633 AJ271659 AP002839 U49382 U49382 U49741 Z68130 | X87842 AF062401 M96569 U92876 M96568 AF318288 AF213478 U92877 AF110462 AJZ78479 U17076 U65642 U92878 AF062400 AF036565 AF14382 AF14382 AF14382 AF14382 AF14382 AF14382 AF14566 AF141382 |
| | CAA61111.1 AAC72883.1 AAA33020.1 AAB51523.1 AAA33019.1 AAG43859.1 AAB51524.1 AAD28187.1 CAC14164.1 AAB71729.1 |

| 328 | to. |
|--|--|
| Oryza sativa Prunus avium Triphysaria versicolor Lycopersicon esculentum Eustoma grandiflorum Triphysaria versicolor Zinnia elegans Oryza sativa Nicotiana tabacum Marsilea quadrifolia Festuca pratensis Lycopersicon esculentum Cicer arietinum Oryza sativa Oryza sativa Lycopersicon esculentum Oryza sativa Eustopersicon esculentum Oryza sativa Lycopersicon esculentum Nicotiana tabacum Oryza sativa Glycine max Nicotiana tabacum Striga asiatica Oryza sativa | Populus tremula x Populus Betula pendula Citrus unshiu Pisum sativum Lycopersicon esculentum Citrus unshiu Malus x domestica |
| U85246 AF297522 AF230276 AF184233 AB049406 AF230233 U30477 AF202119 AJ276007 AF204119 AJ243340 AJ243340 AJ243340 AJ200837 AF247163 AJ243340 AJ200885 AJ243340 AJ200885 AJ243340 AJ243350 | 1089 AF086839 AJ279687 AB011798 U79562 AJ250003 AB011799 U68560 |
| AAB81662.1 AAG13983.1 AAG32921.1 BAB32732.1 BAB32732.1 AAF32411.1 AAF32411.1 AAF32411.1 AAF32411.1 AAF62183.1 CAAO438.1 AAF62180.1 CAAO4385.1 AAF62181.1 AAF62182.1 CAAO4385.1 AAF62182.1 CAAO63088.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96077.1 AAC96078.1 | SEQ ID NO. AAD02848.1 tremuloides CAB66329.1 BAA36555.1 AAC77357.1 CAB61887.1 BAA36556.1 AAB16804.1 |
| Brassica napus Oryza sativa Nicotiana tabacum Nicotiana tabacum Nosa hybrid cultivar Oryza sativa Oryza sativa Glycine max Phaseolus vulgaris Oryza sativa Glycine max Glycine max Glycine max Glycine max Oryza sativa Glycine max Cuyza sativa Glycine max Oryza sativa Glycine max Oryza sativa Sativa Oryza sativa Oryza sativa Oryza sativa Zea mays Brassica napus Oryza sativa Oryza sativa Iycopersicon hirsutum Cryza sativa Sinnia elegans Cicer arietinum Prunus avium Prunus avium Prunus avium Prunus armeniaca Prunus sarmeniaca Prunus sativus Fradaria x ananassa | Pinus taeda Pinus taeda Pinus taeda Pinus taeda Lycopersicon esculentum Pinus taeda Lycopersicon esculentum Rumex palustris Nicotiana tabacum Gossypium hirsutum |
| AJO10093 AF172282 AF302082 D31737 AF271206 AP000391 AF142596 AF244889 AF244889 AF244890 AF244890 AF244890 AF244890 AF244890 AF244890 AF230501 AF308699 AF03338 AF230332 AP000615 AF230332 AP330332 AP330332 AP330332 AP330332 | AF10500 U64890 U64891 AJ239068 U64892 AF096776 AF167360 AF049354 AF049354 |
| CAA08997.1 AAF34436.1 AAG25966.1 BAA06538.1 AAF76189.1 BAA84787.1 BAA84787.1 AAF66615.1 AAF91322.1 AAF91324.1 AAF91324.1 AAF91324.1 AAF91334.1 AAF91334.1 AAK11568.1 AAK11568.1 SEQ ID NO. 1 BAA83540.1 CAC19184.1 AAG13982.1 BAB19676.1 AAG33530.1 AAG33530.1 AAG33530.1 AAB77961.1 AAB77961.1 AAB77961.1 | AAB40634.1 AAB40637.1 AAB40635.1 CAB43197.1 AAB40636.1 AAC64201.1 AAC49956.1 AAC39512.1 |

| | 329 |
|--|--|
| Vitis riparia Brassica napus Brassica napus Brassica napus Brassica napus Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Lycopersicon esculentum Oryza sativa Lycopersicon esculentum Oryza sativa | Glycine max Zea mays Chloroplast Glycine max Daucus carota Oryza sativa Zea mays Glycine max Oryza sativa Petunia x hybrida Petunia x hybrida Petunia x hybrida Phaseolus vulgaris Phaseolus vulgaris Zea mays Zea mays Oryza sativa Petunia x hybrida Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa |
| AF220405 S81261 S81261 U33885 U33884 AF120092 1103 AP001111 AP001111 Z70524 AP000391 1104 AF088276 X93301 AF088279 AF109150 | 1105 AF049708 L33912 AF049706 L11529 D78573 L33913 AF135862 AB042521 1106 AF260918 U18349 AF260918 U18349 AF261107 AJ251719 U39860 AF020545 U39865 U39865 |
| AAE37266.1 AAB36223.1 AAC49266.1 AAC49265.1 AAD28439.1 SEQ ID NO. BAA90508.1 BAA90507.1 CAA94437.1 BAA9437.1 BAA93352.1 SEQ ID NO. AAD25300.1 CAA63704.1 | SEQ ID NO. AACO5983.1 AAA74360.1 AACO5981.1 AAA16972.1 BAA714361.1 AAA74361.1 AAA74361.1 AAA74361.1 AAA74361.1 AAA75530.1 SEQ ID NO. AAG25928.1 AAG25928.1 AAG25927.1 AAG29219.1 AAC49216.1 |
| Nicotiana suaveolens x Nicotiana suaveolens x Picea mariana Hordeum vulgare Hordeum vulgare Zea mays Spinacia oleracea Mesembryanthemum crystallinum Cucurbita sp. Oryza sativa Lycopersicon esculentum Medicago sativa Nicotiana tabacum Lactuca sativa | Nicotiana sylvestris Pisum sativum Vigna radiata Spinacia oleracea Zea mays Oryza sativa Oryza sativa Oryza sativa Irassica napus Brassica napus Brassica napus Brassica napus Trulipa gesneriana Tulipa gesneriana Tulipa gesneriana Tulipa gesneriana Tulipa gesneriana Tulipa gesneriana Tulipa gesneriana |
| AB058921 tabacum | 1091 D16247 AF271892 AF15667 X9937 AF079782 AB042643 AB042644 1094 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005928 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ005923 AJ00692 AJ0069 |
| BAB40808.1 Nicotiana ta BAB40809.1 Nicotiana ta AAC32147.1 CAB56223.1 CAB56224.1 AAC24568.2 SEQ ID NO. 1 AAB40396.1 BAA0311.1 AAB40396.1 BAA03131.1 AAB40396.1 BAAC32392.1 AAC32392.1 AAC32392.1 AAC33509.1 | SEQ ID NO. BAA03763.1 AAF75791.1 AAF40306.1 CAA68193.1 AAD20980.1 BAA95704.1 BAA95704.1 BAA95705.1 SEQ ID NO. CAA06773.1 CAA06773.1 CAA067770.1 AAG14456.1 AAG14456.1 AAG14456.1 AAG14456.1 AAG14456.1 AAG14456.1 AAG14456.1 |

| 1 ABO48713 Pisum sativum 1 AF763457 Zea mavs | AP001168 AF067400 | 1114 | 1 AJ002204 Zea mays 1 AJ241468 7es mays | AJ251018 Zea | AJ251019 Zea | | . 1115 | 1 AF001136 Pinus radiata | | . 1119 | 1 AJ006228 Nicotiana tabacum | | . 1122 | 1 AJ275318 Cicer arietinum | AJ295156 Phragmites australis | 1 U82433 Prunus armeniaca 0 | | . 1124 | 1 AF081514 Taxus canadensis | | 17 | | | | 1 AF099096 Samanea saman | | 급 | 1 X99348 Vigna radiata | . 1133 | | | AF092431 Lotus japonicus | AF075580 Mesembryanthemum | 1 AFO/55/9 Mesembryanthemum crystallinum 1 AFO02/32 Tothe issentials |
|---|----------------------------|--|--|-------------------|--------------|------------|------------|--------------------------|---------------------------|--------------------|------------------------------|-----------------|------------|----------------------------|-------------------------------|-----------------------------|-------------------|-------------------|-----------------------------|-------------------|----------------------|------------------------|----------------------|------------------------|--------------------------|-----------------------|-------------|------------------------|------------|-------------------|-------------------|--------------------------|-------------------------------|---|
| BAB39155.1 | BAA90816.1 AAC98090.1 | SEQ ID NO. | CAA05249.1 | CACO4001.1 | CAC04002.1 | | SEQ ID NO. | AAD22518.1 | | SEQ ID NO. | CAA06925.1 | | SEQ ID NO. | CAB61752.1 | CAC14890.1 | AAB68605.1 | | SEQ ID NO. | AAD16018.1 | | SEQ ID NO. | CAC34339.1 | AAF97863.1 | CAA12225.1 | AAD16279.1 | | SEQ ID NO. | CAA67728. | SEQ ID NO. | AAC36700.1 | AAG43835.1 | AAD17804.1 | AAC36698.1 | AAC36697.1 |
| Tulipa gesneriana | Lycopersicon esculentum | Lycopersicon esculentum Nicotiana glutinosa | | Nicotiana tabacum | | σ | Zea mays | Prunus armeniaca | Chlamydomonas reinhardtii | Phaseolus vulgaris | Oryza sativa | Capsicum annuum | Zea mays | Lotus japonicus, | Glycine max | Nicotiana tabacum | Nicotiana tabacum | Spinacia oleracea | Betula pendula | Nicotiana tabacum | Leavenworthia crassa | Leavenworthia uniflora | Leavenworthia crassa | Leavenworthia uniflora | | Leavenworthia stylosa | Glycine max | Leavenworthia uniflora | | Tulipa gesneriana | Tulipa gesneriana | ges | Mesembryanthemum crystallinum | |
| AF185269 | 1107 U75644 | U83708 U73203 | 1109 | D83583 | AB010717 | AY017473 | D50679 | AE071890 | Y08937 | 010419 | D50556 | AF065616 | M23456 | AJ293240 | U90429 | X66145 | X66147 | X17031 | X60093 | X66146 | AF082602 | AE082603 | AF082604 | AE082606 | AF082605 | AF082607 | L23855 | AF082608 | 1110 | AF283707 | AF283708 | AF283706 | AF053564 | 1111 |
| AAD56411.1 | SEQ ID NO. 1 AAB69757.1 | AAC49666.1 AAB38796.1 | T ON GI OBS | | BAA33796.1 | AAG59996.1 | BAA23641.1 | AAC24584.1 | CAA70137.1 | AAA74456.1 | BAA09122.1 | AAC17127.1 | AAA60450.1 | CAC06095.1 | AAB50233.1 | CAA46940.1 | CAA46942.1 | CAA34893.1 | | CAA46941.1 | AAC34042.1 | AAC34043.1 | AAC34044.1 | AAC34046.1 | AAC34045.1 | AAC34047.1 | AAA96730.1 | AAC34048.1 | | AAG14455.1 | AAG14456.1 | AAG14454.1 | AAC08401.1 | SEO ID NO. 1 |

| J03919 Glycine max J03920 Glycine max X68217 Pisum sativum X68216 Pisum sativum AF169830 Glycine max | 1164 AB010878 Nicotiana tabacum X93160 Spinacia oleracea Y14932 Spinacia oleracea | 1167 APO01168 Oryza sativa APO01168 Oryza sativa APO01168 Oryza sativa | 1168 AE302082 Nicotiana tabacum L27821 Orvza sativa | U93048 AF078082 | AF142596 Nicotiana U67422 Zea mays | U82481 AP001551 Y18259 | AY028699 AP001800 Y12531 | U20948 Ipomoea trifida AB023482 Oryza sativa X98520 Brassica oleracea Y18260 Brassica oleracea AB041503 Populus nigra | Y12530 Brassica oleracea AB032473 Brassica oleracea |
|--|--|--|---|--|--|---|---|---|---|
| AAA33945.1 AAA33944.1 CAA48299.1 CAA48298.1 AAD50278.1 | SEQ ID NO. BAA31510.1 CAA63651.1 CAA75149.1 | SEQ ID NO. BAA90815.1 BAA90804.1 BAA90803.1 | SEQ ID NO. AAG25966.1 AAA33915.1 | AAB61708.1 AAD21872.1 RAAD6538 1 | AAF66615.1 AAB09771.1 RAA94516.1 | AAB93834.1 BAA92954.1 CAB41878.1 | AAK21965.1 BAA94517.1 CAA73134.1 | AAC23542.1 BAA78764.1 CAA67145.1 CAB41879.1 BAA94509.1 | CAA73133.1 BAA92836.1 SEQ ID NO. |
| 5 5 | Mesembryanthemum crystallinum Mesembryanthemum crystallinum Fagus sylvatica Mesembryanthemum crystallinum Zea mays Fagus sylvatica | Solanum tuberosum | Hordeum vulgare Glycine max Twoopersicon esculentum | | Chlamydomonas reinhardtii | Pisum sativum Oryza sativa Zea mavs | Zea mays Zea mays Oryza sativa Pisum sativum | Phaseolus vulgaris Nicotiana alata Petroselinum crispum | Oryza sativa Pisum sativum |
| Y11607 AJ277086 AJ298987 AJ298987 AE075603 | AE075581 AE097667 AJ277744 AE079355 U81960 AJ298988 | 9273 | 114 / M31545 U20260 1,39279 | X65974 X65973 T03630 | U03633 U03633 | AB048713 AP001168 AF763457 | AF067400 AF067401 AB048714 | 1154 X60391 X70441 L36982 | 1163 AP002070 X68215 |
| CAA72341.1 CAC10358.1 CAC10359.1 CAC09575.1 AAC26828.1 | AAC36699.1 AAD11430.1 CAB90634.1 AAC35951.1 AAB93832.1 CAC09576.1 | | AAB59330.1 AAC48996.1 AAAR1881.1 | CAA46787.1 CAA46786.1 | AAA18862.1 | 9155.1 0816.1 3663.1 | AAC98090.1 AAC98091.1 BAB39156.1 | SEQ ID NO. CAR42942.1 CAR49895.1 AAR98492.1 | SEQ ID NO. BAA95840.1 CAA48297.1 |

| | napus | 332 | : |
|---|---|--|---------------------|
| Gossypium hirsutum Vitis vinifera Malus x domestica Rubus hispidus Phaseolus vulgaris Ipomoea trifida Brassica oleracea | napus subsp. napus oleracea oleracea oleracea oleracea oleracea rapa oleracea | ארי עוד הוא יייי | |
| AF009568 AF192308 AF053080 U36439 1184 AF078082 U20948 Y12531 U82481 | AJ245479 M97667 M76647 X98520 Y12530 AB032473 Y18259 AB000970 | Y18260 Z18921 D30049 D88193 Y14286 U00443 AB032474 Y14285 D38564 |) - - - |
| AACO4387.1 AAFO7174.1 AACO6255.1 AAA79993.1 SEQ ID NO. AAD21872.1 AAC23542.1 CAA73134.1 | CAB89179.1 AAA33008.1 AAA33000.1 CAA67145.1 CAA73133.1 BAA92836.1 CAB41878.1 BAA23676.1 | | |
| Ricinus communis Solanum tuberosum Citrus x paradisi Solanum tuberosum Citrus x paradisi Ricinus communis | Ipomoea nil Glycine max Glycine max Glycine max Glycine max Oryza sativa Oryza sativa Oryza sativa Oryza longistaminata | | |
| Z32850 M55191 AF095520 M55190 AF095521 Z32849 Z32849 AJ250467 AF197947 | U77888 AF244890 AF197946 AF244889 AF244888 AF172282 X89226 U37133 | | |
| | AAB36558.1 AAF91324.1 AAF91323.1 AAF91322.1 AAF91322.1 AAF34426.1 CAA61510.1 AAC49123.1 AAC80225.1 | | |

| Nicotiana tabacum Petunia x hybrida Solanum melongena Asparagus officinalis Asparagus officinalis Nepeta racemosa Nepeta racemosa Nepeta racemosa Nepeta racemosa Nepeta racemosa Solanum melongena | Solanum melongena Mentha x piperita Glycine max Capsicum annuum Glycine max Asparagus officinalis Asparagus officinalis Thlaspi arvense Solanum melongena Nicotiana tabacum Catharanthus roseus Zea mays Glycine max Zea mays | Triticum aestivum Zea mays Zea mays Zea mays Petunia x hybrida Sorghum bicolor Nicotiana tabacum Pisum sativum Glycine max Nicotiana tabacum Zea mays Zea mays Zea mays Zea mays Zea mays Zea mays |
|--|---|--|
| X95342 AF081575 X70824 AB037245 AB037244 Y09424 X70981 Y09423 Y09423 X709424 M32885 | D14990 233875 AF022157 AF122821 AF022459 AB037244 AB037245 L2443 X70982 AF166332 AJ238612 X81827 AF022460 X81828 | AB036772 Y11368 X81831 AF155332 AF029858 X96784 AF218296 D83968 X95342 Y11404 X81829 Y11403 X81829 Y11403 |
| | BAA03635.1 CAA83941.1 AAB94584.1 AAB94588.1 BAB40323.1 BAB40324.1 AAA19701.1 CAA50313.1 CAA50313.1 CAA57421.1 | BAB40322.1 CAA72196.1 CAA57425.1 AAD56282.1 AAC39318.1 CAA65580.1 AAG44132.1 BAA12159.1 CAA72208.1 CAA72208.1 CAA72208.1 CAA57423.1 CAA57423.1 |
| Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Alnus glutinosa Lycopersicon esculentum | Glycine max Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Gossypioides kirkii Lycopersicon esculentum Hordeum vulgare Cicer arietinum Glycyrrhiza echinata Glycyrrhiza echinata Lotus japonicus Cicer arietinum Cicer arietinum | |
| AP002899 Y17276 Y10149 Y17275 X95270 Y18931 X18931 X85975 AJ006380 AJ006376 Y17277 AF036960 | AF160513 AB037371 AF200467 AF201883 AJ2270956 AJ222782 AJ239051 AB001379 AB025016 AJ238439 AJ012581 | AJO00478 AJO00477 M32885 AF155332 AF022461 AF175278 X96784 U29333 AJ249800 D83968 AF014802 AF014802 AF014802 AF014802 |
| BAB21149.1 CAA76725.1 CAA71234.1 CAA76724.1 CAA64566.1 CAB67120.1 CAB67119.1 CAB67119.1 CAA69964.1 CAA69964.1 CAA66997.1 CAA76726.1 CAA06998.1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | . L O W C C O W C C A C C C |

| Daucus carota Oryza sativa Glycine max Oryza sativa Oryza sativa Oryza sativa Zea mays Glycine max Pinus sylvestris Malus x domestica Zea mays Oryza sativa Nicotiana tabacum Brassica napus Oryza sativa Oryza sativa Gryza sativa | Spinacia oleracea Glycine max Arachis hypogaea Glycine max Stylosanthes humilis Spinacia oleracea Nicotiana tabacum Spinacia oleracea Linum usitatissimum Vigna angularis Gossypium hirsutum Spinacia oleracea Petroselinum crispum Scutellaria baicalensis Oryza sativa Arachis hypogaea Oryza sativa Arachis hypogaea Oryza sativa Arachis sylvestris Pinus sylvestris Linum usitatissimum |
|---|---|
| U93048 X89226 AE197947 AP000559 AP000391 AF023164 AF197946 AJ250467 AF023165 AF19222 AF119222 AF119222 AF12922 AF142596 AY028699 AC073405 L27821 AF249318 AF249317 | Y16778 U51194 M37636 U51193 L37790 Y10462 AB027752 Y10464 U59284 D11337 AF155124 Y10470 L36981 AB024437 AP001383 M37637 AP001383 D11102 AB024439 L24120 |
| AAB61708.1 CAA61510.1 AAF59906.1 BAA83373.1 AAC27894.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27895.1 AAC27896.1 AAF66615.1 AAF6615.1 AAF691337.1 AAF91337.1 | |
| Oryza sativa Lophopyrum elongatum Lophopyrum elongatum Brassica napus Populus nigra Oryza sativa Brassica napus Oryza sativa Glycine max Glycine max Glycine max Lycopersicon esculentum Zea mays Lycopersicon hirsutum Nicotiana tabacum Catharanthus roseus | Lycopersicon esculentum Lycopersicon esculentum Zea mays Lycopersicon hirsutum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Nicotiana tabacum Oryza sativa Lycopersicon pimpinellifolium Daucus carota Lycopersicon esculentum Cea mays Petunia integrifolia Lycopersicon esculentum Glycine max Glycine max Glycine max |
| 1190 AB023482 AF131222 AF339747 AY007545 AB041503 AB041503 AB041504 00069 AY028699 AC073405 AF249318 AF249317 U67422 AF318490 AF318490 AF318490 AF318490 | AF220603 AF023164 AF7318491 U02271 U59315 AF220602 AF302082 AF001551 AF001551 U59317 U93048 U93048 AF243041 U58474 AF243041 U58474 AF244888 AF244888 |
| SEQ ID NO. 1 BAR78764.1 AAF13496.1 AAG16628.1 BAR94510.1 CAB51834.1 AAF91337.1 AAF91337.1 AAF91337.1 AAF6615.1 AABO9771.1 AABO9771.1 AABO9771.1 | |

| 335 | |
|---|--|
| Digitalis lanata Oryza sativa Brassica napus Oryza sativa Lycopersicon esculentum Catharanthus roseus Chlamydomonas reinhardtii Oryza sativa Solanum tuberosum subsp. Phaseolus vulgaris Lupinus luteus Lupinus luteus Zea mays Yicia faba Solanum commersonii Euphorbia esula Capsicum annuum Pseudotsuga menziesii Digitalis lanata Nicotiana tabacum | Nicotiana tabacum Nicotiana tabacum Oryza sativa Olea europaea Borago officinalis Cuscuta reflexa Olea europaea Brassica oleracea Nicotiana tabacum Petunia x hybrida Petunia x hybrida Petunia x hybrida Petunia x hybrida Petunia sativus Glycine max Hordeum vulgare Oryza sativa |
| Y08273 L29469 M55018 L29470 M55019 X85185 AF052206 L29471 AF126551 X74403 Y16088 AF178458 M55021 X68678 L32095 U92087 AF242312 AF242312 AF291180 AJ132763 X97255 Z14081 | X71441 X80008 X75670 AJ001369 U79011 L22209 AJ001370 M87514 X68140 AF098510 AF098510 AF098510 AF08814 D50407 AF10521 D50407 AF10521 D88383 AB011416 |
| CAA69598.1 AAA57045.1 AAA62706.1 AAA63543.1 CAA59468.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC0471.1 AAC048638.1 AAC048638.1 AAC01536.1 AAC01536.1 CAA10766.1 CAA5889.1 CAA65889.1 CAA65889.1 | |
| Cucumis sativus Glycine max Armoracia rusticana Nicotiana sylvestris Oryza sativa Spinacia oleracea Scutellaria baicalensis Spinacia oleracea Stylosanthes humilis Raphanus sativus Spinacia oleracea Hordeum vulgare Lycopersicon esculentum Cucumis sativus Mercurialis annua Oryza sativa Oryza sativa Oryza sativa Oryza sativa Striga asiatica Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum | Gossypium hirsutum Oryza sativa subsp. japonica Lotus japonicus Glycine max Vigna aconitifolia Lotus japonicus Prunus armeniaca Lotus japonicus Lotus japonicus Lotus japonicus Pisum sativum Mesembryanthemum crystallinum Oryza sativa |
| M91372 AF145350 X57564 M74103 AF014468 Y10467 AB024438 Y10468 L77080 X91172 AF24921 M73234 X94943 M32742 X91232 D16444 D083225 D16443 AF014470 D83225 AJ776227 AF043234 J02979 L13654 X85230 | 1195 AF150630 AF030052 1196 Z73940 L14928 Z73941 U82219 Z73942 Z73943 X65650 U87142 D13758 |
| AAA33129.1 AAD37376.1 CAA40796.1 AAC49819.1 CAA71493.1 BAA77388.1 CAA71494.1 AAB67737.1 CAA62597.1 AAB67737.1 CAA62597.1 AAA33121.1 CAA64413.1 AAA33121.1 CAA62615.1 BAA11853.1 CAB99487.1 AAB97853.1 AAB97853.1 AAB97853.1 AAA65637.1 | SEQ ID NO. 1 AAD39534.2 AAC39333.1 SEQ ID NO. 1 CAA98168.1 AAA34242.1 CAA98169.1 AAB71504.1 CAA98170.1 CAA98170.1 CAA98171.1 CAA98171.1 CAA98171.1 CAA98171.1 SAB47557.1 BAA02904.1 |

| | 336 | |
|---|---|--|
| Oryza sativa Triticum aestivum Sorghum bicolor Oryza sativa Oryza sativa Malus x domestica Brassica napus | Lotus japonicus Lycopersicon esculentum Lycopersicon esculentum Nepenthes alata Brassica napus Limmanthes douglasii Simmondsia chinensis Brassica napus | Vitis vinifera Pyrus pyrifolia Malus x domestica Malus x domestica Nicotiana tabacum Castanea sativa Vitis vinifera Oryza sativa Prunus avium Brassica rapa Pseudotsuga menziesii Cestrum elegans Avena sativa |
| AF7091458 AB007504 U49734 U78892 AF058698 U78948 U78948 | AJ279059 X95098 AF118858 AF080541 AF188744 AF247134 U37088 AF09563 U50771 AF333040 AJ291728 AF054499 AF054499 AF054499 | 1206 AF195653 AB006009 AJ243427 AF090143 AB000834 AJ24286 AJ24286 AJ2428 AJ342113 UJ244 AJ131731 AB031870 U57787 |
| AAF04972.1 BAA33457.1 AAB50187.1 AAC49817.1 AAF19048.1 AAC83170.1 SEQ ID NO. | | SEQ ID NO. AAF06346.1 BAA28872.1 CAC10270.1 AAC36740.1 BAA74546.2 CAB62167.1 AAF06347.1 CAC09477.1 AAB38064.1 AAB95118.1 CAA10492.1 BAA95017.1 |
| Hordeum vulgare Hordeum vulgare Hordeum vulgare Cucumis sativus Hordeum vulgare Chlamydomonas reinhardtii Hordeum vulgare | Iycopersicon esculentum Ipomoea batatas Paulownia kawakamii Ipomoea batatas Solanum tuberosum Petunia x hybrida Oryza sativa Hordeum vulgare Oryza sativa Canavalia lineata Solanum tuberosum Petunia x hybrida Cichorium intybus Zea mays Ceratopteris richardii Physcomitrella patens Physcomitrella patens | Capsicum annuum Petunia x hybrida Oryza sativa Oryza sativa Oryza sativa Picea abies Lolium temulentum Hordeum vulgare Petunia x hybrida Oryza sativa Medicago sativa Betula pendula Lolium temulentum Nicotiana tabacum |
| X86101 X92403 D88382 D67088 X86102 AF305613 AF294753 | 1202 AF275345 AF345246 AF060880 AF346303 AF008651 AAC993816 AJ249141 AJ293816 AF144623 AF10420 AF112149 D89671 AF150932 AF150932 | AF072534 AF335244 U78890 AB026295 AJ011675 AF158543 AF035378 AJ249146 AF335239 AB003325 U91964 X99654 AF035379 X76188 |
| CAA60054.1 CAA63140.1 BAA25167.1 BAA11091.1 CAA60055.1 AAG41962.1 AAG02480.1 | | AAE77579.1 AAK21257.1 AAB71434.1 BAA81865.1 CAB56800.1 AAF18376.1 AAD10625.1 CAB97354.1 AAK21252.1 BAAK1883.1 AAB51377.1 CAA67968.1 |

| | | 337 | |
|--|--|---|---|
| Lophopyrum elongatum Oryza sativa Zea mays Nicotiana tabacum Oryza sativa Oryza sativa Nicotiana tabacum Catharanthus roseus Glycine max | Glycine max Populus nigra Oryza sativa Glycine max Glycine max Mitochondrion Marchantia | Brassica napus Brassica napus Brassica napus Brassica napus Prunus dulcis Citrus sinensis Sesamum indicum Bromus secalinus Zea mays | Oryza sativa Hordeum vulgare Oryza sativa Elaeis guineensis Perilla frutescens Sesamum indicum Perilla frutescens Perilla frutescens Glycine max Perilla frutescens |
| AF131222 AB023482 U67422 AF142596 AC073405 00069 AF302082 Z73295 AF244890 | ALZ44889 AB030083 AP001800 AF197947 AF197946 1211 M68929 X15901 | 1212 X61937 X58000 S37032 X63779 X78118 Z48450 AF091840 U72411 | U43930 X82678 AF022148 AF147758 AF210696 U97700 AF237625 U09118 AF311746 |
| AAE43496.1 BAA78764.1 AAB09771.1 AAE6615.1 AAG03090.1 CAB51834.1 AAG25966.1 CAA97692.1 AAF91324.1 | AAF91323.1 BAA82556.1 BAA94516.1 AAF59906.1 AAF59905.1 SEQ ID NO. AAC09420.1 Polymorpha CAA33994.1 | | AACO2239.1 CAA57995.1 AAC33281.1 AAD41080.1 AAG43516.1 AAG43517.1 AAG09751.1 AAG09751.1 AAG24455.1 |
| Vitis riparia Nicotiana tabacum Vitis vinifera Vitis vinifera Oryza sativa Cicer arietinum Nicotiana tabacum Nicotiana tabacum | Mesembryanthemum crystallinum Zea mays Medicago sativa Nicotiana tabacum Lotus japonicus Lotus japonicus Mesembryanthemum crystallinum Nicotiana tabacum Fagus sylvatica | Mesembryanthemum crystallinum Fagus sylvatica Eagus sylvatica Oryza sativa Zea mays Mesembryanthemum crystallinum Mesembryanthemum crystallinum Fagus sylvatica | Zea mays Zea mays Brassica napus Lycopersicon esculentum Glycine max Glycine max Oryza sativa Brassica napus Populus nigra Populus nigra Lophopyrum elongatum |
| AE178653 AB029918 AF003007 AF227324 U77657 AJ010501 X15224 X15223 | LZU8 AE075580 AE213455 Y11607 AJ277086 AF092431 AF092432 AF07579 AJ277087 | AE075582 AJ298987 AJ277744 AE075603 U81960 AE079355 AE097667 AE075581 AJ298988 | AF023164 AF023165 AY028699 U28007 AF249317 AF249318 AP000367 AY007545 AB041503 AB041503 |
| 5090.1 5165.1 1590.1 5264.1 3368.1 3293.1 3292.1 | | AAC36700.1 CAC09575.1 CAB90634.1 AAC26828.1 AAC36828.1 AAC35951.1 AAC36699.1 AAC36699.1 CAC09576.1 | AAC27894.1 AAC27895.1 AAK21965.1 AAC61805.1 AAF91336.1 AAF91337.1 BAA82394.1 BAA94510.1 BAA94510.1 BAA94509.1 |

| M91079 Medicago sativa X16470 Phaseolus vulgaris M91080 Medicago sativa AJ004902 Glycine max U03433 Pisum sativum AB024988 Cicer arietinum AF307301 Lotus corniculatus AF308141 Lotus corniculatus AF308140 Lotus corniculatus | AF195654 Vitis vinifera AF195653 Vitis vinifera AB006009 Pyrus pyrifolia AB000834 Nicotiana tabacum AJ243427 Malus x domestica AF090143 Malus x domestica AL442113 Oryza sativa UJ244 Brassica rapa AJ242828 Castanea sativa AB031870 Cestrum elegans AJ131731 Pseudotsuga menziesii | |
|--|--|---|
| AAB41524.1 M91 CAA34490.1 X16 AAB41480.1 M91 CAA06202.1 AJ0 AAA50174.1 U03 BAA76416.1 AB0 AAG3050.1 AF3 AAG30542.1 AF3 | SEQ ID NO. 1215 AAF06347.1 AF1 BAA28872.1 AB0 BAA74546.2 AB0 CAC10270.1 AJ2 AAC36740.1 AF0 CAC09477.1 AL4 AAB38064.1 U32 AAB38064.1 U32 BAA95118.1 U71 CAB62167.1 AJ2 CAB62167.1 AJ2 | H |
| Glycine max Arachis hypogaea Sesamum indicum Helianthus annuus Arachis hypogaea Hordeum vulgare Fagopyrum esculentum Brassica napus Glycine max Brassica napus | Zea mays Deaucus carota Oryza sativa subsp. indica Oryza sativa Oryza sativa Helianthus annuus Zea mays Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus | Arabidopsis lyrata Raphanus sativus Vitis vinifera Citrus sinensis Elaeagnus umbellata Petunia x hybrida Callistephus chinensis Petunia x hybrida Dianthus caryophyllus Ipomoea purpurea Petunia x hybrida Dianthus saryophyllus Ipomoea batatas Zea mays Malus sp. Malus sp. Malus sp. Phaseolus vulgaris |
| X60773 AF325917 AF302807 X62352 AF325918 X82677 AF288622 X82019 X60772 | 705212 U47099 AF019212 U43931 X78679 U13702 X95555 AF117126 X95559 Y08986 | AJ287322 AF031921 X75963 AB011794 AF061808 X14589 Y00852 Z67980 AF233637 Z67989 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF028238 X14590 AF037396 Z2760 X68979 X68979 |
| CAA43183.1 AAK13449.1 AAG23840.1 CAA44224.1 AAK13450.1 CAA57994.1 AAG01171.1 CAA57544.1 CAA43182.1 CAA57545.1 | | 34968.1 34557.1.1 36552.1 16013.1 16013.1 16013.1 1921.1 31921.1 31921.1 31931.1 32730.1 36474.1 36474.1 36474.1 36774.1 36774.1 |

| . 339 |
|---|
| Daucus carota Nicotiana tabacum Oryza sativa Brassica napus Zea mays Spinacia oleracea Arabidopsis lyrata subsp. Arabis gemmifera Oryza sativa Coryza sativa Coryza sativa Leavenworthia crassa Spinacia oleracea Dioscorea tokoro Corocorea tokoro Dioscorea tokoro Dioscorea tokoro Dioscorea tokoro Corocorea tokoro Dioscorea tokoro Dioscorea tokoro Corocorea tokoro Dioscorea tokoro Dioscorea tokoro Corocorea tokoro Corocorea tokoro Dioscorea tokoro Dioscorea tokoro Corocorea tokoro Corocorea tokoro Dioscorea tokoro Corocorea tokoro |
| U93048 AF142596 U72724 AY028699 AF023164 A2028699 AF023164 A2000265 AB044968 D45217 D45218 AF054455 AJ000266 D88922 D88923 U7225 X89384 X71084 X893384 X893386 X893389 Y14129 X893396 X893397 X893397 X14130 |
| AAB61708.1 AAF66615.1 AAB82756.1 AAK21965.1 AAC27894.1 SEQ ID NO. CAA03982.1 BAB17656.1 BAB17656.1 BAA08148.1 BAAC3188.1 BAAC3181.1 BAAC3181.1 BAAC3118.1 CAA6157.1 CAA61570.1 CAA61572.1 CAA61572.1 CAA61572.1 |
| Zea mays Zea mays Dianthus caryophyllus Zea mays Zea mays Zea mays Chlamydomonas reinhardtii Chlamydomonas reinhardtii Mesembryanthemum crystallinum Oryza sativa Catharanthus roseus Atriplex hortensis Nicotiana tabacum Oryza sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Oryza sativa Mesembryanthemum crystallinum Nicotiana tabacum Oryza sativa Mesembryanthemum crystallinum Nicotiana tabacum Oryza sativa Hordeum vulgare Finus sylvestris Ipomoea nil Glycine max Glycine max Malus x domestica Oryza sativa |
| AB042261 AB031012 AE339732 AB031011 AB004882 AF174480 AF219972 AF21149 AJ251249 AJ251249 AJ251249 AJ251249 AJ251250 AF271633 AJ251250 AF271633 AJ251250 AF271633 AF274033 AF274033 AF274033 AF274033 AF298231 AF298226 AF27282 |
| BARS 5113.1 BARS 5113.1 BARS 5113.1 BARS 5112.1 BARS 5941.1 AAD 55941.1 AAD 55941.1 AAF 32350.1 CAB 96899.1 CAB 96899.1 CAB 96899.1 CAB 96899.1 CAC 128 22.1 AAF 3248.1 AAF 3248.1 AAF 3269.1 AAF 326.1 AAF 333.1 AAF 333.1 AAF 333.1 AAF 333.1 AAF 333.1 AAF 393.2 AAF 360.1 AAF 360.1 |

| AAC32140.1 AF051239 Picea mariana AAA34308.1 M55604 Triticum aestivum | 1 M90663 Triticum | | CAA71762.1 Y10804 Nicotiana tabacum | SEO ID NO. 1229 | | | AAF97508.1 AF242298 Oryza sativa | | 1234 | U15605 Nicotian | | | 1 AF211528 1 | 1 AJ310151 | Linum | Linum | Linum | CAC35338.1 AJ310163 Linum usitatissimum | CAA08797.1 AJ009719 Solanum tuberosum | Linum | Linum | 1 AJ310159 Linum | 1 AF310964 Linum | .1 AF310960 Linum | AJ310158 Linum | AJ310150 Linum | AJ310153 Linum | AJ310161 Linum | AF310958 Linum | Linum | AJ310157 Linum | AF310966 Linum | AF310968 Linum | • • | | |
|--|-------------------|----------|-------------------------------------|--|--------|----------|----------------------------------|----------------------|-----------------|-----------------------|-----------------------|----------|--------------|------------|-------|-------|--------------|---|---------------------------------------|-------------------|--------------|------------------|------------------|-------------------|----------------|----------------|----------------|---------------------|-------------------|-------------------------|----------------|----------------|----------------|----------------------|------------|--|
| Clarkia lewisii Clarkia lewisii | rkia | score | | Dioscorea septemioda Dioscorea tennipes | | scorea | scorea | Dioscorea gracillima | Clarkia lewisii | Leavenworthia stylosa | Leavenworthia stylosa | | | | | | Oryza sativa | Oryza sativa | Petunia x hybrida | Petunia x hybrida | Oryza sativa | 1 | | Sorghum bicolor | | | Oryza sativa | Paulownia kawakamii | Nicotiana tabacum | Lycopersicon esculentum | | | Glycine max | Petroselinum crispum | ticum aest | |
| 85 | x89391 | AB006088 | AB006617 | ABOUGGI9 | D88920 | AB006615 | AB006618 | AB006616 | X71085 | AF293478 | AF293477 | AF293474 | AE293473 | AF293472 | | 1224 | 00281 | AP001366 | X92205 | X92204 | AP000559 | | 1226 | AF124045 | | 1227 | AF005492 | AF046934 | AB040471 | AJ003142 | X73635 | AP002092 | X10685 | X58577 | Y09013 | |
| X8938 | 4 🛱 | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | × | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Brassica rapa | Brassica rapa | Petunia x hybrida | Petunia x hybrida | Datisca glomerata | Petunia x hybrida | Nicotiana tabacum | Petunia x hybrida | Oryza sativa | Petunia x hybrida | | | Oryza sativa | | | Oryza sativa | Oryza sativa | Oryza sativa | Brassica oleracea var. | | Brassica rapa | | Triticum aestivum |
|---------------------|------------|---------------------|---------------------|---------------------|---------------------|-------------------|---------------------|---------------------|---------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|------------------|--------------|-------------|-------------|-------------------|--------------|--------------|------------------------|---------------------------|---------------|------------|-------------------|
| 1247 | AB006599 | AB006600 | AB000451 | AB006601 | AB006603 | AB006602 | AB006598 | AB000452 | AB006604 | AB006605 | AB035133 | AB006597 | AB035132 | 076554 | 076555 | AB000455 | D26085 | AF119050 | D26084 | AF053077 | AB000453 | AF332876 | D26083 | D26086 | AB006606 | AB000456 | AB000454 | | 1250 | AP000367 | | 1253 | D21836 | D26547 | 092541 | AF273844 | | AB010434 | U59379 | AF286593 |
| | BAA21921.1 | BAA21922.1 | BAA19110.1 | BAA21923.1 | BAA21925.1 | BAA21924.1 | BAA21920.1 | BAA19111.1 | BAA21926.1 | BAA21927.1 | BAA96071.1 | BAA21919.1 | BAA96070.1 | AAB53260.1 | AAB53261.1 | BAA19114.1 | BAA05078.1 | AAD26942.1 | BAA05077.1 | AAC06243.1 | BAA19112.1 | AAK01713.1 | BAA05076.1 | BAA05079.1 | BAA21928.1 | BAA19926.1 | BAA19113.1 | | | BAA82375.1 | | | BAA04864.1 | BAA05546.1 | AAB51522.1 | AAG35777.1 | alboglabra | BAA25681.1 | AAB53694.1 | AAE88067.1 |
| Linum usitatissimum | | Linum usitatissimum | Linum usitatissimum | Linum usitatissimum | Linum usitatissimum | | Linum usitatissimum | Linum usitatissimum | Linum usitatissimum | mnu | Linum usitatissimum | Linum usitatissimum | Linum usitatissimum | Linum usitatissimum | Glycine max | Glycine max | Glycine max | Glycine max | | | Malus x domestica | Gossypium hirsutum | | | Oryza sativa | Picea mariana | | | Atriplex gmelini | Oryza sativa | Ipomoea nil | Ipomoea nil | Citrus x paradisi | Zea mays | | | Populus tremula x Populus | | Zea mays | |
| AF310962 | AF093638 | AF093642 | AF093641 | U27081 | AF093645 | AE093644 | AE093646 | AE093640 | AE093643 | | AF093649 | 4 | U27081 | ന | AF175389 | AF175395 | AF175394 | AF175399 | | 1237 | AF220203 | AF336281 | | 1238 | AF106844 | AF051233 | • | 1239 | AB038492 | AB021878 | AB033990 | AB033989 | AY028416 | AE307944 | | 1245 | AF115543 | | AJ011794 | |
| AAK28809.1 | 5965 | 2969 | AAD25968.1 | AAA91022.1 | AAD25972.1 | AAD25971.1 | AAD25973.1 | AAD25967.1 | AAD25970.1 | AAD25974.1 | AAD25976.1 | AAD25975.1 | AAA91021.1 | AAD25966.1 | AAG09952.1 | AAG01052.1 | \vdash | AAG09954.1 | | | AAF27919.1 | AAK19614.1 | | | AAG17476.1 | AAC32134.1 | | | BAB11940.1 | BAA83337.1 | BAB16381.1 | BAB16380.1 | AAK27314.1 | AAK28483.1 | | SEQ ID NO. 1 | AAF21982.1 | tremuloides | CAB65535.1 | |

| AAC32111.1 | AF051206 | Picea mariana | AAC37345.1 | L20621 | Zea mays |
|------------|----------|--------------------------------|--------------|----------|-------------------------------|
| BAB20886.1 | 29 | Oryza sativa | AAC35341.1 | AF072448 | Ipomoea trifida |
| CAA55399.1 | X78822 | Chlamydomonas reinhardtii | AAC35343.1 | AF072450 | Ipomoea trifida |
| CAA94534.1 | Z70677 | Ricinus communis | AAB57737.1 | U89270 | Tripsacum dactyloides |
| CAA56850.1 | X80887 | Chlamydomonas reinhardtii | AAF89645.1 | AF169018 | Glycine max |
| ÷ | AJ001903 | Triticum turgidum subsp. durum | AAF04253.1 | AF097651 | Pisum sativum |
| AAC49358.1 | U35831 | Pisum sativum | AAF04193.1 | AF053638 | Pisum sativum |
| 0 | X76269 | Pisum sativum | AAB57738.1 | U89271 | Tripsacum dactyloides |
| BAA13524.1 | D87984 | Fagopyrum esculentum | AAF04194.1 | AF053639 | Pisum sativum |
| • | X58527 | Nicotiana tabacum | AAB00109.1 | U21801 | Lycopersicon esculentum |
| AAD49233.1 | AF159388 | Phalaris coerulescens | | | |
| BAB39913.1 | AP002912 | Oryza sativa | SEQ ID NO. 1 | 1259 | |
| AAD49230.1 | AF159385 | Hordeum bulbosum | AAC78466.1 | AF053311 | Zantedeschia aethiopica |
| AAD49234.1 | AF159389 | Phalaris coerulescens | CAA04142.1 | AJ000508 | Pisum sativum |
| AAD49232.1 | AF159387 | Lolium perenne | CAB59895.1 | AJ238745 | Hordeum vulgare |
| CAA35826.1 | X51462 | Spinacia oleracea | CAB59893.1 | AJ238697 | Hordeum vulgare |
| CAA35827.1 | X51463 | Spinacia oleracea | CAB96145.1 | AJ250951 | Mesembryanthemum crystallinum |
| CAA77847.1 | 211803 | | BAA22194.1 | D63425 | Spinacia oleracea |
| AAD56954.1 | AF186240 | Secale cereale | CAA42780.1 | X60219 | Nicotiana sylvestris |
| AAD49231.1 | AF159386 | Secale cereale | BAB16430.1 | AB041518 | Nicotiana tabacum & |
| AAD33596.1 | AF133127 | Hevea brasiliensis | CAA75009.1 | Y14707 | annuns |
| CAA55398.1 | X78821 | Chlamydomonas reinhardtii | CAA75054.1 | Y14762 | Lycopersicon esculentum |
| CAA56851.1 | X80888 | Chlamydomonas reinhardtii | AAB94892.1 | AF037051 | Gossypium hirsutum |
| CAA44209.1 | X62335 | Chlamydomonas reinhardtii | CAB59894.1 | AJ238744 | Hordeum vulgare |
| CAA06736.1 | AJ005841 | Oryza sativa | CAA74775.1 | Y14429 | Helianthus annuus |
| CAA06735.1 | AJ005840 | Triticum aestivum | AAB66330.1 | AF014927 | Chlamydomonas reinhardtii |
| AAB53695.1 | 059380 | Brassica napus | BAA83594.1 | AB009083 | Chlamydomonas sp. W80 |
| AAD45358.1 | AF160870 | Brassica napus | CAA75055.1 | Y14763 | Lycopersicon esculentum |
| AAB52409.1 | U76831 | Brassica napus | CAA09194.1 | AJ010455 | Triticum aestivum |
| CAA33082.1 | X14959 | Spinacia oleracea | CAB66331.1 | AJ279689 | Betula pendula |
| AAC19392.1 | AF069314 | Mesembryanthemum crystallinum | | | |
| CAA45098.1 | X63537 | Pisum sativum | | 1261 | |
| AAC49357.1 | U35830 | Pisum sativum | AAB18669.1 | U11716 | Pisum sativum |
| AAC04671.1 | AE018174 | Brassica napus | AAD25355.1 | AF115574 | Pisum sativum |
| | | | AAA33662.1 | M18250 | Pisum sativum |
| SEQ ID NO. | 1255 | | | | |
| CAA52213.1 | X74115 | | | 1264 | |
| AAC35342.1 | AE072449 | ţ | AAB40396.1 | U80071 | Mesembryanthemum crystallinum |
| AAC35340.1 | AE072447 | ţ | BAA03131.1 | D14044 | Cucurbita sp. |
| CAA11153.1 | AJ223177 | Nicotiana tabacum | AAA34030.1 | J03492 | Spinacia oleracea |
| CAA11154.1 | AJ223178 | Nicotiana tabacum | AAB82143.1 | AF022740 | Oryza sativa |

| pimpinellifoli pimpinellifoli t s esculentum hirsutum esculentum | garis roseus s hirsutum esculentum esculentum itica | pimpinellifolium spimpinellifolium pimpinellifolium hirsutum pimpinellifolium hirsutum pimpinellifolium |
|---|---|--|
| Glycine max Glycine max Glycine max Lycopersicon pim Lycopersicon pim Populus nigra Populus nigra Brassica napus Lycopersicon esc Lycopersicon hir Glycine max Oryza sativa Lycopersicon esc | Phaseolus vulgaris Oryza sativa Catharanthus roseu Brassica napus Glycine max Glycine max Glycine max Glycine max Clycine max Clycine max Clycine max Oryza sativa Oryza sativa Oryza sativa Uroopersicon hirsu Oryza sativa Lycopersicon escul Lycopersicon escul Lycopersicon escul | roputus ingra Iycopersicon pimpinellifolium Brassica napus Iycopersicon pimpinellifolium Iycopersicon hirsutum Populus nigra Oryza sativa Iycopersicon pimpinellifolium Lycopersicon pimpinellifolium Iycopersicon pimpinellifolium |
| AF244890 AF244889 U59317 AF220602 AB041504 AB041503 AY007545 AF220603 AF197946 AB023482 U59318 | 1270 AF285172 00069 Z73295 AY028699 AF197946 AF197947 AF244889 | ABU415U3 AFC20602 AY007545 U59315 U02271 AF318490 AB041504 AC073405 U59317 AF318493 AF220602 |
| AAF91324.1 AAF91323.1 AAB47424.1 AAF76307.1 BAA94510.1 BAA94509.1 AAG16628.1 AAG16628.1 AAF76314.1 AAF11568.1 AAF76314.1 AAF76314.1 AAF76314.1 | | AAF76306.1 AAG16628.1 AAB47423.1 AAC48914.1 AAK11566.1 BAA94510.1 BAB47424.1 AAB47424.1 |
| Lycopersicon esculentum Medicago sativa Nicotiana tabacum Lactuca sativa Lycopersicon esculentum | sativa resicon resicon sativa resicon resicon longist sativa ca napu ca napu sativa sativa | Lycopersicon esculentum Lycopersicon esculentum Lycopersicon hirsutum Lycopersicon pimpinellifolium Oryza sativa Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Zea mays Lycopersicon hirsutum Glycine max Oryza sativa |
| X92888 AF082874 U62485 AF162196 AF053995 AF053993 AF053994 AF053994 AF1053994 AF1053997 | AP002521 AF002236 AJ002236 AJ002236 U15936 U15936 U15936 U172723 U37133 U37133 U37133 AF285172 AF285172 AF285172 AF285172 AF285172 AF285172 AF285172 | AF220603 U59316 AF318490 U59315 AC073405 AF220602 U67422 AF318493 AF197947 |
| CAA63482.1 AAC32392.1 AAC33509.1 AAF03097.1 SEQ ID NO. 1 AAC78593.1 AAC78596.1 AAC78596.1 AAC78596.1 | инненнення унинен | AAF76313.1 AAB47421.1 AAK11566.1 AAB47423.1 AAG763090.1 AAF76306.1 AAF76306.1 AAF76306.1 AAF76306.1 AAF59906.1 CAAG1510.1 |

| Solanum t Psophocar Solanum t Gossypium Persea am Nicotiana Solanum t | Medicago sativa Medicago sativa Medicago sativa Medicago sativa Medicago truncatula L37876 Phaseolus vulgaris A73926 Phaseolus vulgaris A73926 Vigna sesquipedalis X88800 Vigna unguiculata U30324 Theobroma cacao | AJ249786 Nicotiana tabacum U82974 Citrus sinensis & A 73 X57564 Armoracia rusticana | | AF149277 Phaseolus vulgaris AF149280 Phaseolus vulgaris D83224 Populus nigra X97349 Populus balsamifera subsp. | X97348 Populus balsamifera subsp. D38051 Populus kitakamiensis AP001383 Oryza sativa X71593 Lycopersicon esculentum |
|---|--|---|--|--|--|
| AAA17409.1 UU2 BABB13369.1 ABC CAA30142.1 XO7 AAB67842.1 UGC CAB01591.1 Z78 CAA45821.1 X64 | 5 | 1 2 | ø | | trichocarpa CAA66034.1 X97 trichocarpa BAA07241.1 D38 BAA92500.1 APC |
| Lophopyrum elongatum Lophopyrum elongatum Lycopersicon esculentum Lycopersicon hirsutum Arabis gemmifera | lightfera lightfera drummondii fecunda lemmonii gunnisoniana glabra lemmonii parishii | ra niana lii ophylla | var. | lepharophylla a tabacum a tabacum a sylvestris | Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Solanum tuberosum Lycopersicon esculentum CAA66034.1 |
| AF131222 AF339747 AF220603 AF318492 1271 AB023464 | AF135145 AF135135 AF135137 AF135137 AF135143 AF135140 AF135138 AF135144 AF135152 | すすすのの! | AF135136 AF135136 AF135147 AF135147 AF135142 | AF135134 X64519 X51599 AJ301671 | X16939 X16938 S44869 M15173 U02605 |
| | AAF69785.1 AAF69775.1 AAF69772.1 AAF69772.1 AAF69778.1 AAF6978.1 AAF6978.1 | AAF69786.1 AAF69788.1 AAF69781.1 AAF69770.1 AAF69773.1 | | AAF69774.1 CAA45822.1 CAA35945.1 CAC17793.1 | CAA34813.1 CAA34812.1 AAB23374.1 AAA34070.1 AAA18332.1 CAA78845.1 |

| | | | | ta | | esculentum | | ŭ | a : | | | | | | parviglumis | andersonii | | ata | sapsp. mays | ıtula | at | at. | rs. | | | | | | | atula | | | | esculentum | a) | | | |
|----------------------------|--------------|----------------------------------|-----------------|-------------------|---------------|-----------------|----------------|-------------------|-----------------|---------------------|-------------|-------------------|--------------|--------------|-------------------|---------------------|-----------------|----------------------|------------------|---------------------|----------------|-------------------|-----------------------|-------------------------|--------------------|-----------------|------------------|------------|-------------------------------|--|------------------|-------------------|-------------------|-------------------|-------------------|---------------|-----------------|---|
| Medicago sativa | Oryza sativa | Medicayo sariva Pisum sativum | Medicago sativa | Sesbania rostrata | Pisum sativum | Lycopersicon es | Lupinus luteus | Casuarina glauca | Hordeum vulgare | Lupinus luteus | Glycine max | Zea mays | Oryza sativa | Oryza sativa | Zea mays subsp. | Parasponia ande | Trema tomentosa | Sesbania rostrata | Zea mays subsp. | Medicago truncatula | | Medicago sativa | | | Vicia faba | | Trema virgata | | Trema virgata | Medicago truncatula | | | Brassica napus | Lycopersicon e | Hordeum vulgare | Prunus dulcis | Oryza sativa | |
| M36100 | U76030 | A133/3 AB015721 | M91077 | M23312 | AB015720 | AY026343 | 050083 | X53950 | U94968 | Y00401 | 047143 | AF236080 | U76028 | U76031 | AF291052 | U27194 | X00296 | M23313 | AY005818 | X57733 | X54089 | AF172172 | AF027215 | AB009844 | Z54158 | AJ131349 | AJ131352 | AJ131350 | AJ131351 | X57732 | | 1275 | AJ278966 | AF016713 | AF023472 | AF213936 | AF140606 | |
| AAA32657.1 | AAC49883.1 | EAA31/50.1 | AAB48005.1 | AAA03002.1 | BAA31156.1 | AAK07676.1 | AAC04853.1 | CAA37898.1 | AAB70097.1 | CAA68462.1 | AAA97887.1 | AAF44664.1 | AAC49881.1 | AAC49884.1 | AAG01183.1 | AAB86653.1 | CAA68405.1 | AAA03005.1 | AAG01375.1 | CAA40900.1 | CAA38024.1 | AAG29748.1 | AAC28426.1 | BAA24088.1 | CAA90869.1 | CAB63706.1 | CAB63709.1 | CAB63707.1 | CAB63708.1 | CAA40899.1 | | | CAC07206.1 | AAD01600.1 | AAC32034.1 | AAF20002.1 | AAF07875.1 | |
| Populus balsamifera subsp. | | Linum usitatissimum | π | Medicado sativa | -24 | c | Ħ | Nicotiana tabacum | Glycine max | Armoracia rusticana | Glycine max | Spinacia oleracea | | 75 | Spinacia oleracea | Armoracia rusticana | Medicado sativa | Nicotiana svlvestris | Raphanus sativus | Ţ | Cucurbita pepo | Spinacia oleracea | Asparagus officinalis | Scutellaria baicalensis | Phaseolus vulgaris | Medicago sativa | Arachis hypogaea | | michorium intwhis x Cichorium | 25 27 25 25 25 25 25 25 25 25 25 25 25 25 25 | Casuarina glauca | Canavalia lineata | Sesbania rostrata | Sesbania rostrata | Sesbania rostrata | Oryza sativa | Medicaco sativa | 5・13・13・13・13・13・13・13・13・13・13・13・13・13・ |
| X97350 | | L07554 | 07000E | X90694 | D30652 | D11396 | AF155124 | AB027752 | AF007211 | D90115 | AF014502 | AF244924 | X90692 | D11102 | AF244923 | D90116 | L36156 | M74103 | X91172 | L37790 | X17192 | X10466 | AB042103 | AB024439 | AF149278 | L36157 | M37636 | 1271 | 707700T.4 | 20000 | L28826 | U09671 | X13815 | X13505 | X13814 | U76029 | V1/311 | - |
| CAA66036.1 | trichocarpa | AAB47602.1 | CARC2220.1 | CAA62227.1 | BAA06334.1 | BAA01992.1 | AAD43561.1 | BAA82306.1 | AAC98519.1 | BAA14143.1 | AAB97734.1 | AAF63027.1 | CAA62225.1 | | AAF63026.1 | BAA14144.1 | AAR41810.1 | AAA34050 1 | CAA62597.1 | AAR02554.1 | CAA76680.1 | CAA71492.1 | BAA94962.1 | BAA77389.1 | AAD37428.1 | AAB41811.1 | • | 1 ON OT | | endivia | AAA33018.1 | AAA18503.1 | CAA32044.1 | CAA31859.1 | CAA32043.1 | AAC49882.1 | 1 00105445 | 100 |

| _ | 346 | • |
|---|---|---|
| Manihot esculenta Manihot esculenta Prunus avium Prunus serotina Rauvolfia serpentina Brassica napus Polygonum tinctorium Costus speciosus Cucurbita pepo Dalbergia cochinchinensis Pinus contorta Brassica nigra | Avena sativa Avena sativa Avena sativa Avena sativa Avena sativa Sorghum bicolor Zea mays Secale cereale Catharanthus roseus Trifolium repens Trifolium repens Zea mays | Oryza sativa Cicer arietinum Brassica napus Brassica napus Brassica napus Brassica napus Vitis riparia Nicotiana tabacum |
| X94986 S35175 U39228 AF221526 AF149311 X82577 AB003089 D83177 AF170087 AF163097 AF163097 | AF082991 L41869 U95298 X78433 U33817 U44087 AF293849 AF112888 X56734 X56733 U33816 U25157 X74217 U44773 AF321287 | U28047 AJ005950 1283 S81261 S81261 U33884 AF220405 AF120092 AF120092 |
| CAA64442.1 AAB22162.1 AAA91166.1 AAF34650.1 AAF03675.1 CAA57913.1 BAA11831.1 AAG25897.1 AAC69619.1 AAR69619.1 | AADO2839.1 AAB71381.1 CAA55196.1 AAC9177.1 AAC00614.1 AAF28800.1 CAA40058.1 CAA40058.1 CAA40059.1 AAB03266.1 AAB03266.1 | |
| Glycine max Glycine max Glycine max Lotus japonicus Cucumis sativus Nepenthes alata Prunus dulcis Vigna radiata Zea mays Ipomoea nil | Manihot esculenta Hevea brasiliensis Manihot esculenta Manihot esculenta Micotiana tabacum Oryza sativa Nicotiana tabacum Atriplex hortensis Catharanthus roseus Catharanthus roseus Prunus armeniaca Hordeum vulgare | _ m m m c c > c m _ c |
| AB052784 AB052788 AF000392 Z69370 AF080545 AF154930 1276 AB012932 AF256229 AB018526 | 1278 AJ223281 U40402 Z29091 AJ223506 1279 AF211531 AF211530 AB023482 AJ299252 AJ299252 AJ251249 AJ251249 AJ251250 AF071893 | ABC2023 ABC37183 AF193803 D38123 AF211527 AF245119 AFC57373 APC0526 1280 AJ249786 |
| BAB19756.1 BAB19760.1 AAB69642.1 CAA93316.1 AAD16016.1 AAD42860.1 SEQ ID NO. 1 BAA25753.1 AAF91350.1 BAA75232.1 | SEQ ID NO. 1 CAA11219.1 AAC49184.1 CAA82334.1 CAA11428.1 SEQ ID NO. 1 AAG43549.1 AAG43549.1 AAG43548.1 CAC12822.1 CAC12822.1 CAC36899.1 CAC36899.1 CAC36899.1 CAC36899.1 | |

| | AP001633 Oryza sativa AP001633 Orvza sativa | Oryza | | 33 | | 319 Brassica napus | AP002899 Oryza sativa | | | 339 Glycine max | AJ305033 Pisum sativum | 338 Glycine max | 340 Glycine max | | | AF215852 Nicotiana tabacum | AF215851 Spinacia oleracea | Solanum tuberosum | AF215854 Zea mays | 37 Apium grav | | | 24 | Chlorella | Nicotiana tak | 42 Lycope | Vicia | 85 | 196 Ricinus communis | 651 Medicago truncatula | 61 Vitis | 590 Vitis vinifera | | Ricinu | Oryza | Oryza sativa | Lycope | AP000615 Oryza sativa |
|---|--|----------------|------------|-------------------------|-------------------|--------------------|-----------------------|--------------|-----------------|-------------------|------------------------|-------------------|-------------------|--------------|-----------------|----------------------------|----------------------------|-------------------|-------------------|-----------------|--------------|--------------|-----------------|-----------------|-----------------|------------|------------|--------------|----------------------|-------------------------|-------------------------|--------------------|-------------------|----------------------------|------------|-------------------|-------------------------------|------------------------|
| 12 | BAA94228.1 APOC | , | | BAA94215.1 APO(| | AAC49182.1 U39319 | BAB21153.1 APO(| | SEQ ID NO. 1290 | AAC49375.1 U43839 | | AAC49374.1 U43838 | AAC49376.1 U43840 | | SEQ ID NO. 1291 | | AAF74565.1 AF2] | AAF74567.1 AF21 | AAF74568.1 AF21 | i | | | · | | 1 | | | | • | | ۲. | • | | | | • | CAB52688.1 AJ1 | • |
| Plastid Solanum demissum Capsicum annuum | | Brassica napus | U2 | Lycopersicon esculentum | Spinacia oleracea | | | Oryza sativa | Sorghum bicolor | Sorghum bicolor | Zea mays | Oryza sativa | Triticum aestivum | Oryza sativa | Oryza sativa | Nicotiana tabacum | Glycine max | Cucumis sativus | Solanum tuberosum | Hordeum vulgare | Oryza sativa | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Hordeum vulgare | 1 | | Oryza sativa | Oryza sativa | Glycine max | Chlamydomonas eugametos | Triticum aestivum | Nicotiana tabacum | Craterostigma plantagineum | Vicia faba | Triticum aestivum | Mesembryanthemum crystallinum | Dunaliella tertiolecta |
| AJ131455 X71952 | 1286 | 062830 | AF009413 | 374 | M87646 | | 288 | AE004947 | X12464 | Y12465 | AF141378 | AB011967 | AB011670 | AB011968 | AP002482 | D26602 | AF128443 | X10036 | X95997 | | AF062479 | U55768 | AJ007990 | X65606 | X65604 | U73938 | D88399 | AC084763 | AB002109 | L38855 | Z49233 | U29095 | U73939 | AJ005373 | \sim | M94726 | Z26846 | AF216527 |
| CAA10372.1 CAA50750.1 | SEC TD NO 1 | 7452.1 | AAB63591.1 | AAF60293.1 | AAB59307.1 | | SEQ ID NO. 1 | AAB62693.1 | CAA73067.1 | CAA73068.1 | AAF22219.1 | BAA83688.1 | BAA34675.1 | BAA83689.1 | BAA96628.1 | BAA05649.1 | AAD23582.1 | CAA71142.1 | CAA65244.1 | CAA57898.1 | AAC99329.1 | AAB05457.1 | CAA07813.1 | CAA46556.1 | CAA46554.1 | AAD00239.1 | BAA13608.1 | AAG60195.1 | BAA19573.1 | AAB68962.1 | CAA89202.1 | AAB58348.1 | AAD00240.1 | CAA06503.1 | AAF27340.1 | AAA96325.1 | CAA81443.1 | AAF21062.1 |

| | | | 348 | × |
|---|--|--|--|---|
| Vicia faba Raphanus sativus Brassica oleracea Brassica oleracea Raphanus sativus Brassica oleracea | Allium cepa Sorghum bicolor Thlaspi arvense | Asparagus officinalis Persea americana Glycine max Glycine max Nepeta racemosa Nicotiana tabacum Catharanthus roseus | Capsicum annuum Capsicum annuum Glycine max Solanum melongena Solanum melongena Solanum melongena Nepeta racemosa Triticum aestivum Mentha x piperita Mentha x piperita | |
| AJ289701 AB012044 AF299050 AF299051 AB030695 X95640 | AE255796 1300 AF029858 124438 | AB037245 M32885 AF022460 AF022459 Y09423 AF166332 | AF122821 AF022157 D14990 X71654 X70981 Y09424 AB036772 AF124817 AF124815 | AF21853 AF218533 AF21829 AJ29571 AF21400 AF21403 X96784 AF21403 |
| CAB93959.1 BAA32777.1 AAG23179.1 AAG23180.1 BAA92258.1 CAA64896.1 | | BAB40324.1 AAA32913.1 AAB94589.1 AAB94588.1 CAA70575.1 AAD47832.1 | AAES7282.1 AAB94584.1 BAAB34584.1 CAA50645.1 CAA50312.1 CAA70576.1 BAB40322.1 AAD44152.1 AAD44151.1 | CAR83941.1 AAD56282.1 AAG44132.1 CAC27827.1 AAD37433.1 Lycopersicon AAG14963.1 CAA72207.1 CAA65580.1 AAG14962.1 AAG14962.1 |
| Lycopersicon esculentum Beta vulgaris Petunia x hybrida Petunia x hybrida | a atti | Raphanus sativus Brassica napus Raphanus sativus Brassica napus Raphanus sativus | | Oryza sativa Solanum tuberosum Zea mays Picea mariana Atriplex canescens Brassica oleracea Spinacia oleracea Spinacia oleracea Beta atles Beta vulgaris Triticum aestivum |
| AJ132225 AF173655 1293 Z13998 Z13997 | Z13996 1294 AF283006 U73216 | 1296 AB030697 AF118383 AB030698 AF118382 AB012045 | AF00/103 AF326491 AB058678 U60147 AF326494 AF326493 AB058680 AF326492 AF130975 AF730496 | AF05233 Y18312 AF326495 AF051202 U18403 AF314656 L77969 Z93764 AF290201 U60148 AF139814 |
| | CAA78386.1 SEQ ID NO. AAG13395.1 AAB18207.1 | SEQ ID NO. BAA92260.1 AAD39374.1 BAA92261.1 AAD39373.1 BAA32778.1 | AAC1 / 329 . 1 AAK2 6758 . 1 BAB40141. 1 AAB67868 . 1 AAK2 6761. 1 AAK2 6760. 1 BAB40143. 1 BABK2 6759. 1 AAK2 6759. 1 AAK2 6759. 1 | AAK26762.1 AAK26762.1 AAK32107.1 AAR36991.1 AAR30607.1 AAR99274.1 CAB07783.1 AAG02208.1 AAB67869.1 AAB67869.1 |

| "" | 02/01 | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | 1.7 | U. | ,,, | ., = | 000 | ,, | |
|--------------|------------------------------------|------------|------------|-----------------------|-------------------------------|-------------------------------|-----------------------|-----------------------|-------------|-------------------|---------------------------|-----------------------|-------------------------------|--------------------|------------------|-------------------|---------------------|-------------------|-------------------|---------------|-------------------|-------------------|-------------------|---------------------------|--------------|---------------------|-------------------|----------------|-----------------|------------|--------------|-------------------------------|-------------------|-------------------|------------------|-----------------|------------------|------------------------|
| | | | | | allinum | allinum | tabacum | tabacum | | | Itii | | allinum | | ŭ | | 34 | 19 | | | | | | | | | | | | | | | | | ш | | | rd. |
| na tabacum | a oleracea | | | a oleracea | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | Chloroplast Nicotiana | Chloroplast Nicotiana | ta sp. | ta sp. | Chlamydomonas reinhardtii | Chlamydomonas sp. W80 | Mesembryanthemum crystallinum | Gossypium hirsutum | schia aethiopica | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | a x ananassa | sativa | Cucumis sativus | s sativus | | a oleracea | ına tabacum | Vigna unguiculata | sicon esculentum | Capsicum annuum | Hordeum vulgare | Pimpinella brachycarpa |
| Nicotiana | Spinacia | Spinacia | Spinacia | Spinacia | Mesembr | Mesembr | Chlorop | Chlorop | Cucurbita | Cucurbita | Chlamyd | Chlamyd | Mesembr | Gossypi | Zantedeschia | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Fragaria | Oryza s | Cucumis | Raphanus | Spinacia | Spinacia | Nicotiana | Vigna u | Lycopersicon | Capsicu | Hordeun | Pimpine |
| Z11803 | 1303 D83669 | D77997 | AB002467 | AB002467 | AF069316 | AF069315 | AB022274 | AB022273 | D88420 | D83656 | AJ223325 | AB009084 | AF139190 | 037060 | AF053474 | AF158654 | AF158652 | AF039953 | AF159633 | AF159632 | AF159628 | AF159627 | AF158653 | AF159631 | AF159629 | AF022213 | AF159630 | D45423 | D88649 | X78452 | D85864 | L20864 | D85912 | U61379 | X16773 | X81376 | AJ006358 | AE159380 |
| CAA77847.1 | SEQ ID NO. 3 BAA12039.1 | BAA19611.1 | BAA24610.1 | BAA24609.1 | AAC19394.1 | AAC19393.1 | BAA78553.1 | BAA78552.1 | BAA22196.1 | BAA12029.1 | CAA11265.1 | BAA83595.1 | AAD30294.1 | AAB52954.1 | AAC08576.1 | AAD43338.1 | AAD43336.1 | AAB95222.1 | AAD41408.1 | AAD41407.1 | AAD41403.1 | AAD41402.1 | AAD43337.1 | AAD41406.1 | AAD41404.1 | AAB94574.1 | AAD41405.1 | BAA08264.1 | BAA13671.1 | CAA55209.1 | BAA12890.1 | AAA99518.1 | BAA12918.1 | AAB03844.1 | CAB58361.1 | CAA57140.1 | CAA06996.1 | AAF22246.1 |
| | Sorghum bicolor Thlaspi arvense | ameri | ficinali | Asparagus officinalis | Nepeta racemosa | Nicotiana tabacum | Solanum melongena | Glycine max | Glycine max | Solanum melongena | Solanum melongena | Glycine max | Capsicum annuum | Nepeta racemosa | Mentha spicata | Triticum aestivum | Catharanthus roseus | Mentha x piperita | Mentha x piperita | Pisum sativum | Petunia x hybrida | Nicotiana tabacum | Mentha x piperita | Lycopersicon esculentum x | | Catharanthus roseus | Nicotiana tabacum | Brassica napus | Brassica napus | • | | Mesembryanthemum crystallinum | Spinacia oleracea | Brassica napus | Pisum sativum | Pisum sativum | Ricinus communis | Triticum aestivum |
| 1301 | AE029858 L24438 | M32885 | | AB037245 | X09423 | AF166332 | X70981 | AF022459 | AF022460 | D14990 | X71654 | AF022157 | AF122821 | Y09424 | AF124815 | AB036772 | AJ238612 | Z33875 | AF124816 | AF218296 | AF155332 | X96784 | AF124817 | AF150881 | n peruvianum | | X95342 | AF214008 | AF214007 | | 1302 | AF069314 | X14959 | AF018174 | X63537 | U35830 | 77 | AF286593 |
| SEO ID NO. 1 | 39318.1 | AAA32913.1 | BAB40323.1 | • | CAA70575.1 | AAD47832.1 | CAA50312.1 | AAB94588.1 | AAB94589.1 | | CAA50645.1 | AAB94584.1 | AAF27282.1 | CAA70576.1 | AAD44150.1 | BAB40322.1 | | CAA83941.1 | AAD44151.1 | AAG44132.1 | AAD56282.1 | CAA65580.1 | AAD44152.1 | AAD37433.1 | Lycopersicon | CAC27827.1 | CAA64635.1 | AAG14962.1 | AAG14961.1 | | SEQ ID NO. 1 | AAC19392.1 | CAA33082.1 | AAC04671.1 | CAA45098.1 | AAC49357.1 | CAA94534.1 | AAF88067.1 |

| 85 Oryza sativa 86 Oryza sativa 84 Oryza sativa 84 Malus x domestica 85 Malus x domestica 80 Raphanus sativus 28 Brassica nigra 26 Brassica nigra 11 Brassica napus 10 Brassica napus 11 Brassica napus | Ipomoea r Pinus rac Oryza sat Oryza sat | 82 Nicotiana tabacum 64 Zea mays 65 Zea mays 96 Nicotiana tabacum | Brassica o Brassica o Brassica n Phaseolus Catharanth Brassica o | 445003 | |
|---|--|---|--|--|--|
| ABOO1886 ABOO1886 AF052584 AF052585 AF269128 AF269128 AF269128 AF269126 AF016010 | AF300700 AF001136 AB001888 AB001882 | 1307 AE302082 AE023164 AE023165 AE142596 | X18259 X18260 AY028699 AE078082 Z73295 X14285 | U20948 AY007545 AB041503 AB000970 X67733 X98520 | Y14286 AB041504 U82481 Y12530 D31737 AF131222 AF339747 |
| BAA33203.1 BAA33204.1 BAA33202.1 AAC99309.1 AAC35496.1 AAG27547.1 AAG27546.1 AAC27696.1 AAC27696.1 | | SEQ ID NO. : AAG25966.1 AAC27894.1 AAC27895.1 AAF66615.1 | CAB41878.1 CAB41879.1 AAK21965.1 AAD21872.1 CAA97692.1 | AAC16628.1 AAG16628.1 BAA94509.1 BAA23676.1 CAA47962.1 CAA67145.1 | CAA711.1 CAA74662.1 BAA94510.1 AAB93834.1 CAA73133.1 BAA06538.1 AAF43496.1 |
| | | | | | |
| Nicotiana tabacum Zea mays Pisum sativum Pisum sativum Glycine max Oryza sativa Brassica napus Oryza sativa subsp. japonica Glycine max Brassica juncea | Nicotiana sylvestris Nicotiana sylvestris Matricaria chamomilla Iycopersicon esculentum | Nicotiana tabacum Lycopersicon esculentum Nicotiana tabacum Catharanthus roseus Catharanthus roseus | Nicotiana tabacum Oryza sativa Solanum tuberosum Oryza sativa Nicotiana sylvestris | ylosanth copersic assica n yza sati | Populus tremula x Populus Brassica juncea Oryza sativa |
| U15933 Z34934 X62077 M93051 U56634 AB053297 Y11461 AB050724 AF127804 | 1304 AB016266 AB016264 AB035270 U89255 | D38123 U89256 AF057373 AJ251249 AJ251250 | U81157 AF190770 U77655 AB037183 AB016265 | AF298231 | AF190881 AJ132363 AF056027 1306 AB001883 |
| AAA86689.1 CAA43992.1 AAA33645.1 AAB01221.1 BAB20889.1 CAA72247.1 BAB17666.1 AAB94927.1 | NO. 4.1 2.1 8.1 | BAA07321.1 AAC49740.1 AAC62619.1 CAB96899.1 CAB96900.1 | AAB38748.1 AAF05606.1 AAC29516.1 BAB03248.1 BAA97123.1 | | ο. |

| dulce | 3 | 351 |
|--|--|---|
| Oryza sativa Nicotiana tabacum Apium graveolens var. du Solanum tuberosum Zea mays | | Vitis vinifera Vitis vinifera Oryza sativa Lycopersicon esculentum Oryza sativa Lycopersicon esculentum Solanum tuberosum Apium graveolens Apium graveolens Apium graveolens Ppium graveolens Apium graveolens Buphorbia esula Nicotiana tabacum Plantago major Daucus carota Bacus carota Ricinus communis Asarina barclaiana Daucus carota Vicia faba Beta vulgaris |
| 1315 AP000615 AF215852 AF215837 AF215853 AF215854 | AF215851 X75440 Y07520 Z83829 X55349 X66856 Z93775 U38651 L08196 AJ132224 AJ010942 AF173655 AB052884 | Y09590 AJ001061 AB052885 AJ132225 AB052883 AJ132223 X69165 AF167416 AF167416 AF167416 AF167415 AF063400 AF242307 X82276 X75764 AJ303199 AB036758 Z31561 AF191024 Y16768 Z93774 U64967 |
| SEQ ID NO. BAA85398.1 AAF74566.1 AAG43998.1 AAF74567.1 AAF74567.1 | AAF74565.1 CAA68813.1 CAA68813.1 CAA39036.1 CAA47324.1 CAA67926.1 AAA79761.1 AAA79761.1 CAA09419.1 AAD55054.1 BAB19863.1 | CAA70777.1 CAA04511.1 BAB19864.1 CAB52690.1 BAB19862.1 CAB52688.1 SEQ ID NO. CAA48915.1 AAD45391.1 AAD45391.1 AAD45390.1 CAA53390.1 |
| Brassica rapa Oryza sativa Brassica rapa Lycopersicon esculentum Brassica rapa | | Lycopersicon esculentum Cicer arietinum Mentha spicata Glycyrhiza echinata Cicer arietinum Triticum aestivum Cicer arietinum Cicer arietinum Vigna radiata Lotus japonicus Helianthus tuberosus Helianthus tuberosus Helianthus albus Mentha x piperita Disum sativum Glycine max Ipomoea nil |
| AB054061 AB023482 D38563 U59318 D88193 | 1308 D85610 U85494 U85495 AB026197 1311 AF212991 AF318211 U74319 119074 AJ238612 | U54770 AJ238439 AF124815 AB022732 AB01379 AJ012581 AJ239051 AJ249800 AF279252 AB025016 AJ000477 AJ000477 AJ000477 AJ135 AF195818 AF195813 Z33875 AF195813 Z33875 AF195818 AF195818 |
| BAB21001.1 BAA78764.1 BAA07576.1 AAB47422.1 BAA21132.1 | | AAB17070.1 CAB41490.1 AAD44150.1 BAA24422.1 CAA10067.1 BAB40322.1 CAB43505.1 CAB43505.1 CAB6742.1 AAF89209.1 BAA93634.1 CAA04117.1 AAF34534.1 CAA04117.1 AAF34534.1 CAA04117.1 AAF34534.1 CAA04117.1 AAF34534.1 CAA04117.1 AAF3453.1 |

| 352 ::] | |
|--|--|
| Physcomitrella patens Chara corallina Chara corallina Chara corallina Oryza sativa Bidens pilosa Brassica napus Brassica juncea Mougeotia scalaris Pisum sativum Chlamydomonas reinhardtii Castanea sativa Brassica napus Zea mays Vigna radiata Vigna radiata Triticum aestivum | Helianthus annuus Daucus carota Hordeum vulgare Oryza sativa Elaeis guineensis Prunus avium Oryza sativa |
| X90560 AB041711 AB041711 AB0417112 AP000815 X89890 U10150 M88307 Y13784 U13736 M20729 AF334833 AF150059 Y13974 U49103 U49104 U49105 U49105 U49105 U49105 U49105 U49105 U49105 U49105 U49105 U49103 U49103 U48689 U48689 U48689 U48689 U48689 U48689 U48689 U48693 U48689 U4869 U | AF2955 U79736 X59751 M27303 AP000969 AF295637 AF295637 AF295837 AF295837 |
| CAA62150.1 BAA94696.1 BAA94697.1 BAA878267.1 BAA87347.1 CAA74111.1 AAA32677.1 AAA32677.1 AAA3263.1 AAA34237.1 AAA34237.1 AAA34237.1 AAC49587.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 CAA33706.1 CAA33706.1 CAA33706.1 CAA33706.1 CAA33706.1 CAA33706.1 | |
| Spinacia oleracea Pisum sativum Beta vulgaris Alonsoa meridionalis Nicotiana tabacum Plantago major Lycopersicon esculentum Daucus carota Daucus carota Daucus carota Carota Daucus carota Daucus carota Daucus carota Carota Daucus carota Daucus carota Carota Daucus carota Carota Carota Ricinus communis Vitis vinifera Hordeum vulgare Ricinus communis Hordeum vulgare Cryza sativa subsp. indica Oryza sativa Sea mays Betula pendula Lycopersicon esculentum Cicer arietinum | Manihot esculenta Hevea brasiliensis Manihot esculenta Manihot esculenta Nicotiana tabacum Phaseolus vulgaris |
| X67125 AF109922 X83850 AF191025 AF149981 X84379 X82275 Y16766 AJ303198 AJ224961 AF182445 AJ272308 AJ272308 AJ272308 AJ272309 AF280050 DB7819 AB008464 AF166498 AB025006 AF166498 AB025006 AB119 AB116498 AB116438 A | 1320 AJ223281 U40402 Z29091 AJ223506 1322 AF329729 AF030033 |
| CAA47604.1 AAD41024.1 CAA58730.1 AAF04295.1 AAD34610.1 CAA59113.1 CAA59113.1 CAA51226.1 CAA76367.1 CAA76367.1 CAA76367.1 CAA76367.1 CAA76367.1 CAA76367.1 CAA76367.1 AAG09270.1 AAG12987.1 BAA65776.1 CAC17793.1 AAG09270.1 CAC17793.1 CAC17793.1 CACA33042.1 | SEQ ID NO. 1 CAA11219.1 AAC49184.1 CAA82334.1 CAA11428.1 SEQ ID NO. 1 AAK11255.1 AAD10245.1 |

| Lycopersicon esculentum Petroselinum crispum Ipomoea nil Pisum sativum Prunus dulcis | Medicago sativa Lycopersicon esculentum Zea mays Zea mays Triticum aestivum Zea mays Picea glauca Ipomoea nil | Picea glauca Picea abies Funaria hygrometrica Lilium longiflorum Lilium longiflorum Funaria hygrometrica Lilium longiflorum Pseudotsuga menziesii | Lycopersicon esculentum Funaria hygrometrica Helianthus annuus Lycopersicon esculentum Fragaria x ananassa Pisum sativum Lycopersicon esculentum Lycopersicon esculentum | |
|---|--|---|---|--|
| U72396 X95716 M99430 M33901 | X9861/ AF090115 X54075 X58279 X59777 L47717 | 147740 X99346 AE089845 D21817 D21818 AF089846 D21816 | AF123255 AF087640 U46545 X56138 U63631 M33899 AF123256 | X58711 X13431 X13431 U81385 X58710 X94191 M80939 X60820 U21723 U83671 |
| AAC14577.1 CAA65020.1 AAB39336.1 AAA33670.1 AAA43409.1 | CAA6/206.1 AAC36312.1 CAA38012.1 CAA41218.1 CAA41218.1 AAB26481.1 AAB39335.1 | AAB01562.1 CAA67726.1 AAD09184.1 BAA04841.1 BAA04842.1 AAD09185.1 BAA04840.1 CAA63570.1 | AAD30452.1 AAD09178.1 AAB63311.1 CAA39603.1 AAC39360.1 AAA33672.1 AAD30453.1 | CAA41547.1 CAA31785.1 AAB39856.1 CAA63901.1 CAA633910.1 AAA33909.1 CAA43210.1 AAB03097.1 AAC78394.1 |
| Ipomoea batatas Ipomoea batatas Ipomoea batatas Solanum melongena Ipomoea batatas | Cicer arietinum Lycopersicon esculentum Phaseolus vulgaris Vigna mungo Vicia faba Vicia sativa Zea mays Phaseolus vulgaris | Vicia sativa Glycine max Medicago sativa Lavatera thuringiaca Zea mays Nicotiana tabacum Phaseolus vulgaris | Inasectus vulgaris Lycopersicon esculentum Phaseolus vulgaris Lycopersicon esculentum Brassica napus Solanum tuberosum Lycopersicon esculentum Pseudotsuga menziesii | Nicotiana tabacum Nicotiana tabacum Ipomoea batatas Zea mays Brassica napus Dianthus caryophyllus Zea mays Prunus armeniaca Hemerocallis hybrid cultivar |
| AF138264 AF138266 AF138265 AF082181 AF242373 | AJ009878 Z14028 Z99953 AB038598 U59465 Z30338 D45402 | Z99172 Z32795 AJ245868 AF007215 X82185 AB032168 Z99954 | AUZZ4 700 AF172856 Z9952 AU003137 AF089849 AU245924 Z48736 U41902 | 1 704 4 |
| | | | | ← 1 |

| | n da | 354 |
|---|--|---|
| Lycopersicon esculentum Pseudotsuga menziesii Triticum aestivum Medicago sativa Pisum sativum | Lycopersicon esculentum Chenopodium rubrum Glycine max Zea mays Triticum aestivum Picea glauca Triticum aestivum Plastid Petunia x hybrida Funaria hygrometrica Lycopersicon esculentum Chloroplast Lycopersicon | Nicotiana tabacum Funaria hygrometrica Oryza sativa Triticum aestivum Sea mays Nicotiana aylvestris Nicotiana tomentosiformis Nicotiana tabacum Agrostis stolonifera var. Lycopersicon esculentum Ralus x domestica Fragaria x ananassa |
| AF123256 X92984 X13431 X58710 1327 X86222 | ABO17134 X15333 U21722 AF035460 AF104107 L47741 AF104108 X54103 AF197942 U59917 U66300 | D88584 AF197941 ABD20973 X58280 AF097657 AF097658 AF097656 X67328 AF097659 L28712 ABD006044 AB006041 AF019144 AF123255 X56138 AF123255 AF123255 AF123257 AF123257 AF16277 AF16277 |
| | BAA32547.1 CAA33388.1 AAB0306.1 AAC12279.1 AAD03604.1 AAB01557.1 AAD03605.1 CAA38037.1 AAF19022.1 AAF19022.1 AAB49626.1 AAB49626.1 | BAA29064.1 BAA78385.1 CAA41219.1 AAC96315.1 AAC96316.1 AAC96314.1 CAA47745.1 AAC96317.1 BAA29066.1 BAA29066.1 BAA29065.1 CAA3477.1 BAA29065.1 AAC01570.1 CAA39603.1 AAD30452.1 CAA39603.1 AAD30452.1 CAA39603.1 AAD30453.1 AAD30453.1 AAD30453.1 AAD30453.1 AAD30453.1 AAD30453.1 |
| Funaria hygrometrica Brassica rapa Castanea sativa Nicotiana tabacum Medicago sativa | Quercus suber Fragaria x ananassa Cuscuta japonica Glycine max Daucus carota Papaver somniferum Glycine max Pisum sativum Helianthus annuus Helianthus annuus Helianthus annuus Glycine max | Daucus carota Glycine max Baucus carota Glycine max Helianthus annuus Oryza sativa Oryza sativa Oryza sativa Oryza sativa Helianthus annuus Oryza sativa Lycopersicon esculentum Oryza sativa Pennisetum glaucum Chenopodium rubrum Lycopersicon esculentum Zea mays Pennisetum glaucum Pennisetum glaucum Desnisetum glaucum Sea mays Pennisetum glaucum Dennisetum glaucum Pennisetum glaucum Dennisetum glaucum Pennisetum glaucum Oryza sativa Lycopersicon esculentum Oryza sativa Disum sativum |
| AF089843 1326 AF022217 AJ009880 AF166277 X58711 | AJ000691 U63631 AB017273 M11318 X53851 U08601 M11395 M33899 U46545 Z95153 X59701 | X53852 M111317 AJ237596 M80938 X60820 U83669 U46544 U81385 D12635 X94193 X53870 AF123257 X94191 X94191 X92983 U83670 X56138 U83671 M33900 |
| + ++++ | CAB36910.1 AAC39360.1 BAA33062.1 AAB03893.1 CAA37847.1 AAA61632.1 AAA33975.1 AAA33975.1 AAA33672.1 AAA33672.1 CAB08441.1 CABC321.1 CAA25578.1 | CAA255/8.1 CAA337848.1 AA333974.1 CAB55634.2 AAA33910.1 AAA33910.1 AAA33909.1 CAA43210.1 AAC78392.1 AAB39856.1 AAB39856.1 AAB39856.1 AAB39856.1 CAA63903.1 CAA63903.1 CAA63902.1 CAA63902.1 CAA63901.1 CAA63901.1 CAA63901.1 CAA639603.1 CAA639603.1 |

| r! | | | |
|--|---|---|--------------------|
| Hordeum vulgare Oryza sativa Dendrobium grex Madame Thor Solanum tuberosum Lycopersicon esculentum Ceratopteris richardii Ipomoea nil Ipomoea nil Picea mariana Ceratopteris richardii | Ceratopteris richardii Ipomoea nil Pisum sativum Medicago truncatula Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Brassica oleracea Picea mariana Oryza sativa | Glycine max Glycine max Lycopersicon esculentum Spinacia oleracea Lycopersicon esculentum Oryza sativa Spirodela polyrrhiza Nicotiana tabacum Nicotiana tabacum Arachis hypogaea Scutellaria baicalensis Zea mays Stylosanthes humilis Spinacia oleracea Nicotiana tabacum Arachis hypogaea Scutellaria baicalensis Glycine max Glycine max | Fraseolus Vuigaris |
| AF022390 AF050180 AJ276389 U65648 U76408 AB043956 AB016000 U90092 AB043954 | AF1004395 AB013955 AB015999 AF080104 AF308454 U76407 AF000141 U76409 AF193813 U90091 | 1340 U51192 U51191 L13654 Y16776 L13653 D14997 Z22920 D42065 D42065 D42064 M37637 AB024437 AB024437 AB024437 AF244921 AB027753 X94943 AF007711 | AE 149211 |
| AAB81079.1 AAC32817.1 CAB88029.1 AAB41849.1 AAD00252.1 BAA31700.1 BAA31699.1 AAD00692.1 BAB18582.1 | AADLS 611.1 BAA31698.1 AAC33008.1 AAG27464.1 AAD00251.1 AAD09582.1 AAF23753.2 AAD00691.1 | | AAD3/42/.1 |
| Papaver somniferum Castanea sativa Glycine max Pseudotsuga menziesii Glycine max Glycine max Brassica rapa Zea mays Helianthus annuus Glycine max | C 5 6 6 | fan Fan Fel Sellan Sel | Malus x domestica |
| U08601 AJ009880 M11395 X92983 M11318 X01104 AF022217 X65725 Z95153 M11317 | 1329 AF204925 Z48431 L44134 AF096298 U58540 AB020590 AF193802 AF193802 | AB026890 Z48429 AF080595 AF121353 U48831 AB041520 U56834 AB020023 AF204926 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 | AF053769 |
| AAA61632.1 CAA08908.1 AAA33975.1 CAA63570.1 AAB03893.1 CAA25578.1 AAB72109.1 CAA46641.1 CAA46641.1 | · e e e e e e e e e e | | AAF43095.1 |

| CAB94692.1 | AJ242742 | | AAC49150.1 | U21940 | Cladrastis kentukea |
|-------------|----------|-------------------------------|------------|----------|----------------------|
| CAA62226.1 | X90633 | | CAB96391.1 | AJ271873 | |
| CAA62227.1 | X90694 | Medicago sativa | CAB96392.1 | AJ271874 | Phaseolus lunatus |
| AAB41811.1 | L36157 | Medicago sativa | CAA76366.1 | Y16754 | Medicago sativa |
| AAD37429.2 | AF149279 | Phaseolus vulgaris | BAA82556.1 | AB030083 | Populus nigra |
| CAA71494.1 | Y10468 | Spinacia oleracea | CAA93830.1 | 270000 | Phaseolus lunatus |
| AAD11484.1 | U51194 | Glycine max | AAG16779.1 | AF190633 | Ulex europaeus |
| CAC21391.1 | AJ401274 | Zea mays | AAC49136.1 | U21958 | Cladrastis kentukea |
| AAA34108.1 | J02979 | Nicotiana tabacum | AAB39933.1 | 065009 | Maackia amurensis |
| AAD37430.1 | AF149280 | Phaseolus vulgaris | AAB39934.1 | 065010 | Maackia amurensis |
| AAF63027.1 | AF244924 | Spinacia oleracea | AAA33766.1 | L26237 | Phaseolus lunatus |
| CAA62225.1 | X90692 | Medicago sativa | AAA33143.1 | M34270 | Dolichos biflorus |
| AAD37375.1 | AF145349 | Glycine max | CAA57697.1 | X82216 | Medicago truncatula |
| CAB67121.1 | Y19023 | Lycopersicon esculentum | BAA36413.1 | AB012632 | Robinia pseudoacacia |
| AAB41810.1 | L36156 | Medicago sativa | AAA80182.1 | U12783 | Robinia pseudoacacia |
| CAA66037.1 | X97351 | Populus balsamifera subsp. | BAA04604.1 | D17757 | Robinia pseudoacacia |
| tríchocarpa | | | CAA68497.1 | Y00440 | Pisum sativum |
| BAA92500.1 | AP001383 | Oryza sativa | AAC49271.1 | 024249 | Robinia pseudoacacia |
| BAA94962.1 | AB042103 | Asparagus officinalis | AAA80181.1 | U12782 | Robinia pseudoacacia |
| AAB97734.1 | AF014502 | Glycine max | BAA36416.1 | AB012635 | Robinia pseudoacacia |
| CAA50597.1 | X71593 | Lycopersicon esculentum | AAA33676.1 | M18160 | Pisum sativum |
| BAA01992.1 | D11396 | Nicotiana tabacum | CAA47011.1 | X66368 | Pisum sativum |
| CAA40796.1 | X57564 | Armoracia rusticana | AAA33141.1 | J02721 | Dolichos biflorus |
| AAD11483.1 | 051193 | Glycine max | BAA36414.1 | AB012633 | Robinia pseudoacacia |
| AAF63026.1 | AF244923 | Spinacia oleracea | BAA02049.1 | D12481 | Bauhinia purpurea |
| AAF65464.2 | AF247700 | Oryza sativa | AAA80183.1 | U12784 | Robinia pseudoacacia |
| BAA11853.1 | D83225 | Populus nigra | AAC49272.1 | U24250 | Robinia pseudoacacia |
| BAA06335.1 | IO | Populus kitakamiensis | AAA82737.1 | U18296 | Medicago sativa |
| | | | AAA74571.1 | U22468 | Arachis hypogaea |
| | 1342 | | AAB51441.1 | 063011 | Sophora japonica |
| AAG14455.1 | AF283707 | Tulipa gesneriana | AAA74574.1 | U22471 | Arachis hypogaea |
| AAG14454.1 | AF283706 | Tulipa gesneriana | AAG00508.1 | AF285121 | Sophora flavescens |
| AAG14456.1 | AF283708 | Tulipa gesneriana | AAB39932.1 | 065008 | Maackia amurensis |
| AAC08401.1 | AF053564 | Mesembryanthemum crystallinum | | | |
| | | | | 1347 | |
| | 1346 | | BAA85400.1 | AP000615 | Oryza sativa |
| AAB51442.1 | U63012 | Sophora japonica | CAA74909.1 | Y14573 | Hordeum vulgare |
| CAA93829.1 | Z69999 | Phaseolus lunatus | CAB06083.1 | Z83834 | Hordeum vulgare |
| BAA36415.1 | AB012634 | Robinia pseudoacacia | CAA06487.1 | AJ005341 | Linum usitatissimum |
| CAA93828.1 | 866692 | Phaseolus lunatus | | | |
| AAC49137.1 | U21959 | Cladrastis kentukea | SEQ ID NO. | 1349 | |

| • | | 357 |
|--|---|--|
| Lycopersicon esculentum Capsicum annuum Phaseolus vulgaris Phaseolus vulgaris Capsicum annuum Lycopersicon esculentum Lycopersicon esculentum Fragaria x ananassa Oryza sativa Oryza sativa Brassica napus | Hordeum vulgare Lycopersicon esculentum Glycine max Fragaria x ananassa Fragaria x ananassa Gossypium hirsutum Prunus persica | Cucumis melo Brassica oleracea Brassica napus Brassica oleracea Brassica oleracea Pelargonium x hortorum Prunus persica Lycopersicon esculentum Betula pendula Actinidia deliciosa Malus x domestica Malus x domestica Petunia x hybrida Malus x domestica Petunia x hybrida Malus x domestica Petunia x hybrida Malus x domestica Cucumis melo Pelargonium x hortorum Pyrus pyrifolia Malus x domestica Cucumis sativus Vigna radiata |
| Y11268 X87323 U34754 M57400 X97188 AF098292 U13054 AJ006349 AP002094 AP0202094 | AB040769 U78526 U00730 AJ223386 AJ223387 D88417 X96854 | 1355 X95552 X81629 L27664 X81628 U19856 AF129074 Z54199 Y10749 AD003514 X98627 AJ001646 AF0358 L21976 Y14005 X95553 U67861 D67038 AF015787 U07053 AF015787 |
| CAA72133.1 CAA60737.1 AAC78504.1 AAA02563.1 CAA65826.1 AAA69908.1 AAA69908.1 CAB43938.1 BAA96209.1 CAB51903.1 | BAA94257.1 AAC49704.1 AAA20082.1 CAA11301.1 CAA11302.1 BAA21111.1 | SEQ ID NO. CAA64798.1 CAA57285.1 AAA32981.1 CAA57284.1 AAE36484.1 CAA71738.1 BAA21541.1 CAA71738.1 BAA21541.1 CAA67216.1 CAA64895.1 AAC36461.1 AAC36461.1 AAC36461.1 AAC36461.1 AAC3641.1 AAC36461.1 AAC3641.1 AAC3641.1 AAC3641.1 AAC37381.1 AAC3641.1 AAC37381.1 AAC3641.1 AAC3641.1 AAC3641.1 AAC37381.1 AAC3641.1 AAC3641.1 AAC67233.1 |
| Nicotiana sylvestris Nicotiana tabacum Nicotiana tabacum Matricaria chamomilla Nicotiana tabacum Stylosanthes hamata Nicotiana sylvestris Nicotiana tabacum Oryza sativa | 7 8 | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Lycopersicon esculentum Populus alba Pisum sativum Pinus radiata Lycopersicon esculentum Capsicum annuum Capsicum annuum Atriplex lentiformis Populus alba Populus alba Pinus radiata Prunus persica Fragaria x ananassa Fragaria x ananassa Lycopersicon esculentum Pisum sativum Capsicum annuum |
| AB016266 AB016264 D38123 AB035270 AF057373 U91857 AB016265 AB024575 AF190770 AF190770 | 1352 AF061870 1353 Y15293 AP000616 AJ245900 | AP000616 AP000616 AP0001129 1354 U20590 AB049199 AB032830 U76725 AF077339 X97190 AB055886 AB055886 AB055886 AB055886 AB055886 AB05598 AB055886 AB04920 U76756 AB04923 AU1046 X97189 |
| BAA97124.1 BAA97122.1 BAA07321.1 BAA87068.1 AAC62619.1 AAD00708.1 BAA97123.1 BAA97123.1 BAA76734.1 | | BAA85424.2 BAA85439.1 BAA90641.1 SEQ ID NO. 1 AAA80495.1 BAA8150.1 AAC2241.1 CAA65828.1 CAB59900.1 BAB32662.1 BAB32662.1 BAB32662.1 BAB32662.1 CAB5900.1 CAB6500.1 CAA6580.1 CAA6580.1 |

| ψ Q | 358 | |
|---|---|---|
| Oryza sativa Chlorella kessleri Chlorella kessleri Chlorella kessleri Oryza sativa Ivycopersicon esculentum Beta vulgaris Ivycopersicon esculentum Apium graveolens var. dulce Zea mays Solanum tuberosum Nicotiana tabacum Spinacia oleracea Phaseolus vulgaris Betula pendula | Prunus dulcis Lycopersicon esculentum Hordeum vulgare Oryza sativa Brassica napus Lotus japonicus Glycine max Cucumis sativus Glycine max Glycine max Nepenthes alata Prunus dulcis | Glycine max Glycine max Glycine max Lycopersicon esculentum Hordeum vulgare Cucumis sativus Prunus dulcis Oryza sativa Lotus japonicus Brassica napus |
| AP000399 X75440 Y07520 X55349 AB052883 AJ132223 AF173655 AJ132225 AF215837 AF215854 AF215853 AF215853 AF215853 AF215853 AF215853 | 1368 AF213936 AF016713 AF023472 AF140606 AJ278966 AF000392 AB052788 Z69370 AB052785 AB052785 AB154930 AF154930 | 1370 AB052788 AB052784 AB052784 AF016713 AF023472 Z69370 AF213936 AF140606 AF140606 AF140606 |
| BAA83554.1 CAA53192.1 CAA39036.1 BAB19862.1 CAB52688.1 AAD55054.1 CAB52690.1 AAG43998.1 AAF74568.1 AAF74566.1 AAF74566.1 AAF74566.1 AAF74566.1 AAF74566.1 AAD37424.1 | SEQ ID NO. 3 AAF20002.1 AAD01600.1 AAC32034.1 AAF07875.1 CAC07206.1 AAB69642.1 BAB19760.1 CAA93316.1 BAB19757.1 BAB19756.1 AAD16016.1 | SEQ ID NO. BAB19760.1 BAB19757.1 BAB19756.1 AACG2034.1 CAA93316.1 AAFZ0002.1 AAFZ0002.1 AAFZ0002.1 AAFZ0002.1 AAFZ0002.1 CACG7206.1 |
| 000.00000000000000000000000000000000000 | Nicotiana glutinosa Rumex palustris Cucumis sativus Nicotiana glutinosa Oryza sativa Cucumis melo Nicotiana tabacum Pennisetum ciliare | Lycopersicon esculentum Lycopersicon esculentum Oryza sativa Nicotiana tabacum Medicago truncatula Ricinus communis Vitis vinifera Vitis vinifera Ricinus communis Picea abies Oryza sativa |
| L35152 X58273 AB013101 AF252628 AB044747 Y10034 Y00478 L29405 U68215 X83229 Z46349 U54566 L21978 AF254125 | U54565 AF041479 AB006807 U62764 X85747 D31727 1359 AB018441 AF325723 1361 L47672 | 1365 AJ132224 AJ010942 AB052885 X66856 U38651 L08196 AJ001061 Y09590 L08188 Z83829 AB052884 |
| AAA33273.1 CAA41212.1 BAA34924.1 AAF65472.1 BAB32502.1 CAA68538.1 CAA68538.1 AAC98808.1 CAA58232.1 CAA58232.1 CAA86468.1 AAA33697.1 AAA33697.1 | | SEQ ID NO. 19 (CAB52689.1 CAA09419.1 BAB19864.1 CAA47324.1 AAB06594.1 AAA79761.1 CAA7077.1 AAA79857.1 CAB06079.1 BAB19863.1 |

| itve | | | | | | | | | | | | | | | | | 35 | 59 | | | | | | | | | | | | | | | | | | | | |
|--|------------------------|-----------------|-----------------|-------------------------|--------------|-------------------------|----------------|-------------------------------|-----------------|-----------------------|-------------------------------|-------------------------------|-------------------------|-------------------------|-----------------|-----------------------|-------------------------|-----------------------|-------------------|--------------------|-------------|-----------------|-------------------|-------------------------|-----------------------|------------------------|---------------------|-------------------|-------------------|--------------------|--------------------|--------------------|-----------------|-------------------|-----------------------|---------------------|-------------------|----------------|
| Ricinus communis Hemerocallis hybrid cultiva Hordeum vulgare | Sandersonia aurantiaca | Hordeum vulgare | Hordeum vulgare | Oryza sativa | Oryza sativa | Phalaenopsis sp. SM9108 | Zinnia elegans | Pisum sativum | Ipomoea batatas | Oryza sativa | Oryza sativa | Vicia sativa | | | Sorghum bicolor | Asparagus officinalis | Persea americana | Asparagus officinalis | Thlaspi arvense | Glycine max | Glycine max | Nepeta racemosa | Nicotiana tabacum | Glycine max | Capsicum annuum | Solanum melongena | Catharanthus roseus | Solanum melongena | Solanum melongena | Mentha x piperita | Mentha x piperita | Mentha x piperita | Mentha spicata | Triticum aestivum | Catharanthus roseus | Pisum sativum | Petunia x hybrida | Brassica napus |
| AF050756 U12637 U94591 | AF133839 | 297023 | Z97021 | X80876 | AB004648 | U34747 | U19267 | AJ004958 | AF242372 | AB004819 | D76415 | Z34895 | | 1373 | AF029858 | AB037244 | M32885 | AB037245 | L24438 | AF022460 | AF022459 | Y09423 | AF166332 | AF022157 | AF122821 | X70981 | AJ238612 | X71654 | D14990 | AF124816 | AF124817 | Z33875 | AF124815 | AB036772 | AJ295719 | AF218296 | AF155332 | AF214009 |
| AAC62396.1 AAC35211.1 AAD10337.1 | AAD28477.1 | CAB09699.1 | CAB09697.1 | CAA56844.1 | BAA83472.1 | AAB37233.1 | AAC49406.1 | CAA06243.1 | AAK27968.1 | BAA83473.1 | BAA11170.1 | CAA84378.1 | | | AAC39318.1 | BAB40323.1 | AAA32913.1 | BAB40324.1 | AAA19701.1 | AAB94589.1 | AAB94588.1 | CAA70575.1 | AAD47832.1 | AAB94584.1 | AAF27282.1 | CAA50312.1 | CAB56503.1 | CAA50645.1 | BAA03635.1 | AAD44151.1 | AAD44152.1 | CAA83941.1 | AAD44150.1 | BAB40322.1 | CAC27827.1 | AAG44132.1 | AAD56282.1 | AAG14963.1 |
| Nepenthes alata Prunus dulcis | | | | Lycopersicon esculentum | | | | Lycopersicon pimpinellifolium | | Lycopersicon hirsutum | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Lycopersicon esculentum | Lycopersicon esculentum | | | Lycopersicon esculentum | Pseudotsuga menziesii | Solanum tuberosum | Phaseolus vulgaris | Zea mays | Pisum sativum | Zea mays | Lycopersicon esculentum | Dianthus caryophyllus | Sandersonia aurantiaca | Zea mays | Vicia sativa | Nicotiana tabacum | Phaseolus vulgaris | Phaseolus vulgaris | Phaseolus vulgaris | Cicer arietinum | Pisum sativum | Matricaria chamomilla | Actinidia chinensis | Hemerocallis sp. | Zea mays |
| AE080545 AE154930 | 1371 | AL117265 | AE053995 | AF053998 | AF053993 | AE053994 | AF053996 | AJ002236 | AF166121 | AJ002235 | AJ002236 | U15936 | AF053997 | AJ002237 | | 1372 | AF172856 | U41902 | AJ245924 | Z99954 | AB020961 | X66061 | AF019147 | AJ003137 | U17135 | AF133838 | AF019146 | X75749 | 299173 | Z99952 | AJ224766 | U52970 | X82011 | U44947 | AF182079 | AF343446 | X74406 | AF019145 |
| AAD16016.1 AAD42860.1 | | CAB55409.1 | AAC78593.1 | AAC78596.1 | AAC78591.1 | AAC78592.1 | AAC78594.1 | CAA05276.1 | AAD50430.1 | CAA05268.1 | CAA05274.1 | AAA65235.1 | AAC78595.1 | CAA05279.1 | | SEQ ID NO. 1 | AAD48496.1 | AAC49455.1 | CAB53515.1 | CAB17076.1 | BAA88898.1 | CAA46863.1 | AAB88263.1 | CAA05894.1 | AAA79915.1 | AAD28476.1 | AAB88262.1 | CAA53377.1 | CAB16317.1 | CAB17074.1 | CAA12118.1 | AAB68374.1 | CAA57538.1 | AAB41816.1 | AAD54424.1 | AAK06862.1 | CAA52425.1 | AAB70820.2 |

| | | | | | | | | | | | | | | | | | | | 30 | 60 | | | | | | | vinifera | | | | | vinifera | | | | | | | | |
|---------------------------|-------------------|-------------------|-----------------|----------------|----------------------|--------------------|---------------|--------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------------|-------------------|-----------------------|-------------------|-----------------------|------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------|---------------------------|-----------------|-------------------------|---------------------|----------------|---------------------------|-------------|-------------|----------------|-----------------|--------------|-----------------|-------------------|-------------------|
| | Nicotiana tabacum | Petunia x hybrida | Sorghum bicolor | Brassica napus | Verbena x hybrida | Perilla frutescens | Citrus unshiu | Perilla frutescens | Gentiana triflora | Solanum tuberosum | | | Petunia x hybrida | Scutellaria baicalensis | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Phaseolus lunatus | Forsythia x intermedia | Manihot esculenta | Nicotiana tabacum | Manihot esculenta | Manihot esculenta | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis labrusca x Vitis v. | Vitis vinifera | Lycopersicon esculentum | Vitis vinifera | Vitis vinifera | Vitis labrusca x Vitis v. | | | Vitis vinifera | Pyrus pyrifolia | Prunus avium | Cestrum elegans | Nicotiana tabacum | Malus x domestica |
| 1384 | AF190634 | AB027455 | AF199453 | AF287143 | AB013598 | AB013596 | AB033758 | AB013597 | D85186 | U82367 | AB002818 | X77462 | AB027454 | AB031274 | U32643 | AF346432 | U32644 | AF101972 | AF127218 | X77461 | AE346431 | X77459 | X77463 | AB047099 | AB047097 | AB047095 | AB047090 | AB047093 | X85138 | AB047098 | AB047096 | AB047091 | | 1385 | AF195654 | AB006009 | U32440 | AB031870 | AB000834 | AF090143 |
| | AAE61647.1 | BAA89009.1 | AAF17077.1 | AAF98390.1 | BAA36423.1 | BAA36421.1 | BAA93039.1 | BAA36422.1 | BAA12737.1 | AAB48444.1 | BAA19659.1 | CAA54612.1 | BAA89008.1 | BAA83484.1 | AAB36652.1 | AAK28304.1 | AAB36653.1 | AAD04166.1 | AAD21086.1 | CAA54611.1 | AAK28303.1 | CAA54609.1 | CAA54613.1 | BAB41026.1 | BAB41024.1 | BAB41022.1 | BAB41017.1 | BAB41020.1 | CAA59450.1 | BAB41025.1 | BAB41023.1 | BAB41018.1 | | SEQ ID NO. | AAE06347.1 | BAA28872.1 | AAB38064.1 | BAA95017.1 | BAA74546.2 | AAC36740.1 |
| Lycopersicon esculentum x | | Nicotiana tabacum | Brassica napus | Brassica napus | Eustoma grandiflorum | | | Nepeta racemosa | Nepeta racemosa | Solanum melongena | Persea americana | Solanum melongena | Solanum melongena | Mentha x piperita | Glycine max | Asparagus officinalis | Nicotiana tabacum | Asparagus officinalis | Glycine max | Capsicum annuum | Solanum melongena | Thlaspi arvense | Glycine max | Triticum aestivum | Nicotiana tabacum | Zea mays | Zea mays | Sorghum bicolor | Petunia x hybrida | Catharanthus roseus | Zea mays | Zea mays | Glycine max | Glycine max | Glycine max | Zea mays | Zea mays | Pisum sativum | Nicotiana tabacum | |
| | | X96784 | AF214007 | AF214008 | U72654 | | 1382 | Y09423 | X09424 | X70981 | M32885 | D14990 | X71654 | Z33875 | AE022157 | AB037245 | AF166332 | AB037244 | AE022459 | AF122821 | X70982 | L24438 | D83968 | AB036772 | X96784 | X11368 | X81831 | AE029858 | AF155332 | AJ238612 | X81827 | X81828 | D86351 | AF022460 | AF135485 | X81829 | Y11404 | AF218296 | X95342 | |
| AAD37433.1 | Lycopersicon | • | AAG14961.1 | • | AAB17562.1 | | SEQ ID NO. 1 | CAA70575.1 | CAA70576.1 | CAA50312.1 | AAA32913.1 | BAA03635.1 | CAA50645.1 | CAA83941.1 | AAB94584.1 | BAB40324.1 | AAD47832.1 | BAB40323.1 | AAB94588.1 | AAF27282.1 | CAA50313.1 | AAA19701.1 | BAA12159.1 | BAB40322.1 | CAA65580.1 | CAA72196.1 | CAA57425.1 | AAC39318.1 | AAD56282.1 | CAB56503.1 | CAA57421.1 | CAA57422.1 | BAA13076.1 | AAB94589.1 | AAD38930.1 | CAA57423.1 | CAA72208.1 | AAG44132.1 | CAA64635.1 | |

| CAC10270.1 | AJ243427 | Malus x domestica | CAA12118.1 | AJ224766 | Phaseolus vulgaris |
|--------------|----------|-------------------------|--------------|----------|-------------------------------|
| AAB95118.1 | U71244 | Brassica rapa | CAB17074.1 | 299952 | Phaseolus vulgaris |
| CAC09477.1 | AL442113 | Oryza sativa | AAD48496.1 | AF172856 | Lycopersicon esculentum |
| CAB62167.1 | AJ242828 | Castanea sativa | AAD53012.1 | AE089849 | Brassica napus |
| AAF06346.1 | AF195653 | Vitis vinifera | CAA05894.1 | AJ003137 | Lycopersicon esculentum |
| AAB02259.1 | U57787 | Avena sativa | BAA08245.1 | D45403 | Zea mays |
| AAD55090.1 | AF178653 | Vitis riparia | BAA88898.1 | AB020961 | Zea mays |
| CAA10492.1 | AJ131731 | Pseudotsuga menziesii | CAB16317.1 | 299173 | Nicotiana tabacum |
| CAA09228.1 | AJ010501 | Cicer arietinum | AAB88263.1 | AE019147 | Zea mays |
| BAA95165.1 | AB029918 | | CAA92583.1 | Z68291 | Pisum sativum |
| AAF82264.1 | AF227324 | Vitis vinifera | CAA68192.1 | X99936 | Zea mays |
| AAB53368.1 | U77657 | Oryza sativa | AAC35211.1 | U12637 | Hemerocallis hybrid cultivar |
| AAB61590.1 | AF003007 | Vitis vinifera | AAB97142.1 | 093166 | Prunus armeniaca |
| AAB53367.1 | 077656 | Oryza sativa | | | |
| | | | SEQ ID NO. 1 | 1387 | |
| SEQ ID NO. 1 | 1386 | | AAA33967.1 | M76981 | Glycine max |
| AAF61440.1 | AF138264 | Ipomoea batatas | BAA23563.1 | D50094 | Phaseolus vulgaris |
| AAF61442.1 | AF138266 | Ipomoea batatas | BAA19152.1 | AB000585 | Phaseolus vulgaris |
| AAF61441.1 | AF138265 | Ipomoea batatas | AAA34020.1 | M20037 | Glycine max |
| AAK27969.1 | AE242373 | Ipomoea batatas | AAA34022.1 | M76980 | Glycine max 5 |
| CAB17075.1 | Z99953 | Phaseolus vulgaris | AAA34021.1 | M20038 | max |
| AAB67878.1 | U59465 | Vicia faba | | | |
| CAA08906.1 | AJ009878 | Cicer arietinum | | 1390 | |
| CAA82995.1 | Z30338 | Vicia sativa | BAA87043.1 | AB035183 | Ipomoea batatas |
| BAA92495.1 | AB038598 | Vigna mungo | CAB06427.1 | Z84383 | Dianthus caryophyllus |
| AAD29084.1 | AF082181 | Solanum melongena | CAB06429.1 | Z84385 | Dianthus caryophyllus |
| CAA78403.1 | 214028 | Lycopersicon esculentum | CAB06430.1 | Z84386 | Dianthus caryophyllus |
| BAA08244.1 | D45402 | Zea mays | CAB11466.1 | 298758 | Dianthus caryophyllus |
| CAA83673.1 | 232795 | Glycine max | CAB06538.1 | Z84571 | Dianthus caryophyllus |
| CAB17077.1 | Z99955 | Phaseolus vulgaris | CAB06428.1 | 284384 | Dianthus caryophyllus |
| CAB16316.1 | Z99172 | Vicia sativa | | | |
| CAB53397.1 | AJ245868 | Medicago sativa | | 1391 | |
| AAB62937.1 | AF007215 | Lavatera thuringiaca | AAK01360.1 | AF314811 | Brassica napus |
| BAA96501.1 | AB032168 | Nicotiana tabacum | CAB40834.1 | AJ005686 | Vitis vinifera |
| CAA57675.1 | X82185 | Zea mays | AAC14481.1 | 092286 | Actinidia deliciosa |
| AAC49455.1 | U41902 | Pseudotsuga menziesii | AAB67875.1 | 060267 | Lycopersicon esculentum |
| CAB17076.1 | Z99954 | Phaseolus vulgaris | CAA67069.1 | X98421 | Medicago sativa |
| AAD53011.1 | AF089848 | Brassica napus | AAK01361.1 | AF314812 | Brassica napus |
| CAA88629.1 | 248736 | Lycopersicon esculentum | BAA19916.1 | D49714 | Oryza sativa |
| AAK27968.1 | AF242372 | Ipomoea batatas | AAC18862.1 | AF067967 | Mesembryanthemum crystallinum |
| AAB68374.1 | U52970 | Phaseolus vulgaris | CAA67070.1 | X98422 | Medicago sativa |

| Oryza sativa Nicotiana tabacum Marchantia polymo Marchantia polymo Chlamydomonas eug Zea mays Marchantia polymo Warchantia polymo Vigna radiata Nicotiana tabacum Mesembryanthemum Cucurbita pepo Mesembryanthemum Vicia faba |
|--|
| Chlamydomonas eugametos Zea mays Marchantia polymorpha Marchantia polymorpha Vigna radiata Vicotiana tabacum Nicotiana tabacum Mesembryanthemum crystallinum Cucurbita pepo Mesembryanthemum crystallinum Vicia faba Solanum tuberosum Daucus carota Zea mays Zea mays |
| |
| |

| | | 363 |
|--|---|--|
| Lotus japonicus Asparagus officinalis Helianthus annuus Triphysaria versicolor Triphysaria versicolor Vicia faba Asparagus officinalis Lotus japonicus Pisum sativum | Astragalus sinicus Pisum sativum Astragalus sinicus Phaseolus vulgaris Glycine max Oryza sativa Oryza sativa Helianthus annuus | |
| X89409 X99552 AF263432 AF014057 AF014056 AF014055 Z72354 X67958 X89410 X52179 | AB035248 X52180 AB035247 AJ133522 U77679 D83378 U55873 AF190729 AF005724 | X82849 AF037363 Y13321 Y13322 AB021793 L23833 1415 AF271636 AF03551 AF191667 AF191666 AF042184 AF293461 U27108 U27107 U27107 AF084971 U417 AJ223624 Z48602 |
| CAA61589.1 CAA67889.1 AAF74755.1 AAD05035.1 AAD05033.1 CAA96526.1 CAA48141.1 CAA61590.1 CAA36429.1 | BAA96252.1 CAA36430.1 BAA96251.1 CAB57292.1 AAC49614.1 BAA18951.1 AAB03991.1 AAB71532.1 | |
| Eucalyptus gunnii Brassica napus Zea mays Brassica rapa Medicago sativa Medicago sativa Zea mays Saccharum officinarum Zinnia elegans Eucalyptus botryoides | Eucalyptus globulus Brassica napus Brassica oleracea Brassica rapa Brassica rapa Brassica oleracea | Dianthus caryophyllus Zea mays |
| X75480 AF229408 Y13733 AF229411 Z19573 AF083332 AJ005702 AJ231135 D86590 | AF109157 AF207552 AF207554 AF207555 AF207553 AF207559 AF207559 | AE339732 AB042267 AB042261 AB042261 AB042261 AB042291 AB0321012 AB0321011 AB042269 AB060130 1414 AB050900 X84448 AF061740 AJ009952 AF190728 U77678 U89923 U55874 L40327 |
| CAA53211.1 AAKO0680.1 CAA74070.1 AAKO0683.1 CAA79625.1 AAC35845.1 CAA06687.1 CAA13177.1 BAA19487.1 | AAD18000.1 AAE23409.1 AAE23412.1 AAE23410.1 AAE23416.1 AAE23416.1 AAE23415.1 | |

| W O 02/010033 | • | | 1 C1/0501/20083 |
|---|--|--|---|
| Brassica oleracea Nicotiana tabacum Oryza sativa Olea europaea Cuscuta reflexa Borago officinalis Nicotiana tabacum Nicotiana tabacum Petunia x hybrida Petunia x hybrida Petunia x hybrida | Solidago canadensis Pisum sativum Pisum sativum Spinacia oleracea Lycopersicon esculentum Lycopersicon esculentum Oryza sativa Oryza sativa Petunia y hybrida | Chloroplast Triticum aestivum Chloroplast Triticum aestivum Triticum aestivum Zantedeschia aethiopica Pinus sylvestris Marchantia paleacea Pisum sativum Brassica rapa subsp. pekinensis Penax ginseng Cicer arietinum Cicer arietinum | Zea mays Vea mays Pinus sylvestris Mesembryanthemum crystallinum Lycopersicon esculentum Paulownia kawakamii Oryza sativa Carica papaya Spinacia oleracea Oryza sativa |
| M87514 X71441 X75670 AJ001369 L22209 U79011 X80008 X68140 AFC98510 AFC33640 | 1433 D49486 X56435 J04087 D10244 X14041 M37151 AB026724 D85239 | AE0127 U69536 U69632 AE054151 X58579 AB004870 M63003 AF071112 AF034630 AJ012739 | X1/565 X58578 U80069 X87372 AF037359 L36320 X13610 X53872 L19435 |
| AAA32990.1 CAA50575.1 CAA53366.1 CAA04702.1 AAA62621.1 AAC49701.1 CAA56318.1 CAA56318.1 CAA56318.1 CAA56318.1 CAA560299.1 | SEQ ID NO. : BAA19675.1 CAA3368.1 AAA3368.1 BAA01088.1 CAA32200.1 AAA34195.1 BAA12745.1 | AAB67990.1 AAB67991.1 AAC08582.1 CAA41455.1 BAA24919.1 AAA33659.1 AAC25568.1 AAC25568.1 CAA10160.1 CAA10132.1 | CAB5/992.1 CAA41454.1 AAB60394.1 CAA60826.1 AAB92612.1 AAA33917.1 CAA73929.1 CAA37866.1 |
| Petroselinum crispum Sinapis alba Nicotiana tabacum Raphanus sativus Brassica napus Glycine max Zea mays Oryza sativa Oryza sativa Oryza sativa Catharanthus roseus Catharanthus roseus | Petroselinum crispum Petroselinum crispum Petroselinum crispum Triticum aestivum | tatt t | Oryza sativa Oryza sativa Nicotiana tabacum Lycopersicon esculentum Olea europaea |
| U46217 Y16953 Z48603 X92102 X83920 L01449 U10270 U42208 U04295 X83922 AF084972 | AJ292743 Y10809 Y10810 D12920 X56781 D38111 M28704 AY027510 X83921 | 1040000000000 | ABUZ1/36 D78609 1425 Y12805 AJ010943 1428 AJ001370 |
| AAC49398.1 CAA88493.1 CAA63073.1 CAA63073.1 CAA58772.1 AAB00098.1 AAB40291.1 AAC49556.1 CAA58774.1 AAC49556.1 | | CABG2402.1 CABG2402.1 BAA10928.1 CAA52896.1 AAA17488.1 CAA56477.1 CAA52895.1 BAA02303.2 AAA68429.1 CAA67298.1 AAA19103.1 | BAA36492.1 BAA11431.1 SEQ ID NO. 1 CAA7333.1 CAA09420.1 SEQ ID NO. 1 |

| CAA60507.1 X86924 Vitis vinifera BAA08445.1 D49475 Zea mays AAB51596.1 U93561 Zea mays AAB51595.1 U93560 Zea mays CAB94837.1 AJ277950 Nicotiana plumbaginifolia CAA09478.1 AJ011096 Asparagus officinalis CAA69601.2 Y08293 Nicotiana plumbaginifolia AAB39508.1 U48695 Lycopersicon esculentum CAA09456.1 AJ011006 Asparagus officinalis CAA1635.1 X58831 Chlorella sorokiniana | SEQ ID NO. 1438 AAD26332.1 AF120148 Triticum aestivum AAD26331.1 AF120147 Triticum aestivum AAD26330.1 AF120146 Triticum aestivum AAB06756.2 U66307 Brassica napus AAG01148.1 AF284065 Sesamum indicum BAA84084.1 AB032073 Nicotiana panicul BAA85788.1 AB009881 Nicotiana tabacum | AAB03687.1 U32511 Mesembryanthe AAG40328.1 AF323175 Zea mays AAC15756.1 AF056326 Zea mays AAK21969.1 AY028259 Avicennia mar CAA77751.1 Z11693 Spirodela pol BAB40956.1 AB059557 Avena sativa AAC17133.1 AF056325 Hordeum vulge BAA25729.1 AB012107 Oryza sativa | 11inum AAG14461.1 AF293460 Iycopersicon esculentum Llinum AAK26439.1 AF357837 Solanum tuberosum SEQ ID NO. 1439 BAB21545.1 AB042950 Nicotiana tabacum AAK01938.1 AY026321 Lupinus albus BAAZ0522.1 AB004809 Catharanthus roseus AAF74025.1 AF156696 Nicotiana tabacum BAB21562.1 AB042951 Nicotiana tabacum ia BAB21563.1 AB042956 Nicotiana tabacum |
|--|---|---|--|
| Oryza sativa Avicennia marina Populus tremuloides Raphanus sativus Zea mays Brassica juncea Oryza sativa Oryza sativa Nicotiana plumbaginifolia | Zantedeschia aethiopica Lycopersicon esculentum Lycopersicon esculentum Populus tremuloides Zea mays Mesembryanthemum crystallinum Nicotiana tabacum Brassica oleracea | É | Mesembryanthemum crystallinum Mesembryanthemum crystallinum Fagus sylvatica Zea mays Oryza sativa Fagus sylvatica Kagus sylvatica Nicotiana plumbaginifolia |
| D00999 AF328859 AF016893 AF009735 M54936 X95728 L19434 D01000 A7250667 X55974 | AF054150 M37150 X14040 AF016892 U34727 1434 AF075579 AJ277086 AJ277086 | AF092431 AJ277087 AJ298987 Y11607 AF075580 AF092432 AF213455 AF097667 AF097667 | AE075582 AE079355 AU277744 U81960 AE075603 AU298988 1435 Y08292 AU377949 |
| BAA00799.1 AAK06837.1 AAD01605.1 AAAD5576.1 AAA33510.1 CAA65043.1 AAC14465.1 BAA00800.1 CAAS9144.1 | | AAD17804.1 CAC10359.1 CAC09575.1 CAA72341.1 AAAC36698.1 AAAD17805.1 AAAG43835.1 AAAG43835.1 | AAC36700.1 AAC35951.1 CAB90634.1 AAB93832.1 AAC26828.1 CAC09576.1 SEQ ID NO. 1 CAA69600.1 |

| | | | | | | | 1 | | | | | | | | 36 | 56 | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|-------------------|-------------------------|-------------------------|-----------------------------------|--------------|-----------------|-----------------|--------------------|-----------------------------|--------------------|----------------------|--------------------|------------|--------------|------------------|-------------------|--------------------|--------------|-----------------------|-------------------------|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Triticum aestivum Lens culinaris Triticum aestivum | Volvox carteri | Lens culinaris | Triticum aestivum | Lycopersicon esculentum | Nicotiana tabacum | Chlamvdomonas reinhardtii | | Euphorbia esula | Cicer arietinum | Lilium longiflorum | Nicotiana tabacum | Apium graveolens | Fritillaria agrestis | | | Zea mays | Persea americana | Viqna unquiculata | Phaseolus vulgaris | | | Oryza sativa | | | Petunia x hybrida | Datisca glomerata | Petunia x hybrida | Nicotiana tabacum |
| X59872 AF352253 AF107023 | L07946 A.7224933 | AF352252 | AF107027 | 003391 | L29456 | 016726 | X05636 | AF222804 | AJ006767 | AB012694 | AB029614 | Y12599 | AF031547 | | 1444 | U95953 | AF224672 | AB030293 | AF190462 | | 1445 | AP000364 | | 1446 | AB006600 | AB006601 | AB006599 | AB000451 | AB006603 | AB006604 | AB006602 | AB000452 | D26084 | AF119050 | D26083 | AF053077 |
| CAA42529.2 AAK29456.1 AAD41006.1 | AAA74723.1 | AAK29455.1 | AAD41009.1 | AAA50578.1 | AAC41651.1 | AAA98452.1 | CAA29123.1 | AAF27930.1 | CAA07233.1 | BAA87331.1 | BAA88671.1 | CAA73171.1 | AAB86857.1 | | SEQ ID NO. | AAB62181.1 | AAK00632.1 | BAB11932.1 | AAF26356.1 | | SEQ ID NO. | BAA81762.1 | | | BAA21922.1 | BAA21923.1 | BAA21921.1 | BAA19110.1 | BAA21925.1 | BAA21926.1 | BAA21924.1 | BAA19111.1 | BAA05077.1 | AAD26942.1 | BAA05076.1 | AAC06243.1 |
| Sesbania rostrata Sesbania rostrata Medicago truncatula | Medicago truncatula Solanum tuberosum | | | sicon | Lycopersicon esculentum | Oryza saliva Triticum aestivum | Oryza sativa | Oryza rufipogon | | Oryza sativa | Apium graveolens var. dulce | Chlorella kessleri | Гa | Chlorella kessleri | | | Daucus carota | Ξ | • | | Lycopersicon chilense | Lycopersicon esculentum | | Triticum aestivum | Lathyrus sativus | Lathyrus sativus | Volvox carteri | Triticum aestivum | Pisum sativum | Pisum sativum | Zea mays | Pisum sativum | Triticum aestivum | Triticum aestivum | Lens culinaris | Triticum aestivum |
| AJ286743 AJ286744 AF000354 | AF000355 AF156695 | X98890 | AF022873 | AF022874 | Y14214 | AF233019 AF110180 | AF271893 | AF337531 | AF335588 | AF229169 | AF215837 | Y07520 | 534 | X75440 | | 1440 | U87257 | AJ000693 | | .441 | AF253416 | 211842 | 001890 | AF107024 | AF352249 | AE352250 | L07947 | D87064 | AF352247 | AF352248 | X57077 | AF352246 | AF107026 | D87065 | AF352251 | AF107022 |
| CAC28218.1 CAC28219.1 AAB81346.1 | AAB81347.1 | CAA67395.1 | AAB82146.1 | AAB82147.1 | CAA74607.1 | AAD26146.1 | AAF76345.1 | AAK06857.1 | AAK25766.1 | AAF40188.1 | AAG43998.1 | CAA68813.1 | • | CAA53192.1 | | SEQ ID NO. 1 | AAC49815.1 | CAA04245.1 | | SEQ ID NO. 1 | AAF64525.1 | CAA77867.1 | AAB03076.1 | AAD41007.1 | AAK29452.1 | AAK29453.1 | AAA34246.1 | BAA25203.1 | AAK29450.1 | AAK29451.1 | CAA40362.1 | AAK29449.1 | AAD41008.1 | BAA25204.1 | AAK29454.1 | AAD41005.1 |

| Ġ. | | | | | | | | | | | | | | | | | 36 | 57 | | | | | | | | | | | | | | | | | | | | |
|--|--|-----------------------|--------------|-------------------|-----------------------|--------------------|-----------------|-----------------|-------------------|-------------------|-------------------|--------------------|-----------------|-------------------|----------------------|-----------------------|-------------------|-------------------------|-------------------------|--------------------|---------------|-------------------|----------------------|------------------|-------------------|-----------------------|-------------------|-----------------|---------------------|---------------------|-----------------|----------------------------|--------------|----------------------------|-------------------|----------------|----------------------------|-------------|
| Populus balsamifera subsp. | Populus kitakamiensis Linum usitatissimum | Populus kitakamiensis | Glycine max | Glycine max | Populus kitakamiensis | Phaseolus vulgaris | Medicago sativa | Medicago sativa | Medicago sativa | Medicago sativa | Medicago sativa | Phaseolus vulgaris | Ipomoea batatas | Nicotiana tabacum | Armoracia rusticana | Populus kitakamiensis | Nicotiana tabacum | Lycopersicon esculentum | Lycopersicon esculentum | Gossypium hirsutum | Oryza sativa | Spinacia oleracea | Stylosanthes humilis | Arachis hypogaea | Triticum aestivum | Asparagus officinalis | Spinacia oleracea | Hordeum vulgare | Spinacia oleracea | Picea abies | Cucumis sativus | Triticum aestivum | Oryza sativa | Oryza sativa | Triticum aestivum | Cucurbita pepo | | |
| X97351 | D38051 L07554 | D30652 | AF007211 | AF014502 | D30653 | AF149277 | X9063 | X90694 | L36157 | X90692 | L36156 | AF149280 | AJ242742 | J02979 | X57564 | D11102 | D11396 | Y19023 | X71593 | AF155124 | AP001383 | AF244924 | L37790 | M37636 | X85230 | AB042103 | AF244923 | AJ276227 | X10466 | AJ250121 | M32742 | X56011 | AP001366 | AP001383 | X85228 | Y17192 | | 1458 |
| CAA66037.1 trichocarpa | BAA07241.1 AAB47602.1 | BAA06334.1 | AAC98519.1 | AAB97734.1 | BAA06335.1 | AAD37427.1 | CAA62226.1 | CAA62227.1 | AAB41811.1 | CAA62225.1 | AAB41810.1 | AAD37430.1 | CAB94692.1 | AAA34108.1 | CAA40796.1 | BAA01877.1 | BAA01992.1 | CAB67121.1 | CAA50597.1 | AAD43561.1 | BAA92500.1 | AAF63027.1 | AAB02554.1 | AAB06183.1 | CAA59487.1 | BAA94962.1 | AAF63026.1 | CAB99487.1 | CAA71492.1 | CAB65334.1 | AAA33121.1 | CAA39486.1 | BAA92422.1 | BAA92497.1 | CAA59485.1 | CAA76680.1 | | SEQ ID NO. |
| Petunia x hybrida Petunia x hybrida | Petunia x hybrida Brassica rapa | Brassica rapa | Oryza sativa | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | × | × | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | | | Pisum sativum | Nicotiana sylvestris | Vigna radiata | Spinacia oleracea | Zea mays | | | Citrus unshiu | Nicotiana glauca | Chenopodium rubrum | Pisum sativum | Nicotiana tabacum | Nicotiana tabacum | | | Armoracia rusticana | Armoracia rusticana | Populus nigra | Populus balsamifera subsp. | | Populus balsamifera subsp. | | nigra | Populus balsamifera subsp. | |
| AB006605 AB035133 | AB006598 U76555 | U76554 | AF332876 | D26086 | AB035132 | AB006597 | D26085 | AB000453 | AB000455 | AB006606 | AB000456 | | 1453 | AF271892 | D16247 | AF156667 | X99937 | AF079782 | | 1454 | AB007818 | AF151215 | X14067 | AF029243 | AB041513 | M37152 | | 1457 | D90115 | D90116 | D83225 | X97349 | | x97350 | | D83224 | X97348 | |
| BAA21927.1 BAA96071.1 | BAA21920.1 AAB53261.1 | AAB53260.1 | AAK01713.1 | BAA05079.1 | BAA96070.1 | BAA21919.1 | BAA05078.1 | BAA19112.1 | BAA19114.1 | BAA21928.1 | BAA19926.1 | | | AAF75791.1 | BAA03763.1 | AAF40306.1 | CAA68193.1 | AAD20980.1 | | | BAA92155.1 | AAF28386.1 | CAA32230.1 | AAB84194.1 | BAB16425.1 | AAB02879.1 | | | BAA14143.1 | BAA14144.1 | BAA11853.1 | CAA66035.1 | trichocarpa | CAA66036.1 | trichocarpa | BAA11852.1 | CAA66034.1 | trichocarpa |

| Populus balsamifera subsp. Armoracia rusticana 7 Phaseolus vulgaris | Triticum aestivum 1 Picea abies Linum usitatissimum | | 7 | Brassica rapa | Brassica rapa | Brassica juncea | | Brassica rapa | z brassica Brassica | | Brassica juncea | Brassica juncea | Mesembryanthemum | | Coffea arabica | Cicer arietinum | | | | | | - | 3 Nicotiana tabacum | | 6 Eichhornia crassipes | 0 Eichhornia crassipes | 1 Avicennia marina | Avice | Musa acumir | Eichho | | Oryza satıva |
|--|---|-----------------------------|---|--|-----------------------|-----------------|------------|---------------|------------------------------------|--------------|----------------------------|-----------------|------------------|-------------------|---------------------|-----------------|------------|-------------------|-------------------------|-------------|----------------------------|-------------|---------------------|-----------------------|------------------------|------------------------|-----------------------|--------------------|-------------|----------------------------|---|--------------|
| X97350 D90115 AF149277 | X85228 AJ25012 L07554 | L36157 AF014469 | 1450 | D78498 | D78491 | X10850 | L31940 | D/8494 | X10852 | X10849 | Y10853 | Y10851 | AF078912 | AF000935 | U11423 | X95709 | Z68138 | AJ130886 | L27813 | AF333385 | X77254 | AF279655 | AJ299253 | AJ133145 | AJ247196 | AJ247090 | AF334141 | AF329968 | AF268391 | AJ247195 | 043530 | TCAAAA |
| CAA66036.1 trichocarpa BAA14143.1 AAD37427.1 | CAA59485.1 CAB65334.1 AAB47602.1 | AAB41811.1 AAC49820.1 | | 1394.1 | BAA11388.1 | CAA71803.1 | AAA74958.1 | BAA11391.1 | CAR71805.1 | CAA71802.1 | CAA71806.1 | CAA71804.1 | AAC27531.1 | AAB61212.1 | AAA19611.1 | CAA65009.1 | CAA92243.1 | CAA10232.1 | • | AAG50080.1 | CAA54471.1 | AAK28022.1 | CAC12823.1 | CAB77242.1 | CAB53392.1 | CAB53390.1 | AAK11269.1 | AAG61122.1 | AAG44757.1 | CAB53391.1 | AAC49627.1 | BAA14038.1 |
| Arachis hypogaea Lycopersicon esculentum Nicotiana tabacum Stylosanthes humilis | Phaseolus vulgaris Spinacia oleracea Glycine max | Oryza sativa Glycine max | GLICEN AND AND AND AND AND AND AND AND AND AN | Ntcotiana tabacum Lycopersicon esculentum | Asparagus officinalis | U | m. | 0 | Nicoliana tabacum Dopulus nigra | Oryza sativa | Populus balsamifera subsp. | | | Spinacia oleracea | Armoracia rusticana | Medicago sativa | | Spinacia oleracea | Lycopersicon esculentum | con esculen | Populus balsamifera subsp. | | Armoracia rusticana | Populus kitakamiensis | Mercurialis annua | Zea mays | Populus kitakamiensis | Gossypium hirsutum | max | Populus balsamifera subsp. | | Glycine max |
| M37637 X94943 AB027753 L77080 | AF149279 Y10468 AF145349 | D14997 U51192 | U51191 | L13654 | AB042103 | L13653 | Z22920 | AF244921 | D42065 | AP001383 | X97348 | | X16776 | AF244924 | X57564 | x90633 | X10463 | AE244923 | X71593 | X19023 | X97349 | | D90116 | D38051 | X91232 | AJ401276 | D30652 | AF155124 | AE007211 | X97351 | 1 C C C C C C C C C C C C C C C C C C C | AE'U145UZ |
| AAA32676.1 CAA64413.1 BAA82307.1 AAB67737.1 | AAD37429.2 CAA71494.1 AAD37375.1 | BAA03644.1 | AAD11481.1 | BAAU 1663.1 AAA65637.1 | BAA94962.1 | AAA65636.1 | CAA80502.1 | AAF63024.1 | BAAU/664.1 | BAA92500.1 | CAA66034.1 | trichocarpa | CAA76374.2 | AAF63027.1 | CAA40796.1 | CAA62226.1 | CAA71489.1 | AAF63026.1 | CAA50597.1 | CAB67121.1 | CAA66035.1 | trichocarpa | BAA14144.1 | BAA07241.1 | CAA62615.1 | CAC21393.1 | BAA06334.1 | AAD43561.1 | AAC98519.1 | CAA66037.1 | trichocarpa | AAB9//34.1 |

| | durum | 369 | |
|---|--|--|--------------------------------------|
| Hordeum vulgare Prunus dulcis Zea mays Pisum sativum Pisum sativum Pisum sativum Hordeum vulgare Pisum sativum Lycopersicon esculentum Sorghum bicolor Hordeum vulgare Hordeum vulgare Hordeum vulgare Lophopyrum elongatum Glycine mak | um subsp. is | um subsp. | Glycine max |
| AF181456 AF172263 X15290 X63063 X63061 U91970 AF181457 X63062 U26423 U63831 X15288 AF043087 AF181451 AF04807 | X78431 AF236067 X98326 | A50326 A78429 AF143089 AF181453 AF181452 X715289 X71362 U91969 U91969 1463 X95343 X95343 A68807 X68807 X68807 X68807 X68807 | X80039 |
| AAF01694.1 AAD50291.1 CAA44789.1 CAA44787.1 AAB51381.1 AAF01695.1 CAA44788.1 AAC49618.1 AAC49618.1 AAC49618.1 AAC49618.1 AAC69618.1 AAC69625.1 AAC05922.1 AAC1689.1 | CAA55194.1 AAF60172.1 CAA66970.1 | | CAA50118.1 |
| Oenanthe javanica Lycopersicon esculentum Silene vulgaris Nicotiana glutinosa Prunus persica Prunus armeniaca Pyrus pyrifolia Pimpinella brachycarpa Lycopersicon esculentum Lycopersicon esculentum Citrus unshiu | Grycine max Medicago sativa Glycine max Vigna unemiculata | Vigna unguiculata Vigna unguiculata Phaseolus vulgaris Solanum tuberosum Pisum sativum Pisum sativum Zea mays Glycine max Pinus taeda Vigna unguiculata Vigna unguiculata Vigna unguiculata Vigna unguiculata Vigna unguiculata Vigna unguiculata Filanthus annuus Helianthus annuus | Hellanthus annuus Hordeum vulgare |
| AF017787 Z68310 AF101825 U46543 AJ243532 U97494 AB021785 AF093585 L77963 Z68309 AB008100 1461 U68217 M64337 | X97059 X97059 U31648 | AF052058 X58274 AF133814 X73369 X64417 X61391 X83077 X61392 M58336 AF028072 X67754 X67756 X67757 X67756 X67756 X67756 X67757 X67756 X67757 X67756 X67756 X67757 X67756 X67757 X6777 X677 | X9264/ AF043091 |
| AAB70560.1 CAA92652.1 AAC72984.1 AAB05223.1 CAB56620.1 AAB88276.1 BAA96444.1 AAC62510.1 AAC62510.1 AAB04674.1 CAA92651.1 BAA31561.1 SEQ ID NO. 1 AAB53099.1 | AAB18928.1 AAB18928.1 AAC06026.1 | | CAA63339.1 AAD02257.1 |

PCT/US01/26685 **WO** 02/016655

| lir | | 370 | |
|---|---|--|--|
| Vicia faba Mesembryanthemum crystallir Spinacia oleracea Glycine max Oryza sativa Oryza sativa | Glycine max Euphorbia esula Glycine max | 56 () 56 56 56 56 | Alopecurus myosuroldes Zea mays Zea mays Zea mays Zea mays Carica papaya Gossypium hirsutum Glycine max Zea mays Zea mays Zea mays Zea mays |
| AF186020 Z26846 Z30332 M67449 AP002482 AB011968 | AF243368 AF243363 AF243361 AF243361 AF243374 AF243376 AF243372 AF243375 AF243375 AF243375 AF243375 | AF243373 AF244693 AF244701 J03679 AF048978 AF243370 AF243365 AJ010448 Y10820 AF244688 | AUU10449 AF244694 AF244689 AF244690 AU000923 AF159229 AF243360 AF244698 AF244698 AF244695 AF244695 |
| AAF27340.1 CAA81443.1 CAA82993.1 AAA34002.1 BAA96628.1 BAA83689.1 | • | AAG34808.1 AAG34836.1 AAG8430.1 AAC18566.1 AAG34800.1 CAAO9187.1 CAA71784.1 AAG34831.1 | CAAU9188.1 AAG34837.1 AAG34832.1 AAG34833.1 CAAO4391.1 AAE29773.1 AAG34841.1 AAG34841.1 AAG34841.1 AAG34838.1 |
| Glycine max Psophocarpus tetragonolobus Glycine max Psophocarpus tetragonolobus Psophocarpus tetragonolobus Psophocarpus tetragonolobus Psophocarpus tetragonolobus Glycine max | Brassica cuberosum Brassica oleracea Psophocarpus tetragonolobus Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Theobroma cacao | m c m c d c c c d d | Sclanum tuberosum Brassica napus Hordeum vulgare Hordeum vulgare Oryza sativa Cucumis sativus Hordeum vulgare Nicotiana tabacum Glycine max Glycine max Hordeum vulgare Oryza sativa |
| \$45092 D13974 X64447 \$96732 \$96735 \$96733 AF314823 | X182955 X189955 X46970 D17331 D17328 M96257 U30814 X74985 X56509 X64370 | AJ000728 AF165186 U83625 AJ302651 AF216314 D31964 AF325168 D26601 AF172282 | X95997 AJ010093 X65606 AF062479 Y10036 AJ007990 D26602 AF128443 X65604 |
| AAB23464.1 BAA03084.1 CAA45777.1 AAC60535.1 AAC60536.1 AAK20289.1 | | CAA04261.2 AAF67262.1 AAC83393.1 CAC24705.1 AAG40578.1 BAA06731.1 AAG53979.1 BAA05648.1 AAF34436.1 CAA08995.1 | CAA65244.1 CAA08997.1 CAA57898.1 CAA46556.1 AAC99329.1 CAA71142.1 CAA07813.1 BAA05649.1 AAF19401.1 AAB03582.1 CAA46554.1 |

| | 371 | ·ਜ | |
|--|--|--|--|
| Nepenthes alata Ricinus comunis Vicia faba Solanum tuberosum Nepenthes alata Nepenthes alata Ricinus communis Vicia faba Ricinus communis Vicia faba Ricinus communis Vicia faba Ricinus solusetris Vicia faba Vicia faba Chicotiana sylvestris Nicotiana sylvestris Oryza sativa Chlorella protothecoides | Nicotiana tabacum Petunia x hybrida Nicotiana tabacum Oryza sativa Oryza sativa Pisum sativum Oryza sativa | domcdana do sana do sana do sana do sati | Eupholdia Medicago sativa Petroselinum crispum Nicotiana tabacum Capsicum annuum |
| AF080542 AJ132228 Y09591 Y09826 AF080543 AF080544 Y11121 AF061434 Z68759 AF061435 AF061435 AF061436 U31932 U64823 AB022783 | AJ299255 1471 X83440 X69971 AF216317 AF216316 AF216316 AJ251330 | AB035141 AB055515 X83879 X66469 L07042 X82268 X83880 AF149424 D61377 X70703 AF247136 | A1224336 A1224336 Y12785 U94192 AF247135 |
| AAD16013.1 CAA70969.1 CAA70969.1 AAD16014.1 AAD16015.1 CAA72006.1 AAF15944.1 CAA92992.1 AAF15946.1 AAF15946.1 AAF15946.1 AAB48944.1 AAB96830.1 BAA93437.1 | SEQ ID NO. CAA58466.1 CAA49592.1 AAF61238.1 AAG40581.1 AAG40580.1 CAB61889.1 | BAB18271.1 BAB32406.1 CAA57099.1 AAB41548.1 CAA57719.1 CAA58761.1 AAD37790.1 BAA09600.1 CAA50036.1 | AAE 02/00.1 CAB37188.1 CAA73223.1 AAE58396.1 AAE81419.1 |
| Prunus armeniaca Oryza sativa Physcomitrella patens Daucus caróta Physcomitrella patens Physcomitrella patens Glycine max Zinnia elegans Helianthus annuus Glycine max Daucus carota Physcomitrella patens Lycopersicon esculentum | | Pimpinella brachycarpa Physcomitrella patens Pimpinella brachycarpa Oryza sativa Craterostigma plantagineum Pimpinella brachycarpa Zinnia elegans Oryza sativa Oryza sativa Oryza sativa | Solanum tuberosum |
| 1469 AF139497 AF145730 AB028073 D26578 AB028076 AB028072 AF184277 AB042769 AF339748 AF184278 AB042769 AF399748 AF184278 AS04947 | AB028078 AB028079 AF145728 AB028080 D26576 D26573 AF145729 D26574 X92489 AB042760 | $^{\circ}$ | 1470 Y09825 AJ007574 |
| SEQ ID NO. 1 AAD38144.1 AAD37699.1 BAA93461.1 BAA93460.1 BAA93460.1 BAA93460.1 AAF01764.2 BAB18171.1 AAA63768.2 AAF01765.1 BAA93465.1 CAA64417.1 | BAA93466.1 BAA93467.1 BAA037697.1 BAA05625.1 BAA05622.1 AAD37698.1 BAA037698.1 CAA63222.1 | CAA64221.1 BAA93463.1 CAA64152.1 AAD37695.1 CAA06728.1 CAA64491.1 BAB18168.1 AAK31270.1 AAK19980.1 BAB18170.1 CAA6456.2 | |

| | | 372 | |
|---|---|---|---|
| Cicer arietinum Cicer arietinum Helianthus tuberosus Helianthus tuberosus Pisum sativum Pisum sativum Nicotiana tabacum | Petunia x hybrida Pisum sativum Nicotiana tabacum Petunia x hybrida Glycine max Persea americana Nepeta racemosa Glycine max Eschscholvia californica | | Malus x domestica Glycine max Glycine max Oryza sativa Glycine max Glycine max Glycine max Finus sylvestris Ipomoea nil Oryza sativa Oryza sativa Oryza sativa Oryza sativa |
| AJ238439 AJ012581 AJ000478 AJ000477 AF175278 U29333 X96784 | ABOO6790 AF218296 X95342 AF155332 D83968 M32885 Y09423 AF022458 | AFO22461 AFO22461 ABO37244 ABO37245 L24438 ABO28151 D86351 AF135485 | 1479 AE053127 AE244890 AE244889 X89226 AE197947 AE197946 AU250467 U77888 AU250467 U77888 AU27282 U72723 |
| CAB41490.1 CAA10067.1 CAA04117.1 CAA04116.1 AAG09208.1 AAC49188.2 CAA65580.1 | BAA92894.1 AAG44132.1 CAA64635.1 AAD56282.1 BAA12159.1 AAA32913.1 CAA70575.1 AAB94587.1 | | SEQ ID NO. AAC36318.1 AAF91324.1 AAF91323.1 CAA61510.1 AAF59906.1 AAF59905.1 AAF91322.1 CAC20842.1 AAB36558.1 BAA83373.1 BAA83373.1 AAC80225.1 AAC80225.1 |
| Pisum sativum Medicago sativa Zea mays Avena sativa Triticum aestivum Oryza sativa | m mil | Check all controls Chenopodium rubrum Pisum sativum Nicotiana tabacum Antirrhinum majus Solanum tuberosum Oryza sativa Oryza sativa Daucus carota | Mesembryanthemum crystallinum Vicia faba Zea mays Hordeum vulgare Secale cereale Secale cereale Nicotiana tabacum Plantago major Nicotiana tabacum Cicer arietinum Glycyrhiza echinata Lotus japonicus Glycyrrhiza echinata |
| AF153061 X82270 AB016802 X79993 AF079318 AF332873 AF216315 | AJ250311 AB016801 AF129087 AF194415 AF197392 AF194416 U18365 U96716 AJ275316 | X10160 AB008187 AF289467 X97637 X97637 X79779 AP002093 AJ249962 | AF267755 Y09749 Y09747 Y09753 Y09752 AF079872 Y09750 AF079871 AJ239051 AB001379 AB001379 |
| AAF73236.1 CAA57721.1 BAA74734.1 CAA56314.1 AAC28850.1 AAK01710.1 AAG40579.1 | CAC13967.1 BAA74733.1 AAD28617.1 AAF23902.1 AAD52659.1 AAF23903.1 AAB57843.1 CAR61750.1 | | AAF81251.1 CAA70896.1 CAA70894.1 CAA70895.1 CAA70899.1 AAF33670.1 AAF33669.1 AAF33669.1 AAF33669.1 BAAC2422.1 BAAC2422.1 BAAC2422.1 BAAC2465.1 |

| | 3/3 | |
|---|--|------------|
| Malus x domestica Fragaria x ananassa Fragaria x ananassa Robinia pseudoacacia Pisum sativum Elaeaqnus umbellata | Ricinus communis Ricinus communis Vicia faba Nepenthes alata Solanum tuberosum Nepenthes alata Solanum tuberosum Ricinus communis Nepenthes alata Vicia faba | |
| 1481 AF336307 L44142 X52429 AY009094 AF029242 AF0291513 | 1482 AJ007574 AJ13228 Y09591 AF080543 Y09826 AF080544 Y09825 Z68759 AF080542 AF080542 AF081435 Y11121 AF061436 U31932 U64823 AF0114809 AF0144809 AF0144809 AF0144809 AF0144809 AF0144809 AF0144809 AF0144809 AF0144809 AF297472 AF297472 AF297471 M81224 LZ1896 Z24737 AJ337582 | 1485 |
| SEQ ID NO. AAK25768.1 AAA73872.1 CAA36676.1 AAG33924.1 AAB84193.1 AAC62104.1 | SEQ ID NO. CAA07563.1 CAA10608.1 CAA70778.1 AAD16014.1 CAA70969.1 AAD16015.1 CAA70968.1 CAA72006.1 AAD16013.1 AAF15944.1 AAF15944.1 AAF15944.1 AAB48944.1 AAB4894.1 AABA93437.1 AABA93437.1 AAD25160.1 AABA2599.1 CABA2599.1 CABA32993.1 AAA32993.1 AAA32993.1 CABA33011.1 CAA80862.1 CAA80862.1 | SEQ ID NO. |
| nata nata m | ris ea ea ea ea ea ea ea ea ea ea ea ea ea | |
| Oryza longistaminata Ipowoea nil Oryza sativa Oryza longistaminata Nicotiana tabacum Ipomoea nil | s vulga olerac olerac olerac olerac olerac olerac olerac olerac olerac olerac olerac olerac rapa rapa rapa rapa rapa rapa rapa r | sativa |
| Oryza Ipomoei Oryza Oryza Nicotii | Phaseolus vull Ipomoea trifii Brassica oler Brassica oler Brassica oler Brassica napu Brassica napu Brassica napu Brassica napu Brassica oler Brassica oler Brassica oler Brassica oler Brassica oler Brassica rapa | Oryza sa |
| U72725 Oryza U77888 Ipomo U72724 Oryza U72726 Oryza AB029327 Nicot U77888 Ipomo | 082 Phasec Ipomoc Ipomoc Brassi Brassi Brassi Con Brass | |

| Zea mays Oryza sativa subsp. indica | | Cucurbita maxima | Oryza sativa | Zea mays | Zea mays | Triticum aestivum | Hordeum vulgare | Solanum tuberosum | Nicotiana tabacum | Oryza sativa | | | Lotus japonicus | Lycopersicon esculentum | Brassica napus | Lycopersicon esculentum | Nepenthes alata 📞 | Brassica napus 84 | | | Zea mays | Tagetes erecta | Narcissus pseudonarcissus | Lycopersicon esculentum | Capsicum annuum | Oryza sativa | Narcissus pseudonarcissus | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Oryza sativa subsp. japonica | , Eg | Citrus unshiu | Zea mays | Capsicum annuum | Zea mays | |
|--|---------------------------|------------------|-------------------|--------------|-------------------------|-------------------|-----------------|-------------------|-------------------------|-------------------|----------------------|----------------------|-----------------|-------------------------|----------------|-------------------------------|-------------------------|-------------------|--------------|----------------|----------------|----------------|---------------------------|-------------------------|-----------------|--------------|---------------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------------|---|
| AF210616 Y15219 | 1489 | D45066 | AP000836 | X66076 | U82230 | AJ012284 | AJ000991 | AJ242853 | X97945 | AB028131 | | 1490 | AJ279059 | X95098 | AF306518 | AF118858 | AF080541 | AF188744 | | 1491 | AF047490 | AF251013 | AJ224683 | AF195507 | X89897 | AF054629 | X78815 | X59948 | M88683 | X78271 | X71023 | AF086803 | AF251014 | AB046992 | L39266 | X68058 | U37285 | |
| AAG36774.1 CAA75509.1 | SEQ ID NO. | BAA08094.1 | BAA88190.1 | CAA46875.1 | AAB70119.1 | CAA09976.1 | CAA04440.1 | CAB89831.1 | CAA66604.1 | BAA78574.1 | | | CAC10555.1 | CAA64475.1 | AAG28780.1 | AAG11397.1 | AAD16012.1 | AAE01774.1 | | SEQ ID NO. | AAD02462.1 | AAG10425.1 | CAA12062.1 | AAF13698.1 | CAA61985.1 | AAG14399.1 | CAA55392.1 | CAA42573.1 | AAA68865.1 | CAA55078.1 | CAB59726.1 | AAG10645.1 | AAG10426.1 | BAB08179.1 | AAA99519.1 | CAA48195.1 | AAC12846.1 | |
| Vigna mungo Zea mays | Vigna mungo · Zea mays | Ricinus communis | Vicia narbonensis | Vicía sativa | Lycopersicon esculentum | | | Nicotiana tabacum | Lycopersicon esculentum | Solanum tuberosum | Bruguiera gymnorhiza | Fritillaria agrestis | Pisum sativum | Triticum aestivum | Brassica napus | Volvox carteri f. nagariensis | Lycopersicon esculentum | | | Brassica napus | Brassica napus | Brassica napus | Brassica napus | Brassica napus | | | Lycopersicon esculentum | Lycopersicon esculentum | Antirrhinum majus | Petunia x hybrida | Pimpinella brachycarpa | Lycopersicon esculentum | Nicotiana tabacum | Petunia x hybrida | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | • |
| D89972 AJ131718 | D89971 AJ131719 | D17401 | 299174 | AJ007743 | AJ243876 | | 1486 | X64349 | Z11999 | X17578 | AB043960 | AF037457 | .D13297 | X57408 | AF139818 | AF110780 | X52427 | | 1487 | Y10156 | X10155 | AJ223307 | U39289 | U39319 | | 1488 | X95297 | X99210 | AJ006292 | Z13996 | AF161711 | X95296 | AB028652 | 213997 | AB028649 | AB028650 | X98308 | |
| BAA76745.1 CAB64544.1 | BAA76744.1 CAB64545.1 | BAA04225.1 | CAB16318.1 | CAA07639.1 | CAB51545.1 | | | CAA45701.1 | CAA78043.1 | CAA35601.1 | BAA96365.2 | AAC04808.1 | BAA02554.1 | CAA40670.1 | AAD38521.1 | AAD55562.1 | CAA36674.1 | | SEQ ID NO. 1 | CAA71238.1 | CAA71237.1 | CAB62165.1 | AAC49181.1 | AAC49182.1 | | | CAA64615.1 | CAA67600.1 | CAB43399.1 | CAA78386.1 | AAF22256.1 | CAA64614.1 | BAA88224.1 | CAA78387.1 | BAA88221.1 | BAA88222.1 | CAA66952.1 | |

| Glycine max Nicotiana tabacum Populus nigra | Glycine max | Lycopersicon hirsutum | Malus x domestica | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon hirsutum | Populus nigra | Lophopyrum elongatum | Lophopyrum elongatum | Oryza sativa | Lycopersicon hirsutum | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Brassica napus | 37 | 75 | Phaseolus vulgaris | Ipomoea trifida | Brassica oleracea | Zea mays | Brassica oleracea | Brassica rapa | | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica oleracea | Brassica napus subsp. napus | Brassica napus | Brassica oleracea | Brassica rapa | Brassica napus | Brassica oleracea | Brassica rapa | Brassica rapa |
|---|--------------|---|-------------------|-------------------------|-------------------------|-----------------------|-----------------|-----------------------|---------------------------|-------------------|---------------------------|-------------------------------|-------------------------------|-------------------------------|----------------|-------------------|-------------------|--------------------|--------------------|-------------------|------------|-------------------|---------------|------------|-------------------|--------------------|-------------------|-------------------|---------------------|-----------------------------|----------------|-------------------|---------------|----------------|-------------------|---------------|---------------|
| AF197946 D31737 AB041503 | AF244888 | AE318490 | AE053127 | U59316 | AE220603 | AF318493 | AB041504 | AE339747 | AF131222 | AF172282 | AF318491 | U59315 | U02271 | AF220602 | AX007545 | | 1497 | AF078082 | U20948 | Y12531 | U82481 | Y14286 | AB000970 | Y12530 | X98520 | Y14285 | X18260 | Y18259 | M76647 | AJ245479 | M97667 | AB032473 | D38563 | 000443 | AB032474 | AB054061 | D38564 |
| AAF59905.1 BAA06538.1 BAA94509.1 | AAF91322.1 | AAK11566.1 | AAC36318.1 | AAB47421.1 | AAF76313.1 | AAK11569.1 | BAA94510.1 | AAK11674.1 | AAF43496.1 | AAE34428.1 | AAK11567.1 | AAB47423.1 | AAC48914.1 | AAE76306.1 | AAG16628.1 | | | AAD21872.1 | AAC23542.1 | CAA73134.1 | AAB93834.1 | CAA74662.1 | BAA23676.1 | CAA73133.1 | CAA67145.1 | CAA74661.1 | CAB41879.1 | CAB41878.1 | AAA33000.1 | CAB89179.1 | AAA33008.1 | BAA92836.1 | BAA07576.1 | AAA62232.1 | BAA92837.1 | BAB21001.1 | BAA07577.2 |
| Oryza sativa Haematococcus pluvialis | | Brassica napus Nicotiana nlumbacinifolia | | Triticum aestivum | Hordeum vulgare | Triticum aestivum | Hordeum vulgare | Chlorella sorokiniana | Chlamydomonas reinhardtii | Triticum aestivum | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | | | Glycine max | Helianthus annuus | Triticum aestivum | Oryza sativa | Onoclea sensibilis | | | Pisum sativum | Pisum sativum | | | Phaseolus vulgaris | Oryza sativa | Oryza sativa | Catharanthus roseus | Brassica napus | Oryza sativa | Daucus carota | Oryza sativa | Oryza sativa | Glycine max | Glycine max | Glycine max |
| AE049356 X86783 | 1492 | AJ293028 | AB008519 | AF332214 | U34198 | AF288688 | U34290 | AY026523 | 225438 | AF153602 | Z25439 | AJ223296 | | 1493 | U82810 | X92646 | AB019617 | AF017356 | Z18809 | | 1494 | X98739 | X98738 | | 1496 | AF285172 | AP000559 | AP000391 | 273295 | AY028699 | 69000 | U93048 | X89226 | AB023482 | AF197947 | AF244890 | AF244889 |
| | SEQ ID NO. 1 | CAC05338.1 | BAA33382.1 | AAK19519.1 | AAC49531.1 | AAG01172.1 | AAC49532.1 | AAK02066.1 | CAA80925.1 | AAD38794.1 | CAA80926.1 | · CAA11238.1 | | SEQ ID NO. 1 | AAC16403.1 | CAA63338.1 | BAA76309.1 | AAB70536.1 | CAA79273.1 | | | CAA67291.1 | CAA67290.1 | | SEQ ID NO. 1 | AAG00510.1 | BAA84787.1 | BAA83373.1 | CAA97692.1 | AAK21965.1 | CAB51834.1 | AAB61708.1 | CAA61510.1 | BAA78764.1 | AAF59906.1 | AAF91324.1 | AAF91323.1 |

| Lycopersicon esculentum Nicotiana tabacum Oryza sativa Raphanus sativus Gosypium hirsutum Phaseolus vulgaris Spinacia oleracea Lycopersicon esculentum Cucurbita pepo Spinacia oleracea Asparagus officinalis Populus kitakamiensis Populus balsamifera subsp. Nicotiana sylvestris Medicago sativa Spinacia oleracea | Glycine max Persea americana Thlaspi arvense Asparagus officinalis Sorghum bicolor Asparagus officinalis Nepeta racemosa Nicotiana tabacum Glycine max Capsicum annuum Solanum melongena Mentha x piperita Pisum sativum Nepeta racemosa Mentha x piperita Solanum melongena Lycopersicon esculentum x Nicotiana tabacum Mentha x piperita |
|--|---|
| X71593 D11396 AP001383 X91172 AF155124 AF149280 Y16778 Y10468 Y17192 Y17192 Y17192 X170468 AB042103 D30653 X97351 M74103 X90694 AF244924 | AF022460 M32885 L24438 AB037245 AF029858 AB037244 Y09423 AF166332 AF12821 X70981 X70981 X70981 X70981 X71654 AF112820 X71654 AF1124816 D14990 X71654 AF124816 D14990 X71654 AF124817 AF124817 |
| CAA50597.1 BAA01992.1 BAA92500.1 CAA62597.1 AAD37430.1 CAA76376.1 CAA76376.1 CAA71494.1 BAA94962.1 BAA94962.1 BAA94962.1 CAA71494.1 BAA34050.1 CAA66037.1 trichocarpa AAA34050.1 CAA62227.1 AAF63027.1 | 44589.1 2913.1 0324.1 0324.1 0323.1 0575.1 7832.1 4588.1 7832.1 4588.1 7282.1 7282.1 7432.1 4132.1 13635.1 13635.1 14151.1 13635.1 |
| Brassica oleracea Brassica rapa Brassica rapa Nicotiana tabacum Brassica napus Brassica napus Brassica napus Populus nigra Populus nigra Oryza sativa Spinacia oleracea Glycine max Glycine max Lycopersicon esculentum Oryza sativa Spirodela polyrrhiza Lycopersicon esculentum Nicotiana tabacum | Arachis hypogaea Nicotiana tabacum Stylosanthes humilis Lycopersicon esculentum Nicotiana tabacum Glycine max Scutellaria baicalensis Glycine max Picea abies Nicotiana tabacum Phaseolus vulgaris Spinacia oleracea Ipomoea batatas Glycine max Zea mays Glycine max Medicago sativa Oryza sativa Oryza sativa Glycine max Medicago sativa Oryza sativa Glycine max Medicago sativa Oryza sativa Glycine max |
| 218921 D30049 D88193 AF088885 AY0078699 AY007545 AB041503 AB041503 AB041504 AC073405 1498 V16776 U51191 U51192 U51192 U51192 U51192 U51192 U51192 U51192 U51192 U51192 U51192 U51192 U51193 U51193 U51194 U51195 U5119 U51195 U5195 U5119 U5119 U5195 U5119 U5119 U5119 U5119 U5119 U5119 | M37637 D42064 L77080 X94943 AB027753 U51194 AB024437 AF145349 AJ250121 AB027752 AF149279 AF244921 AJ244921 AJ244921 AJ244921 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ24211 AJ2431 |
| CAA79355.1 BAA06285.1 BAA21132.1 AAD52097.1 AAC16628.1 BAA94509.1 BAA94510.1 AAG03090.1 SEQ ID NO. 1 CAA76374.2 AAD11482.1 AAA65637.1 BAA03644.1 CAA80502.1 AAA65636.1 BAAA65636.1 | AAA32676.1 BAAB67737.1 CAA64413.1 BAA82307.1 BAA82307.1 BAA77387.1 BAA77387.1 AAD11484.1 BAA877387.1 AAD37375.1 CAB65334.1 BAA82306.1 AAD37429.2 AAF63024.1 CAB94692.1 AAB97734.1 CAC21393.1 AAB97734.1 CAC21393.1 BAA89584.1 BAA89584.1 BAA89584.1 |

| | | 3// | |
|--|--|--|---|
| Zea mays Solanum tuberosum Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum | Solanum tuberosum Hordeum vulgare Pisum sativum Cucumis sativus Cucumis sativus Hordeum vulgare Nicotiana tabacum Phaseolus vulgaris Solanum tuberosum | Glycine max Vicia faba Glycine max Solanum tuberosum Cucumis sativus Glycine max Cucumis sativus Solanum tuberosum Pisum sativum Pisum sativum Ciprime max Glycine max Solanum tuberosum Lycopersicon esculentum Glycine max Glycine max | Fisum sativum Glycine max Phaseolus vulgaris Glycine max |
| AF329371 U60201 U09026 AY008278 X95513 Y18548 U60200 AF019614 X79107 | AF019613 L35931 X78580 U36339 AJ271161 L37359 X84040 AF204210 S73865 | D13949 Z73498 J03211 U60202 X92890 U36191 U25058 AF039651 Y15410 U84198 U24232 U50075 X56139 X95512 U13681 U09025 U50081 | X / 8581 X 67304 X 63525 J02795 |
| AAGG1118.1 AAB57860.1 AAG21691.1 CAA64766.1 CAB65460.1 AAB67858.1 AAB81595.1 CAA55724.1 | AAB81594.1 AAA64893.1 CAA55318.1 AAA79186.1 CAB83038.1 AAB60715.1 CAA58859.1 AAF15296.2 AAB31252.1 | BAA03042.1 CAA97845.1 AAA33987.1 AAB67865.1 CAA63483.1 AAC49159.1 AAC49159.1 AAC4785.1 CAA75609.1 AAB71759.1 AAB77732.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 CAA39604.1 | CAA55319.1 CAA47717.1 CAA45088.1 AAA33986.1 |
| Brassica napus Brassica napus Catharanthus roseus Brassica napus Mentha spicata Petunia x hybrida Glycine max Glycine max Solanum melongena | Hordeum vulgare Brassica napus Brassica napus Brassica rapa Brassica oleracea Brassica rapa | | Prunus dulcis Pisum sativum Zea mays |
| AF214008 AF214007 AJ238612 AF214009 AF124815 AF155332 AF022157 D83968 X70824 | 1500 AJ303354 1501 AB017525 AB017527 AB017528 AB017528 AB017529 | AB017526 AB017530 AF316419 1502 AF355602 AF347614 X96431 U52867 AF347613 X82256 AF309643 X82256 AF309643 X82255 AF309643 | 1504 AJ404331 X17061 AF271894 |
| AAG14962.1 AAG14961.1 CAB56503.1 AAG14963.1 AAD56282.1 AAB56282.1 AAB94584.1 BAA12159.1 CAA50155.1 | SEQ ID NO. 1 CAC24844.1 SEQ ID NO. 1 BAA33415.1 BAA33417.1 BAA33418.1 BAA33421.1 BAA33421.1 | | SEQ ID NO. 1 CAB94852.1 CAA34906.1 AAF76207.1 |

| Oryza sativa Phaseolus vulgaris Orvza sativa | Populus nigra Brassica napus Populus nigra | Catharanthus roseus | Oryza sativa | Oryza sativa | Oryza sativa | | | | | | | Oryza sativa - | | | | Lycopersicon pimpinellifobsum | Lycopersicon pimpinellifolium | Brassica oleracea | | | Malus sp. | Catharanthus roseus | Catharanthus roseus | Catharanthus roseus | Malus x domestica | Vitis vinifera | Atropa belladonna | Medicago sativa | Persea americana | Perilla frutescens | Pisum sativum | Medicago sativa | Zea mays | Nicotiana tabacum | Chrysanthemum x morifolium | Hyoscyamus niger |
|--|--|---------------------|-------------------|-------------------|------------------|-------------|------------|------------|------------|---------------------------|------------|---------------------------|--------------|----------------------------|-------------|-------------------------------|-------------------------------|------------------------|------------------------|-------------------|-------------------|---------------------|---------------------|---------------------|----------------------|------------------|-------------------|-------------------|-------------------|--------------------|---------------|-------------------|------------|-------------------|----------------------------|------------------|
| L27821 AF078082 AC073405 | AB041504 AY007545 AR041503 | Z73295 | 69000 | AP000559 | AP000391 | AP001551 | AF131222 | AE339747 | AP001800 | APOULSOU | AB023482 | APUUTSUU | U82481 | U59318 | AF220603 | 059317 | AF220602 | X98520 | | 1511 | X71360 | U71604 | U71605 | AE008597 | AF117270 | X75965 | AB017153 | X78994 | U23066 | AB002816 | U93210 | X81812 | U04434 | AF036093 | U86837 | D26583 |
| AAA33915.1 AAD21872.1 AAG03090.1 | BAA94510.1 AAG16628.1 RAA94509.1 | CAA97692.1 | CAB51834.1 | BAA84787.1 | BAA83373.1 | BAA92954.1 | AAF43496.1 | AAK11674.1 | BAA94529.2 | BAA9451/.1 | BAA/8/64.1 | BAAS4510.1 | AAB93834.1 | AAB47422.1 | AAF76314.1 | AAB47424.1 | AAE76307.1 | CAA67145.1 | | SEQ ID NO. | CAA50498.1 | AAC49826.1 | AAC49827.1 | AAB97311.1 | AAD26206.1 | CAA53579.1 | BAA78340.1 | CAA55628.1 | AAC97525.1 | BAA19657.1 | AAC86820.1 | CAA57410.1 | AAA91227.1 | AAC15414.1 | AAB97310.1 | BAA05630.1 |
| Glycine max Solanum tuberosum | Citrullus lanatus | | Spinacia oleracea | Spinacia oleracea | Allium tuberosum | Allium cepa | | | | Arabidopsis lyrata subsp. | | Lycopersicon esculentum x | | Populus balsamifera subsp. | | Matthiola incana | Petunia x hybrida | Callistephus chinensis | Pelargonium x hortorum | Petunia x hybrida | Petunia x hybrida | Petunia x hybrida | Catharanthus roseus | Petunia x hybrida | Lycianthes rantonnei | Campanula medium | Solanum melongena | Solanum melongena | Solanum melongena | | | Nicotiana tabacum | | | ൯ | Brassica napus |
| U04785 X95516 | 1505 D49535 D85624 | AB006530 | D88530 | D88529 | AB040502 | AF212156 | | 1506 | AF139532 | AJZ95586 | 1 | | n peruvianum | AJ010324 | | AF313491 | AF155332 | AF313489 | AF315465 | Z22545 | D14588 | AF081575 | AJ011862 | Z22544 | AF313490 | D14590 | X71654 | X70824 | X70981 | | 1508 | U58971 | | 1510 | U93048 | AY028699 |
| AAA03726.1 CAA64769.1 | SEQ ID NO. 1 BAA08479.1 | BAA21827.1 | BAA13635.1 | BAA13634.1 | BAA93050.1 | AAF19000.1 | | SEQ ID NO. | AAD48912.1 | CAC26920.1 | petraea | AAD3/433.1 | Lycopersicon | CAB65335.1 | trichocarpa | AAG49301.1 | AAD56282.1 | AAG49299.1 | AAG49315.1 | CAA80266.1 | BAA03438.1 | AAC32274.1 | CAA09850.1 | CAA80265.1 | AAG49300.1 | BAA03440.1 | CAA50645.1 | CAA50155.1 | CAA50312.1 | • | | AAB37246.1 | | | AAB61708.1 | AAK21965.1 |

| M62719 AF184270 | | BAA82307.1 AAB67737.1 | AB027753 L77080 | Nicotiana tabacum Stylosanthes humilis |
|--------------------|--|--|--|---|
| | | AAD37429.2 | AF149279 | Phaseolus vulgaris |
| 1515 | | CAA71494.1 | Y10468 | Spinacia oleracea |
| AF051237 | ი მ ე | AAD3/3/5.1 AAF63024.1 | AF2449349 AF244921 | Glycine max Spinacia oleracea |
| 1517 | | CAA66037.1 | X97351 | Populus balsamifera subsp. |
| AF190634 | Nicotiana tabacum | trichocarpa | | |
| AB027455 | Petunia x hybrida | AAA65637.1 | L13654 | Lycopersicon esculentum |
| AB013596 | Perilla frutescens | CAA40796.1 | X57564 | Armoracia rusticana |
| AB013598 | Verbena x hybrida | AAD11482.1 | 051192 | Glycine max |
| AB033758 | Citrus unshiu | CAA80502.1 | Z22920 | Spirodela polyrrhiza |
| AB013597 | Perilla frutescens | BAA77387.1 | AB024437 | Scutellaria baicalensis |
| AF287143 | Brassica napus | CAA59485.1 | X85228 | Triticum aestivum |
| AF127218 | Forsythia x intermedia | BAA07663.1 | D42064 | Nicotiana tabacum |
| D85186 | Gentiana triflora | BAA11853.1 | D83225 | Populus nigra |
| AB038248 | Ipomoea batatas | BAA07664.1 | D42065 | Nicotiana tabacum |
| AF199453 | Sorghum bicolor | AAD37430.1 | AF149280 | Phaseolus vulgaris |
| AF101972 | Phaseolus lunatus | AAD11481.1 | U51191 | Glycine max |
| AB027454 | Petunia x hybrida | CAB94692.1 | AJ242742 | Ipomoea batatas |
| AF028237 | Ipomoea purpurea | BAA03644.1 | D14997 | |
| AB002818 | | AAD43561.1 | AF155124 | Gossypium hirsutum |
| X77462 | Manihot esculenta | BAA06334.1 | D30652 | Populus kitakamiensis |
| AB031274 | Scutellaria baicalensis | BAA92500.1 | AP001383 | Oryza sativa |
| AB047091 | Vitis labrusca x Vitis vinifera | BAA90365.1 | AP001081 | |
| X85138 | Lycopersicon esculentum | BAA89584.1 | AP001073 | Oryza sativa |
| AB047093 | Vitis vinifera | AAC49820.1 | AF014469 | |
| AB047095 | Vitis vinifera | CAA66034.1 | X97348 | Populus balsamifera subsp. |
| AF000371 | vinifera | trichocarpa | | |
| AB047090 | labrusca x | BAA14144.1 | D90116 | Armoracia rusticana |
| AB047099 | | AAB97734.1 | AE014502 | Glycine max |
| AB047097 | Vitis vinifera | CAA37713.1 | X53675 | Triticum aestivum |
| AB047098 | Vitis vinifera | AAC05277.1 | AF049881 | |
| AB047096 | Vitis vinifera | CAA66035.1 | X97349 | Populus balsamifera subsp. |
| AB047094 | Vitis vinifera | trichocarpa | | |
| AB047092 | Vitis vinifera | BAA06335.1 | D30653 | Populus kitakamiensis |
| AF000372 | Vitis vinifera | CAA39486.1 | X56011 | Triticum aestivum |
| | | BAA03911.1 | D16442 | Oryza sativa |
| | | BAA94962.1 | AB042103 | Asparagus officinalis |
| X94943 | Lycopersicon esculentum | AAC49821.1 | AE014470 | Oryza sativa |
| M37637 | | AAD37427.1 | AF149277 | Phaseolus vulgaris |
| | M62719 AF184270 1515 AF051237 AF190634 AB013596 AB027455 AB013597 AF287143 AF127218 AB033758 AB033758 AB047091 X77462 AB047091 X85138 AB047093 AB047099 AB047099 | 2719 184270 190634 201237 2013596 2013596 2013596 2013596 2013597 2013596 2013597 | Hyoscyamus niger 184270 Picea mariana 190634 Nicotiana tabacum 227455 Perulia x hybrida 227455 Perulia frutescens 23758 Citrus unshiu 287143 Perilla frutescens 287143 Perilla frutescens 287143 Perilla frutescens 287145 Perilla frutescens 287147 Perilla i piccolor 287147 Perilla i piccolor 287147 Perilla frutescens 287147 Perilla f | Hyoscyamus niger BAB82377.1 AB02775 |

| | | | Pisum sativum | | Pisum sativum | Pisum sativum | Nicotiana tabacum | Lactuca sativa | Lycopersicon esculentum | Lactuca sativa | Lycopersicon esculentum | Cucurbita maxima | Lactuca sativa | Cucurbita maxima | Eustoma grandiflorum | Lactuca sativa | Pisum sativum | sativum | Pisum sativum | | Arabidopsis lyrata subsp. | | Phaseolus vulgaris | Malus sp. | Nicotiana tabacum | Lolium perenne | Lycopersicon esculentum | Citrus sinensis x Poncirus | | Lolium perenne | | | Oryza sativa | | | Populus nigra | Daucus carota | Brassica napus Zea mays | Phaseolus vulgaris |
|-------------------|--------------|----------------------------|---------------|-------------------|-----------------|-------------------|-------------------|----------------|-------------------------|----------------|-------------------------|------------------|------------------------|------------------|----------------------|----------------|---------------|------------|---------------|-------------|---------------------------|---------------|----------------------|------------|-------------------|----------------------|-------------------------|----------------------------|----------------------|-------------------|--------------|--------------|----------------------|-------------------|--------------|---------------------|---------------|----------------------------|--------------------|
| 1529 | AF001219 | U93210 | AF010167 | AF007766 | AE004730 | AF010168 | AB032198 | AB012205 | AB010991 | AB012206 | AB010992 | AJ006453 | AB031203 | 063650 | AB049408 | AB031202 | AF100955 | AF056935 | AF101383 | AB031206 | AJ295607 | | U70531 | X71360 | AB012856 | AY014277 | AF049898 | AJ250187 | | AY014280 | | 1530 | AF140228 | | 1536 | AB030083 | 093048 | AY028699 U82481 | AE078082 |
| | AAC49792.1 | AAC86820.1 | AAC49793.1 | AAC96017.1 | AAC96015.1 | AAC49794.1 | BAA89316.1 | BAA37129.1 | BAA34124.1 | BAA37130.1 | BAA34125.1 | CAB92914.1 | BAB12439.1 | AAB64347.1 | BAB32734.1 | BAB12438.1 | AAD45425.1 | AAF08609.1 | AAF13735.1 | BAB12442.1 | CAC26921.1 | petraea | AAC49757.1 | CAA50498.1 | BAA32156.1 | AAG43043.1 | AAD15755.1 | CAB96202.1 | trifoliata | AAG43044.1 | | | AAG43286.1 | | | BAA82556.1 | AAB61708.1 | AAK21965.1 AAB93834.1 | AAD21872.1 |
| Spinacia oleracea | Oryza sativa | Populus balsamifera subsp. | • | Nicotiana tabacum | Medicago sativa | Triticum aestivum | | | Zea mays | Glycine max | Euphorbia esula | Glycine max | Dunaliella tertiolecta | | | Daucus carota | Beta vulgaris | | | Glycine max | Zea mays | Pisum sativum | Helianthus tuberosus | | | Nicotiana sylvestris | Nicotiana tabacum | Matricaria chamomilla | Nicotiana sylvestris | Nicotiana tabacum | Oryza sativa | Oryza sativa | Nicotiana sylvestris | Nicotiana tabacum | Oryza sativa | Stylosanthes hamata | | Fucalvotus qumpii | |
| X16776 | D49551 | X97350 | | J02979 | X9063 | X85230 | | 1520 | X55967 | L28831 | AF227626 | M31024 | X66036 | | 1522 | L16983 | X87931 | | 1523 | U20502 | X77569 | Y17329 | Z35108 | | 1525 | AB016264 | D38123 | AB035270 | AB016266 | AF057373 | AF190770 | AB026295 | AB016265 | AB024575 | AB037183 | U91857 | | 1528 X88797 | |
| CAA76374.2 | BAA08499.1 | CAA66036.1 | trichocarpa | AAA34108.1 | CAA62226.1 | CAA59487.1 | | SEO ID NO. | - | AAC14469.1 | AAE34771.1 | AAA34006.1 | CAA46835.1 | | SEC ID NO. | -1 | CAA61158.1 | | SEO ID NO. | AAA80588.1 | CAA54678.1 | CAA76741.1 | CAA84491.1 | | SEC ID NO. | | BAA07321.1 | BAA87068.1 | BAA97124.1 | AAC62619.1 | AAF05606.1 | BAA81845.1 | BAA97123.1 | BAA76734.1 | BAB03248.1 | AAD00708.1 | | SEQ ID NO. | |

| AAC23542.1 CAA73134.1 | U20948 Y12531 | Ipomoea trifida Brassica oleracea | CAA81386.1 AAA84890.1 | Z26633 U13630 | Flaveria pringlei Brassica oleracea |
|--------------------------|------------------|--------------------------------------|--------------------------|------------------|--|
| | | Ţ | CAA52979.1 | X75088 | ന |
| BAA94509.1 | AB041503 | Populus nigra | CAA32016.1 | X13754 | Spinacia oleracea |
| AAG16628.1 | AY007545 | Brassica napus | AAK01174.2 | AF314182 | Triticum aestivum |
| BAA92954.1 | AP001551 | Oryza sativa | AAB40649.1 | U66403 | Zea mays |
| BAA94510.1 | AB041504 | Populus nigra | CAA81349.1 | Z26595 | Zea mays |
| AAG03090.1 | AC073405 | Oryza sativa | AAB40650.1 | 066404 | Zea mays |
| AAF91322.1 | AF244888 | Glycine max | CAA47430.1 | X67045 | Solanum tuberosum |
| BAA94517.1 | AP001800 | Oryza sativa | CAA81385.1 | Z26632 | |
| CAB51836.1 | AJ243961 | Oryza sativa | AAK27373.1 | AY028422 | Oryza sativa |
| BAA78764.1 | AB023482 | | AAB40648.1 | U66402 | Nicotiana tabacum |
| AAA33915.1 | L27821 | Oryza sativa | AAF86907.1 | AF223359 | Plastid Mesembryanthemum |
| AAF91323.1 | AF244889 | Glycine max | crystallinum | | |
| CAA67145.1 | X98520 | Brassica oleracea | AAA84892.1 | U13632 | Brassica oleracea |
| CAA73133.1 | X12530 | Brassica oleracea | AAB40647.1 | U66401 | Nicotiana tabacum |
| AAF91324.1 | AF244890 | Glycine max | AAD55058.1 | AF173679 | Beta vulgaris |
| CAA74661.1 | Y14285 | Brassica oleracea | | | |
| BAA92953.1 | AP001551 | + | | 1539 | |
| AAF43496.1 | AF131222 | Lophopyrum elongatum | AAG29748.1 | AF172172 | Medicago sativa |
| AAK11674.1 | AF339747 | Lophopyrum elongatum | CAA68405.1 | X00296 | Trema tomentosa |
| BAA94516.1 | AP001800 | Oryza sativa | AAC28426.1 | AE027215 | Trema orientalis |
| CAB41878.1 | X18259 | Brassica oleracea | AAB86653.1 | U27194 | Parasponia andersonii |
| BAA23676.1 | AB000970 | Brassica rapa | CAB63706.1 | AJ131349 | Trema virgata |
| CAB41879.1 | Y18260 | Brassica oleracea | CAB63709.1 | AJ131352 | Trema virgata |
| | | | CAA37898.1 | X53950 | Casuarina glauca |
| SEQ ID NO. 1 | 1537 | | CAB16751.1 | Z99635 | Trema orientalis |
| AAD25300.1 | AF088276 | Lycopersicon esculentum | CAB63707.1 | AJ131350 | Trema virgata |
| CAA63704.1 | X93301 | Oryza sativa | CAB63708.1 | AJ131351 | Trema virgata |
| AAD24966.1 | AF109150 | Lycopersicon esculentum | AAA97887.1 | 047143 | Glycine max |
| AAD25225.1 | AF088279 | Potamogeton crispus | AAB70097.1 | U94968 | Hordeum vulgare |
| | | | AAG01183.1 | AF291052 | Zea mays subsp. parviglumis |
| SEQ ID NO. 1 | 1538 | | AAF44664.1 | AF236080 | Zea mays |
| AAC08525.1 | AF020814 | Pisum sativum | AAC49884.1 | U76031 | Oryza sativa |
| AAC08526.1 | AF020816 | Solanum tuberosum | AAC49881.1 | U76028 | Oryza sativa |
| AAC08524.1 | AF020813 | Zea mays | AAK07676.1 | AY026343 | Lycopersicon esculentum |
| AAF86908.1 | AF223360 | Plastid Mesembryanthemum | AAG01375.1 | AY005818 | Zea mays subsp. mays |
| crystallinum | | | AAC49882.1 | 076029 | Oryza sativa |
| CAA48210.1 | X68077 | Pisum sativum | AAC49883.1 | 076030 | Oryza sativa |
| AAF86906.1 | AF223358 | Plastid Mesembryanthemum | AAG22831.1 | AF309562 | Ceratodon purpureus |
| crystallinum | Ę | | AAF66104.1 | AF218049 | Physcomitrella patens |

| m | | 382 | llinum | llinum |
|--|---|---|---|--|
| Pisum sativum Pisum sativum Nicotiana tabacum Glycine max Petunia x hybrida Nicotiana tabacum Glycine max Glycine max Clore arietinum Glycine max Rschscholzia californica | Glycyrrhiza echinata Glycyrrhiza echinata Nepeta racemosa Solanum melongena Glycine max Torenia hybrida Petunia x hybrida | Glycine max Euphorbia esula Oryza sativa Lupinus luteus Zea mays | Helianthus annuus Nicotiana tabacum Mesembryanthemum crystallinum Nicotiana tabacum Fagus sylvatica Nicotiana tabacum Lotus japonicus Fagus sylvatica | |
| U2933 AF218296 X96784 D83968 AF155332 X95342 AF135485 AF022461 AJ249800 D86351 | AB022733 AB001380 Y09423 X71657 AF022458 AB028152 AF081575 AB006790 | 1542 L46848 AF227622 D21130 X93587 Y07959 | 1544 AE030301 X56267 1547 AE075579 AJ2777086 AJ2777087 AF092431 AJ298987 | X11607 AF092432 AF075580 |
| AAC49188.2 AAG44132.1 CAA65580.1 BAA12159.1 AAD56282.1 CAA64635.1 AAD38930.1 AAB94590.1 CAB56742.1 BAA13076.1 | BAA74466.1 BAA22423.1 CAA70575.1 CAA50648.1 AAB94587.1 BAA84072.1 AAC32274.1 BAA92894.1 | ID NO. 3814.1 4767.1 4668.1 3786.1 | SEQ ID NO. AAB84222.1 CAA39708.1 SEQ ID NO. AAC36697.1 CAC10358.1 CAC10358.1 CAC10359.1 AAD17804.1 CAC09575.1 | CAA72341.1 AAD17805.1 - AAC36698.1 |
| Physcomitrella patens Cichorium intybus x Cichorium Casuarina glauca Sesbania rostrata Pisum sativum Pisum sativum Medicago sativa Medicago truncatula Pisum sativum Medicago truncatula Medicago sativa | Medicago sativa Pisum sativum Medicago sativa Vicia faba Canavalia lineata Vicia faba Vicia faba | Sesbania rostrata Medicago sativa Sesbania rostrata Vitis vinifera Vitis vinifera | Solanum tuberosum Oryza sativa Cicer arietinum Lotus japonicus Cicer arietinum Cicer arietinum Glycyrrhiza echinata Glycyrrhiza echinata | H > |
| AY026342 AJ007507 L28826 M23313 AB015719 AB015721 M91077 X57733 AB015720 | M36100 AB009844 X13375 Z54159 U09671 Z54158 Z54157 | X13815 X54089 M23312 1540 U97521 D16223 | X07130 D16221 1541 AJ239051 AB025016 AJ238439 AJ012581 AB001379 AJ000478 | AJ000477 M32885 AF175278 |
| AAK14807.1 CAA07547.1 endivia AAA33018.1 AAA03005.1 BAA31155.1 BAA31155.1 AAB48005.1 CAA40900.1 BAA31156.1 | CAA90869.1 CAA90870.1 CAA90870.1 AAA18503.1 CAA90869.1 CAA90868.1 | | CAA30142.1 BAA03749.1 SEQ ID NO. 1 CAB43505.1 BAA93634.1 CAB41490.1 CAA10067.1 BAA22422.1 BAA24465.1 | CAA04116.1 AAA32913.1 AAG09208.1 |

| . Д | 383 |
|--|--|
| Populus balsamifera subsp Populus kitakamiensis Medicago sativa Populus kitakamiensis Vigna angularis Oryza sativa Spinacia oleracea Zea mays Triticum aestivum Phaseolus vulgaris Spinacia oleracea Medicago sativa Oryza sativa Arachis hypogaea Spinacia oleracea Medicago sativa Arachis hypogaea Spinacia oleracea Nicotiana sylvestris | Spinacia oleracea Glycine max Glycine max Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum Nicotiana tabacum Oryza sativa Arachis hypogaea Spirodela polyrrhiza Stylosanthes humilis Nicotiana tabacum Lycopersicon esculentum Glycine max Spinacia oleracea |
| X97351 D11102 X90694 D38051 D11337 AF247700 AF244924 AJ401276 X85230 AF149280 Y10465 L36157 D14997 M37637 Y10468 M74103 | 1549 Y16776 U51192 U51191 D42064 L13654 L13653 D42065 D14997 M37637 Z22920 L77080 AB027753 X94943 U51194 AF244921 U51193 Y194279 AF001383 AF001383 |
| CAA66037.1 trichocarpa BAA01877.1 CAA62227.1 BAA07241.1 BAA01950.1 AAF65464.2 AAF63027.1 CAC21393.1 CAA59487.1 AAB37430.1 CAA71491.1 AAB41811.1 BAA03644.1 AAA32676.1 CAA71494.1 | SEQ ID NO. CAA76374.2 AAD11482.1 AAD11481.1 BAA07663.1 AAA65637.1 AAA65637.1 AAA65637.1 AAA65637.1 AAA65637.1 AAA6563.1 AAA6563.1 AAA6563.1 AAB67737.1 |
| Mesembryanthemum crystallinum Zea mays Mesembryanthemum crystallinum Mesembryanthemum crystallinum Mesembryanthemum crystallinum Mesembryanthemum crystallinum Fagus sylvatica Zea mays Oryza sativa Fagus sylvatica Trifolium repens Medicago sativa Spinacia oleracea Medicago sativa Spinacia oleracea Medicago sativa Spinacia oleracea Glycine max Stylosanthes humilis | Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Ipomoea batatas Lycopersicon esculentum Medicago sativa Lycopersicon esculentum Glycine max Nicotiana tabacum Lycopersicon esculentum Glycine max Medicago sativa Glycine max Spinacia rusticana Spinacia oleracea Spinacia oleracea Spinacia oleracea Stylosanthes humilis |
| AFC75581 AFC75582 AFC075582 AFC075582 AFC07744 U81960 AFC77744 U81960 AFC07603 AJC011939 X90695 Y10469 L36158 ABC24437 AFZ44921 U51193 L77080 | D42064 D42065 AJ242742 Y19023 X90693 X71593 U51194 AB027752 L13654 U51192 X90692 AF007211 AF149277 D90116 L36981 Y10462 AF155124 D90115 Y10464 L37790 |
| | BAA07663.1 BAA07664.1 CAB94692.1 CAB67121.1 CAA62226.1 CAA50597.1 AAD11481.1 AAD11484.1 BAA11484.1 AAD11482.1 CAA65637.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 CAA71488.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC98519.1 AAC9851.1 AAC98519.1 |

| | 384 | cultivar | |
|--|---|--|--|
| Hordeum vulgare Triticum aestivum Oryza sativa Hordeum vulgare Calystegia sepium Triticum aestivum Zea mays Secale cereale Zea mays Ipomoea batatas Oryza sativa Ipomoea batatas Prunus armeniaca Hordeum vulgare Hordeum vulgare Secale cereale | Manihot esculenta Hevea brasiliensis Manihot esculenta Manihot esculenta | Hemerocallis hybrid cullimnanthes douglasii Simmondsia chinensis Brassica napus Brassica napus Dunaliella salina Brassica iuncea | <i>m m m</i> |
| AB048949 Y16242 L10346 AJ301645 AF284857 X98504 AF068119 Z11772 Z25871 D12882 AP001539 D01022 AF139501 AF139501 AF012345 D63574 X56785 | 1551 AJ223281 U40402 Z29091 AJ223506 | 1552 AF082033 AF247134 U37088 AF009563 U50771 AF333040 | AC291728 AE054497 AE054499 AE054499 AE054500 1553 U19481 AB017159 |
| | SEQ ID NO. 1 CAA11219.1 AAC49184.1 CAA82334.1 CAA11428.1 | SEQ ID NO. 3AG24858.1 AAG28600.1 AAC49186.1 AAB72178.1 AAA96054.1 AAK11266.1 CAA71898.1 | |
| Medicago sativa Lycopersicon esculentum Glycine max Glycine max Asparagus officinalis Picea abies Populus kitakamiensis Scutellaria baicalensis Spinacia oleracea Gossypium hirsutum Spinacia oleracea Gossypium birsutum Spinacia oleracea Gossypium birsutum Spinacia sativa Cucurbita pepo Oryza sativa Ipomoea batatas Medicago sativa | Zea mays Phaseolus vulgaris Spinacia oleracea Medicago sativa Mercurialis annua | o sativa max max um repens | Hordeum vulgare Hordeum vulgare Hordeum vulgare subsp. Oryza sativa Hordeum vulgare Hordeum vulgare Castanea crenata Hordeum vulgare Castanea crenata |
| X90693 X71593 AF145349 AF014502 AB042103 AJ250121 D30653 AB024437 Y10464 AF155124 AF155124 AF24924 D90116 Y17192 AP001073 AP001081 AJ242742 L36157 | AJ401276 AF149277 Y10462 X90694 X91232 X97351 | 1550 AF026217 D50866 AB004271 AF049098 | D21349 D49999 AE061204 L10345 X52321 AE300799 AE061203 AE353207 AE353207 |
| CAA62226.1 CAA50597.1 AAD37375.1 AAB97734.1 BAA94962.1 CAB65334.1 BAA06335.1 BAA77387.1 CAA71490.1 AAD43561.1 AAD43561.1 BAA14144.1 CAA76680.1 BAA90365.1 CAB94692.1 | CAC21393.1 AAD37427.1 CAA71488.1 CAA62227.1 CAA62615.1 | ro o | BAA04815.1 BAA08746.1 BAA08746.1 SPONTANEUM AAA33898.1 CAA36556.1 AAG25637.1 AAG25638.1 |

| | | | | | | | | | | | | | | | | | 50 | ,,, | | | | | | | | | | | | | | | | | | | | |
|--|---|-------------------------|-------------------|-------------------------|--------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------|----------------------|---------------|---------------|-------------------------|-------------------|-------------------|-------------------|-------------------|--------------------------|--------------|-------------------|--------------|-------------------|-------------------|-----------------|-----------------|--------------------|--------------------|--------------|-------------------------|-----------------|--------------------|-------------------|-----------------|-------------------|-------------------|
| Lycopersicon esculentum Lycopersicon esculentum | Pimpinella brachycarpa Nicotiana tabacum | Lycopersicon esculentum | Petunia x hybrida | Lycopersicon esculentum | Nicotiana tabacum | Zea mays | Zea mays | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | | | Nicotiana sylvestris | Vigna radiata | Pisum sativum | Spinacia oleracea | Zea mays | Oryza sativa | Oryza sativa | Oryza sativa | | | Oryza sativa | Oryza sativa | Zea mays | Triticum aestivum | Sorghum bicolor | Sorghum bicolor | Oryza sativa | Oryza sativa | Glycine max | Nicotiana tabacum | Cucumis sativus | Oryza sativa | Solanum tuberosum | Hordeum vulgare | Hordeum vulgare | Hordeum vulgare |
| X99210 X95296 | AF161711 AB028650 | X99134 | Z13997 | 80886X | U72762 | M73028 | AF210616 | AB028651 | AB028652 | AB028649 | | 1557 | D16247 | AF156667 | AF271892 | X99937 | AE079782 | AB042644 | AB042643 | AC084218 | | 1559 | AB011968 | AB011967 | AE141378 | AB011670 | X12465 | Y12464 | AE004947 | AP002482 | AF128443 | D26602 | X10036 | AF062479 | X95997 | X82548 | AJ007990 | X65606 |
| CAA67600.1 CAA64614.1 | AAF22256.1 BAA88222.1 | CAA67575.1 | CAA78387.1 | CAA66952.1 | AAB41101.1 | AAA33500.1 | AAG36774.1 | BAA88223.1 | BAA88224.1 | BAA88221.1 | | | BAA03763.1 | AAF40306.1 | AAF75791.1 | CAA68193.1 | AAD20980.1 | BAA95705.1 | BAA95704.1 | AAG48833.1 | | SEQ ID NO. | BAA83689.1 | BAA83688.1 | AAF22219.1 | BAA34675.1 | CAA73068.1 | CAA73067.1 | AAB62693.1 | BAA96628.1 | AAD23582.1 | BAA05649.1 | CAA71142.1 | AAC99329.1 | CAA65244.1 | CAA57898.1 | CAA07813.1 | CAA46556.1 |
| Beta vulgaris Nicotiana tabacum | Solanum tuberosum Orvza sativa | | | | Adiantum raddianum | Solanum tuberosum | Adiantum raddianum | Secale cereale | Secale cereale | Solanum tuberosum | Solanum tuberosum | Glycine max | Glycine max | Oryza sativa | Glycine max | Lycopersicon esculentum | Solanum tuberosum | Nicotiana tabacum | Petunia x hybrida | Nicotiana tabacum | Lilium hybrid division I | Oryza sativa | Nicotiana tabacum | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Glycine max | Pisum sativum | Gossypium hirsutum | Gossypium hirsutum | Oryza sativa | Lycopersicon esculentum | Oryza sativa | Gossypium hirsutum | | | Petunia x hybrida | Antirrhinum majus |
| X84228 X84226 | X75082 AP000367 | _ | | S | AF190303 | AF122051 | AF190304 | AF190301 | AF190302 | AF122053 | AF122052 | AB029160 | AB029159 | Y11414 | AB029161 | X95297 | AF122054 | AB028651 | Z13997 | 072762 | AB058642 | AC037425 | AB028649 | Y11350 | AB028652 | AB028650 | AB029162 | X11105 | AF336285 | ~ | AF172282 | X99134 | AY026332 | AF336282 | | 1556 | Z13996 | AJ006292 |
| , . | CAA52976.1 BAA82390.1 | | | 0 | AAF67052.1 | AAG08959.1 | AAF67053.1 | AAF67050.1 | AAF67051.1 | | AAG08960.1 | BAA81731.1 | BAA81730.1 | CAA72217.1 | BAA81732.1 | CAA64615.1 | AAG08962.1 | BAA88223.1 | CAA78387.1 | AAB41101.1 | BAB40790.1 | AAG13574.1 | BAA88221.1 | CAA72185.1 | BAA88224.1 | BAA88222.1 | BAA81733.2 | CAA71992.1 | AAK19618.1 | AAK19611.1 | AAF34434.1 | CAA67575.1 | AAK08983.1 | AAK19615.1 | | | CAA78386.1 | CAB43399.1 |

| | ני ני ני | | 1 A C C A R K K S | V76535 | Wilsonodint mineros |
|------------|------------------|---------------------------------|-------------------|----------|---------------------------|
| CAA46554.1 | USS/68 X65604 | Oryza sativa Hordeum vulgare | AAB84202.2 | AF029256 | Kosteletzkya virginica |
| AAD00239.1 | U73938 | □ | CAA47275.1 | X66737 | Nicotiana plumbaginifolia |
| AAD00240.1 | U73939 | Nicotiana tabacum | BAA37150.1 | AB022442 | Vicia faba |
| BAA13608.1 | D88399 | Oryza sativa | BAA08134.1 | D45189 | Zostera marina |
| AAG60195.1 | AC084763 | Oryza sativa | CAB69824.1 | AJ271439 | Prunus persica |
| BAA19573.1 | AB002109 | | CAB69823.1 | AJ271438 | Prunus persica |
| AAB68962.1 | L38855 | Glycine max | AAB35314.2 | S79323 | Vicia faba |
| AAB58348.1 | U29095 | Triticum aestivum | CAB85495.1 | AJ132892 | Medicago truncatula |
| AAF27340.1 | AF186020 | Vicia faba | CAB85494.1 | AJ132891 | Medicago truncatula |
| AAA96325.1 | M94726 | Triticum aestivum | AAA34173.1 | M60166 | Lycopersicon esculentum |
| CAA81443.1 | Z26846 | Mesembryanthemum crystallinum | CAC29436.1 | AJ310524 | Vicia faba |
| CAA06503.1 | AJ005373 | Craterostigma plantagineum | AAA34098.1 | M80490 | Nicotiana plumbaginifolia |
| AAF21062.1 | AF216527 | Dunaliella tertiolecta | AAB60276.1 | 009989 | Zea mays |
| CAA89202.1 | Z49233 | Chlamydomonas eugametos | AAA34094.1 | M80489 | |
| | | | AAA34052.1 | M27888 | Nicotiana plumbaginifolia |
| | 1565 | | CAA59799.1 | X85804 | |
| BAA90357.1 | AP001080 | Oryza sativa | AAF98344.1 | AE275745 | |
| BAA85438.1 | AP000616 | Oryza sativa | AAD55399.1 | AE179442 | Lycopersicon esculentum |
| • | AB023482 | Oryza sativa | BAA06629.1 | D31843 | Oryza sativa |
| AAG43550.1 | AF211532 | | CAA54046.1 | X76536 | Solanum tuberosum |
| BAA96875.1 | AB045121 | Oryza sativa | CAC29435.1 | AJ310523 | Vicia faba |
| | | | AAD46187.1 | AF156683 | Nicotiana plumbaginifolia |
| SEO ID NO. | 1570 | | CAA52107.1 | X73901 | Dunaliella bioculata |
| CAA68234.1 | X99972 | Brassica oleracea | AAB49042.1 | U54690 | Dunaliella acidophila |
| AAG28435.1 | AF195028 | Glycine max | AAK31799.1 | AY029190 | Lilium longiflorum |
| AAG28436.1 | AF195029 | Glycine max | AAD29712.1 | AE140499 | Oryza sativa |
| AAD31896.1 | AF145478 | Mesembryanthemum crystallinum | AAA81348.1 | U38965 | Vicia faba |
| CAA63790.1 | X93592 | Dunaliella bioculata | AAK32118.1 | AE308816 | Hordeum vulgare |
| BAA90510.2 | AP001111 | Oryza sativa | AAF97591.1 | AF263917 | Lycopersicon esculentum |
| AAD11617.1 | AF050495 | Lycopersicon esculentum | AAA34099.1 | M80491 | Nicotiana plumbaginifolia |
| AAA34138.1 | M96324 | Lycopersicon esculentum | AAK32119.1 | AE308817 | Hordeum vulgare |
| AAD11618.1 | AF050496 | Lycopersicon esculentum | | | |
| AAF73985.1 | AE096871 | Zea mays | | 1571 | |
| AAB58910.1 | U82966 | Oryza sativa | AAA34236.1 | M94863 | |
| AAD46188.1 | AF156691 | Nicotiana plumbaginifolia | CAA81749.1 | 227235 | |
| CAA59800.1 | X85805 | Zea mays | AAF22108.1 | AF119410 | Lupinus albus |
| AAB17186.1 | U72148 | Lycopersicon esculentum | AAF22112.1 | AF119414 | Lupinus albus |
| | D10207 | Oryza sativa | BAA76388.1 | AB007639 | Pyrus pyrifolia |
| AAD46186.1 | AF156679 | Nicotiana plumbaginifolia | CAB01401.1 | 277854 | Phalaenopsis sp. |
| AAB41898.1 | U84891 | Mesembryanthemum crystallinum | CAB86187.1 | AJ277161 | Carica papaya |

| 387 | |
|---|---|
| Trifolium repens Trifolium repens Avena sativa Brassica napus Manihot esculenta Brassica nigra Oryza sativa Cicer arietinum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Lycopersicon esculentum Prunus dulcis Hordeum vulgare Oryza sativa Brassica napus Nepenthes alata Lotus japonicus Gucumis sativus Glycine max | Glycine max Prunus dulcis |
| X56733 X56733 X56734 X78433 Z21977 U95298 X82577 U72154 U28026 D4D02690 AB02699 AF00690 AB02699 AF121353 AF193802 AB022699 AF121353 AF19370 AF121354 AF193770 AF193770 AF193770 AF193770 AF204925 AF193770 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 AF193771 | AB052784 AF154930 1576 |
| CAA40057.1 CAA70058.1 CAA79989.2 AAB71381.1 CAA57913.1 AAA8484966.1 CAC08209.1 CAC08209.1 CAC08209.1 CAC08209.1 CAC08209.1 AAD16138.1 BAA86031.1 BAA86031.1 BAA86031.1 BAA86031.1 BAA86031.1 BAA61638.1 AAD25594.1 AAD25594.1 AAD25594.1 AAC32034.1 | |
| Doritaenopsis sp. Doritaenopsis sp. Actinidia deliciosa Solanum tuberosum Musa acuminata Solanum tuberosum Musa acuminata Prunus persica Musa acuminata Populus euramericana Malus x domestica Vigna radiata Malus sylvestris Vigna radiata Lycopersicon esculentum Petunia x hybrida Cucurbita maxima Pyrus communis Musa acuminata Dalbergia cochinchinensis Polygonum tinctorium Prunus serotina Costus speciosus Secale cereale Manihot esculenta Avena sativa | Zea mays Zea mays Zea mays Catharanthus roseus |
| LO7883 LO7882 ABO07449 Z27233 AF109927 Z27234 AF080258 AB010102 AB0183503 AB01102 AB0183503 AB0183503 AB0183503 AB01835503 AB01835503 AB01835503 AB01835503 AB01835503 AB01033 X87112 AF049711 D01033 X87112 AF072736 AF163097 AF221526 AF163097 AF221526 AF14869 U33228 | U44773 U25157 X74217 AF112888 |
| AAB05849.1 AAB05848.1 BAA31137.1 CAA81747.1 CAA81747.1 CAA81747.1 CAA81747.1 CAA81748.1 AAC31571.1 BAA33859.1 BAA33859.1 BAA33859.1 BAA33859.1 BAA33859.1 AAC05145.1 BAA00839.1 CAA60591.1 CAA60591.1 AAC0614.1 AAC3650.1 AAC3650.1 AAC3650.1 AAC3650.1 AAC3650.1 AAC3650.1 AAC3650.1 AAC3675.1 AAC3675.1 AAC3675.1 AAC3675.1 AAC3675.1 AAC3675.1 AAC49177.1 CAA64442.1 AAC49177.1 CAA64442.1 AAC49177.1 CAA64442.1 AAC49177.1 CAA64442.1 AAC49177.1 CAA64442.1 | AAB03266.1 AAA65946.1 CAA52293.1 AAF28800.1 |

| AAF61647.1 BAA89009.1 | AE190634 AB027455 | Nicotiana tabacum Petunia x hvbrida | AAA34002.1 CAC09580.1 | M67449 A7298992 | Glycine max Famis svlvatica |
|--------------------------|----------------------|--|--------------------------|--------------------|--------------------------------|
| 9 | ഗ | Citrus unshiu | AAK11734.1 | AY027437 | Arachis hypogaea |
| BAA36423.1 | 9 | Verbena x hybrida | AAF34436.1 | AF172282 | Oryza sativa |
| BAA36421.1 | AB013596 | Perilla frutescens | AAF66615.1 | AF142596 | Nicotiana tabacum |
| 0 | 714 | Brassica napus | CAA08995.1 | AJ010091 | Brassica napus |
| 422 | AB013597 | Perilla frutescens | BAA06538.1 | D31737 | Nicotiana tabacum |
| AAD21086.1 | 721 | Forsythia x intermedia | AAK11674.1 | AE339747 | Lophopyrum elongatum |
| BAA12737.1 | D85186 | Gentiana triflora | BAA05648.1 | D26601 | Nicotiana tabacum |
| CAA59450.1 | X85138 | Lycopersicon esculentum | AAF43496.1 | AF131222 | Lophopyrum elongatum |
| AAF17077.1 | AF199453 | Sorghum bicolor | AAK21965.1 | AY028699 | Brassica napus |
| BAA89008.1 | AB027454 | Petunia x hybrida | AAB09771.1 | U67422 | Zea mays |
| AAB81683.1 | AF000372 | Vitis vinifera | AAF76189.1 | AF271206 | Rosa hybrid cultivar |
| BAB41017.1 | AB047090 | Vitis labrusca x Vitis vinifera | AAF59905.1 | AF197946 | Glycine max |
| AAB81682.1 | AF000371 | Vitis vinifera | AAF78021.1 | AF238477 | Oryza sativa |
| BAB41022.1 | AB047095 | Vitis vinifera | AAF91323.1 | AF244889 | Glycine max |
| BAB41020.1 | AB047093 | Vitis vinifera | CAB51834.1 | 69000 | Oryza sativa |
| BAB41021.1 | AB047094 | Vitis vinifera | AAD46916.1 | AF164020 | Oryza sativa |
| BAB41019.1 | AB047092 | Vitis vinifera | CAA08997.1 | AJ010093 | Brassica napus |
| BAA83484.1 | AB031274 | Scutellaria baicalensis | AAF91322.1 | AF244888 | Glycine max |
| BAB41025.1 | AB047098 | Vitis vinifera | CAA61510.1 | X89226 | Oryza sativa |
| BAB41023.1 | AB047096 | Vitis vinifera | AAE59906.1 | AF197947 | Glycine max |
| BAA90787.1 | AB038248 | Ipomoea batatas | AAF91324.1 | AF244890 | Glycine max |
| BAA19659.1 | AB002818 | Perilla frutescens | | | ı |
| BAB41018.1 | AB047091 | Vitis labrusca x Vitis vinifera | SEQ ID NO. 1 | 1578 | |
| \sim | U32643 | Nicotiana tabacum | BAA24448.1 | AB003516 | Panax ginseng |
| 4 | 43 | Nicotiana tabacum | CAA06770.1 | AJ005928 | Brassica napus |
| BAB41024.1 | AB047097 | Vitis vinifera | CAA06773.1 | AJ005931 | Brassica napus |
| BAB41026.1 | AB047099 | Vitis vinifera | CAA06223.1 | AJ004923 | Lycopersicon esculentum |
| CAA31855.1 | X13500 | Zea mays | | | |
| 173 | AF028237 | Ipomoea purpurea | SEQ ID NO. 1 | 1579 | |
| CAA54614.1 | X77464 | Manihot esculenta | AAC60566.1 | S68113 | Brassica napus |
| | | | AAD01800.1 | AF026382 | Fragaria x ananassa |
| SEQ ID NO. 1 | 1577 | | CAA59472.1 | X85206 | Catharanthus roseus |
| AAG31141.1 | AF305911 | Oryza sativa | BAB16431.1 | AB041519 | Nicotiana tabacum |
| AAG31142.1 | AF305912 | Hordeum vulgare | BAB16428.1 | AB041516 | Nicotiana tabacum |
| CAA06334.1 | AJ005077 | Lycopersicon esculentum | BAA99575.1 | AB037109 | Daucus carota |
| AAD46406.1 | AF096250 | Lycopersicon esculentum | BAA95941.1 | AB035125 | Nicotiana tabacum |
| AAD10057.1 | AF110519 | Lycopersicon esculentum | AAC49369.1 | U34333 | Phaseolus vulgaris |
| AAD10056.1 | AF110518 | Lycopersicon esculentum | AAF78903.1 | AF248055 | Glycine max |
| AAK30005.1 | AY029067 | Rosa hybrid cultivar | BAA13150.1 | D86629 | Nicotiana tabacum |

| | 389 | | |
|--|---|--|---|
| Glycine max Solanum tuberosum Solanum tuberosum Solanum tuberosum Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum Phaseolus vulgaris Pisum sativum Glycine max Pisum sativum Sisum sativum | Glycine max Glycine max Pisum sativum Glycine max Glycine max Glycine max Flycine max Shaseolus vulgaris Zantedeschia aethiopica Oryza sativa | | Brassica napus Brassica rapa Raphanus sativus Capsella bursa-pastoris Gossypium hirsutum Petunia x hybrida Oryza sativa Antirrhinum majus Gossypium hirsutum |
| X67304 AF019614 X95513 S73865 U09026 U37839 X96405 AF204210 X78581 U04526 X17061 | D13949 J03211 U84198 U50081 X56139 U26457 AE234983 AF283894 AF095895 | AJ293015 X63525 U76687 U36191 U04785 X63521 AJ237582 | AJ132906 AJ132905 AJ132903 AJ237584 AJ336283 Z13996 Y11415 AJ006292 AF336286 |
| CAA47717.1 AAB81595.1 CAA64766.1 AAB31252.1 AAA53184.1 AAB65766.1 CAA65268.1 AAF15296.2 CAA55319.1 AAA03728.1 CAA34906.1 | BAA03042.1 AAA33987.1 AAB71759.1 AAB41272.1 CAA39604.1 AAA96817.1 AAG42354.1 AAG42354.1 | | CAB39158.1 CAB39159.1 CAB39172.1 CAB39892.1 SEQ ID NO. AAK19616.1 CAA72386.1 CAA72218.1 CAB43399.1 |
| Nicotiana tabacum Zea mays Triticum aestivum Asparagus officinalis Lycopersicon esculentum Lycopersicon esculentum Medicago sativa Cuscuta reflexa Lycopersicon esculentum | Oryza sativa Oryza sativa Lycopersicon esculentum Solanum tuberosum Lycopersicon esculentum | Solanum tuberosum Lycopersicon esculentum Oryza sativa Hordeum vulgare Prunus dulcis Lycopersicon esculentum Cucumis sativus Solanum tuberosum | Solanum tuberosum Cucumis sativus Nicotiana tabacum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Glycine max Glycine max |
| D86721 x60432 U73214 x82413 x57076 x61395 AF028841 120755 | 1584 AP000837 AP000837 1585 AF123265 U72489 AF123266 | 1588 X96406 U37840 D14000 U56406 AJ404331 AY008278 U36339 U60200 | X95512 AJ271161 X84040 U60202 X79107 U60201 Y18548 AF039651 AF039651 AF019613 J02795 |
| BAA13155.1 CAA42959.1 AAB18205.1 CAA57810.1 CAA40361.1 CAA43666.1 AAD03487.1 AAA33132.1 SEQ ID NO. 1 CAA49599.1 | SEQ ID NO. 3 BAA88198.1 BAA88195.1 SEQ ID NO. 3 AAD28506.1 AAD28506.1 AAD28507.2 | | CAA64765.1 CAA58859.1 CAA58859.1 AAB67865.1 CAA55724.1 AAB67860.1 CAB65460.1 AAD04258.1 AAB81594.1 AAB81594.1 |

| Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Oryza sativa Zea mays Oryza sativa Prunus persica | Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana plumbaginifolia Lycopersicon esculentum Oryza sativa Zea mays Vicia faba Lycopersicon esculentum Solanum tuberosum Zea mays Kosteletzkya virginica Nicotiana plumbaginifolia & Phaseolus vulgaris O Mesembrvanthemum crystallinum | Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum Nicotiana plumbaginifolia Prunus persica Nicotiana plumbaginifolia Oryza sativa Dunaliella acidophila Lilium longiflorum | Vicia faba Vicia faba Oryza sativa Medicago truncatula Medicago truncatula Nicotiana plumbaginifolia Zostera marina Dunaliella bioculata Nicotiana plumbaginifolia |
|---|---|--|--|
| AF050495 M96324 AF050496 AP001111 AF096871 U82966 AJ271438 | AUSTOURS AF156691 AF156679 X66737 U72148 AF140499 X85805 S79323 M60166 X76535 U09989 AF029256 M80490 X85804 U84891 | AF179442 AF275745 X76536 M27888 AJ271439 M80489 D31843 U54690 AY029190 | AJ310523 AB022442 D10207 AJ132891 AJ132892 AF156683 D45189 X73901 M80491 U08985 |
| AAD11617.1 AAA34138.1 AAD11618.1 BAA90510.2 AAF73985.1 AAB58910.1 CAB69823.1 | AAD46188.1 AAD46188.1 AAD46186.1 CAAJ7275.1 AAB17186.1 AAD29712.1 CAA59800.1 AAB4173.1 CAA54173.1 CAA54173.1 CAA54173.1 CAA54045.1 AAB84202.2 AAA34198.1 AAB84202.2 | AAD55399.1 AAF98344.1 CAA54046.1 AAA34052.1 CAB69824.1 AAA34094.1 BAA06629.1 AAB49042.1 | CAC29435.1 BAA37150.1 BAA01058.1 CAB85494.1 CAB85495.1 AAD46187.1 BAA08134.1 CAA52107.1 AAA34099.1 |
| Hordeum vulgare Hordeum vulgare Oryza sativa Lycopersicon esculentum Hordeum vulgare Gossypium hirsutum Glycine max | Glycine max Glycine max Oryza sativa Oryza sativa Glycine max Nicotiana tabacum Petunia x hybrida Nicotiana tabacum Oryza sativa Gossypium hirsutum Oryza sativa Lycopersicon esculentum Glycine max Nicotiana tabacum | -H O 10 O U | Oryza sativa Zea mays Oryza sativa Glycine max Glycine max Brassica oleracea Mesembryanthemum crystallinum Dunaliella bioculata |
| X70879 X70877 D88617 X95296 X70876 AF336278 AB029161 | AB029160 AB029159 Y11350 AC037425 AB029162 AB028649 Z13997 AB028652 D88618 AF336284 Y11414 X99210 AF336282 AB029165 | U72762 AB028651 AF336285 Y11351 X98308 AF161711 X95297 X99134 L19495 | X96749 M73028 D88619 1594 AF195029 X99972 AF145478 X93592 |
| CAA50224.1 CAA50222.1 BAA23337.1 CAA64614.1 CAA50221.1 AAK19611.1 BAA81732.1 RAA81732.1 | BAAR1730.1 CAA72185.1 AAG13574.1 BAAR1733.2 BAAR8221.1 CAA78387.1 BAAR3338.1 AAK19617.1 CAA72217.1 CAA67600.1 AAK19615.1 BAAR19615.1 BAAR19615.1 | AAB41101.1 BAA88223.1 AAK19618.1 CAA72186.1 CAA66952.1 AAF22256.1 CAA64615.1 CAA64615.1 | CAA65525.1 AAA33500.1 BAA23339.1 SEQ ID NO. 3 AAG28435.1 AAG28436.1 CAA68234.1 AAD31896.1 |

| | Čs | 391 | ಕ |
|---|---|--|--|
| Oryza sativa Glycine max Glycine max Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Nicotiana tabacum Populus kitakamiensis | ય ત 🖒 ત | -d ≪ | Populus balsamitera subsp. Medicago sativa Lycopersicon esculentum Solanum tuberosum Zea mays Lycopersicon esculentum Pisum sativum Hordeum vulgare |
| APO01073 U51191 U51192 D14997 X19023 X71593 J02979 | X57564 AB042103 D11396 X97349 AJ401276 D49551 AB024437 X85228 D83225 | D90116 107554 D30652 AJ401274 L36157 AP001383 D90115 Z22920 | X97350 X90693 1597 Z94180 Z26949 AF069911 AF209924 U51918 AJ222787 |
| BAA89584.1 AAD11481.1 AAD11482.1 BAA03644.1 CAB67121.1 CAA50597.1 AAA34108.1 BAA06335.1 | CAA40795.1 CAA40796.1 BAA91992.1 CAA66035.1 trichocarpa CAC21393.1 BAA08499.1 BAA77387.1 CAA59485.1 BAA11853.1 | BAA14144.1 AAB47602.1 BAA06334.1 CAC21391.1 AAB41811.1 BAA92500.1 BAA14143.1 CAA80502.1 CAA62225.1 | CAA66036.1 trichocarpa CAA6226.1 SEQ ID NO. 1 CAB8111.1 CAA81558.1 AAC72195.1 AAG43499.1 AAG43499.1 CAA10992.1 SEQ ID NO. 1 |
| Zea mays Lycopersicon esculentum Vicia faba Mesembryanthemum crystallinum Nicotiana tabacum Fagus sylvatica | g | Mesembryanthemum crystallinum Zea mays Oryza sativa Fagus sylvatica Arachis hypogaea Lycopersicon esculentum Nicotiana tabacum | Stylosanthes humilis Phaseolus vulgaris Spinacia oleracea Glycine max Populus balsamifera subsp. Lycopersicon esculentum Spinacia oleracea Phaseolus vulgaris Nicotiana tabacum Nicotiana tabacum Ipomoea batatas Oryza sativa |
| U08984 AF263917 U38965 1595 AF075579 AJ277743 | AF092431 AJ277087 AJ298987 Y11607 AF092432 AF013455 AF075580 AF075581 AF075581 AF075581 | AE079355 W81960 AE075603 AJ298988 1596 M37637 X94943 AB027753 | 177080 AF149279 X10468 AF145349 X97351 L13654 AF244921 AF149280 D42065 D42064 A7242742 |
| AAA20600.1 AAF97591.1 AAA81348.1 SEQ ID NO. 1 AAC36697.1 CAC10358.1 | CADSOCSSI CAC10359.1 CAC10359.1 CAA72341.1 AAD17805.1 AAG43835.1 AAC36698.1 AAC36699.1 AAC36699.1 AAC36699.1 CAB90634.1 | | AAB67737.1 AAD37429.2 CAA71494.1 AAD37375.1 CAA66037.1 trichocarpa AAA65637.1 AAD37430.1 BAA07664.1 BAA07663.1 CAB94692.1 |

| 392 | |
|--|---|
| | Glycine soja Glycine max Glycine tomentella Glycine tomentella Glycine tomentella Glycine tomentella Glycine tomentella Glycine tomentella |
| AF079232 U73746 AF113545 U73747 U19941 Y14972 Y17502 AF079231 Y17503 AJ401032 AJ401032 AJ401032 AJ401032 AJ401032 AJ401032 AJ406197 X98244 X74947 X74947 X15036 X98245 AF308588 AF308588 AF308588 AF308184 AF254124 AB028186 AB028186 AB028186 AB028187 AB028187 AB028187 AB028186 AB028187 AB028186 AB028186 AB028186 AB028187 AB028187 | 03824/ AY007600 AY007611 AY007515 AY007506 AY007601 AY007603 AY007604 |
| AAC97494.1 AAB67993.1 AAB67994.1 AAB79922.1 CAA75213.1 CAA75214.1 CAA7646.1 BAA89797.1 BAA89797.1 BAA89797.1 BAA89801.1 AAF68626.1 BAA89802.1 BAA89802.1 | AADU9209.1 AAG37440.1 AAG37451.1 AAG15418.1 AAG37441.1 AAG37443.1 AAG37444.1 AAG37444.1 |
| | Plsum sativum Fragaria x ananassa Gossypium hirsutum Cicer arletinum Capsicum annuum Capsicum annuum Capsicum annuum |
| AJO05042 X77319 AF229795 AJO12687 AF004812 AF004812 AF004812 AF012796 AF012796 AF012796 AF012796 AF012796 AF012796 AF012796 AF012796 AF154421 AB046543 AJO12578 AF154421 AB046543 AJO12578 AF159794 AJO05043 AF159124 AJO05043 AF159124 | U10043 1603 AF188832 AJ05547 X93308 AJ130956 AJ130829 |
| | |

| | 393 | pekinensis |
|---|--|--|
| | Hordeum vulgare Hordeum vulgare Phaseolus vulgaris Vicia sativa Vicia sativa | sp. us sus sus sus ata ata |
| AF043091 Y07600 AF181460 AF043095 X15287 X63061 AF043092 X63062 AF236067 X63063 AF043086 AF181461 AF181454 U91970 X72748 AF181457 | AF181453 AF043089 1612 U77935 1614 AF030260 AF092917 | AF123609 AY029178 AJ238402 AF022457 AF022459 Z49263 AF175278 U29333 AJ000477 AB001380 AB022733 L19074 AB022733 |
| AAD02257.1 CAC34554.1 AAD02256.1 AAD02256.1 CAA44787.1 AAD02258.1 CAA44788.1 CAA44788.1 CAA44789.1 AAF01699.1 AAF01692.1 AAF01692.1 AAF01692.1 AAF01692.1 AAF01692.1 AAF01692.1 AAF01692.1 | AAF01691.1 AAD02255.1 SEQ ID NO. AAB36543.1 SEQ ID NO. AAD10204.1 AAG33645.1 | AAG1/4/0.1 AAK31592.1 CAB41474.1 AAB94586.1 AAB94588.1 CAA89260.1 AAC49188.2 CAA04117.1 CAA04117.1 BAA22423.1 BAA7466.1 AAA17732.1 |
| Glycine canescens Glycine tomentella Glycine canescens Glycine tomentella Glycine tomentella Glycine tomentella Glycine tomentella Glycine tomentella | | Lemna gibba Lophopyrum elongatum Prunus persica Hordeum vulgare Hordeum vulgare Hordeum vulgare Prunus persica Prunus persica Prunus delcis Lophopyrum elongatum Lophopyrum elongatum |
| AX007598 AX007511 AX007608 AF287476 AY007606 AX007605 AX007602 AX007602 AX007514 U38246 AX007514 U38246 AX007514 U38246 AX007514 AX007514 AX007514 | 5970 7276 1320 Y007 Y007 Y007 Y007 Y007 | X64145 1609 AF031247 AJ271620 AF043096 M95810 AF181455 U62486 U34809 AF172263 AF031249 AF031249 |
| AAG37438.1 AAG15416.1 AAG37448.1 AAG37446.1 AAG37446.1 AAG37445.1 AAG37445.1 AAG15413.1 AAG15417.1 AAG15417.1 AAG15414.1 AAG37449.1 AAG37449.1 AAG37459.1 AAG37459.1 | CAA42221.1 AAC49862.1 CAA31590.1 AAG12980.1 AAG12981.1 AAG12982.1 AAG12979.1 AAD01552.1 | |

| wne | шпе | 394 | sativa |
|--|---|---|--|
| Zea mays Zea mays Oryza sativa Craterostigma plantagineum Oryza sativa Saccharum officinarum Hordeum vulgare Triticum aestivum Citrus unshiu | Citrus unshiu Pisum sativum Daucus carota Craterostigma plantagineum Beta vulgaris | Petroselinum crispum Nicotiana tabacum Nicotiana tabacum Solanum tuberosum Dunaliella bioculata Solanum tuberosum Spinacia oleracea Spinacia oleracea Spinacia oleracea | Mesembryanthemum crystallinum Medicago sativa subsp. sativa Solanum tuberosum Petroselinum crispum Nicotiana tabacum Nicotiana tabacum Triticum aestivum Gucurbita pepo Betula pendula Triticum aestivum |
| X02382 X02400 X64770 AJ132000 Z15028 AF263384 X65871 AJ001117 AB022091 | AB025778 AJ001071 Y16091 AJ131999 X81974 X66728 | L621 AF012861 AF231351 X99405 AV010712 AV132346 X83923 AV000184 AV000182 | AUCOULES AECO97663 U18238 X74421 AF012862 ACO1770 ABO29454 ABO29455 ABO29456 AF260736 AC279688 ABO11441 |
| CAA2629.1 CAA26247.1 CAA46017.1 CAB38022.1 CAA78747.1 AAF85966.1 CAA46701.1 CAA04543.1 BAA88904.1 | 8981.1 4512.1 6057.1 8021.1 7264.1 | | CAAU3940.1 AAD111426.1 AAB41552.1 CAA52442.1 AAB69318.1 AAB69319.1 CAAO4993.1 CAAO4993.1 BAA97663.1 BAA97664.1 AAG23802.1 CAB66330.1 CAB66330.1 CAB66330.1 |
| Capsicum annuum Cicer arietinum Solanum melongena Torenia hybrida Glycyrrhiza echinata Zea mays Zea mays Zea mays | Oryza sativa Citrus unshiu Lycopersicon esculentum Citrus unshiu Gossypium hirsutum Vicia faba | Lycopersicon esculentum Solanum tuberosum Lycopersicon esculentum Medicago truncatula Medicago truncatula Tulipa gesneriana Solanum tuberosum Alnus glutinosa Zea mays | Tulipa gesneriana Oryza sativa Hordeum vulgare Hordeum vulgare Daucus carota Daucus carota Zea mays Pyrus pyrifolia Triticum aestivum Glycine max Vigna radiata Pisum sativum Pisum sativum Chenopodium rubrum |
| AF122821 AJ239051 X71657 AB028152 AB023636 Y11404 X81829 AB025030 | 000 | AJ011535 U24088 AJ011319 AJ131943 AF049487 AJ131964 X96939 U24087 X92378 | X96938 103366 X15802 X69931 X16090 X75332 L33244 AB045710 AD00153 AD00153 AD12080 AD12080 AD311496 |
| AAF27282.1 CAB43505.1 CAA50648.1 BAA84072.1 BAA76380.1 CAA72208.1 CAA57423.1 BAB12433.1 | | CAA09681.1 AAA97572.1 CAA09593.1 CAB40794.1 AAC17867.1 CAB40795.1 CAA65640.1 AAA97571.1 CAA63122.1 | CAA65639.1 AAC41682.1 CAA75793.1 CAA49551.1 CAA76056.1 CAA53081.1 AAA33515.1 BAB20799.1 CAA03935.1 AAC39323.1 BAAC1108.1 CAA09910.1 AAC28107.1 CAA05910.1 CAA05910.1 |

| Beta vulgaris Beta vulgaris Plantago major Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum Ricinus communis | Solanum tuberosum Daucus carota Daucus carota Daucus carota Vitis vinifera Hordeum vulgare Ricinus communis Oryza sativa Oryza sativa | rrsicon Lys um vulga n pendul arietin | Nicotiana tabacum Volvox carteri f. nagariensis Chlamydomonas reinhardtii Chlamydomonas reinhardtii Ricinus communis Datisca glomerata Triticum turgidum subsp. durum Triticum turgidum subsp. durum Triticum aestivum Triticum turgidum subsp. durum Triticum turgidum subsp. durum Triticum turgidum subsp. durum Criticum turgidum subsp. durum Criticum turgidum subsp. durum Oryza sativa Medicago sativa | Oryza sativa Nicotiana tabacum |
|---|---|---|--|---|
| X83850 U64967 X84379 AF149981 X82275 AF176950 AJ224961 | AF237780 Y16766 Y16767 AJ303198 AF182445 AJ272308 AJ310643 DB7819 AF280050 | AF166498 AB008464 AJ272309 AF168771 AB025006 | 1625 Y11209 AF110784 AF027727 AF036939 U41385 AF131223 AJ277378 AJ277378 AJ277379 AJ277379 AJ277379 AJ277379 AJ277379 AJ277377 | 1626 AP001129 X61146 |
| CAA58730.1 AAD53000.1 CAA59113.1 AAD34610.1 CAA57726.1 AAG09270.1 CAA12256.1 | AAG25923.1 CAA76368.1 CAA76368.1 CAC19688.1 AAD55269.1 CAB75881.1 CAC33492.1 BAA24071.1 | e | SEQ ID NO. CAA72092.1 AAD55566.1 AAC49896.1 AAD02069.1 AAB05641.1 AAD28260.1 CAC21229.1 CAC21229.1 CAC21229.1 CAC21229.1 CAC21229.1 CAC21228.1 BAA92322.1 CAC77575.1 BAA92322.1 | SEQ ID NO. BAA90610.1 CAA43454.1 |
| Brassica napus Cucurbita sp. Cucurbita sp. Zea mays Zea mays | Zea mays Zea mays Zea mays Zea mays Solanum tuberosum Chloroplast Pisum sativum Oryza sativa Brassica napus Secale cereale | Brassica napus Brassica napus Canavalia lineata Avicennia marina Solanum tuberosum Pseudotsuga menziesii | Glycine max Ricinus communis Apium graveolens Apium graveolens Daucus carota Daucus carota Daucus carota Apium graveolens Spinacia oleracea Euphorbia esula Nicotiana tabacum Asarina barclaiana Plantago major | Vicia faba Vicia faba Alonsoa meridionalis Solanum tuberosum |
| 1623 227165 X70868 X70867 Z12114 L21007 | 121006 121008 212115 211546 U46136 U21139 APO01389 M35600 Z68903 | ~-l O7 | AJ012318 1624 231561 AF167416 AF167415 AB036758 Y16768 AJ303199 AF063400 X67125 AF242307 X82276 AF191024 X75764 | Z93774 AE191025 X69165 |
| | AAA33452.1 AAA33451.1 CAA78101.1 CAA77645.1 AAB39827.1 AAA6365.1 BAA92724.1 AAA32980.1 CAA93139.1 | AAA32979.1 CAA81736.1 AAC68501.1 BAB16318.1 AAB39828.1 CAA89836.1 | | CAB07811.1 AAF04295.1 CAA48915.1 |

| | 396 | |
|---|---|---|
| Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum | SDDD + + F COS | Gossypium hirsutum Spinacia oleracea Oryza sativa Asparagus officinalis Glycine max Triticum aestivum Linum usitatissimum Oryza sativa Spinacia oleracea Phaseolus vulgaris Populus nigra |
| AJ310153 AJ310150 AJ310157 AJ310161 AJ310163 AJ310150 AJ310151 AJ310164 | AJ310154 AJ310156 AJ310156 AJ310155 AF139553 AF310966 AF213936 AF023472 AF023472 AF023472 AF000392 Z69370 AB052788 AB052788 AB052788 AB052785 | 1632 AF155124 AF244924 AP001383 AB042103 AF014502 X85230 AF049881 D49551 AF244923 AF149280 D83225 |
| CAC35328.1 CAC35325.1 CAC35332.1 CAC35338.1 CAC35338.1 CAC35321.1 CAC35329.1 | | SEQ ID NO. AAD43561.1 AAF63027.1 BAA94962.1 AAB97734.1 CAA59487.1 AAC05277.1 BAA08499.1 AAF63026.1 AAF63026.1 BAA11853.1 |
| vum vum vea | sum sum sum simum | simum simum simum simum simum simum simum simum simum |
| Nicotiana tabacum Solanum tuberosum Zea mays Spinacia oleracea | Solanum tuberosum Solanum tuberosum Nicotiana tabacum Glycine max Linum usitatissimum Linum usitatissimum Nicotiana glutinosa Linum usitatissimum Clycine max Linum usitatissimum Clycine max Linum usitatissimum Glycine max Linum usitatissimum Glycine max Linum usitatissimum | Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Glycine max Linum usitatissimum iinum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum |
| 1627 AF215852 AF215853 AF215854 AF215854 AF215851 1630 A-7009720 | AJ009720 AJ009719 AF211528 AF175388 AF310960 AF310956 U15605 AF310959 AF175399 AF093647 U27081 AF093642 AF175394 AF093648 AF175394 AF093648 AF175395 AF175394 | AF093649 AF093644 AF093643 AF093640 AF093646 AF175396 AJ310155 AJ310155 AJ310159 AJ310159 |
| SEQ ID NO. 3AE74566.1 AAE74567.1 AAE74568.1 AAE74565.1 SEQ ID NO. 3EQ ID NO. | | AAD25976.1 AAD25972.1 AAD25971.1 AAD25967.1 AAD25973.1 AAD25973.1 AAG01053.1 CAC35330.1 CAC35337.1 AAB47618.1 CAC35333.1 |

| ivus n esc abacu abacu x hoo extico extico extico extico n esc eculi erace ndica n esc rta | Passiflora edulis Cucumis sativus Solanum tuberosum Nicotiana tabacum Musa acuminata Carica papaya Rosa hybrid cultivar Brassica oleracea Rumex palustris Rumex palustris Dianthus caryophyllus Citrus sinensis Prunus mume |
|---|--|
| 1633 AB026500 AF118843 AF026267 AB040406 AF118844 AF141929 AF032448 AF032448 AF022727 AF022727 AF022727 AF043085 AF043085 AF043085 AF043085 AF043085 AF03979 AF039746 AF03979 | AB015497 AB026499 AF039921 AF113748 AF311942 AF154119 AF047477 Y08359 U63291 AB035806 AJ276294 AB031028 AB031028 |
| | BAA37137.1 BAA85818.1 AAD12777.1 AAB96765.2 AAC41977.1 AAC41977.1 AAC31157.1 CAA69646.1 AAB68819.1 BAA96745.1 CAB76929.1 BAA90551.1 BAA90552.1 |
| Populus balsamifera subsp. Nicotiana tabacum Ipomoea batatas Oryza sativa Oryza sativa Armoracia rusticana Populus kitakamiensis Linum usitatissimum Populus balsamifera subsp. Picea abies Raphanus sativus Populus balsamifera subsp. Spinacia oleracea Populus balsamifera subsp. Glycine max Arachis hypogaea Oryza sativa Oryza sativa Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea | Populus nigra Scutellaria baicalensis Mercurialis annua Phaseolus vulgaris Medicago sativa Oryza sativa Stylosanthes humilis Medicago sativa Armoracia rusticana Oryza sativa Populus kitakamiensis Hordeum vulgare Lycopersicon esculentum Oryza sativa |
| X97351 ABO27752 AJ242742 APO01383 APO01366 X57564 D30653 L24120 X97348 AJ250121 X91172 X97349 AF24922 X97349 AF007211 M37636 D84400 AF014468 Y10466 Y10467 D30652 | D83224 AB024439 X91232 AF149277 X90693 AP001551 L37790 X90694 D90115 AF014470 D38051 AJ276227 X71593 D16442 |
| CAA66037.1 trichocarpa BAA82306.1 CAB94692.1 BAA92422.1 CAA40796.1 BAA92422.1 CAA40796.1 BAA848184.1 CAA66034.1 CAA66034.1 CAA66034.1 CAA66036.1 trichocarpa AAF63025.1 CAA66035.1 trichocarpa AAF63025.1 CAA66035.1 CAA66035.1 CAA66036.1 trichocarpa AAC98519.1 AAB06183.1 BAA84764.1 AAC9819.1 CAA71492.1 CAA71492.1 | BAA11852.1 BAA77389.1 CAA62615.1 AAD37427.1 CAA62226.1 BAA92967.1 AAB02554.1 CAA62227.1 BAA14143.1 BAA14143.1 BAA07241.1 CAB99487.1 CAB99487.1 CAB99487.1 CAB99487.1 |

| CAB90633.1 | AJ277743 | Fagus sylvatica | AAG34836.1 | AE244693 AE244694 | Zea mays Zea mays | _ |
|------------|--------------|--|--------------------------|----------------------|---------------------------------|---|
| • | MUZ / 7000 | | 1.000 CO KK | 170557V | | |
| CACLUSSS.L | AUZ / / UO / | NICOLIAMA CADACAM | 72004001 1 72018566 1 | AF048978 | Glycine max | |
| CAC095/5.1 | AUZ38387 | ragus sylvatica Mesembrushthemim crustallinim | AAC30118 1 | AF051214 | Gricamar Picea mariana | |
| • | | Cits | AAF22517.1 | AF118924 | Papaver somniferum | |
| | } _ | Medicado sativa | AAF22518.1 | AF118925 | | |
| • | AF092432 | Lotus japonicus | AAG34806.1 | AE243371 | Glycine max | |
| AAC36698.1 | AE075580 | Mesembryanthemum crystallinum | CAA04391.1 | AJ000923 | Carica papaya | |
| • | AF213455 | | AAG34833.1 | AF244690 | Zea mays | |
| AAC36699.1 | AF075581 | anthemum | CAA71784.1 | Y10820 | Glycine max | |
| • | AF075582 | emum | AAG34847.1 | AF244704 | Zea mays | |
| CAB90634.1 | AJ277744 | ica | AAF22519.1 | AF118926 | Papaver somniferum | |
| • | AE097667 | Mesembryanthemum crystallinum | | | | |
| AAB93832.1 | U81960 | | SEQ ID NO. 1 | 1636 | | |
| • | AE079355 | Mesembryanthemum crystallinum | AAD37699.1 | AF145730 | Oryza sativa | |
| ~ | AE075603 | Oryza sativa | BAA93461.1 | AB028073 | Physcomitrella patens | |
| CAC09576.1 | AJ298988 | | AAF01765.1 | AF184278 | Glycine max | |
| | | | AAF01764.2 | AF184277 | Glycine max | |
| ID NO. | 1635 | | BAA93466.1 | AB028078 | Physcomitrella patens | |
| AAG34803.1 | AF243368 | Glycine max | CAB67118.1 | X17306 | Lycopersicon esculentum | |
| AAG34798.1 | AF243363 | Glycine max | AAF73482.1 | AF268422 | Brassica rapa subsp. pekinensis | |
| AAF64450.1 | AF239928 | Euphorbia esula | AAD37697.1 | AF145728 | Oryza sativa | |
| AAG34807.1 | AF243372 | Glycine max | BAA21017.1 | D26578 | Daucus carota | |
| • | AF243361 | Glycine max | BAA05624.1 | D26575 | | |
| AAG34797.1 | AF243362 | Glycine max | BAA93460.1 | AB028072 | Physcomitrella patens | |
| AAG34801.1 | AF243366 | Glycine max | BAA93464.1 | AB028076 | Physcomitrella patens | |
| AAG34804.1 | AF243369 | Glycine max | BAA93467.1 | AB028079 | | |
| • | AF243374 | Glycine max | BAA93465.1 | AB028077 | Physcomitrella patens | |
| | AF243373 | Glycine max | BAA05625.1 | D26576 | | |
| 810.1 | AF243375 | Glycine max | BAA93468.1 | AB028080 | Physcomitrella patens | |
| AAG34844.1 | AF244701 | Zea mays | BAA05623.1 | D26574 | Daucus carota | |
| • | AF243370 | Glycine max | BAA05622.1 | D26573 | Daucus carota | |
| • | AF244688 | Zea mays | AAD37698.1 | AF145729 | Oryza sativa | |
| • | AF244689 | Zea mays | CAA64221.1 | X94449 | Pimpinella brachycarpa | |
| AAG34849.1 | AE244706 | Zea mays | CAA64152.1 | X94375 | Pimpinella brachycarpa | |
| AAG34802.1 | AF243367 | Glycine max | CAA64491.1 | X95193 | Pimpinella brachycarpa | |
| CAA09187.1 | AJ010448 | Alopecurus myosuroides | BAA93463.1 | AB028075 | Physcomitrella patens | |
| AAG34829.1 | AE244686 | Zea mays | CAA06728.1 | AJ005833 | | |
| CAA09188.1 | 4 | Alopecurus myosuroides | AAD37695.1 | AF145726 | | |
| 130.1 | J03679 | Solanum tuberosum | CAA65456.2 | X96681 | Oryza sativa | |

| CAA30261.1 X07280 Nicotiana plumbaginifolia AAD10384.1 U72253 Oryza sativa AAA88794.1 U01900 Solanum tuberosum | AAA32939.1 M62907 Hordeum vulgare | N22147 | AAD10381.1 U72250 Oryza sativa AAD33881 1 AF141654 Nicotiana tabacum | M80604 | AJ133470 Hevea bras | M59443 | Me040Z NICOLIANA | MOS442 MACOLLAIN | M60403 NICOLIANA CADACUM | X53129 Phaseolus | X81560 | AJ277900 | 001902 | AF030166 | 960960 | AAD33880.1 AF141653 Nicotiana tabacum 🗴 | | 1641 | AF246266 Lycopersicon | AF136580 Lycopersicon | AF246266 | AFL365/9 Lycopersicon | AEU65444 | | 109635.1 AY007281 Medicago truncatula | | 1642 | AF211531 Nicotiana | AAG43548.1 AF211530 Nicotiana tabacum | CAB96899.1 AJ251249 Catharanthus roseus | AJ251250 | AF245119 | AB036883 Oryza | AB037183 Oryza sati | AJ299252 Nicotiana | Nicotiana tabacim |
|--|-----------------------------------|------------|---|-----------|---------------------|--------------|------------------|------------------|--------------------------|------------------|-------------------|-------------------|----------------------|-------------|----------------------|---|-----------------|-------------|-----------------------|-----------------------|-------------------|-----------------------|----------|--------------|---------------------------------------|---------------|----------------|--------------------|---------------------------------------|---|-------------------|-------------------|-------------------|-------------------------|---------------------------|--|
| CAA30 AAD10 AAA88 | AAA32 | AAA87 | AAD10 | AAA03 | CAB38 | AAA63 | AAAb3 | AAAb3 | AAA63 | CAA37 | CAA57 | CAB91 | AAA19 | AAB86 | AAC39 | AAD33 | | SEQ 1 | AAF97 | AAD30 | AAF97 | AAD30 | AACI | AAF61 | AAG05 | | SEO | AAG4 | AAG43 | CAB96 | CAB9 | AAF6 | BAB1(| BAB0 | CAC1; | . טעעם |
| Oryza sativa Oryza sativa Glycine max | Craterostigma plantagineum | | Nepenthes alata | | Pisum sativum | Oryza sativa | | | Petroselinum crispum | F | Nicotiana tabacum | Nicotiana tabacum | Petroselinum crispum | Avena fatua | Petroselinum crispum | Nicotiana tabacum | Cucumis sativus | Avena fatua | Nicotiana tabacum | ď | Nicotiana tabacum | | | Oryza sativa | Salix gilgiana | Pisum sativum | Brassica napus | Musa acuminata | Musa acuminata | Nicotiana tabacum | Solanum tuberosum | Solanum tuberosum | Triticum aestivum | Lycopersicon esculentum | Nicotiana plumbaginifolia | M. () 11. () |
| AF211193 AC079890 X92489 | AJ005820 | 1637 | AF080545 | 1638 | x97322 | D38012 | | 1639 | U56834 | AF121354 | AB020023 | AF096299 | U48831 | 248429 | U58540 | AF096298 | L44134 | Z48431 | AF193771 | AB035271 | AF193770 | | 1640 | 072255 | AB029462 | AJ251646 | X69887 | AF001523 | AE004838 | 228697 | U01901 | AE067863 | U30323 | M80608 | M23120 | |
| AAF19980.1 AAK31270.1 | CAA06717.1 | SEQ ID NO. | AAD16016.1 | OF OT ORS | | BAA07209.1 | | | AAC49528.1 | AAD27591.1 | BAA77358.1 | AAD16139.1 | AAC49527.1 | CAA88326.1 | AAC49529.1 | AAD16138.1 | AAC37515.1 | CAA88331.1 | AAF61864.1 | BAA87069.1 | AAF61863.1 | | | AAD10386.1 | BAA89481.1 | CAB85903.1 | CAA49513.1 | AAB82772.2 | AAF08679.1 | CAA82271.1 | AAA18928.1 | AAC19114.1 | AAA90953.1 | AAA03618.1 | AAA51643.1 | |

| | 400 | |
|---|---|--|
| Hordeum vulgare Lycopersicon esculentum Oryza sativa Prunus dulcis Brassica napus Glycine max Glycine max Glycine max Clycine max Clycine max Fotus japonicus Cucumis sativus Nepenthes alata Prunus dulcis | | Oryza sativa Oryza sativa Lycopersicon esculentum Hordeum vulgare Luffa cylindrica Luffa cylindrica Petunia integrifolia Pyrus pyrifolia Petunia x hybrida Petunia x hybrida Petunia chacoense |
| AF023472 AF1140606 AF113336 AJ278966 AB052788 AB052788 AB052784 AF003392 Z69370 AF080545 | 1646 U96736 1647 U19924 U13256 AJ012689 AF157011 AF27522 D49529 U19923 X79338 X17444 X79337 AF000940 AB052842 | AB052843 AB052844 Y17445 AF000939 D64011 D64012 AF301533 D49528 U07363 AF239910 AF239304 |
| AAC32034.1 AAD01600.1 AAF07875.1 AAF20002.1 CAC07206.1 BAB19750.1 BAB19757.1 BAB19756.1 AAB69642.1 CAA93316.1 AAD16016.1 | · · · · · · · · · · · · · · · · · · · | BAB19804.1 BAB19805.1 CAB40354.1 AAB58718.1 BAA10891.1 BAA10892.1 AAG21384.1 BAAC8474.1 AAK15437.1 |
| Oryza sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Cea mays Chloroplast Glycine max Glycine max Oryza sativa Zea mays Daucus carota Glycine max Oryza sativa | | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Oryza sativa Hordeum vulgare |
| AF193803 AF211527 AF057373 L33912 AF049706 AF049708 D78573 L33913 L11529 AF135862 AB042521 | 1644 AF211527 AF245119 D38123 AB016264 AB035270 AD251250 AJ251249 AF057373 AB016265 AF071893 AJ299252 AF274033 U91857 AB024575 | AB037183 AB036883 AE193803 AE190770 AB023482 AF211530 AF211531 AP002526 AF298231 |
| AAF23899.1 AAG43545.1 AAC62619.1 SEQ ID NO. 1 AAA74360.1 AAC05981.1 AAC05983.1 BAA11417.1 AAA14361.1 AAA14361.1 AAB41796.1 BAAB5630.1 | · | BAB03248.1 BAB16083.1 AAF23899.1 AAF05606.1 BAA78738.1 AAG43549.1 AAG43549.1 BAA99376.1 AAK01089.1 |

| | | | | | | | | | | | | | | | | | | 40 | UI | | | | | | | | | | | | | | | | | | | |
|------------|-----------------|--------------------------|------------------------------------|------------|----------------------|-------------------|------------------------|----------------------|-----------------|------------------------|------------------------|----------------------|-------------|-------------------|-------------------|-----------------------|-------------------|-------------|-------------|---------------|--------------|------------|-------------|-----------------|--------------------|------|-------------------|-------------------------|-----------------|---------------|--------------|----------------------|--------------------|--------------------|--------------------|-------------|-----------------|---------------|
| | zea mays | zea mays Bioon momina | Ficea marrama Aegilops tauschii | | Zea mays | Zea mays | Alopecurus myosuroides | Zea mays | Zea mays | Alopecurus myosuroides | Alopecurus myosuroides | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Glycine max | Glycine max | Glycine max | Picea mariana | Zea mays | Zea mays | Glycine max | Euphorbia esula | Glycine max | | Lotus japonicus | Lycopersicon esculentum | Hordeum vulgare | Prunus dulcis | Oryza sativa | Brassica napus | Cucumis sativus | Glycine max | Glycine max | Glycine max | Nepenthes alata | Prunus dulcis |
| AE244697 | AF244/03 | AFZ44690 | AF004358 | AE244707 | AE244687 | AF244696 | AJ010449 | AF244692 | AE244685 | AJ010448 | AJ010450 | AF244704 | AE244703 | AF244691 | AE244698 | AF244702 | AF243362 | AF243363 | AF243374 | AF051238 | AF244701 | AE244700 | AF243372 | AF239928 | AF243366 | 1667 | AF000392 | AF016713 | AF023472 | AF213936 | AF140606 | AJ278966 | 269370 | AB052785 | AB052788 | AB052784 | AF080545 | AF154930 |
| AAG34840.1 | AMG34848.1 | AAG34833.1 | AAD10129.1 | AAG34850.1 | AAG34830.1 | AAG34839.1 | CAA09188.1 | AAG34835.1 | AAG34828.1 | CAA09187.1 | CAA09189.1 | AAG34847.1 | AAG34846.1 | AAG34834.1 | AAG34841.1 | AAG34845.1 | AAG34797.1 | AAG34798.1 | AAG34809.1 | AAC32139.1 | AAG34844.1 | AAG34843.1 | AAG34807.1 | AAF64450.1 | AAG34801.1 | | AAB69642.1 | AAD01600.1 | AAC32034.1 | AAF20002.1 | | CAC07206.1 | CAA93316.1 | BAB19757.1 | BAB19760.1 | BAB19756.1 | AAD16016.1 | AAD42860.1 |
| | NICOLIANA ALATA | Solanum chacoense | solanum chacoense | | Petroselinum crispum | Nicotiana tabacum | Nicotiana tabacum | Petroselinum crispum | Cucumis sativus | Petroselinum crispum | Avena fatua | Petroselinum crispum | Avena fatua | Nicotiana tabacum | Nicotiana tabacum | Matricaria chamomilla | Nicotiana tabacum | | | Oryza sativa | Oryza sativa | | | Vitis riparia | Phaseolus vulgaris | | Nicotiana tabacum | Nicotiana tabacum | Oryza sativa | | | . Papaver somniferum | Papaver somniferum | Papaver somniferum | Gossypium hirsutum | Zea mays | Glycine max | Zea mays |
| U07362 | Dosese | AET91/32 | AF1/6533 | 1649 | U56834 | AB020023 | AF096299 | AF121354 | L44134 | U48831 | 248429 | U58540 | 248431 | AF096298 | AF193771 | AB035271 | AF193770 | | 1650 | AP000616 | AJ245900 | | 1654 | AF178990 | U54704 | 1659 | AF212183 | X07563 | AF039532 | | 1665 | AF118924 | AF118925 | AF118926 | AF159229 | AF244695 | AF243360 | AF244699 |
| AAA60465.1 | BAA24018.1 | AAF05729.1 | AAD5621/.1 | SEQ ID NO. | AAC49528.1 | BAA77358.1 | AAD16139.1 | AAD27591.1 | AAC37515.1 | AAC49527.1 | CAA88326.1 | AAC49529.1 | CAA88331.1 | AAD16138.1 | AAF61864.1 | BAA87069.1 | AAF61863.1 | | SEQ ID NO. | BAA85440.1 | CAB53493.1 | | | AAD51854.1 | AAB00555.1 | | AAF62403.1 | CAA68848.1 | AAB97367.1 | | | AAF22517.1 | AAF22518.1 | AAF22519.1 | AAF29773.1 | AAG34838.1 | AAG34795.1 | AAG34842.1 |

| Lycopersicon esculentum Chlorella kessleri Lycopersicon esculentum Oryza sativa Chlorella kessleri Nicotiana tabacum Ricinus communis Ricinus communis Ricinus communis Picea abies Chlorella kessleri Vitis vinifera Vitis vinifera Vitis vinifera Vicia faba Oryza sativa Oryza sativa Oryza sativa Oryza sativa Beta vulgaris | Phaseolus vulgaris Catharanthus roseus Oryza sativa Brassica napus Glycine max Glycine max Glycine max Glycine max Lycopersicon hirsutum Lycopersicon pimpinellifolium Lycopersicon esculentum Malus x domestica Zea mays Lycopersicon esculentum Cycopersicon esculentum Oryza sativa |
|--|--|
| AJO10942 Y07520 AJ132224 AB052885 X55349 X66856 L08188 Z83829 X75440 Y09590 AJO01061 Z93775 AB052884 AB052883 U38651 AF173655 | AU132223 AF285172 273295 0006 AY028699 AY028699 AF244889 AF197947 AF214890 AF214888 AF197946 AF318491 AF318493 AF518490 AF518490 AF518490 AF518490 AF653127 U59316 AF653127 U59316 AF720603 AF03164 |
| CAA68813.1 CAA68813.1 CAB52689.1 BAB19864.1 CAA39036.1 CAA47324.1 AAA79857.1 CAB06079.1 CAA60777.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA604511.1 CAA66594.1 BAB19862.1 AAD550594.1 | SEQ ID NO. AAGOOS10.1 CAA97692.1 CAA97692.1 CAA97692.1 AAK21965.1 AAF91323.1 AAF91324.1 AAK11569.1 AAK11567.1 AAK176313.1 AAK176313.1 |
| Brassica napus Phaseolus vulgaris Oryza sativa Populus nigra Lophopyrum elongatum Lophopyrum elongatum Oryza sativa Zea mays Nicotiana tabacum Nicotiana tabacum Cea mays Cyza sativa Ipomoea trifida Oryza sativa Brassica oleracea | Brassica napus Oryza sativa Nicotiana tabacum Brassica oleracea Brassica napus Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica napus Brassica napus Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica rapa Brassica leracea Brassica lapa Brassica oleracea Brassica oleracea Brassica lapa Brassica rapa Brassica lapa Brassica lapa Brassica rapa Brassica lapa |
| 1668 AY028699 AF078082 L27821 AB030083 AF339747 AF131222 AC073405 U82481 AF142596 AF302082 U67422 AF172282 U20948 AP001800 Y12531 AP001551 | AY007545 D0069 D31737 Y12530 AJ245479 M97667 AB032474 M76647 Z18921 X98520 Y14285 U00443 AB000970 D38564 Y14286 D38564 Y14286 D38564 Y14286 D38563 AF215837 AF215853 AF215853 |
| SEQ ID NO. 1 AAK21965.1 AAA33915.1 BAA82556.1 AAK11674.1 AAK13496.1 AAG03090.1 | AAG16628.1 CAB51834.1 BAA06538.1 CAA73133.1 CAB89179.1 AAA33008.1 BAA92837.1 AAA33000.1 CAA79355.1 CAA79355.1 CAA79355.1 CAA79355.1 CAA79355.1 BAA07577.2 CAA74662.1 BAA07577.2 CAA74662.1 BAAC33998.1 AAE74566.1 AAE74566.1 |

| | | | | | | | | | | | | | | | | | | 4 | 03 | | | | | | | | | | | | | | | | | | | | |
|---------------|-------------------------------|------------|-------------------------------|-------------------------------|--------------------|-------------------------|-------------------|----------------|-------------------|-------------------|--------------------|-------------------------|-------------|-----------------|-----------------|-------------------|-------------------|---------------------|--------------|---------------|------------------|-----------------|-------------------|-----------------|-----------------|--------------|--------------|-------------------|-----------------|-------------------------|-------------------------|--------------------|-------------------------|-------------------------|---------------------|----------------|-------------------|------------------|----------------------|
| | Solanum tuberosum | | Solanum tuberosum | Adiantum raddianum | Adiantum raddianum | Oryza sativa | Petunia x hybrida | Secale cereale | Secale cereale | Nicotiana tabacum | Gossypium hirsutum | Lycopersicon esculentum | Glycine max | Hordeum vulgare | Hordeum vulgare | Avena sativa | Nicotiana tabacum | Lolium temulentum | Glycine max | Glycine max | Hordeum vulgare | Hordeum vulgare | Triticum aestivum | Glycine max | Glycine max | Oryza sativa | Oryza sativa | Petunia x hybrida | Oryza sativa | Oryza sativa | Lycopersicon esculentum | Gossypium hirsutum | Petunia x hybrida | Lycopersicon esculentum | Nicotiana tabacum | | | Arachis hypogaea | Petroselinum crispum |
| 1611 | AF122051 | AF122052 | AF122053 | AF190304 | AF190303 | AF172282 | Z13998 | AF190302 | AF190301 | AF198498 | AF336286 | X95297 | AB029159 | 870879 | X70877 | AJ133638 | AF198499 | AF114162 | AB029161 | AB029160 | X87690 | AY008692 | AB044084 | AB029162 | AB029165 | X11415 | X98355 | Z13997 | Y11414 | D88621 | X95296 | AF336283 | Z13996 | X99134 | AB028650 | | 1679 | X82329 | AF141373 |
| ON CE | | AAG08960.1 | AAG08961.1 | AAF67053.1 | AAF67052.1 | AAE34434.1 | CAA78388.1 | AAF67051.1 | AAF67050.1 | AAG28525.1 | AAK19619.1 | CAA64615.1 | BAA81730.1 | CAA50224.1 | CAA50222.1 | CAB40189.1 | AAG28526.1 | AAD31395.1 | BAA81732.1 | BAA81731.1 | CAA61021.1 | AAG22863.1 | BAA96421.1 | BAA81733.2 | BAA81736.1 | CAA72218.1 | CAA67000.1 | CAA78387.1 | CAA72217.1 | BAA23341.1 | CAA64614.1 | AAK19616.1 | CAA78386.1 | CAA67575.1 | BAA88222.1 | | | CAA57773.1 | AAD54935.1 |
| Populus nigra | | ana tab | Lycopersicon pimpinellifolium | Lycopersicon pimpinellifolium | Oryza sativa | Lycopersicon esculentum | | | Solanum tuberosum | Oryza sativa | Oryza sativa | Oryza sativa | | | Brassica juncea | Nicotiana tabacum | Cucumis sativus | Medicago truncatula | Cucumis melo | Cucurbita sp. | Cucurbita maxima | Cucumis melo | Cucumis melo | Brassica juncea | Brassica juncea | Cucumis melo | Cucumis melo | Oryza sativa | Capsicum annuum | Liriodendron tulipifera | Liriodendron tulipifera | Nicotiana tabacum | Liriodendron tulipifera | Liriodendron tulipifera | Acer pseudoplatanus | Brassica napus | Nicotiana tabacum | | Petunia x hybrida |
| AB041503 | AE 2 2 0 0 0 3 AB 0 4 1 5 0 4 | AF302082 | AF220602 | U59317 | AB023482 | 059318 | | 1674 | U52079 | AP000391 | AP001111 | AP001111 | | 1675 | AF206721 | D43624 | J04494 | Y15295 | AF233594 | X55779 | D55677 | AF233593 | X10226 | AF206722 | AF206723 | Y10224 | X10225 | AB004799 | AF202460 | 073105 | U73103 | 043542 | 073106 | 073104 | U12757 | X64257 | U45243 | U43543 | AF049931 |
| BAA94509.1 | BAA94510.1 | AAG25966.1 | AAF76307.1 | AAB47424.1 | BAA78764.1 | AAB47422.1 | | | AAD10836.1 | BAA83352.1 | BAA90508.1 | BAA90507.1 | | SEQ ID NO. 1 | AAF20931.1 | BAA07734.1 | • | CAA75577.1 | AAF35911.2 | CAA39300.1 | BAA09528.1 | AAF35910.1 | CAA71275.1 | AAF20932.1 | AAF20933.1 | CAA71273.1 | CAA71274.1 | BAA20520.1 | AAF33751.1 | AAB17193.1 | AAB17191.1 | AAC49536.1 | AAB17194.1 | AAB17192.1 | AAB09228.1 | CAA45554.1 | AAC49538.1 | AAC49537.1 | AAD02557.1 |

| Medicago sativa Nicotiana sylvestris Medicago sativa Phaseolus vulgaris Phaseolus vulgaris Nicotiana tabacum Nicotiana tabacum | Oryza sativa Hordeum vulgare Hordeum vulgare Linum usitatissimum Nicotiana tabacum | | | |
|--|--|---|--|--|
| U83591 Med AJ301671 Nic U83592 Med S43926 Pha M13968 Pha X51599 Nic M15173 Nic | 000615 3834 4573 005341 | | | 020023 204926 121354 279697 279697 193771 193770 |
| AAB41324.1 U8 CAC17793.1 AAB41325.1 U8 AAB23263.1 SAAB23756.1 M CAA35945.1 M CAA35945.1 M CAA35845.1 M CAA35822.1 M | SEQ ID NO. 1680 BAA85400.1 APP CAB06083.1 Z8: CAA74909.1 Y1. CAA06487.1 AJ SEQ ID NO. 1681 BAA82107.1 AB | | | |
| Petroselinum crispum Fragaria x ananassa Cynodon dactylon Oryza sativa Brassica napus Arabis lemmonii Arabis parishii | Arabis lignifera Arabis holboellii Arabis gunnisoniana Arabis microphylla Arabis lignifera Arabis gunnisoniana Halimolobos perplexa var. | is lemmonii is lyallii a sativa is fecunda a sativa | is glabra is glabra is gemmif is blepha is microp is parish a sativa | |
| AF141374 AF147091 AF105426 AP002070 M95835 AF135143 AF135135 AF135135 | 5514 5134 5134 513 | 3514 3514 222 3513 3513 | 0.1141111111111111111111111111111111111 | AF135149 Y10373 AF061805 X76041 AB008892 X67693 AF135140 AB051578 L37289 |
| AAD54936.1 AAC95376.1 BAA95846.1 AAA32986.1 AAF69775.1 AAF69775.1 AAF69792.1 | 100450500 | 888 888 70 70 70 | AAF6978.1 AAF6978.1 BAA82826.1 AAF69773.1 AAF69793.1 CAA39535.1 BAA03749.1 | 200 002 002 002 003 003 003 003 003 003 |

| WO 02/010055 | PC 1/USU1/20085 |
|---|---|
| mis crystallinum | 405 |
| Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Cryza sativa Atriplex lentiformis Oryza sativa Mesembryanthemum crys Pisum sativum Triticum aestivum Fisum sativum Cryza sativa Oryza sativa Oryza sativa Hordeum vulgare Oryza sativa Hordeum vulgare | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare Triticum aestivum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Triticum perenne Triticum aestivum Triticum aestivum Hordeum vulgare Hordeum vulgare Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Hordeum vulgare Triticum aestivum Triticum aestivum Hordeum vulgare Triticum aestivum Triticum aestivum |
| X78325 X77110 X77111 1685 AL117264 AB024338 AF024338 AF024338 AF0237943 AJ250833 AJ250833 AJ250833 AJ250833 AJ250833 AJ250833 AJ250833 AF141880 AF141880 AF141878 AF141878 | AF032972 AF032972 AF032971 AF032971 AF032974 AF003018 AF003018 AF003020 AF250936 U01963 AU291825 M63223 M21962 Y14203 AF250937 AU2917 M63224 Y09917 M63224 Y09915 AF09915 |
| CAA55128.1 CAA54373.1 CAA54374.1 SEQ ID NO. CAB55394.1 BAA78563.1 AAB97470.1 AAB3030.1 CAB65371.1 CAB65370.1 CAB65370.1 AAD43973.1 AAD43973.1 AAD43973.1 AAD43972.1 CAA63659.1 | CAACO4833.1 AACO4833.1 AACO4832.1 AAGO0426.1 AAGO0427.1 AAF34811.1 AAF34811.1 AACO4835.1 BAB39965.1 BAB39965.1 BAB39965.1 CAC19429.1 AAA34270.1 AAA34270.1 AAA34295.1 CAA74595.1 CAA74595.1 CAA74595.1 AAA32959.1 CAA74595.1 AAA32959.1 CAA74595.1 AAA32959.1 CAA74595.1 AAA32959.1 CAA74595.1 AAA32959.1 CAA74052.1 AAA32959.1 |
| Brassica napus Brassica napus Brassica napus Brassica napus Cicer arietinum Populus tremuloides Lolium perenne Lithospermum erythrorhizon Petroselinum crispum Rubus idaeus Petroselinum crispum Populus tremuloides Pinus taeda Pinus taeda Pinus taeda Populus x generosa Lolium perenne Populus x generosa | |
| AJ401089 272153 X94624 AJ006025 AF041050 AF052223 D49367 X13324 AF239686 X13325 AF041049 U12013 U39404 U12013 AF008184 AF05222 AF008183 X52623 | AF239685 D49366 M62755 AF05221 AF05221 AF239687 X69954 AJ278455 AF144525 AF144525 AF144529 AF144529 AF144501 AF144501 AF144501 AF144501 AF144501 AF144511 |
| CAC19877.1 CAA96523.1 CAA64327.1 CAA06820.1 AAC24504.1 AAC24504.1 BAA08366.2 CAA31696.1 AAF91309.1 CAA31697.1 AAC24503.1 AAC24503.1 AAC24503.1 AAC34566.1 AAC39365.1 AAC39365.1 AAC39365.1 | |

| | | | | | | | | | | | | | | | | | | | 4(|)6 | | | | | | | | | | | | | | | | | | шn | | |
|---------------------------|--------------|-------------------|-----------------|---------------------|-------------------|---------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|------------------|----------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|----------------------|-------------------|-------------------------|-------------|-------------|----------------|----------------------|----------------------|-------------------|----------------------|----------------------|-------------|----------------------------|-------------------|-----------------|
| • | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Linum usitatissimum | | | Datura stramonium | Datura stramonium | Hyoscyamus niger | Solanum tuberosum | Hyoscyamus niger | Datura stramonium | Hyoscyamus niger | Hyoscyamus niger | Solanum tuberosum | Solanum tuberosum | Cuphea lanceolata | Brassica napus | 2еа тауѕ | Hordeum vulgare | Brassica napus | Nicotiana tabacum | Allium porrum | Oryza sativa | Nicotiana tabacum | | | Lycopersicon esculentum | Zea mays | Zea mays | | | Daucus carota | Triticum aestivum | Triticum aestivum | Zea mays | Glycine max | Craterostigma plantagineum | Triticum aestivum | Hordeum vulgare |
| 1689 | AP000615 | X14573 | Z83834 | AJ005341 | | 1690 | L20475 | L20473 | AB026544 | AJ307584 | D88156 | L20474 | AB026545 | L20485 | AJ245634 | AJ292343 | X64566 | X64463 | 089509 | U89510 | S60064 | Y13861 | U89511 | AF093628 | X13862 | | 1691 | AF159296 | Z34465 | AF159297 | | 1695 | AF308736 | AF255052 | X56882 | U05226 | AF166485 | M62989 | AF255053 | AJ000100 |
| | BAA85400.1 | CAA74909.1 | CAB06083.1 | CAA06487.1 | | | AAA33280.1 | AAA33281.1 | BAA85844.1 | CAC34420.1 | BAA13547.1 | AAA33282.1 | BAA85845.1 | AAB09776.1 | CAB52307.1 | CAC19810.1 | CAA45866.1 | CAA45793.1 | AAB82767.1 | AAB82766.1 | AAB20114.2 | CAA74176.1 | AAB82764.1 | AAC78100.1 | CAA74177.1 | | | AAD55979.1 | CAA84230.1 | AAD55980.1 | | | AAG24641.1 | AAE68627.1 | CAA40204.1 | AAA83402.1 | AAD49719.1 | AAA63614.1 | AAF68628.1 | CAA03925.1 |
| Nicotiana plumbaginifolia | V.2 | Solanum tuberosum | Oryza sativa | Pinus caribaea | Triticum aestivum | Pinus radiata | Pisum sativum | | | Sorghum bicolor | Manihot esculenta | Manihot esculenta | Sinapis alba | Triglochin maritimum | Triglochin maritimum | Petunia x hybrida | Glycine max | Petunia x hybrida | Petunia x hybrida | Nicotiana tabacum | Solanum melongena | Pisum sativum | Persea americana | Antirrhinum majus | Glycine max | Eustoma grandiflorum | Nicotiana tabacum | Lotus japonicus | Glycine max | Glycine max | Brassica napus | Glycyrrhiza echinata | Glycyrrhiza echinata | Brassica napus | Helianthus tuberosus | Helianthus tuberosus | Glycine max | Glycine max | Solanum melongena | |
| AF132671 | AB012138 | AE067731 | AE072694 | AF039201 | X09916 | AF049065 | AJ311624 | | .688 | U32624 | AF140613 | AF140614 | AF069494 | AF140609 | AF140610 | AB006790 | AF022458 | 57 | AF155332 | X95342 | X70824 | AF218296 | M32885 | 10 | AF135485 | 072654 | X96784 | AB025016 | AF022461 | D83968 | AF214008 | AB022732 | AB001379 | AF214007 | AJ000478 | AJ000477 | AF022464 | D86351 | | |
| AAF03355.1 | BAA25197.1 | AAC78470.1 | AAC25777.1 | • | CAA71051.1 | AAC05146.1 | CAC34417.1 | | SEQ ID NO. 1 | AAA85440.1 | AAF27289.1 | AAF27290.1 | AAD03415.1 | AAF66543.1 | AAF66544.1 | BAA92894.1 | AAB94587.1 | AAC32274.1 | AAD56282.1 | CAA64635.1 | CAA50155.1 | AAG44132.1 | AAA32913.1 | BAA84071.1 | AAD38930.1 | AAB17562.1 | CAA65580.1 | BAA93634.1 | AAB94590.1 | BAA12159.1 | AAG14962.1 | BAA74465.1 | BAA22422.1 | AAG14961.1 | CAA04117.1 | CAA04116.1 | AAB94593.1 | BAA13076.1 | CAA50647.1 | |

| | napus | 407 | |
|--|--|--|-----------------|
| Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica rapa Brassica napus Brassica napus | napus subsp. oleracea oleracea cleracea rapa rapa rapa rapa rapa rapa rapa ra | | |
| Y12530 Y18259 Y18260 Y14285 Y14286 M76647 AB000970 M97667 | AJ245479 AB032473 Z18921 AB032474 D38564 D38563 AB054061 D30049 D88193 AF088885 | Z18884 AY028699 AE142596 AC073405 AY007545 AY007545 AB041503 AF244924 AB042103 AF244922 AB042103 AF244922 AB01383 AF244922 AP001383 AF25124 AF155124 AF155124 AF155124 | |
| CAA73133.1 CAB41879.1 CAB74661.1 CAA74662.1 AAA33000.1 BAAC3676.1 AAA33008.1 AAA62232.1 | CAB89179.1 BAA92836.1 CAA79355.1 BAA92837.1 BAA07577.2 BAA07576.1 BAB21001.1 BAB21001.1 BAA21132.1 AAD52097.1 | | |
| Picea glauca Triticum aestivum Citrus unshiu Citrus unshiu Tagetes erecta Lycopersicon esculentum Capsicum annuum | Lycopersicon esculentum Capsicum annuum Narcissus pseudonarcissus Haematococcus pluvialis Lotus japonicus Nicotiana tabacum Phaseolus vulgaris Pisum sativum | Lilium longiflorum Brassica napus Phaseolus vulgaris Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Triticum aestivum | lpomoea trifida |
| L42465 M72395 1696 AF296158 AF315289 AF251018 Y14809 Y09722 | Y14810 Y09225 AJ278882 AF162276 1697 AJ251808 AF211529 AF030033 U13882 | 212839 U10150 AF030032 U20295 U20296 U20294 U49103 U48103 U48689 U48693 U48689 U48689 U48689 U48689 U48689 U48689 U48689 | 020948 |
| AAA85367.1 AAA34267.1 SEQ ID NO. 1 AAG10793.1 AAG33636.1 AAG10430.1 CAB55625.1 CAB70888.1 | | | AAC23542.1 |

| Medicago sativa Phaseolus vulgaris Arachis hypogaea Scutellaria baicalensi Oryza sativa Spinacia oleracea Raphanus sativus Oryza sativa Oryza sativa Spinacia oleracea |
|--|
| sativus tiva tiva olerace tivum e rugosa |
| X9 AE AB AB AB X1 |

| | 409 |
|--|--|
| Armoracia rusticana Cucumis sativus Armoracia rusticana Oryza sativa Nicotiana tabacum Nicotiana tabacum Armoracia rusticana Cucumis sativus Cucurbita pepo Oryza sativa Scutellaria baicalensis Gossypium hirsutum Arachis hypogaea Spinacia oleracea | Solanum tuberosum Solanum tuberosum Solanum tuberosum Adiantum raddianum Adiantum raddianum Oryza sativa Secale cereale Secale cereale Secale cereale Lycopersicon esculentum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Petunia x hybrida Glycine max Oryza sativa Oryza sativa Glycine max Oryza sativa Nicotiana tabacum Petunia x hybrida Glycine max Glycine max Glycine max Glycine max Glycine max Glycine max Oryza sativa |
| D90116 M91372 D90115 D49551 L02124 AB027752 X57564 M32742 Y17192 AP001383 AB024438 AF155124 M37636 AF244924 Y10466 L37790 AB042103 AB042103 | 1716 AF122051 AF122053 AF122053 AF190304 AF190304 AF190302 AF190301 X98308 AC037425 Y11350 Z13998 AB029162 X11414 AB029165 AB029165 AB029165 AB029161 AB029161 AB029161 AB029161 |
| BAA14144.1 AAA33129.1 BAA08499.1 AAA34101.1 BAA82306.1 CAA40796.1 AAA33121.1 CAA76680.1 BAA33121.1 CAA76680.1 BAA7388.1 AAB06183.1 AAB06183.1 AAB06183.1 AAB0254.1 BAA94962.1 BAA97389.1 | SEQ ID NO. 2AG08959.1 AAG08960.1 AAG08961.1 AAF67052.1 AAF67052.1 AAF67052.1 AAF67052.1 AAF67052.1 AAF67051.1 AAF67051.1 AAF67051.1 AAF67051.1 BAAF67051.1 BAAF133.2 CAA78388.1 BAA81733.2 CAA78387.1 BAA81733.1 BAA81733.1 BAA81733.1 BAA81733.1 |
| Triticum aestivum Oryza sativa Populus kitakamiensis Vigna unguiculata Cucumis melo Persea americana Dianthus caryophyllus Petroselinum crispum Populus kitakamiensis Populus batatas Populus kitakamiensis Populus kitakamiensis Nicotiana tabacum Nicotiana tabacum | Lycopersicon esculentum Lycopersicon esculentum Populus nigra Populus kitakamiensis Populus nigra Populus balsamifera subsp. Linum usitatissimum Phaseolus vulgaris Populus balsamifera subsp. Glycine max Populus kitakamiensis Medicago sativa |
| X99705 X87946 D30657 AF165998 X76130 U16130 AB041361 X16772 D43803 1714 AJ242742 AF149280 X97351 D30653 J02979 D11396 | AF 11393 Y199023 D83225 X97348 D11102 D83224 X97349 L07554 AF149277 X97350 AF014502 D30652 D38051 X90693 X90693 X90694 L36157 L36156 AF007211 |
| | CAASUSSY.1 CAASUSSY.1 CAAGG034.1 trichocarpa BAA11852.1 CAAGG035.1 trichocarpa AAB47602.1 AAB47602.1 trichocarpa AAB97734.1 BAA05334.1 BAA06334.1 CAAG2226.1 CAAG2226.1 CAAG2226.1 CAAG2226.1 AAB41811.1 AAB41810.1 AAB41810.1 |

| | | | | | | | | | | | | | | | | | | 4 | 10 | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------------|--|-------------------|-------------------|-------------|-----------------|--------------|-------------------|----------------------------|--------------|-------------------|--------------------|----------------------------|--------------|-----------------|--------------|--------------|-------------------|--------------|--------------|------------------|---------------------|----------------------------|-------------------|-------------------|--------------------|-------------------|-------------------------|-------------------|---------------------|-------------------------|-----------------------|------------------|--------------------|-----------------------|----------------------|------------|-------------------|---------------|
| Populus balsamifera subsp | | Linum usitatissimum Armoreoie rustioene | Don'lle night | Triticum aestivum | Glycine max | Oryza sativa | Oryza sativa | Spinacia oleracea | Populus balsamifera subsp. | | Spinacia oleracea | Phaseolus vulgaris | Populus balsamifera subsp. | | Medicago sativa | Oryza sativa | Oryza sativa | Ipomoea batatas | Oryza sativa | Oryza sativa | Raphanus sativus | Linum usitatissimum | Populus balsamifera subsp. | | Triticum aestivum | Phaseolus vulgaris | Striga asiatica | Scutellaria baicalensis | Medicago sativa | Armoracia rusticana | Triticum aestivum | | | Lilium longiflorum | Nicotiana tabacum | Nicotiana tabacum | | Nicotiana tabacum | Picea mariana |
| X97349 | • | 124120 x57564 | D83224 | X85228 | AF014502 | D16442 | AF014470 | Y10467 | X97348 | | Y10465 | AF149280 | X97350 | | X90694 | X66125 | AP001551 | AJ242742 | D49551 | AF014467 | X91172 | AF049881 | X97351 | | X53675 | AF149277 | AF043235 | AB024438 | X9063 | D90115 | X85230 | | 1720 | U24188 | U70923 | AF145593 | AF087813 | U38446 | AF051211 |
| CAA66035.1 | trichocarpa | AAB48184.1 | EAD11852 1 | CAA59485.1 | AAB97734.1 | BAA03911.1 | AAC49821.1 | CAA71493.1 | CAA66034.1 | trichocarpa | CAA71491.1 | AAD37430.1 | CAA66036.1 | trichocarpa | CAA62227.1 | CAA46916.1 | BAA92967.1 | CAB94692.1 | BAA08499.1 | AAC49818.1 | CAA62597.1 | AAC05277.1 | CAA66037.1 | trichocarpa | CAA37713.1 | AAD37427.1 | AAB97854.1 | BAA77388.1 | CAA62226.1 | BAA14143.1 | CAA59487.1 | | | AAC49008.1 | AAD52098.1 | AAD28791.1 | AAD52092.1 | AAF21450.1 | AAC32116.1 |
| Lycopersicon esculentum | Avena sativa | Lolium temulentum Nicotiana tahacum | Nicotiona tabacim | | | Hordeum vulgare | | | Oryza sativa | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Petunia x hybrida | Oryza sativa | | | Oryza sativa | Spinacia oleracea | | | Oryza sativa | Spinacia oleracea | Spinacia oleracea | Mercurialis annua | Oryza sativa | Oryza sativa | Spinacia oleracea | Asparagus officinalis | Nicotiana tabacum | Gossypium hirsutum | Scutellaria baicalensis | Populus kitakamiensis | Arachis hypogaea | Spinacia oleracea | Populus kitakamiensis | Stylosanthes humilis | | Populus nigra | |
| X99134 | AJ133638 | AF114162 | 1172762 | AB028651 | AB028649 | X87690 | AY008692 | AB044084 | Y11415 | D88621 | AF198499 | AF198498 | Z13996 | Y11352 | | 1718 | U25430 | AB032413 | | 1719 | AP001383 | AE244924 | AE244923 | X91232 | AP001366 | AP001383 | AF244922 | AB042103 | AB027752 | _ | 133 | D38051 | M37636 | Y10466 | D30652 | L37790 | AF149278 | D83225 | |
| CAA67575.1 | CAB40189.1 | AAD31395.1 | DZE200223.1 | BAA88223.1 | | • | • | BAA96421.1 | CAA72218.1 | BAA23341.1 | AAG28526.1 | AAG28525.1 | CAA78386.1 | CAA72187.1 | | | AAA67067.1 | BAB20681.1 | | SEQ ID NO. 1 | BAA92500.1 | AAF63027.1 | AAF63026.1 | CAA62615.1 | BAA92422.1 | BAA92497.1 | AAF63025.1 | BAA94962.1 | BAA82306.1 | AAD43561.1 | BAA77389.1 | BAA07241.1 | AAB06183.1 | CAA71492.1 | • | AAB02554.1 | AAD37428.1 | BAA11853.1 | |

| Pyrus communis Gossypium hirsutum Gossypium hirsutum Corylus avellana Prunus dulcis Gossypium hirsutum Spinacia oleracea Malus x domestica Prunus dulcis Gossypium hirsutum Cicer arietinum Cicer arietinum Gossypium hirsutum | Oryza sativa Nicotiana tabacum Prunus persica Oryza sativa Sorghum bicolor Zea mays Hordeum vulgare Zea mays Nicotiana tabacum Hordeum vulgare Beta vulgaris Gerbera hybrida Capsicum annuum Brassica napus |
|--|--|
| AF221503 AF228333 AF195864 AF329829 X96714 AF3204204 M58635 AJ002958 AJ002958 S78173 U15153 AF151214 U72765 X71667 AF101038 AF101038 | U31766 X62395 AJ277163 Z23271 X71668 J04176 Z37115 U66105 D13952 U18127 X92748 Z31588 AF208833 X13126 X13126 X13125 X13122 X13122 X07970 X70336 X1314 |
| AAF26451.1 AAG29777.1 AAF35185.1 AAK28533.1 CAA65475.1 AAA34032.1 CAA65477.1 AAF35184.1 CAA65477.1 AAF35184.1 CAA65477.1 AAF35184.1 CAA65477.1 AAF35184.1 CAA65477.1 AAF35184.1 CAA65060.1 AAF28385.1 AAF28385.1 AAF28385.1 AAF28385.1 AAF28385.1 | нененененене <u>,</u> енеенене |
| Pisum sativum Zea mays Cucurbita pepo Solanum tuberosum Solanum tuberosum Solanum tuberosum Capsicum annuum Fragaria x ananassa Triticum aestivum Triticum aestivum Oryza sativa Oryza sativa Brassica napus Solanum tuberosum Solanum tuberosum Friticum aestivum | Oryza sativa Brassica napus Brassica napus Brassica napus Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Brassica oleracea Brassica napus Brassica oleracea Brassica oleracea Brassica oleracea |
| U13736 L27484 U90262 U20296 U20296 U20294 A7010645 A7010645 A7010645 A1010594 U48691 U18914 U10150 U20293 U20293 U20293 U20293 U20293 U20293 | 1721 AP002899 U39289 U39319 AP001633 AP001633 AP001633 AP001633 AP001633 AP001633 AP001633 L33904 AF093751 L33906 U22174 L33907 L33907 L33907 L33907 L33907 AF21501 AF221501 |
| AAA92677.1 AAA61682.1 AAA85157.1 AAA85156.1 AAA85155.1 CAA09302.1 AAA85155.1 CAA09302.1 AAC49582.1 AAC49583.1 CAA78288.1 AAC49583.1 CAA78288.1 AAC49583.1 AAC49583.1 AAC49583.1 AAC49583.1 | SEQ ID NO. 1 BAB21153.1 AAC49182.1 BAA94228.1 BAA94224.1 BAA94226.1 BAA94219.1 BAA94219.1 BAA94215.1 AAA73945.1 AAA73947.1 AAA73946.1 AAA73948.1 AAA73948.1 AAA73948.1 AAA73948.1 AAA73995.1 AAA73995.1 AAA73995.1 |

| Pisum sativum Coffea eugenioides | | | Coffea congensis | | | Brassica juncea | Nicotiana glutinosa | Citrus sinensis | Citrus sinensis | Lycopersicon esculentum | Lycopersicon esculentum | Nicotiana tabacum | Dianthus caryophyllus | Lycopersicon esculentum | Citrus sinensis | Lycopersicon esculentum | Lycopersicon esculentum | Carica papaya | Pelargonium x hortorum | Pisum sativum | Cucumis sativus | Solanum tuberosum | Nicotiana glutinosa | Prunus mume | Lupinus albus | Nicotiana glutinosa | Citrus sinensis | | | Nicotiana tabacum | Lycopersicon esculentum | Medicago sativa | Medicago sativa | Pisum sativum | Lycopersicon esculentum | Lycopersicon esculentum | Nicotiana tabacum | Antirrhinum majus | Antirrhinum majus |
|-------------------------------------|------------|---------------|------------------|---------------------|----------------|--------------------|---------------------|------------------|-----------------|-------------------------|-------------------------|-------------------|-----------------------|-------------------------|-------------------|-------------------------|-------------------------|-------------------|------------------------|---------------|-----------------|-------------------|---------------------|-------------------|----------------|---------------------|-----------------|-------------------|------------|-------------------|-------------------------|-----------------|-----------------|---------------|-------------------------|-------------------------|-------------------|-------------------|--------------------|
| X54377 AF043099 | AE043097 | AF042072 | AE043098 | | 1726 | X72676 | AF057563 | AJ012551 | AJ012550 | U18056 | U18057 | X98492 | M66619 | AB013100 | AJ012696 | X59139 | X59145 | 068216 | U88971 | AF016459 | AB006804 | AB041521 | AF061605 | AB031026 | AF119411 | AF057562 | AJ011095 | | 1727 | AJ011893 | AJ002589 | AJ132929 | X88864 | AB008188 | AJ002588 | AJ245415 | AJ011894 | AJ250398 | AJ250397 |
| CAA38252.1 AAB99846.1 | AAB99844.1 | AAB97081.1 | AAB99845.1 | | | CAA51227.1 | AAC83147.1 | CAB60722.1 | CAB60721.1 | AAF97614.1 | AAF97615.1 | CAA67118.1 | AAA33275.1 | BAA34923.1 | CAB60831.1 | CAA41855.1 | CAA41856.1 | AAC98809.1 | AAB70885.1 | AAD04199.1 | BAA33375.1 | BAB16433.1 | AAC15777.1 | BAA90549.1 | AAE22109.1 | AAC83146.1 | CAA09477.1 | | SEQ ID NO. | CAA09853.1 | CAB60837.1 | CAB40540.1 | CAA61334.1 | BAA33153.1 | CAB60836.1 | CAB51788.1 | CAA09854.1 | CAB61223.1 | CAB61222.1 |
| Brassica napus Brassica rapa | | Brassica rapa | Brassica napus | Fragaria x ananassa | Brassica napus | Gossypium hirsutum | Coriandrum sativum | Casuarina glauca | Hordeum vulgare | Cuphea lanceolata | Capsicum chinense | Hordeum vulgare | Cuphea lanceolata | Hordeum vulgare | Cuphea lanceolata | Hordeum vulgare | Hordeum vulgare | Cuphea lanceolata | Spinacia oleracea | ays | Brassica napus | Spinacia oleracea | Brassica rapa | Brassica oleracea | Brassica napus | Brassica oleracea | ssica | Brassica oleracea | Zea mays | Brassica napus | Brassica napus | Brassica rapa | Brassica napus | | | Flaveria pringlei | Flaveria pringlei | Flaveria pringlei | Hordeum x Triticum |
| X13128 X70337 | 1 | O | 23 | AF041386 | X13127 | U48777 | AF083950 | Y10994 | M63799 | X77620 | AF127796 | M58754 | X95253 | M24426 | X77621 | M24425 | M58753 | X77622 | 90 | X57956 | 12 | M17636 | AF229423 | AF229426 | AF229418 | AF229427 | 94 | 2942 | X95895 | AF229420 | AF229421 | AE229422 | AF229419 | | 1724 | Z36879 | Z54239 | Z25857 | AF024589 |
| CAA31519.1 CAA49803.1 | CAA68475.1 | AAB21541.1 | CAA31514.1 | AAC39495.1 | CAA31518.1 | AAB05224.1 | AAD46394.1 | CAA71885.1 | AAA32921.1 | CAA54714.1 | AAD21198.1 | AAA32922.1 | CAA64542.1 | AAA32924.1 | CAA54715.1 | AAA32923.1 | AAA32920.1 | CAA54716.1 | CAA36288.1 | CAA41024.1 | CAA31515.1 | AAA34023.1 | AAK00695.1 | AAK00698.1 | AAK00690.1 | AAK00699.1 | AAK00696.1 | AAK00697.1 | CAA65138.1 | AAK00692.1 | AAK00693.1 | AAK00694.1 | AAK00691.1 | | SEQ ID NO. 1 | CAA85353.1 | CAA91000.1 | CAA81076.1 | \vdash |

| Oryza sativa Oryza sativa Oryza sativa | Nicotiana tabacum | Oryza sativa | | Flaveria trinervia Nicotiana tabacum Glycine max Lycopersicon esculentum Lotus corniculatus | Glycine max Amaranthus hypochondriacus Picea abies Sesbania rostrata Flaveria trinervia Solanum tuberosum Flaveria australasica | Saccharum sp. Glycine max Amaranthus hypochondriacus Flaveria trinervia Phaseolus vulgaris Mesembryanthemum crystallinum | Medicago sativa Medicago sativa Chloris gayana Vicia faba |
|--|---|--|--|--|--|--|--|
| AP001080 AP000616 AP001168 | 1729 AF032386 | 1730 AF039531 | 1731 D13987 AF008939 Z48966 AF248080 X90982 X67053 | AF248079 X59016 AB008540 AJ243417 AF135371 | 1021312 D10717 L49175 X79090 AJ286750 X61304 AJ011844 | M86661 D13998 Z68125 X64143 AF288382 X13660 M83086 | A83030 L39371 AF268091 AJ011302 |
| BAA90357.1 BAA85438.1 BAA90806.1 | SEQ ID NO. AAB94619.1 | SEQ ID NO. AAB97366.1 | | AAG17618.1 CAA41758.1 BAA23419.1 CAB65171.1 AAD31452.1 CAR65170.1 | CAA55700.1 CAA55700.1 CAC28225.1 CAA3601.1 CAA9807.1 CAA81072.1 | AAC33164.1 BAA03100.1 CAA92209.1 CAA45504.1 AAK28444.1 CAA31956.1 | AAB41903.1 AAB412288.1 CAA09588.1 |
| Lycopersicon esculentum Chenopodium rubrum Medicago sativa | Chenopourum lubrum Nicotiana tabacum Antirrhinum majus Nicotiana tabacum | igo s ersic | Oryza satuva Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Pisum sativum Nicotiana tabacum Catharanthus roseus Iupinus luteus | Glycine max Glycine max Glycine max Zea mays Oryza sativa | Lycopersion esculentum Lycopersion esculentum Pisum sativum Lupinus luteus Lupinus luteus Daucus carota Catharanthus roseus Chenopodium rubrum | Sesbania rostrata Brassica napus Iycopersicon esculentum Zea mays Petunia x hybrida | Nicotiana tabacum Oryza sativa Oryza sativa |
| AJ002590 AJ011776 AJ132930 | AJ011892 AJ250396 X92964 | X68741 AJ243453 AB024987 | AB024987 D89636 Z37978 X92965 AJ133722 X93467 D86385 U24194 AF126107 | Z26331 X62820 X62303 U50064 X82036 | AJ243452 AJ243452 ABO08189 U44857 AF126108 X62819 D86387 | 275660 L25406 AJ243454 U10076 AJ250315 | ,28 AE211532 AB023482 AB045121 |
| CAB60838.1 CAA09769.1 CAB40541.1 | CAA09852.1 CAB61221.1 CAB63540.1 | CAA48675.1 CAB46643.1 RAA86629.1 | BAA80629.1 BAA20426.1 CAB81558.1 CAA63541.1 CAB77269.1 CAA63753.1 BAA20410.1 AAC61889.1 | CAA81232.1 CAA44632.1 CAA44188.1 AAC50013.1 CAA57556.1 PARNO467.1 | CAA4631.1 CAA4631.1 AAC24245.1 AAD31791.1 CAA4631.1 BAA20412.1 CAA71243.1 | CAA99990.1 AAA51660.1 CAB46644.1 AAA20236.1 CAB58998.1 | |

| 414 | durum |
|--|---|
| Carica papaya Cucumis melo Cucumis melo Nicotiana tabacum Lycopersicon esculentum Carica papaya Petunia x hybrida Lycopersicon esculentum Actinidia deliciosa Helianthus annus Nicotiana glutinosa Prunus persica Cucumis melo Lycopersicon esculentum propersicon esculentum lycopersicon esculentum praseolus vulgaris Pelargonium x hortorum Cucumis sativus Auma radiata Vigna radiata | ica ica secum cum cum representation inan |
| U68215 X95551 X83229 AB013101 AF254125 L21979 X58273 AB003514 L29405 U54566 AF129074 X95553 Z54199 Y00478 AF053354 U19856 AF053354 U10856 AF033582 AB006807 Y10034 M98357 U06046 AF315316 L35152 | 1736 AF273844 U59379 AB010434 AB053294 U59380 AF286593 Z70677 AJ001903 D87984 X58527 Z11803 AF051206 |
| AAC98808.1 BAA06526.1 CAA58232.1 BAA34924.1 AAF64528.1 AAA33698.1 CAA41212.1 BAA21541.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB71421.1 AAB7333.1 BAA33374.1 BAA33374.1 AAC48921.1 AAC48921.1 AAA33273.1 CAA74328.1 | |
| Pisum sativum Triticum aestivum Brassica juncea Sorghum bicolor Brassica juncea Zea mays Oryza sativa Zea mays Sorghum bicolor Sorghum bicolor Sorghum bicolor Zea mays Resembryanthemum crystallinum Picea abies Vanilla planifolia | Populus euramericana Petunia x hybrida Pelargonium x hortorum Prunus persica Prunus armeniaca Pelargonium x hortorum Citrus sinensis Prunus mume Nicotiana glutinosa Nicotiana glutinosa Petunia x hybrida Betula pendula Nicotiana tabacum |
| D64037 AJ007705 AJ223496 X59925 AJ223497 X61489 AF271995 X15239 X65137 X55664 AB012228 X1528 X15642 X15642 X15642 X15642 X15642 X15642 X14588 AF159051 X87149 X97149 AF106954 AF106954 AJ237693 AJ237693 AJ237693 | AB033504 L21978 U07953 X77232 AF129073 AF026793 U67861 AF321533 AB031027 U54565 U62764 L21976 Y10749 Z46349 |
| BAA10902.1 CAA07610.1 CAA11414.1 CAA42549.1 CAA11415.1 CAA11415.1 CAA3709.1 CAA33317.1 CAA39197.1 CAA39197.1 CAA3316.1 CAA33663.1 CAA33663.1 CAA33663.1 CAA32728.2 AAD45696.1 CAA60626.1 CAA60626.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 CAA60627.1 | |

| हैं ह | 415 | sativa | s p. sativa subsp. subsp. | |
|--|--------------------------|---|--|--|
| Nicotiana plumbaginifolia Hevea brasiliensis Hevea brasiliensis Lycopersicon esculentum Solanum tuberosum Gossypium hirsutum Hevea brasiliensis Nicotiana tabacum Musa acuminata Phaseolus vulgaris Musa acuminata Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum | Nicotiana tabacum | Nicoliana Labacum Pisum sativum Medicago sativa subsp. Oryza sativa Lycopersicon esculentum | Populus kitakamiensis Medicago sativa subsp. sa Populus balsamifera subsp Populus balsamifera subsp | ia tabacum inum crispum inum crispum inum crispum infera elegans |
| M23120 U22147 AJ133470 M80608 U01901 AF067863 Z68154 AF311749 M60402 M60402 M60403 U01900 M59442 AF001523 X53129 AF001523 AF141654 AF141653 | X81560 M60464 | M39443 S51479 U27179 U72253 M80604 | 1739 AB000408 U20736 AJ224894 AJ223621 | AF022775 Z33878 M69184 Z54183 Z54233 U13151 |
| AAA81643.1 AAA87456.1 CAB38443.1 AAA18928.1 AAC19114.1 CAA92278.1 AAG24921.1 AAA63539.1 AAA63540.1 AAA63540.1 AAA63541.1 AAB82772.2 CAA37289.1 AAD33880.1 AAD33880.1 AAA34082.1 | CAA57255.1 AAA34053.1 | AAB24898.1 AAB24898.1 AAB41551.1 AAD10384.1 AAA03617.1 | SEQ ID NO. 3 BAA19102.1 AAC28973.1 CAA12198.1 trichocarpa | trichocarpa AAB80931.1 CAA83943.1 AAA33851.1 CAA90894.1 CAA90969.1 AAA59389.1 |
| Oryza sativa Oryza sativa Oryza sativa Oryza sativa Lolium perenne Secale cereale Secale cereale Hordeum bulbosum Phalaris coerulescens Phalaris coerulescens Oryza sativa Chlamydomonas reinhardtii Chlamydomonas reinhardtii Hevea brasiliensis Spinacia oleracea Spinacia oleracea Spinacia oleracea Spisum sativum Pisum sativum Pisum sativum Praesica nanna | ו ע דו | Fisum Sativum Spinacia oleracea Oryza sativa Chlamydomonas reinhardtii Chlamydomonas reinhardtii | Chlamydomonas reinhardii Triticum aestivum Brassica napus Brassica napus | Brassica rapa Populus x canescens Glycine max Citrus sinensis Vitis vinifera Glycine max Nicotiana plumbaginifolia |
| D26547 D21836 U92541 AF159387 AF159386 AF159386 AF159388 AF02912 X78822 X80887 AF133127 X51462 X51463 X63537 U35830 AF069314 | X76269 | U35831 X14959 AJ005841 X78821 X80888 | X62335 AJ005840 U76831 AF160870 1738 U49454 | X77990 AF230109 M37753 AJ2000081 AJ277900 U41323 M63634 |
| BAA05546.1 BAA04864.1 AAD5652.1 AAD49232.1 AAD49231.1 AAD49231.1 AAD49233.1 AAD49233.1 CAA55899.1 CAA55899.1 CAA55899.1 CAA55899.1 CAA55880.1 AAD33596.1 CAA35826.1 CAA35827.1 CAA35827.1 | AAB47556.1 CAA53900.1 | AAC49358.1 CAA33082.1 CAA06736.1 CAA55398.1 CAA56851.1 | CAA44209.1 CAA06735.1 AAB52409.1 AAD45358.1 SEQ ID NO. 3 | CAA54952.1 AAF33405.1 AAA33946.1 CAB91554.1 CAB91554.1 AAB03501.1 AAA34078.1 CAA30261.1 |

| | tnensis | |
|---|---|---------------|
| ~ ~ ~ ~ | Lycopersicon esculentum Brassica oleracea Oryza sativa Oryza sativa Oryza sativa Oryza sativa Malus x domestica Brassica juncea Brassica juncea Vitis vinifera Nicotiana tabacum Glycine max Glycine max Fisum sativum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Ses mays Pisum sativum Oryza sativa Oryza sativa Oryza sativa Spinacia oleracea Brassica rapa subsp. pekinensis | Brassica rapa |
| AB041504 AF023165 AF249317 00069 U67422 U28007 AY028699 AC073405 AF172282 AF172282 AF142596 AJ243961 Z73295 AF2000391 AF220603 | U59316 218921 127821 AF002071 AF053127 AF109694 AF109907 X76293 AF105199 L11632 X60373 X90996 X76533 X76455 AJ00605 AJ00605 AJ006 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ00605 AJ006 | AF008441 |
| BAA94510.1 AAC27895.1 AAF91336.1 AAF91336.1 CAB51834.1 AAB09771.1 AAC61805.1 AAC1965.1 AAC303090.1 AAF34428.1 AAF6615.1 CAB51836.1 CAB51836.1 CAB51836.1 | | AAC49980.2 |
| a F. a Ca h h b L | | Populus nigra |
| U27116 AF053553 AJ224896 AJ224895 AJ223620 AF168780 AF240466 U38612 Y12228 U62736 AB023482 Z56282 U62734 | U62735 AF036095 AF327458 AJ242981 L22203 AB035144 AP000364 AP000364 AP130841 AF168779 | AB041503 |
| AAA80651.1 AAC08395.1 CRA12200.1 trichocarpa CAA11495.1 trichocarpa CAA11495.1 trichocarpa AAD50443.1 AAF44689.1 AAF44689.1 AAC49913.1 CAA72911.1 AAC49916.1 BAA78733.1 CAA91228.1 | ort ' | BAA94509.1 |

| or crystallir ntagineum | | 417 | napus |
|--|---|--|---|
| Nicotiana excelsior Oryza sativa Beta vulgaris Mesembryanthemum crystalli: Solanum tuberosum Oryza sativa Craterostigma plantagineum | ન ન ન | Antirrhinum majus Phaseolus vulgaris Brassica oleracea Zea mays Ipomoea trifida Brassica oleracea | |
| AB002147 AB029325 U60149 U73467 Y18311 AB009665 AJ001292 | ACT133371 ACT133371 AP002899 AP001633 U39319 AP001633 AP001633 AP001633 | AFULL033 1749 X95753 1750 AF078082 Y12531 U20948 V12530 | 112550 X98520 U00443 Y14285 Y18260 M76647 AB032473 AB000970 Y14286 M97667 AJ245479 |
| BAA20074.1 BAA81820.1 AAB67870.1 AAB1828.1 CAB46350.1 BAA24016.1 CAA04652.1 | | SEQ ID NO. CAA65064.1 SEQ ID NO. AAD21872.1 CAA73134.1 AAC23542.1 CAA73134.1 | CAAC7145.1 CAAC7145.1 AAA6223.1 CAB41879.1 CAB41879.1 AAA33000.1 BAA23676.1 CAA74662.1 AAA33008.1 CAB89179.1 |
| Mesembryanthemum crystallinum Betula pendula Glycine max Glycine max Vigna unquiculata Brassica juncea Cucumis sativus Iycopersicon esculentum | Secale cereale Ipomoea nil Oryza sativa Oryza sativa Catharanthus roseus Lycopersicon esculentum Triticum aestivum Zea mays Nicotiana tabacum | Lycopersicon esculentum Euphorbia esula Picea mariana Triticum aestivum Glycine max Oryza sativa Zea mays Oryza sativa | Grycine max Chloroplast Glycine max Zea mays Daucus carota Lotus japonicus Pisum sativum Oryza sativa Nicotiana tabacum Triticum aestivum Pyrus communis |
| AJ400816 AJ279690 AF074940 S70187 AF181096 AF109695 D26392 L41345 | ∞ ι | AF125259 AF221856 AF051230 U55860 U744 AF135862 AB042521 L33913 D78573 | AF049706 L33912 L11529 L11529 AF275316 AJ243308 D17443 AJ237751 AF139816 AB058679 |
| CAC13956.1 CAB66332.1 AAC26053.1 AAB30526.1 AAD53185.1 AAD28178.1 BAA05408.1 | | AAD30456.1 AAF31705.1 AAC32131.1 AAD11550.1 SEQ ID NO. 1 AAD41796.1 BAA95630.1 AAA74361.1 BAA11417.1 | |

| Picea abies | Pisum sativum | Picea mariana | Pisum sativum | Oryza sativa | Medicago truncatula | Picea mariana | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Brassica oleracea | Lycopersicon esculentum | Malus x domestica | Oryza sativa | Oryza sativa | Ceratopteris richardii | Nicotiana tabacum | Lycopersicon esculentum | Ceratopteris richardii 🛧 | Malus x domestica | Glycine max | Dendrobium grex Madame Thong-In | | | Pisum sativum | Nicotiana sylvestris | Oryza sativa | Nicotiana sylvestris | Sorghum bicolor | Hordeum vulgare | Triticum aestivum | Sorghum bicolor | Hordeum vulgare | Brassica napus | Zea mays | Daucus carota | Sinapis alba | Nicotiana sylvestris | Nicotiana glutinosa | Oryza sativa |
|-------------------|---------------|---------------|-------------------|---------------|---------------------|---------------|-------------------|----------------|----------------|--------------|-------------------|-------------------------|-------------------|--------------|--------------|------------------------|-------------------|-------------------------|--------------------------|-------------------|-------------|---------------------------------|-------------------|-------------------|-------------------------|-------------------------|--------------|------------------------|-------------------------|-----------------|-------------------|-----------------|-----------------|-------------------|-------------------|-------------------|-------------------------|----------------------|---------------------|--------------|
| AF063248 | AF080104 | 190092 | AF063307 | D16507 | AF308454 | 160061 | AF050180 | AB028885 | AB028883 | AB007624 | AF193813 | U76407 | Z71978 | AB016071 | AB007623 | AB043954 | AB025713 | U76408 | AB043956 | Z71979 | L13663 | AJ276389 | | 1759 | U81287 | D28862 | AJ002894 | D26182 | X57662 | U49482 | U32310 | AE310215 | Z48624 | Z14143 | AE034945 | X58146 | L31377 | D16205 | AF005359 | AF010579 |
| AAC84001.1 | AAC33008.1 | AAD00692.1 | AAC32262.1 | BAA03959.1 | AAG27464.1 | AAD00691.1 | AAC32817.1 | BAA79226.1 | BAA79224.1 | BAA77818.1 | AAE23753.2 | AAD00251.1 | CAA96510.1 | BAA31688.1 | BAA77817.1 | BAB18582.1 | BAA76903.1 | AAD00252.1 | BAB18584.1 | CAA96511.1 | AAA20882.1 | CAB88029.1 | | SEQ ID NO. | AAB71417.1 | BAA22083.1 | CAA05729.1 | BAA05170.1 | CAA40862.1 | AAB07749.1 | AAA75104.1 | AAG23220.1 | CAA88558.1 | CAA78513.1 | AAB88616.1 | CAA41152.1 | AAA59213.1 | BAA03742.1 | AAC50020.1 | AAB66884.1 |
| Brassica oleracea | Brassica rapa | Brassica rapa | Brassica oleracea | Brassica rapa | | Brassica rapa | Nicotiana tabacum | Brassica napus | Brassica napus | Oryza sativa | Oryza sativa | Populus nigra | Oryza sativa | | | Vitis riparia | | | Capsicum chacoense | Solanum tuberosum | | | Malus x domestica | Nicotiana tabacum | Lycopersicon esculentum | Lycopersicon esculentum | Oryza sativa | Ceratopteris richardii | Lycopersicon esculentum | Brassica napus | Oryza sativa | Oryza sativa | Hordeum vulgare | Triticum aestivum | Nicotiana tabacum | Triticum aestivum | Lycopersicon esculentum | T) | Triticum aestivum | Zea mays |
| Z18921 | D88193 | D30049 | AB032474 | AB054061 | D38564 | D38563 | AF088885 | AY028699 | AY007545 | AC073405 | AJ243961 | AB041503 | L27821 | | 1753 | AF220406 | | 1755 | AF202179 | AJ011801 | | 1758 | Z71980 | AB004797 | U76409 | AF000142 | D49704 | AB043957 | 076410 | Z29073 | AB007628 | AB007629 | AF022390 | AF224499 | AB025573 | AF224500 | AF000141 | AB004785 | AF224498 | AF100455 |
| CAA79355.1 | BAA21132.1 | BAA06285.1 | BAA92837.1 | BAB21001.1 | BAA07577.2 | BAA07576.1 | AAD52097.1 | AAK21965.1 | AAG16628.1 | AAG03090.1 | CAB51836.1 | | AAA33915.1 | | | AAF37267.1 | | | AAF09256.1 | CAB50786.1 | | | CAA96512.1 | BAA25921.1 | AAD09582.1 | AAC49918.1 | BAA08552.1 | BAB18585.1 | AAD00253.1 | CAA82314.1 | BAA77822.1 | BAA77823.1 | AAB81079.1 | AAF32399.1 | BAA76750.1 | AAE32400.1 | AAC49917.1 | BAA25546.1 | AAE32398.1 | AAD13611.1 |

| AE025430 Papaver somniferum | | AF206320 Musa acuminata 18243475 Vitis vinifera | | Musa | Y09541 Zinnia elegans | U63550 Fragaria x ananassa | U41472 Medicago sativa | | X61102 Nicotiana tabacum | X61101 Nicotiana tabacum | X67159 Nicotiana tabacum | | 7 | AF110784 Volvox carteri f. nagariensis | AF036939 Chlamydomonas reinhardtii | AF027727 Chlamydomonas reinhardtii | AF131223 Datisca glomerata | U11496 Triticum aestivum G | AJ277377 Triticum turgidum subsp. durum | Ricinus communis | Z11499 Medicago sativa | AJ277380 Triticum turgidum subsp. durum | Triticum turgidum | AB047268 Cucumis sativus | AB039278 Oryza sativa | Y11209 Nicotiana tabacum | | | AF215852 Nicotiana tabacum | AF215837 Apium graveolens var. dulce | AF215851 Spinacia oleracea | AF215854 Zea mays | AF215853 Solanum tuberosum | X66856 Nicotiana tabacum | AJ001061 Vitis vinifera | | AJ010942 Lycopersicon esculentum |
|------------------------------|-----------------|--|----------------------|--------------|-----------------------|----------------------------|------------------------|--------------|--------------------------|--------------------------|--------------------------|-----------------|-----------------|--|------------------------------------|------------------------------------|----------------------------|----------------------------|---|------------------|------------------------|---|-------------------|--------------------------|--------------------------|--------------------------|--------------------|----|----------------------------|--------------------------------------|----------------------------|-------------------|----------------------------|--------------------------|-------------------------|------------|----------------------------------|
| AAC61839.1 A | 17 | AAF19196.1 A | | | CAA70735.1 Y | AAB71208.1 U | AAA86241.1 U | CAA47630.1 X | | | CAA47631.1 X | | SEQ ID NO. 1767 | AAD55566.1 A | AAD02069.1 A | AAC49896.1 A | AAD28260.1 A | AAA19660.1 U | CAC21228.1 A | | | | | BAB18780.1 A | ĺ | CAA72092.1 Y | | 17 | | | | | | CAA47324.1 X | | | CAA09419.1 A |
| Sinapis alba Oryza sativa | Euphorbia esula | Pelargonium x hortorum | Nicotiana sylvestris | Oryza sativa | Oryza sativa | Glycine max | Zea mays | S | Nicotiana sylvestris | Euphorbia esula | Oryza sativa | Sorghum bicolor | Oryza sativa | Medicago sativa | Triticum aestivum | Nicotiana sylvestris | Nicotiana plumbaginifolia | Spinacia oleracea | | Alnus glutinosa | Triticum aestivum | | | Berberis stolonifera | Eschscholzia californica | Eschscholzia californica | Papaver somniferum | | | Oryza sativa | Nicotiana tabacum | Glycine max | | | Berberis stolonifera | | Eschscholzia californica |
| L31374 AJ002893 | AF036339 | AE'009004 AE009003 | D16204 | AF010580 | AF009411 | AF169205 | X61121 | AB007819 | D16206 | AF031933 | AF011331 | X57663 | AF001894 | AF191305 | AF315811 | D83696 | X65117 | U34742 | 1760 | | AF022915 | | 1762 | AE049347 | S65550 | AF005655 | AF025430 | - | 1763 | AP002094 | AF123503 | X60033 | | 1765 | AF049347 | 865550 | AF005655 |
| AAA59212.1 CAA05728.1 | AAC61786.1 | AAB63582.1 AAB63581.1 | BAA03741.1 | AAB66885.1 | AAB63589.1 | AAD48471.1 | CAA43431.1 | BAA92156.1 | BAA03743.1 | AAC61787.1 | AAB65412.1 | CAA40863.1 | AAB61213.1 | AAF06329.1 | AAK01176.1 | BAA12064.1 | CAA46233.1 | AAA79045.1 | | CAA69936.1 | AAB80947.1 | | | AAD17487.1 | AAB20352.1 | AAC39358.1 | AAC61839.1 | | | BAA96221.1 | AAD32141.1 | CAA42636.1 | | | AAD17487.1 | AAB20352.1 | AAC39358.1 |

PCT/US01/26685

| .20 | |
|---|--|
| Picea mariana Picea mariana Picea mariana Pinus radiata Oryza sativa Zea mays Lolium temulentum Hordeum vulgare Oryza sativa Lolium temulentum Oryza sativa Iolium temulentum Oryza sativa Triticum aestivum Triticum aestivum Triticum aestivum Coix lacryma-jobi Oryza sativa Zea mays | Hordeum vulgare Petroselinum crispum Petroselinum crispum Petroselinum crispum Nicotiana tabacum |
| U69482 U46582 AF023615 AF091458 AF335241 L46400 AF035379 AJ249146 L37528 AF035379 U78782 AF035378 U78782 X72743 L36436 M60599 M60599 M60599 W60599 W60599 M60598 U61730 L77616 X52850 | 1780 AF026538 1783 U56834 U48831 AF121354 AF121354 AF204925 AB026890 AF096299 AB026890 AF193802 AF193802 AF113383 AF121353 AB022693 AF121353 AB022693 |
| AAC97157.1 AAC97146.1 AAD09342.1 AAF04972.1 AAK21254.1 AAB00081.1 AAD10626.1 CAB97354.1 AAD10625.1 AAD10625.1 AAD10625.1 AAD564.1 AAD34264.1 AAD34264.1 AAA34264.1 AAA34264.1 AAA34263.1 AAA34263.1 AAA34263.1 AAA34263.1 AAA34263.1 AAAA34263.1 AAA34263.1 AAA34263.1 AAA34263.1 | SEQ ID NO. AADO9343.1 SEQ ID NO. AAC49528.1 AAC49527.1 AAD27591.1 SEQ ID NO. AAG35658.1 BAA87058.1 BAA86031.1 AAD16139.1 BAA87058.1 BAA86031.1 AAD16139.1 BAA86031.1 AAD16139.1 BAA823898.1 AAD55974.1 BAA82107.1 |
| Lycopersicon esculentum Vitis vinifera Oryza sativa Chlorella kessleri Chlorella kessleri Chlorella kessleri Chlorella kessleri Oryza sativa Picea abies Oryza sativa Beta vulgaris Lycopersicon esculentum Oryza sativa Iycopersicon esculentum Sesbania rostrata Medicago truncatula Medicago truncatula Lupinus albus Nicotiana tabacum Oryza sativa Oryza sativa | Sinapis alba Nicotiana tabacum Pimpinella brachycarpa Petunia x hybrida Petunia x hybrida Zea mays Petunia x hybrida Zea mays Petunia x hybrida Oryza sativa Elaeis guineensis Oryza sativa Pinus radiata Zea mays Gnetum parvifolium Oryza sativa |
| AJ132224 Y09590 AB052885 Y07520 X55349 X75440 AB052883 AB052883 AF173655 AJ132223 AP000615 AJ13222 AJ13222 AJ13222 AJ1322 AJ | 1776 U25696 X76188 AF082531 AF335244 AF335239 AF112148 AF335240 AF112148 AF335240 AF112148 AF207699 AF141965 U76726 AF112150 AF112150 AF006210 U69483 |
| CAB52689.1 CAA70777.1 BAB19864.1 CAA68813.1 CAA53192.1 BAB19862.1 BAB19862.1 AAD55054.1 CAB52688.1 BAA85398.1 CAB52690.1 | SEQ ID NO. 1 AAB1526.1 CAA53782.1 AAC33475.1 AAK21257.1 AAK21251.1 AAK21252.1 AAK21253.1 BAA81886.1 AAK21253.1 BAA81886.1 AAK21253.1 BAA81886.1 AAK21253.1 BAA81886.1 AAC37153.1 AAC37158.1 |

| Zea mays Zea mays Agrostemma githago Agrostemma githago Oryza sativa | Glycine max Glycine max Chlorella vulgaris Zea mays Avena strigosa Hordeum chilense Hordeum stenostachys | Camptotheca acuminata Camptotheca acuminata Oryza sativa Zea mays Zea mays Chlamydomonas reinhardtii | Mitochondrion Marchantia Fuchsia hybrid cultivar Qiu Fuchsia hybrid cultivar Qiu | Cucurbita maxima Lycopersicon esculentum Hordeum vulgare Taxus cuspidata Sorghum bicolor Cicer arietinum Cicer arietinum Glycyrrhiza echinata Glycyrrhiza echinata |
|---|--|--|--|--|
| M27821 M77792 U64310 U64309 X15819 | L23853 X56771 X64446 AF077372 L40147 L40151 | 1793 AF042321 AF042320 AB003491 M76685 M76684 | 1797 M68929 AF287344 AF287343 | 1799 AF212991 U54770 AF326277 AF318211 U74319 AJ238439 AJ012581 AB001379 AB001379 |
| AAA33483.1 AAB39555.1 AAB39555.1 CAA33817.1 | CAA453998.1 CAA45090.1 CAA45776.1 AAD17694.1 AAA96242.1 AAA96242.1 AAA96245.1 | SEQ ID NO. AAB97526.1 AAB97087.1 BAA19928.1 AAA33491.1 AAA33490.1 AAC25986.1 | SEQ ID NO. AAC09414.1 polymorpha AAG32322.1 94208 AAG32321.1 94208 | SEQ ID NO. AAG4177.1 AAB17070.1 AAK11616.1 AAK00946.1 AAC49659.1 CAB41490.1 CAA10067.1 BAAZ2422.1 BAA74465.1 |
| Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Petroselinum crispum Nicotiana tabacum | | Cucurbita maxima Solanum tuberosum Solanum tuberosum Spinacia oleracea Spinacia oleracea Betula pendula Lotus japonicus Phaseolus vulgaris Cichorium intybus | Glycine max Glycine max Hordeum vulgare Glycine max Phaseolus vulgaris Oryza sativa Zea mays Hordeum vulgare | |
| AF121354 AF121354 AF193771 AF204926 AF193770 | 786 D3822 D3821 X1406 L1156 AF314 X1405 | M33154 U95317 U76701 M32600 D86226 X54097 X80670 U01029 | AF055369 U13987 X57845 L23854 X53603 X15820 AF153448 | AF022780 U20450 X60173 AF203033 X64136 U39931 X06134 U08029 |
| AAD16138.1 AAD27591.1 AAF61864.1 AAG35659.1 AAF61863.1 | SEQ ID NO. 1 BAA07395.1 BAA07394.1 CAA32218.1 AAA33712.1 AAG30576.1 CAA32217.1 | AAA33114.1 AAB52786.1 AAB18985.1 AAA34033.1 BAA13047.1 CAA38031.1 CAA56696.1 AAA95940.1 CAA58909.1 | AAD19790.1 AAA96813.1 CAA40976.1 AAA96727.1 CAA37672.1 CAA33819.1 AAD38068.1 | AAB93560.1 AAA62316.1 CAA42739.1 AAF17595.1 CAA45497.1 AAC49460.1 AAC49459.1 CAA29497.1 AAA18377.1 |

| | | | | | | | | vinifera | | | | | | | | | | | 42 | 22 | | | | | | | | | | | | | | | | | | | | |
|-------------------|---------------------|----------------|-----------------|-----------------|-------------------|----------------|----------------|------------------|-------------------|-------------------|-------------|-------------|-------------|--------------------|--------------------|----------------|-----------------|---------------------|---------------|--------------|------------------------|------------------------|-------------|--------------------|----------------------|--------------------|-----------------|-------------------|---------------|----------------------|---------------------|------------------------|-------------------|-------------------|-------------------------|-----------------------------|-------------------|--------------|------------|----------------|
| Vitis vinifera | Vitis vinifera | | | | | Vitis vinifera | Vitis vinifera | labrusca x Vitis | la frutescens | Petunia x hybrida | | | | Sinapis alba | Sinapis alba | Brassica napus | Sorghum bicolor | Sorghum bicolor | Daucus carota | Oryza sativa | Pelargonium x hortorum | Pelargonium x hortorum | Glycine max | Hordeum vulgare | Nicotiana sylvestris | Hordeum vulgare | Euphorbia esula | Triticum aestivum | Citrus unshiu | Nicotiana sylvestris | Nicotiana glutinosa | Oryza sativa | Oryza sativa | Oryza sativa | Nicotiana sylvestris | Euphorbia esula | Zea mays | Oryza sativa | Zea mays | Oryza sativa |
| AB047095 | AB047092 | AE000371 | AB047098 | AB047096 | AB047094 | AB047099 | AB047097 | AB047091 | AB002818 | AB027454 | AF028237 | | 1807 | L31374 | L31377 | 214143 | X57662 | AF310215 | X58146 | AF010579 | AF009004 | AF009003 | AF169205 | U49482 | D16204 | 248624 | AF036339 | U32310 | AB007819 | D16205 | AE005359 | AF009411 | AJ002893 | AF010580 | D16206 | AE031933 | X61121 | AF011331 | AF034945 | AF001894 |
| BAB41022.1 | BAB41019.1 | AAB81682.1 | BAB41025.1 | BAB41023.1 | BAB41021.1 | BAB41026.1 | BAB41024.1 | BAB41018.1 | BAA19659.1 | BAA89008.1 | AAB86473.1 | | | AAA59212.1 | AAA59213.1 | CAA78513.1 | CAA40862.1 | AAG23220.1 | CAA41152.1 | AAB66884.1 | AAB63582.1 | AAB63581.1 | AAD48471.1 | AAB07749.1 | BAA03741.1 | CAA88558.1 | AAC61786.1 | AAA75104.1 | BAA92156.1 | BAA03742.1 | AAC50020.1 | AAB63589.1 | CAA05728.1 | AAB66885.1 | BAA03743.1 | AAC61787.1 | CAA43431.1 | AAB65412.1 | AAB88616.1 | AAB61213.1 |
| Mentha x piperita | Catharanthus roseus | Mentha spicata | Cicer arietinum | Cicer arietinum | Triticum aestivum | Vigna radiata | Glycine max | Pisum sativum | Lotus japonicus ' | Trifolium repens | Glycine max | Glycine max | Glycine max | Trifolium pratense | Trifolium pratense | Vigna radiata | Vigna radiata | Catharanthus roseus | | | Nicotiana tabacum | Verbena x hybrida | | Perilla frutescens | . Citrus unshiu | Perilla frutescens | Brassica napus | • | | Nicotiana tabacum | ь. Б | Forsythia x intermedia | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Dorotheanthus bellidiformis | Gentiana triflora | | | Vitis vinifera |
| 233875 | AJ238612 | AF124815 | AJ239051 | AJ249800 | AB036772 | AF195809 | AF195818 | AF195812 | AB025016 | AF195815 | AF135484 | AF022462 | AF195819 | AF195811 | AF195810 | 958 | AF195807 | L19074 | | 1802 | AF190634 | AB013598 | AB027455 | AB013596 | AB033758 | AB013597 | 4 | AF199453 | U32644 | AF346431 | 7 | AF127218 | 43 | O | | X18871 | D85186 | | AE000372 | AB047093 |
| CAA83941.1 | CAB56503.1 | AAD44150.1 | CAB43505.1 | CAB56742.1 | BAB40322.1 | 0 | AAF45142.1 | AAF34533.1 | BAA93634.1 | AAF34536.1 | AAD38929.1 | AAB94591.1 | AAF45143.1 | AAF34532.1 | AAF34531.1 | AAF34529.1 | AAF34528.1 | AAA17732.1 | | | • | BAA36423.1 | • | • | BAA93039.1 | • | AAF98390.1 | AAF17077.1 | AAB36653.1 | AAK28303.1 | BAA83484.1 | AAD21086.1 | AAB36652.1 | • | • | CAB56231.1 | BAA12737.1 | ۲. | AAB81683.1 | BAB41020.1 |

| Oryza sativa Lycopersicon esculentum | | hybrid | hybrid | hybrid | | Limnanthes douglasii | | | Sorghum bicolor | Nicotiana tabacum | Brassica napus | Citrus unshiu | Petunia x hybrida | Perilla frutescens | Vitis labrusca x Vitis vinifera | Scutellaria baicalensis | Vitis vinifera | Vitis vinifera | Vitis vinifera | Vitis vinifera | | | | Vitis vinifera | Forsythia x intermedia | | Vitis vinifera | Vítis vinifera | Verbena x hybrida | Perilla frutescens | Nicotiana tabacum | Nicotiana tabacum | Zea mays | Nicotiana tabacum | Nicotiana tabacum | Zea mays | Zea mays | Zea mays |
|--|--------------|---------------|----------------------|------------|------------|----------------------|---------------|-------------------|-----------------|-------------------|-------------------|-------------------|----------------------|--------------------|---------------------------------|-------------------------|----------------|-------------------|-------------------|-------------------|-----------------|-------------|-----------------|-------------------|------------------------|-----------------|-----------------|----------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------|--------------|--------------|
| AB056063 X71900 | 1811 | 280863 | D49385 | D49384 | D49383 | AF247133 | | 1812 | AF199453 | AF190634 | AF287143 | AB033758 | AB027455 | AB013596 | AB047091 | AB031274 | AB047099 | AB047097 | AB047093 | AB047095 | AB047092 | AB047098 | AB047096 | AB047094 | AF127218 | AB047090 | AE000371 | AF000372 | AB013598 | AB013597 | U32643 | AF346432 | X07937 | U32644 | AF346431 | X13500 | X07940 | AE320086 |
| BAB32871.1 CAA50719.1 | SEQ ID NO. | AAB50679.1 | BAA23136.1 | BAA23135.1 | BAA23134.1 | AAG28599.1 | | SEQ ID NO. | AAE17077.1 | AAE61647.1 | AAF98390.1 | BAA93039.1 | BAA89009.1 | BAA36421.1 | BAB41018.1 | BAA83484.1 | BAB41026.1 | BAB41024.1 | BAB41020.1 | BAB41022.1 | BAB41019.1 | BAB41025.1 | BAB41023.1 | BAB41021.1 | AAD21086.1 | BAB41017.1 | AAB81682.1 | AAB81683.1 | BAA36423.1 | BAA36422.1 | AAB36652.1 | AAK28304.1 | CAA30760.1 | AAB36653.1 | AAK28303.1 | CAA31855.1 | CAA30761.1 | AAK16410.1 |
| Medicago sativa Nicotiana sylvestris Triticum aestivum | Oryza sativa | Pisum sativum | Nicotiana sylvestris | | | Phaseolus vulgaris | Pisum sativum | Solanum tuberosum | Hordeum vulgare | Hordeum vulgare | Triticum aestivum | Triticum aestivum | Lavatera thuringiaca | Pinus sylvestris | Hordeum vulgare | Hordeum vulgare | Prunus dulcis | Helianthus annuus | Helianthus annuus | Elaeis guineensis | Sorghum bicolor | Glycine max | Sorghum bicolor | Helianthus annuus | Zea mays | Hordeum vulgare | Hordeum vulgare | | | Petunia x hybrida | Petunia x hybrida | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Oryza sativa | Oryza sativa | Oryza sativa |
| AF191305 D83696 AF315811 | AJ002894 | U81287 | D28862 | | 1808 | U54703 | 214145 | 069633 | AF043093 | AF181458 | 073211 | U73210 | AF044584 | AJ289610 | AF043086 | AF181461 | AF172263 | AJ010944 | AJ002741 | AF236067 | U11696 | AF004807 | U63831 | X92647 | X15290 | X98326 | X15289 | | 1810 | L16977 | L16797 | AF020425 | U54774 | AF352732 | AF020424 | AB056062 | AB056060 | AB056061 |
| AAF06329.1 BAA12064.1 AAK01176.1 | CAA05729.1 | AAB71417.1 | BAA22083.1 | | | AAB00554.1 | CAA78515.1 | AAB53203.1 | AAD02259.1 | AAF01696.1 | AAB18202.1 | AAB18201.1 | AAC02689.1 | CAB93666.1 | AAD02252.1 | AAF01699.1 | AAD50291.1 | CAA09421.1 | CAA05713.1 | AAF60172.1 | AAA19693.1 | AAB71225.1 | AAB05927.1 | CAA63339.1 | CAA33364.1 | CAA66970.1 | CAA33363.1 | | SEQ ID NO. 1 | AAA33710.1 | AAA33709.1 | AAC24195.1 | AAB40608.1 | AAK18620.1 | AAC39483.1 | BAB32870.1 | BAB32868.1 | BAB32869.1 |

| Chlamydomonas reinhardtii | | Dianthus caryophyllus | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | | | Nicotiana tabacum | Nicotiana tabacum | Oryza sativa | Nicotiana tabacum | Glycine max | Zea mays | Oryza sativa subsp. japonica | Zea mays | Nicotiana tabacum | Triticum aestivum | Triticum aestivum | Ricinus communis | Spinacia oleracea | Lycopersicon esculentum | | | Glycine max | | | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | Lotus japonicus | Nicotiana tabacum | Fagus sylvatica | Nicotiana tabacum |
|-----------------------------|------------|-----------------------|-------------------|------------------|-----------------|------------|--------------|---------------------------|-------------|---------------------------|-------------|--------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------------------|---------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------------|--------------|--------------|-------------|---------------------|---------------------|-------------------------------|-------------------------------|------------------|-------------------|---------------------------|---------------------------|
| U41189 | 1814 | AF339732 | AB042268 | AB042267 | AB042261 | AB031012 | AB024291 | AB042260 | AB004882 | AB031011 | AB042269 | AB060130 | | 1815 | 071108 | 071107 | AF042333 | U81312 | U43683 | 079669 | AF042332 | AF045570 | AF053766 | 060755 | U60754 | U81313 | AF237633 | AF328858 | | 1817 | U63726 | | 1818 | AF075581 | AE075579 | AF092431 | AJ277086 | AJ277744 | AJ277087 |
| AAB19183.1 | SEQ ID NO. | AAK14395.1 | BAB20581.1 | BAB20580.1 | BAB20579.1 | BAA85113.1 | BAA82873.1 | BAB17300.1 | BAA75253.1 | BAA85112.1 | BAB20582.1 | BAB41137.1 | | | AAB62808.1 | AAB62807.1 | AAC34989.1 | AAC34951.1 | AAB04057.1 | AAB70886.1 | AAC34988.1 | AAC04265.1 | AAC35787.1 | AAB49338.1 | AAB37769.1 | AAB62812.1 | AAF61950.1 | AAG59894.1 | | | AAB26960.1 | | | AAC36699.1 | AAC36697.1 | AAD17804.1 | CAC10358.1 | CAB90634.1 | CAC10359.1 |
| Dorotheanthus bellidiformis | 4 rg | | Gentiana triflora | Ipomoea purpurea | Hordeum vulgare | | | Populus tremula x Populus | | Populus tremula x Populus | | Gossypium hirsutum | Flaveria linearis | Gossypium hirsutum | Flaveria brownii | Spinacía oleracea | Nicotiana tabacum | Nicotiana tabacum | Flaveria pringlei | Flaveria bidentis | Spinacia oleracea | Pisum sativum | Vigna radiata | Flaveria linearis | Glycine max | Medicago sativa | Zea mays | Oryza sativa | Oryza sativa | Oryza sativa | Zea mays | Urochloa panicoides | Urochloa panicoides | Nicotiana tabacum | Pyrus pyrifolia | Coccomyxa sp. PA | | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii |
| Y18871 | AB027454 | AB002818 | D85186 | AF028237 | X15694 | | 1813 | 055838 | | U55837 | | AF132855 | U19738 | AF132854 | U08402 | J05403 | L19255 | M94135 | U19737 | 008398 | M27295 | M63627 | AF139464 | U19740 | AJ239132 | X93312 | U08401 | AB016283 | AF182806 | U08404 | U08403 | U19739 | U19741 | AB009887 | AF195204 | 049976 | 080805 | U80804 | U41190 |
| CAB56231.1 | BAA89008.1 | BAA19659.1 | BAA12737.1 | AAB86473.1 | CAA33729.1 | | SEQ ID NO. 1 | AAB65822.1 | tremuloides | AAC49785.1 | tremuloides | AAD29050.1 | AAA86993.1 | AAD29049.1 | AAA86942.1 | AAA34027.1 | AAA34057.1 | AAA34065.1 | AAA86992.1 | AAA86939.1 | AAA34026.1 | AAA33652.1 | AAD27876.2 | AAA86994.1 | CAB43571.1 | CAA63712.1 | AAA86944.1 | BAA31953.1 | AAD56038.1 | AAA86943.1 | AAA86945.1 | AAA69027.1 | AAA69028.1 | BAA95793.1 | AAF78507.1 | AAC33484.1 | AAC49888.1 | AAC49887.1 | AAB19184.1 |

| | olor | olor a | | ä | ū | stivum | Ġ | n esculentum | | sativus | abacum | gare | tuberosum | ú | tuberosum | vulgare | gare | 42 areb | | tabacum | ma plantagineum | ପ୍ | Ф | ď | | | cabacum | Chlamydomonas eugametos | stivum | aestivum | Mesembryanthemum crystallinum | м | | | 7a | abacum | | 4.5 | זרמ |
|------------|-----------------|--|------------|--------------|-------------------------------|-------------------|--------------|-----------------|--------------|-------------|-------------------|---------------------|-------------|----------------|----------------|-------------|-----------------|-----------------|-------------------|-----------------|-------------------|-------------------|--------------|--------------|---------------------------|---------------------------|-------------------------|-------------------------|-----------------------|-------------|-------------------------------|----------------|----------------|---------------------------|--------------|-------------------|------------|-----------------------|-------------|
| | Sorghum bicolor | Sorghum bicolor Orvza sativa | Zea mays | Oryza sativa | Oryza sativa | Triticum aestivum | Oryza sativa | Lycopersicon | | Cucumis sat | Nicotiana tabacum | Hordeum vulgare | Solanum tub | Oryza sativa | Solanum tub | Hordeum vul | Hordeum vulgare | Hordeum vulgare | Oryza sativa | Nicotiana t | Craterostigma | Oryza sativa | Oryza sativa | Oryza sativa | Vicia faba | Glycine max | Nicotiana tabacum | Chlamydomor | Triticum aestivum | Triticum ae | Mesembryant | Glycine max | | | Oryza sativa | Nicotiana tabacum | | utainer emit | |
| 1831 | Y12464 | Y12465 AF004947 | AF141378 | AB011967 | AP002482 | AB011670 | AB011968 | AF143743 | AF128443 | X10036 | D26602 | X82548 | X95997 | AF062479 | U83797 | AJ007990 | X65606 | X65604 | 055768 | 073938 | AJ005373 | AB002109 | D88399 | AC084763 | AF186020 | L38855 | U73939 | Z49233 | U29095 | M94726 | 226846 | U69173 | | 1833 | | D26015 | 6 | 1839 7815667 | |
| SEQ ID NO. | CAA73067.1 | CAA73068.1 AAB62693.1 | AAF22219.1 | BAA83688.1 | BAA96628.1 | BAA34675.1 | BAA83689.1 | AAF66639.1 | AAD23582.1 | CAA71142.1 | BAA05649.1 | CAA57898.1 | CAA65244.1 | AAC99329.1 | AAB52224.1 | CAA07813.1 | CAA46556.1 | CAA46554.1 | AAB05457.1 | AAD00239.1 | CAA06503.1 | BAA19573.1 | BAA13608.1 | AAG60195.1 | AAF27340.1 | AAB68962.1 | AAD00240.1 | CAA89202.1 | AAB58348.1 | AAA96325.1 | CAA81443.1 | AAB80692.1 | | SEQ ID NO. | BAB21205.1 | BAA22813.1 | | SEQ ID NO. | AAE 40000.1 |
| | | Lotus japonicus Mesembruanthemum crustallinum | | | Mesembryanthemum crystallinum | Zea mays | Zea mays | Fagus sylvatica | Oryza sativa | 1 | | Fragaria x ananassa | × | Brassica napus | Lactuca sativa | | | Oryza sativa | Triticum aestivum | Sorghum bicolor | Triticum aestivum | Triticum aestivum | | | Nicotiana plumbaginifolia | Nicotiana plumbaginifolia | Lycopersicon esculentum | Zea mays | Asparagus officinalis | Zea mays | Zea mays | Vitis vinifera | Vitis vinifera | Nicotiana plumbaginifolia | | | | Chlorella sorokiniana | |
| AJ298987 | AF097667 | AE092432 ae079355 | AE075580 | X11607 | AF075582 | AF213455 | U81960 | AJ298988 | AE075603 | | 1825 | AJ297967 | Z69596 | X94225 | AF162204 | | 1826 | AB025047 | Y09291 | U74319 | Y09292 | AJ251798 | | 1827 | AJ277950 | Y08293 | U48695 | 093561 | AJ011096 | D49475 | U93560 | AJ303070 | X86924 | Y08292 | | AJ011006 | X58831 | X58832 | |
| CAC09575.1 | AAD11430.1 | AAD17805.1 | AAC36698.1 | CAA72341.1 | AAC36700.1 | AAG43835.1 | AAB93832.1 | CAC09576.1 | AAC26828.1 | | SEQ ID NO. 1 | | CAA93442.1 | CAA63919.1 | AAF19789.1 | | SEQ ID NO. 1 | | CAA70475.1 | AAC49659.1 | CAA70476.1 | CAB64667.1 | | SEQ ID NO. | CAB94837.1 | CAA69601.2 | AAB39508.1 | AAB51596.1 | CAA09478.1 | BAA08445.1 | AAB51595.1 | CAC18730.1 | CAA60507.1 | CAA69600.1 | CAB94836.1 | CAA09456.1 | CAA41635.1 | CAA41636.1 | |

| Lactuca sativa Brassica oleracea Brassica napus Brassica napus Triticum aestivum Brassica napus | Brassica rapa Brassica napus Aegilops ventricosa Brassica napus Brassica oleracea Hordeum vulgare Hordeum vulgare Brassica napus Brassica napus Brassica rapa | Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Cycopersicon Cyza sativa Cyza sativa Cyza sativa Cyza sativa Cytis vinifera Cytis vinifera Cytis vinifera Cycopersicon Cycopersico |
|---|---|--|
| AF113950 AF338960 AF107545 AF107547 AF325198 AF107550 | AF338966 AF209500 AF158634 AF338951 AJ302293 AJ302292 AF263326 AF209487 AF338972 AF325196 | 1853 AF053998 AF053995 AF053994 AF053996 AJ002236 AJ002236 AJ002236 AJ002237 AJ117265 AJ11726 AJ117 |
| AAD04191.1 AAK18295.1 AAG43184.1 AAG43186.1 AAK20742.1 AAK20742.1 | 8299.1 0143.1 9148.1 2747.1 9242.1 9242.1 9241.1 0134.1 0736.1 | SEQ ID NO. AAC78596.1 AAC78591.1 AAC78593.1 AAC78592.1 AAC78594.1 CAA05274.1 AAA65235.1 CAA05276.1 AAC78595.1 CAA05276.1 AAC78595.1 CAA05276.1 AAC78595.1 CAA05276.1 AAC78595.1 CAA05276.1 AAC7859.1 BABO8215.1 BAAC80225.1 AAC80225.1 AAC80225.1 AAC80225.1 AAC80225.1 AAC80225.1 CAB55409.1 CAB55409.1 CAB55409.1 AAC80225.1 AAC80225.1 AAC80225.1 AAC80225.1 CAC10270.1 |
| Spinacia oleracea Nicotiana sylvestris Pisum sativum Zea mays Oryza sativa | Helianthus annuus Helianthus annuus Brassica napus Brassica napus Brassica napus Brassica napus Avena sativa Avena sativa | range of the control |
| X99937 D16247 AF271892 AF079782 AB042644 | | AF032679 AF181728 AF538967 AF209495 AF209499 AF209499 AF209499 AF107548 AF118127 AF107548 AF113948 AF113948 AF113957 AF072271 AF113948 |
| CAA68193.1 BAA03763.1 AAF75791.1 AAD20980.1 BAA95705.1 BAA95704.1 | | AAC21232.1 AAE196976.1 AAE18300.1 AAG40139.1 AAG40140.1 AAG40142.1 AAG40142.1 AAG40142.1 AAG43187.1 AAD27815.1 AAD27815.1 AAD3156.1 AAD3156.1 AAD3156.1 AAD3156.1 AAD3156.1 AAD3156.1 AAD3156.1 AAC32203.1 AAG52749.1 AAC32203.1 AAC32203.1 |

| Populus tremuloides Mesembryanthemum crystallii Ipomoea batatas Spinacia oleracea Nicotiana plumbaginifolia Zea mays Lycopersicon esculentum Paulownia kawakamii Capsicum annuum Manihot esculenta Lycopersicon esculentum Lycopersicon esculentum Ananas comosus Carica papaya Zantedeschia aethiopica Cicer arietinum | Solanum tuberosum Cryza sativa Cryza sativa Zea mays Zea mays Pisum sativum Cryza sativa Cryza sativa Cryza sativa Solidago canadensis Zea mays Zea mays | Panax ginseng Pinus sylvestris Pinus sylvestris Spinacia oleracea Zea mays Solidago canadensis Triticum aestivum Marchantia paleacea Chloroplast Triticum aestivum Betula pendula |
|---|---|---|
| | | |
| AF016892 U80069 X73139 X53872 X55974 X17565 X87372 AF009734 AF170297 M37150 X14040 AJ250667 X13610 AJ250667 X13610 AF054150 | AE354/48 L19434 L19434 W34727 X17564 M63003 L19435 D00999 AE328859 L36320 D49485 M54936 | AF'034630 AJ307586 AJ002604 D10244 U34726 D49486 U69632 AB004870 U69536 |
| AAD01604.1 AAB40394.1 CAA51654.1 CAA37866.1 CAA5982.1 CAA60826.1 AAB66812.1 AAB66812.1 AAB66812.1 AAA34194.1 CAA32199.1 CAA373929.1 CAA73929.1 CAA73929.1 CAA73929.1 | AAC14465.1 BAAC14465.1 BAAC14465.1 AAB49913.1 CAB57993.1 AAC14464.1 BAAC0799.1 AAK06837.1 BAAC0839.1 AAR33917.1 BAAC33917.1 CAA41454.1 | AAB8 / 5 / 2 . 1 CAC3 44 48 . 1 CAAO5633 . 1 BAAO1088 . 1 AAB4 9912 . 1 BAAC 9912 . 1 BAAC 9919 . 1 AAB67990 . 1 CAB66335 . 1 |
| 0 a 4 4 4 b 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | | Triticum aestivum Triticum aestivum Spinacia oleracea Lycopersicon esculentum Raphanus sativus Brassica rapa subsp. pekinensis Brassica juncea Brassica juncea Prassica juncea |
| AF090143 AJ242828 U32440 AB000834 AF195654 AL442113 U71244 AJ31731 AB031870 AB029918 AF003007 AF178653 AF227324 U57787 U77657 AJ5224 | A13623 1856 U71108 U71107 AF042333 U81312 U43683 U81313 AF053766 AF042332 U79669 AF045570 | 060/55 U60754 AF237633 AF328858 1857 AF009735 AF071112 X95728 X95726 AF016893 |
| AAC36740.1 CAB62167.1 AAB38064.1 BAA74546.2 AAF06347.1 CAC09477.1 AAB95118.1 CAA10492.1 BAA95017.1 BAA95165.1 AAB61590.1 AAB61590.1 AAB62264.1 AAB62259.1 AAB62259.1 CCAA09228.1 CCAA09228.1 | | |

| Zea mays Zea mays Tradescantia virginiana Oryza sativa Picea mariana Nicotiana tabacum | Mesembryanthemum crystallinum Nicotiana tabacum Spinacia oleracea Oryza sativa Mesembryanthemum crystallinum Solanum tuberosum Pisum sativum Spinacia oleracea Chlamydomonas reinhardtii Chlamydomonas reinhardtii | Solanum berthaultii 88 Solanum berthaultii 88 Oryza sativa Sorghum bicolor Sorghum bicolor Oryza sativa Oryza sativa Nicotiana tabacum Zea mays Cucumis sativus Glycine max | Mitochondrion Triticum aestivum Nicotiana tabacum Petroselinum crispum Petroselinum crispum Petroselinum crispum Avena fatua |
|---|--|---|--|
| AF289237 D38452 AF009337 AP001168 AF051211 AF087813 | 1861 Z30329 X71057 Z30330 AP002816 Z30333 X90990 M92989 Z30332 AB042714 AB042715 AF143505 | X97980 X97980 AP002481 X12465 X12464 AB011968 AB011967 D26602 AF141378 X10036 AF128443 1862 H34402 | AF091838 1863 AB020023 U58834 AF121354 U58540 Z48429 |
| AAG01179.1 BAA22410.1 AAC24961.1 BAA90814.1 AAC32116.1 AAD52092.1 | SEQ ID NO. CAB82852.1 CAA50374.1 CAA82991.1 BAB03409.1 CAA62476.1 AAA50304.1 CAA82993.1 BAB18104.1 BAB18105.1 | | AAF32492.1 SEQ ID NO. BAA77358.1 AAC49528.1 AAD27591.1 AAC49529.1 CAA88326.1 |
| Fragaria x ananassa Marchantia polymorpha Marchantia polymorpha Marchantia polymorpha Marchantia polymorpha Zea mays | itiv itiv a p max max | Ace mays Nicotiana tabacum Solanum tuberosum Ipomoea batatas Daucus carota Medicago sativa Oryza sativa Oryza sativa Cucumis sativus Arachis hypogaea Oryza sativa | α > > Ω ο |
| AE035944 AE035944 AB017517 AB017515 AB017516 AB017516 AB017515 | D84408 D84408 D85039 U08140 X81394 U28376 L27484 AF090835 U69173 | LL5390 AF072908 AF115406 D87707 X56599 X96723 AP000615 X81393 AF048691 AY027885 Y18055 AC073166 D13436 | AF1933 AF194414 AF194413 AF030879 X83869 D84508 S82324 D84507 |
| SEQ ID NO. 1 AAB88537.1 BAA81751.1 BAA81749.1 BAA81750.1 BAA817760.1 CAA0748.1 | AAA12338.1 BAA12338.1 BAA12715.1 AAC49405.1 CAA57157.1 AAB49984.1 AAA61682.1 AAA61682.1 AAA17800.1 AAB80692.1 AAB80692.1 | AAA35443.1 AAC25423.1 AAD28192.2 BAA13440.1 CAA39936.1 CAA65500.1 BAA85396.1 CAA57156.1 AAC05270.1 AAC05270.1 AAC05270.1 AAC0608.1 BAA02698.1 | |

| WO 02/016655 | | PCT/US01/26685 |
|---|--|--|
| nica | pekinensis 429 | |
| Capsicum annuum Glycyrrhiza echinata Catharanthus roseus Zea mays Zea mays Triglochin maritimum Eschscholzia californica Helianthus tuberosus | | |
| AF122821 AB001379 L19074 X81829 Y11404 AF140609 AF014802 AJ0004778 | 1870 AF090836 X70666 X96446 M19048 M19040 M19040 M19046 AF004018 D84390 X96449 | X81708 X81706 X81710 X96447 X96447 AF132001 AF132001 AF253970 AF253970 |
| AAF27282.1 BAA22422.1 AAA17732.1 CAA57423.1 CAA72208.1 AAF66543.1 AAC39454.1 CAA04117.1 | | |
| Petroselinum crispum Nicotiana tabacum Nicotiana tabacum Avena fatua Cucumis sativus Nicotiana tabacum Matricaria chamomilla Nicotiana tabacum | Vitis vinifera Brassica napus Actinidia deliciosa Lycopersicon esculentum Medicago sativa Brassica napus Oryza sativa Mesembryanthemum crystallinum Medicago sativa Cichorium intybus Triticum aestivum Vitis riparia Euphorbia esula Triticum aestivum Brassica rapa subsp. pekinensis Vicia sativa Vicia sativa Vicia sativa Vicia sativa Vicia sativa Vicia sativa | д вдди Ф |
| U48831 AF096299 AF096298 Z48431 L44134 AF193771 AF193771 | 1866 AJ005686 AF314811 U92286 U60267 X98421 AF9714 AF0244 AF022914 AF022914 AF123609 AF123609 AF030260 AF030260 AF030260 AF0303060 AF0338402 | AF022457 AF155332 AF069494 Z49263 AF081575 X70824 AF140610 AF022461 |
| AAC49527.1 AAD16139.1 AAD16138.1 CAA88331.1 AAC37515.1 AAF61864.1 BAA87069.1 | SEQ ID NO. 1 CAB40834.1 AAK01360.1 AAC14481.1 AAB67875.1 CAA67069.1 AAC18862.1 AAC18862.1 AAC18862.1 AAC18862.1 AAC18862.1 AAC84137.1 AAC841474.1 | AAB94586.1 AAD56282.1 AAD03415.1 CAA89260.1 AAC32274.1 CAA50155.1 AAF66544.1 AAB94590.1 BAA74465.1 |

| | | | | | | | | | | | | | | | | Ø | | 43 | 0 | | | | | | | | | | | | | | | | | | ŭ | | |
|-----------------------|--------------------------|--------------|-------------------|-------------------|-------------------|-----------------|-------------------|-------------------|-----------------------|-------------------|-------------------|--------------------|-----------------------|-------------------|--------------------|----------------------------|---------------------------|-----------------|----------------|--------------|---------------|------------------|----------------------|---------------------------|----------------------|------------------|----------------|---------------------------------|-----------------|-----------------|---------------------------|----------------|--------------------|--------------|-----------------------|--------------------|---------------------------------|--------------|---------------------------------|
| | Petunia x hybrida | 1 | | Nicotiana tabacum | Pisum sativum | Tagetes erecta | Nicotiana tabacum | Nicotiana tabacum | Physcomitrella patens | Gentiana lutea | | | Physcomitrella patens | Nicotiana tabacum | Lilium longiflorum | Plastid Neottopteris nidus | Chlamydomonas reinhardtii | | | Pinus taeda | Beta vulgaris | Ricinus communis | Ricinus communis | Nicotiana plumbaginifolia | Berberis stolonifera | Prunus armeniaca | Zea mays | Hordeum vulgare | Hordeum vulgare | | Chlamydomonas reinhardtii | Brassica napus | Solanum melongena | Zea mays | Parthenium argentatum | Pennisetum ciliare | Lithospermum erythrorhizon | | |
| : | 1875 AB006599 | | 1876 | AJ133453 | Y15383 | AF251346 | AJ271748 | AF205858 | AJ249138 | AF205859 | AJ249140 | AJ249139 | AJ001586 | AJ271750 | AB042101 | AF275720 | AF203636 | | 1877 | AF283816 | AJ002057 | 074630 | U74631 | Z71395 | AF052040 | AF134733 | X89813 | L27348 | L27349 | AF190454 | AJ000765 | AF019376 | AB018243 | X78057 | X82578 | AF325720 | AB026251 | | 1878 |
| | SEQ ID NO. BAA21921.1 | | | CAB41987.1 | CAA75603.1 | AAF81220.1 | CAB89286.1 | AAF23770.1 | CAB54558.1 | AAF23771.1 | CAB76387.1 | CAB76386.1 | CAA04845.2 | CAB89288.1 | BAA96782.1 | AAE87239.1 | AAE19407.1 | | | AAG01147.1 | CAA05161.1 | AAB71419.1 | AAB71420.1 | CAA95999.1 | AAD17490.1 | AAD32207.1 | CAA61939.1 | AAA32948.1 | AAA32949.1 | AAE01470.1 | CAB54526.1 | AAB70919.1 | BAA85118.1 | CAA54975.1 | CAA57914.1 | AAK15502.1 | BAA77025.1 | | SEQ ID NO. |
| Hyacinthus orientalis | Atriplex hortensis | | Petunia x hybrida | Nicotiana tabacum | Petunia x hybrida | Capsicum annuum | Malus x domestica | Malus x domestica | Antirrhinum majus | Malus x domestica | Malus x domestica | Eucalyptus grandis | Malus x domestica | Petunia x hybrida | Petunia x hybrida | Malus x domestica | Malus x domestica | Capsicum annuum | Aranda deborah | Oryza sativa | Oryza sativa | Hordeum vulgare | Nicotiana sylvestris | Antirrhinum majus | Antirrhinum majus | Sinapis alba | Betula pendula | Dendrobium grex Madame Thong-In | Pisum sativum | Sorghum bicolor | Oryza sativa | Oryza sativa | Eucalyptus grandis | Oryza sativa | Oryza sativa | Malus x domestica | Dendrobium grex Madame Thong-In | Oryza sativa | Dendrobium grex Madame Thong-In |
| AF134116 | AF274033 | .873 | AF335236 | 87 | AF335241 | AF129875 | U78947 | AJ001681 | X95467 | U78949 | AJ000761 | AF029977 | AJ001682 | AF335234 | AF335235 | U78950 | AJ000760 | AF072534 | X69107 | U78892 | U78891 | AJ249147 | AF068722 | X95468 | X95469 | X08626 | AJ252070 | 17 | AJ223318 | U49734 | L34271 | AE204063 | AE029975 | AF141966 | AB003324 | 76 | AF107588 | U78782 | AF198174 |
| AAD22495.3 | AAE76898.1 | SEQ ID NO. 1 | AAK21249.1 | Н | AAK21254.1 | AAF22138.1 | AAC25922.1 | CAA04919.1 | CAA64741.1 | AAD51422.1 | CAA04323.1 | AAC78284.1 | CAA04920.1 | AAK21247.1 | AAK21248.1 | AAD51423.1 | CAA04322.1 | AAF77579.1 | CAA48859.1 | AAC49817.1 | AAC49816.1 | CAB97355.1 | AAD39034.1 | CAA64742.1 | CAA64743.1 | CAA69916.1 | CAB95648.1 | AAF13262.1 | CAA11258.1 | AAB50187.1 | AAA66187.1 | AAG35652.1 | AAC78282.1 | AAD38370.1 | BAA81882.1 | CAA04325.1 | AAD20816.1 | AAB64250.1 | AAF13260.1 |

| | | | | | | | | | | | | | | | | | 43 | 31 | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|-------------------------|-------------------------|----------------|------|--------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-----------------|---------------|---------------|-------------------|-----------------|---------------|---------------|-------------------|---------------------|-----------------|------------|----------------------|-------------------|-------------------------|----------------------|-----------------------|-------------------------|--------------------------|--------------------------|-------------------------|-------------------|-------------------|----------------|--------------|-----------------------------------|--------------|
| Brassica napus | Lotus japonicus Lycopersicon esculentum | Lycopersicon esculentum | Nepenthes alata | Brassica napus | | | Pisum sativum | Dolichos biflorus | Glycine soja | Glycine soja | Dolichos biflorus | Lotus japonicus | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Pisum sativum | Medicago sativa | | Pisum sativum | Solanum tuberosum | | Pisum sativum | | | Eucalyptus camaldulensis | Eucalyptus camaldulensis | Oryza sativa | Triticum aestivum | | | Oryza sativa | Sotanum tuberosum Oryza sativa | Oryza sativa |
| 1887 AE306518 | AJ279059 X95098 | AF118858 | AF080541 | AF188744 | | 1888 | AF305783 | AF156781 | AF207687 | AF207688 | AF139807 | AF156780 | AB038669 | AB038668 | AB038555 | AB038554 | AB027614 | AB027613 | AB023621 | AB022319 | AF156782 | AB027616 | AB027615 | U58597 | AB030444 | AB030445 | | 1889 | AF176035 | AF176036 | AF313388 | 016709 | | 1890 | AP001111 | 0320/9 AP001111 | AP000391 |
| SEQ ID NO. AAG28780.1 | CAC10555.1 CAA64475.1 | AAG11397.1 | AAD16012.1 | AAF01774.1 | | SEQ ID NO. | AAG22044.1 | AAF00610.1 | AAG32959.1 | AAG32960.1 | AAD31285.1 | AAF00609.1 | BAB18896.1 | BAB18895.1 | BAB18894.1 | BAB18893.1 | BAB18900.1 | BAB40230.1 | BAB18890.1 | BAA75506.1 | AAF00611.1 | BAA89275.1 | BAB40231.1 | AAB02720.1 | BAB18891.1 | BAB18892.1 | | SEQ ID NO. | AAF97728.1 | AAD53890.1 | AAG37274.1 | AAA52749.1 | | SEQ ID NO. | BAA90507.1 | BAA90508.1 | BAA83352.1 |
| Spinacia oleracea | Lycopersicon esculentum | | Lycopersicon esculentum | | | Phaseolus vulgaris | Phaseolus vulgaris | Zea mays | Petunja x hybrida | Petunia x hybrida | Petunia x hybrida | Oryza sativa | | | Nicotiana tabacum | Citrus sinensis | | | Solanum tuberosum | Stylosanthes hamata | Oryza sativa · | | Nicotiana sylvestris | Nicotiana tabacum | Lycopersicon esculentum | Nicotiana sylvestris | Matricaria chamomilla | Lycopersicon esculentum | Catharanthus roseus | Catharanthus roseus | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Brassica napus | | Oryza sativa | • |
| D84061 | 1879 AJ278332 | AB044940 | AJ242551 | (| 1880 | U18349 | U18348 | AE061107 | AE260919 | AF260918 | AE020545 | 039860 | | 1881 | AJ249786 | U82974 | | 1882 | 077655 | U91857 | AB037183 | AB016265 | AB016266 | AB024575 | U89255 | AB016264 | AB035270 | U89257 | AJ251249 | AJ251250 | U89256 | U81157 | AF057373 | AF084185 | 000 | AP001551 | |
| BAA12206.1 | SEQ ID NO. 1 | BAB40340.1 | CAB43506.1 | | | AAC28907.1 | AAB00686.1 | AAD15818.1 | AAG25928.1 | AAG25927.1 | AAC39455.1 | AAC49219.1 | | SEQ ID NO. 1 | CAB57457.2 | AAB57668.1 | | | AAC29516.1 | AAD00708.1 | BAB03248.1 | BAA97123.1 | BAA97124.1 | BAA76734.1 | AAC50047.1 | BAA97122.1 | BAA87068.1 | AAC49741.1 | CAB96899.1 | CAB96900.1 | AAC49740.1 | AAB38748.1 | AAC62619.1 | AAD45623.1 | | BAA92965.1 | |

| CAA94437.1 | 270524 | | CAA12231.1 | AJ224932 | |
|------------|----------|-------------------------------|------------|--------------------|--------------------------------------|
| BAA94511.1 | AB041505 | Populus nigra | CAA12233.1 | AJ224934 | Lycopersicon esculentum |
| SEO ID NO. | 1894 | | CAA72091.1 | Arusesee Y11208 | Capsicum amnumm Nicotiana tabacum |
| 313 | , | Fragaria x ananassa | CAB88668.1 | AJ400863 | Cicer arietinum |
| BAB08208.1 | AP002539 | ativ | CAA42530.1 | X59873 | Triticum aestivum |
| BAA96769.1 | AP002521 | | AAB04688.1 | U08226 | Zea mays |
| AAB40530.1 | U38199 | Oryza sativa | CAA12230.1 | AJ224931 | Lycopersicon esculentum |
| AAA90948.1 | U27350 | Oryza sativa | CAA40564.1 | X57312 | Zea mays |
| CAA57447.1 | X81854 | Nicotiana tabacum | CAA49584.1 | X69960 | Zea mays |
| CAA91445.1 | 266544 | Pisum sativum | CAA57778.1 | X82362 | Asparagus officinalis |
| AAA68290.1 | U07339 | Oryza sativa | CAA40565.1 | X57313 | Zea mays |
| AAC49442.1 | U26660 | Oryza sativa | CAA49585.1 | X69961 | Zea mays |
| CAA35589.1 | X17555 | Zea mays | BAA07156.1 | D37942 | Triticum aestivum |
| CAA42120.1 | X59546 | Zea mays | BAA07157.1 | D37943 | Triticum aestivum |
| AAA68289.1 | 007338 | Oryza sativa | BAA07159.1 | D37945 | Triticum aestivum |
| CAA57448.1 | X81855 | Nicotiana tabacum | AAA98454.1 | U16726 | Chlamydomonas reinhardtii |
| AAG22488.1 | AF195868 | Vitis vinifera | AAA98450.1 | U16725 | Chlamydomonas reinhardtii |
| CAA91444.1 | Z66543 | Pisum sativum | AAA98446.1 | U16724 | Chlamydomonas reinhardtii |
| CAB61763.1 | AJ251246 | Saccharum officinarum | AAA34248.1 | M31921 | Volvox carteri |
| CAA63404.1 | X92743 | Oryza sativa | AAA34250.1 | M31922 | Volvox carteri |
| BAA03354.1 | D14457 | Zea mays | AAC05126.1 | AF048824 | Malus x domestica |
| CAA79819.1 | 221722 | Zea mays | CAA64986.1 | X95690 | Allium cepa |
| | D14456 | Zea mays | BAA07158.1 | D37944 | Triticum aestivum |
| CAA79818.1 | | Zea mays | CAA64987.1 | X95691 | Allium cepa |
| • | | | BAA96095.1 | AB003780 | Lilium longiflorum |
| SEQ ID NO. | 1895 | | | | |
| CAA80559.1 | 223023 | Solanum tuberosum | | 1909 | |
| CAA12157.1 | AJ224847 | Zea mays | CAC26921.1 | AJ295607 | Arabidopsis lyrata subsp. |
| CAA54986.1 | X78069 | Flaveria pringlei | petraea | | |
| CAA45772.1 | | Mesembryanthemum crystallinum | BAA36553.1 | AB011795 | Citrus sinensis |
| AAB08874.1 | U67426 | Vitis vinifera | AAD56577.1 | AF184270 | Daucus carota |
| AAA67087.1 | L34836 | Vitis vinifera | AAC49929.1 | AF022142 | Petunia x hybrida |
| CAB66003.1 | | Apium graveolens | BAA75309.1 | AB023790 | Ipomoea batatas |
| AAA34174.1 | 127509 | Lycopersicon esculentum | BAA75308.1 | AB023789 | Ipomoea batatas |
| AAD11429.1 | AE097666 | Mesembryanthemum crystallinum | AAD26206.1 | AF117270 | Malus x domestica |
| AAA83963.1 | L35306 | Lycopersicon esculentum | AAB41102.1 | U74081 | Ipomoea purpurea |
| BAA76435.1 | AB025007 | Cicer arietinum | CAA53579.1 | X75965 | Vitis vinifera |
| | | | BAA21897.1 | D83041 | С. |
| SEQ ID NO. | 1896 | | CAA57410.1 | X81812 | |
| AAB97163.1 | AF025667 | Gossypium hirsutum | CAA55628.1 | X78994 | Medicago sativa |

| å. | 433 | , |
|--|---|---|
| | Oryza sativa Populus nigra Oryza sativa Lycopersicon esculentum Oryza sativa Brassica oleracea Catharanthus roseus Glycine max Lycopersicon esculentum Glycine max Lycopersicon esculentum Oryza sativa Nicotiana tabacum Glycine max Glycine max Pinus sylvestris Zea mays | Glycine max Ipomoea trifida Glycine max Solanum tuberosum Solanum tuberosum Oryza sativa Adiantum raddianum Adiantum raddianum |
| Y18217 U43543 1911 AY028699 AC073405 AY007545 U93048 AB041503 127821 AF131222 AF339747 | AB023482 AB041504 AP001551 U28007 V12531 X73295 AF244889 AF244890 U59316 AP001551 AF142596 AF24988 AF24988 | AF249317 U20948 AF197946 1912 AF122051 AF122053 AF122053 AF190304 AF190303 |
| σ | BAA78764.1 BAA92554.1 BAA92954.1 AAC61805.1 CAB51834.1 CAA73134.1 CAA73134.1 CAA97692.1 AAF91323.1 AAF91324.1 AAF91324.1 AAF91323.1 AAF91322.1 CAC20842.1 | AAF91336.1 AAC23542.1 AAF59905.1 SEQ ID NO. AAG08950.1 AAG08960.1 AAG08961.1 AAF34434.1 AAF67053.1 |
| Persea americana Chrysanthemum x morifolium Nicotiana tabacum Sea mays Bromheadia finlaysoniana Perilla frutescens Hordeum vulgare Juglans nigra Lotus corniculatus Malus sp. Populus balsamifera subsp. | Pinus taeda Pinus taeda Populus balsamifera subsp. Pinus taeda Pinus taeda Nicotiana tabacum Liriodendron tulipifera Pinus taeda Pinus taeda Pinus taeda Liriodendron tulipifera Pinus taeda Liriodendron tulipifera Pinus taeda Liriodendron tulipifera Pinus taeda Liriodendron tulipifera Pinus taeda Pinus taeda Liriodendron tulipifera Pinus taeda Pinus balsamifera subsp. | Acer pseudoplatanus Populus balsamifera subsp. Populus balsamifera subsp. Populus balsamifera subsp. Nicotiana tabacum Populus balsamifera subsp. |
| U23066 U86837 AF036093 U04434 X89199 AB002816 X58138 AJ278457 AF308856 X71360 | AF132122 AF132120 Y13772 AF132121 AF132126 U43542 U73106 U73105 AF132125 AF132123 U73103 AF132123 U73104 | U12757 Y13771 Y18218 Y13770 U45243 |
| AAC97525.1 AAB97310.1 AAC15414.1 AAA91227.1 CAA61486.1 BAA19657.1 CAA41146.1 CAB97360.1 AAG31153.1 CAA50498.1 SEQ ID NO. 1 | trichocarpa AAK37826.1 AAK37824.1 CAA74104.1 trichocarpa AAK37825.1 AAK37825.1 AAB17194.1 AAB17194.1 AAB17193.1 AAB17193.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 AAK37829.1 | trichocarpa AAB09228.1 CAA74103.1 trichocarpa CAC14719.1 trichocarpa CAA74102.1 trichocarpa AAC49538.1 CAA74101.1 |
| | | |

| | | | | 9 | |
|------------|----------|-------------------------|------------|----------|---------------------|
| AAF67050.1 | AF190301 | Secale cereale | AAK28804.1 | AF310959 | Linum usitatissimum |
| AAF67051.1 | AF190302 | Secale cereale | AAG09951.1 | AF175388 | Glycine max |
| CAA78388.1 | Z13998 | Petunia x hybrida | CAC35337.1 | AJ310162 | Linum usitatissimum |
| CAA72218.1 | Y11415 | Oryza sativa | CAC35330.1 | AJ310155 | Linum usitatissimum |
| BAA81731.1 | AB029160 | Glycine max | CAA08797.1 | AJ009719 | Solanum tuberosum |
| BAA81730.1 | AB029159 | Glycine max | CAC35326.1 | AJ310151 | Linum usitatissimum |
| CAA72217.1 | X11414 | Oryza sativa | CAC35325.1 | AJ310150 | Linum usitatissimum |
| BAA81736.1 | AB029165 | Glycine max | CAC35336.1 | AJ310161 | Linum usitatissimum |
| AAB41101.1 | U72762 | Nicotiana tabacum | CAC35328.1 | AJ310153 | Linum usitatissimum |
| BAA88223.1 | AB028651 | Nicotiana tabacum | CAC35332.1 | AJ310157 | Linum usitatissimum |
| BAA23340.1 | D88620 | Oryza sativa | CAC35339.1 | AJ310164 | Linum usitatissimum |
| BAA81733.2 | AB029162 | Glycine max | AAD25966.1 | AE093639 | Linum usitatissimum |
| BAA88222.1 | AB028650 | Nicotiana tabacum | CAC35338.1 | AJ310163 | Linum usitatissimum |
| CAB43399.1 | AJ006292 | Antirrhinum majus | AAG43546.1 | AF211528 | Nicotiana tabacum |
| BAA81732.1 | 9 | Glycine max | CAC35321.1 | AJ310150 | Linum usitatissimum |
| AAG28525.1 | AF198498 | Nicotiana tabacum | CAC35333.1 | AJ310158 | Linum usitatissimum |
| CAA50226.1 | X70881 | Hordeum vulgare | CAC35334.1 | AJ310159 | Linum usitatissimum |
| CAA50223.1 | X70878 | Hordeum vulgare | CAC35329.1 | AJ310154 | Linum usitatissimum |
| CAA78387.1 | Z13997 | Petunia x hybrida | AAD25969.1 | AF093642 | Linum usitatissimum |
| CAA67000.1 | X98355 | yza sa | AAD25974.1 | AF093647 | Linum usitatissimum |
| AAK19616.1 | AF336283 | Gossypium hirsutum | CAC35327.1 | AJ310152 | Linum usitatissimum |
| AAG28526.1 | 349 | Nicotíana tabacum | AAD25975.1 | AE093648 | Linum usitatissimum |
| CAA78386.1 | Z13996 | Petunia x hybrida | AAG01052.1 | AF175395 | Glycine max |
| CAA66952.1 | \sim | Lycopersicon esculentum | CAC35331.1 | AJ310156 | Linum usitatissimum |
| BAA23341.1 | \sim | Oryza sativa | CAC35323.1 | AJ310150 | Linum usitatissimum |
| CAA50221.1 | X70876 | Hordeum vulgare | AAD25968.1 | AE093641 | Linum usitatissimum |
| AAK19611.1 | AF336278 | ssypiu | AAA91022.1 | U27081 | Linum usitatissimum |
| CAA61021.1 | X87690 | Hordeum vulgare | AAD25976.1 | AF093649 | Linum usitatissimum |
| AAG22863.1 | AY008692 | Hordeum vulgare | AAA91021.1 | U27081 | Linum usitatissimum |
| | | | AAD25970.1 | AF093643 | Linum usitatissimum |
| ď | 1915 | | AAD25967.1 | AE093640 | Linum usitatissimum |
| AAA50763.1 | 015605 | Nicotiana glutinosa | AAB47618.1 | U73916 | Linum usitatissimum |
| AAK28809.1 | AF310962 | Linum usitatissimum | AAD25971.1 | AF093644 | Linum usitatissimum |
| AAK28810.1 | AF310964 | Linum usitatissimum | AAD25965.1 | AE093638 | Linum usitatissimum |
| AAK28812.1 | AF310968 | Linum usitatissimum | AAD25973.1 | AF093646 | Linum usitatissimum |
| AAK28808.1 | AF310961 | Linum usitatissimum | AAD25972.1 | AE093645 | Linum usitatissimum |
| AAK28805.1 | AF310960 | Linum usitatissimum | AAG01051.1 | AF175394 | Glycine max |
| CAA08798.1 | AJ009720 | Solanum tuberosum | AAG09954.1 | AF175399 | Glycine max |
| AAK28811.1 | AF310966 | Linum usitatissimum | AAG09953.1 | AF175398 | Glycine max |
| AAK28806.1 | AF310960 | Linum usitatissimum | | | ı |
| AAK28803.1 | AF310958 | Linum usitatissimum | SEQ ID NO. | 1918 | |

Phalaenopsis sp. 'True Lady' Phalaenopsis sp. 'True Lady 435 Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum Linum usitatissimum usitatissimum Linum usitatissimum Gossypium hirsutum Solanum tuberosum Nicotiana tabacum Solanum tuberosum Solanum tuberosum Striga asiatica Striga asiatica Setaria italica Vigna radiata Mimosa pudica Malva pusilla Oryza sativa Picea rubens Glycine max Avena nuda Linum AF288226 AJ310150 AF175399 AF112538 AF246715 AJ310156 AJ310159 AJ310150 AJ310163 AJ310157 AJ310150 AJ310158 AJ310155 AJ310153 AF310966 AF059484 AF234528 AF143208 AB032361 AF246714 AF093642 AJ310152 AF093641 AJ310161 AJ310164 AJ310151 AF310968 AF172094 AJ310162 AF310964 X55749 U27081 X63603 068462 X15865 X55752 U68461 U27081 X55751 1920 SEQ ID NO. AAE71265.1 AAD25969.1 CAC35334.1 AAD25968.1 CAC35332.1 CAC35325.1 CAC35336.1 CAC3533.1 CAA39280.1 BAA89214.1 CAA39281.1 AAE71264.1 AAD41039.1 CAC35337.1 CAC35331.1 CAC35323.1 CAC35327.1 AAA91022.1 AAA91021.1 CAC35338.1 CAC35321.1 AAG09954.1 CAC35330.1 CAC35328.1 CAC35339.1 CAC35326.1 AAK28812.1 CAA45149.1 AAC49651.1 AAE40438.1 AAF03692.1 AAF31643.1 CAA33874.1 AAG10041.1 AAK28810.1 AAK28811.1 AAC31886.1 CAA39278.1 AAC49652.1 Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Nicotiana sylvestris Nicotiana sylvestris usitatissimum Nicotiana glutinosa Linum usitatissimum usitatissimum Atriplex hortensis Nicotiana tabacum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Nepenthes alata Nepenthes alata Nepenthes alata Glycine max Glycine max Glycine max Vicia faba Vicia faba Vicia faba Vicia faba Linum Linum AF093639 AE093649 AF014810 AE014809 AF014808 AF080544 AF080543 AF080542 AF061435 AE061436 AE061434 AJ009720 AF211528 AJ009719 AF310958 AF310959 AF310962 AF310960 AE175395 AF175388 AJ310154 AE093645 AF093640 AE093638 AF093648 AF093647 AF093646 AE093644 AE093643 AF310961 AF175394 AE274032 073916 Y09826 X09591 U64823 U31932 Y09825 U15605 1919 SEQ ID NO. CAA70778.1 AAF76897.1 AAD25161.1 AAD16015.1 CAA70969.1 CAA70968.1 AAD16014.1 AAF15945.1 AAF15944.1 AAA50763.1 AAK28804.1 AAG01052.1 AAG01051.1 AAD25967.1 AAD25973.1 AAD25970.1 AAD25162.1 AAD25160.1 AAB96830.1 AAB48944.1 AAD16013.1 AAF15946.1 CAA08798.1 AAG43546.1 CAA08797.1 AAB47618.1 AAK28803.1 AAK28808.1 AAK28809.1 AAK28805.1 AAG09951.1 CAC35329.1 AAD25972.1 AAD25976.1 AAD25966.1 AAD25965.1 AAD25975.1 AAD25974.1 AAD25971.1

| crystalli: crystalli crystallinum | crystallinum crystallinum n | 436 | sa crystallinum lis |
|--|--|---|--|
| E E | 555 | Hordeum vulgare Triticum aestivum Hordeum vulgare Triticum aestivum Oryza sativa Medicago sativa Stylosanthes humilis | ທ ທ -⊢ |
| Nicotiana tabacum Mesembryanthemum Nicotiana tabacum Zea mays Fagus sylvatica Fagus sylvatica Mesembryanthemum Mesembryanthemum | Mesembryanthemum Fagus sylvatica Oryza sativa Zea mays Mesembryanthemum Cucurbita maxima Triticum aestivum Triticum aestivum Triticum aestivum | Hordeum vulgare Triticum aestivum Hordeum vulgare Triticum aestivum Oryza sativa Medicago sativa Stylosanthes humi | Fragaria x anana Fragaria x anana Mesembryanthemum Apium graveolens Apium graveolens Stylosanthes hum Pinus taeda Picea abies Picea abies Picea abies Picea abies Picea abies |
| AJ277086 AF075580 AJ277087 AF213455 AJ298987 AJ298987 AJ277744 AF079355 | AF075582 AJ298988 AF075603 U81960 AF075581 1927 AF284038 Y11486 AJ245878 AJ245878 | X97636 Y11485 X95277 Z49890 AP000969 AP083333 L36823 | AF320110 U63534 U79770 U24561 AF067082 L36456 Z37991 X72675 AJ001926 AJ001925 U62394 AJ001924 |
| CAC10358.1 AAC36698.1 CAC10359.1 AAG43835.1 CAC09575.1 CAB90634.1 AAC35951.1 AAD11430.1 | | | AAK28509.1 AAD10327.1 AAB38503.1 AAC15467.1 AAC61854.1 AAA74883.1 CAA86072.1 CAA86072.1 CAA05096.1 CAA05096.1 CAA05096.1 |
| | | | |
| | | Anemia phyllitidis Glycine max Magnolia denudata Chlamydomonas reinhardtii Chlamydomonas reinhardtii Volvox carteri Zea mays Scherffelia dubia Oryza sativa | Oryza sativa Glycine max Anemia phyllitidis Selaginella apoda Cosmarium botrytis Solanum tuberosum Medicago sativa Lotus japonicus Lotus japonicus Fagus sylvatica Mesembryanthemum crystallinum |
| AF111812 X79378 U81047 U81046 U76191 U76190 X90378 X16280 | X67666 AF282624 X68649 AF061019 U81049 U76193 AF091809 X55750 AF044573 V00450 AF061020 | AF091810 AF049106 AF281323 D50838 D50838 M33963 J01238 AF061018 X15864 | X15862 JO1297 AF091808 AF090969 AF090970 X55746 X11607 AF092431 AF092432 AF092432 |
| AAD03741.1 CAA55923.1 AAB38512.1 AAB38511.1 AAB18642.1 AAB18641.1 CAA62028.1 CAA34356.1 | CAA47899.1 AAF82805.1 CAA48609.1 AAC16054.1 AAB38514.1 AAB18644.1 AAC64127.1 CAA39279.1 CAA23728.1 CAA23728.1 | AAC64128.1 AAC05272.1 AAF87302.1 BAA09449.1 BAA34243.1 AAA33433.1 AAC16053.1 CAA33873.1 | CAA33871.1 AAA33940.1 AAC64126.1 AAD48335.1 AAD48336.1 CAA39276.1 SEQ ID NO. 1 CAA72341.1 AAD17804.1 AAD17805.1 CAB90633.1 |

| | | 437 | |
|--|--|--|---|
| Oryza sativa Populus nigra Oryza sativa Lophopyrum elongatum | Oryza sativa Zea mays Glycine max Glycine max Glycine max Nicotiana tabacum Daucus carota Pinus sylvestris Nicotiana tabacum Glycine max Oryza sativa Catharanthus roseus | Malus x domestica Oryza sativa Oryza sativa Oryza sativa Lophopyrum elongatum Lophopyrum elongatum Brassica napus Populus nigra Populus nigra Brassica napus | Glycine max Oryza sativa Lycopersicon esculentum Glycine max Oryza sativa Zea mays Nicotiana tabacum Oryza meyeriana Zea mays Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum |
| AB000367 AB041504 AB023482 AF131222 AF339747 | AC073405 U67422 AE244889 AE244888 AE302082 U93048 AJ250467 AF197947 AF197947 C0069 | AF053127 AP001800 AP001800 1936 AB023482 AF131222 AF339747 AY007545 AB041503 AB041503 AY028699 | AF249318 AC073405 U28007 AF249317 00069 AF023164 AF302082 AF290411 AF023165 U59316 AF318490 AF318490 |
| BAA82394.1 BAA94510.1 BAA78764.1 AAF43496.1 AAK11674.1 | AAGO3090.1 AAB09771.1 AAF91323.1 AAF91322.1 AAF91322.1 AAGC5966.1 AAGC5996.1 AAF66615.1 AAF59906.1 CAB51834.1 | | AAF91337.1 AAG03090.1 AAC61805.1 AAF91336.1 CAB51834.1 AAC27894.1 AAG33377.1 AAG33377.1 AAG33377.1 AAG33377.1 AAG33377.1 AAG33377.1 AAG33377.1 AAG33377.1 |
| Finus radiata Populus balsamifera subsp. Populus tremuloides Populus deltoides Nicotiana tahacum | Aralia cordata Aralia cordata Eucalyptus saligna Eucalyptus globulus Nicotiana tabacum Eucalyptus gunnii Lycopersicon esculentum Eucalyptus gunnii Zea mays Medicago sativa Zea mays Medicago sativa | Saccharum officinarum Lolium perenne Zihnia elegans Eucalyptus botryoides Brassica rapa Brassica napus Brassica napus Eucalyptus globulus Brassica napus Brassica oleracea | Solanum tuberosum Zea mays Zea mays Brassica napus Brassica napus Glycine max Populus nigra Lycopersicon esculentum Glycine max |
| AF205837 AJ295837 AF217957 X62343 | A62343 AF294793 AF294793 AF038561 X65631 AF146691 X75480 Y13733 Z19573 A7005702 | AJ231135 AF010290 D86590 D16624 AF207559 AF207557 AF207556 AF109157 AF207552 | 1929 X92491 1935 AF023164 AF023165 AY007545 AY028699 AF249317 AB041503 U28007 AF249318 |
| AAC31166.1 CAC07423.1 trichocarpa AAF43140.1 CAA79622.1 | | | SEQ ID NO. 1 CAA63223.1 SEQ ID NO. 1 AAC27894.1 AAC27895.1 AAG16628.1 AAK21965.1 AAK21965.1 AAK91336.1 BAA94509.1 AAC61805.1 |

| um. i.i. | 438 |
|--|---|
| Brassica napus Eucalyptus gunnii Cucumis sativus Brassica napus Oryza sativa Glycine max Pisum sativum Medicago sativa Brassica napus Chlamydomonas reinhardtii Vitis vinifera Dunaliella bioculata Brassica napus Medicago sativa Glycine max Glycine max | Brassica rapa Vitis vinifera Malus x domestica Malus x domestica Nicotiana tabacum Prunus avium Pyrus pyrifolia Vitis vinifera Castanea sativa Oryza sativa Cestrum elegans Pseudotsuga menziesii Nicotiana tabacum Avena sativa Oryza sativa Vitis vinifera Cicer arietinum Vitis vinifera Cicer arietinum Vitis vinifera Nicotiana tabacum Vitis riparia Nicotiana tabacum Vitis riparia Nicotiana tabacum Vitis riparia |
| AJ242712 X78800 L31900 AJ242713 D85763 AF06866 AF079850 AF020270 AJ006974 X92512 U40212 AF195869 AJ250842 X89451 AF180335 AF068687 | AF195653 AJ243427 AF090143 AB000834 U32440 AB006009 AF195654 AJ242828 AL442113 AB031870 AJ131731 AB029918 U57787 U77657 AF1253 AF128653 X15223 AL1223 |
| CAB43994.1 CAA55383.1 AAC41647.1 CAB43995.1 BAA12870.1 AAC24855.1 AAC24855.1 AAC24855.1 AAB99755.1 CAA61621.1 AAA84971.1 AAB99755.1 AAB99755.1 AAD56659.1 AAD56659.1 | |
| Nicotiana tabacum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Zea mays Catharanthus roseus Lycopersicon pimpinellifolium Daucus carota Lycopersicon pimpinellifolium Daucus carota Lycopersicon pimpinellifolium Phaseolus vulgaris Lycopersicon hirsutum Phragmites australis | Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum vulgare Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum Hordeum vulgare Hordeum vulgare Cryza sativa Zea mays Oryza sativa Lycopersicon esculentum Solanum tuberosum Oryza sativa Eycopersicon esculentum Coryza sativa Coryza sativa Lycopersicon esculentum Solanum tuberosum Criamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii |
| AF142596 U02271 AF220602 U59315 U67422 Z73295 U59317 U93048 AF220602 AF22602 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 AF318491 | AF129480 AF129484 AJ300161 1938 Y10602 Y08887 Y08888 AF067859 M55685 D13817 Z11754 AP001129 Y10603 AF067860 U40465 U40465 |
| AAF66615.1 AAC48914.1 AAF76306.1 AAB09771.1 CAA97692.1 AAB61708.1 AAB61708.1 AAF76307.1 AAF76307.1 AAK11567.1 SEQ ID NO. 1 BAB32444.1 BAB32444.1 BAB32444.1 BAB32444.1 BAB32446.1 BAB32446.1 | AAE36492.1 AAE36496.1 CAC15061.1 SEQ ID NO. 1 CAA70100.1 CAA70101.1 AAC21564.1 AAA62697.1 AAA62697.1 CAA77808.1 BAA02971.1 CAA77808.1 BAA02971.1 CAA77808.1 BAA02971.1 AAB39506.1 AAB38970.1 AAB339506.1 AAB33951.1 AAB3354.1 |

| Lycopersicon esculentum Oryza sativa Lycopersicon esculentum Glycine max Glycine max Brassica oleracea Mesembryanthemum crystallinum | Zea mays Zea mays Prunus persica Nicotiana plumbaginifolia Oryza sativa Dunaliella acidophila | Lycopersicon esculentum Dunaliella bioculata Vicia faba Oryza sativa Nicotiana plumbaginifolia Zostera marina | Medicago truncatula Medicago truncatula Kosteletzkya virginica G Nicotiana plumbaginifolia Solanum tuberosum Nicotiana plumbaginifolia | Lycopersicon esculentum Prunus persica Mesembryanthemum crystallinum Vicia faba Vicia faba Zea mays Phaseolus vulgaris Vicia faba | Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana plumbaginifolia Solanum tuberosum Nicotiana plumbaginifolia Lycopersicon esculentum Lycopersicon esculentum Cucumis sativus Lilium longiflorum |
|--|---|--|--|---|--|
| M96324 U82966 AF050495 AF195028 AF195029 X99972 | AF156683 D10207 UD2027 | M60166 X73901 S79323 D31843 M80489 D45189 | AJ132891 AJ132892 AE029256 X66737 X76535 AE156679 | U72148 AJ271438 U84891 AJ310524 AB022442 X85805 X85804 | AF156691 M80491 M27888 X76536 M80490 AF179442 AF275745 AF289025 |
| AAA34138.1 AAB58910.1 AAD11617.1 AAG28435.1 AAG28436.1 CAA68234.1 | AAB60276.1 CAB69824.1 AAD46187.1 BAA01058.1 AAB49042.1 | AAA341/3.1 CAA52107.1 AAB35314.2 BAA06629.1 AAA34094.1 BAA08134.1 | CAB85494.1 CAB85495.1 AAB84202.2 CAA47275.1 CAA54045.1 AAD46186.1 | AAB17186.1 CAB69823.1 AAB41898.1 CAC29436.1 BAA37150.1 CAA59800.1 CAA59799.1 CAC29435.1 | AAD46188.1 AAA34099.1 AAA34052.1 CAA54046.1 AAA34098.1 AAD55399.1 AAD55399.1 AAG01028.1 |
| Papaver somniferum Eschscholzia californica Eschscholzia californica Berberis stolonifera | Nicotiana tabacum Nicotiana tabacum | Hemerocallis hybrid cultivar Pinus radiata | Lolium perenne Lolium perenne Lolium perenne Holcus lanatus Holcus lanatus Holcus lanatus | Phleum pratense Poa pratensis Oryza sativa Glycine max Phleum pratense Phalaris aquatica Cynodon dactylon Nicotiana tabacum | Cynodon dactylon Triticum aestivum Cucumis sativus Cucumis sativus Oryza sativa Zea mays Dunaliella bioculata Lycopersicon esculentum |
| 1942 AF025430 AF005655 S65550 AF049347 | 1943 Y11210 1947 X73111 | 1950 AF082030 1951 AF049068 | M57474 X57678 M57476 Z68893 Z27084 | Z27090 AJ131850 U31771 U03860 X78813 S80654 AF159703 AF333386 | \$83343 U91981 U30460 1957 AP001111 AF096871 X93592 AF050496 |
| SEQ ID NO. 1 AAC61839.1 AAC39358.1 AAB20352.1 AAD17487.1 | SEQ ID NO. 1 CAA72093.1 SEQ ID NO. 1 CAC28528.1 | | AAA63279.1 CAB63699.1 AAA63278.1 CAA93121.1 CAA81610.1 | CAA81613.1 CAA10520.1 AAA86533.1 AAA50175.1 CAA55390.1 AAB35984.1 AAB35984.1 | AAB50734.2 AAD10496.1 AAB37749.1 SEQ ID NO. 1 BAA90510.2 AAF73985.1 CAA63790.1 |

| Nicotiana plumbaginifolia Zea mays Spinacia oleracea Phaseolus vulgaris Hordeum vulgare | Spinacia oleracea Mesembryanthemum Nicotiana plumbag Nicotiana tabacum Nicotiana plumbag | Anemia phyllitidis Nicotiana tabacum Triticum aestivum 04 Oryza sativa Nicotiana sylvestris 57 Nicotiana tabacum 64 Daucus carota 79 Cucumis sativus Pisum sativum | |
|---|--|--|--|
| X65118 M74566 U34742 X82030 AJ22432 | X57955 L15080 AJ292768 U90212 AJ292767 | 226042 AF190655 U81318 AJ002894 D26182 AF190657 AF349964 AF240679 U81287 | 198862 AJ272011 D83696 U32310 D16205 Z48624 AF310215 AF269128 AF016010 AF016010 AF016010 AF016010 AF016010 AF016011 AF269126 AF30070 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 AF052584 |
| CAA46234.1 AAA33486.1 AAA79045.1 CAA57551.1 CAA11893.1 | CAA41023.1 AAA33039.1 CAC01238.1 AAC49850.1 CAC01237.1 | CAA8112/.1 AAF66823.1 AAB38974.1 CAA05729.1 BAA05170.1 AAF66825.1 AAK30205.1 AAF63202.1 | AAA22083.1 CAAA22083.1 CAAB5429.1 BAA12064.1 AAA2320.1 SEQ ID NO. AAG23220.1 AAG27547.1 AAC27694.1 AAC27694.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC27696.1 AAC35496.1 |
| Vicia faba Hordeum vulgare Hordeum vulgare Zea mays | T (0 C (0 | Helianthus tuberosus Cicer arietinum Helianthus tuberosus Cicer arietinum Petunia x hybrida Pisum sativum Glycine max Nicotiana tabacum Pisum sativum | Pisum sativum Nicotiana tabacum Nicotiana tabacum Eschscholzia californica Glycine max Persea americana Torenia hybrida Glycine max Antirrhinum majus Petunia x hybrida Solanum melongena Nepeta racemosa Petunia x hybrida Glycine max Micotiana tabacum Hordeum vulgare Triticum aestivum Hordeum vulgare Triticum aestivum Hordeum vulgare Vicia faba |
| U38965 AF308817 AF308816 U08984 | 1959 AJ239051 AB022732 AB025016 AB001379 | AJUUU4/8 AJZ38439 AJUU2581 AJUI2581 AF155332 AF175278 D83968 X96784 U29333 | AF218296 X95342 AF014802 AF022461 M32885 AB028152 D86351 AB028151 AF0824 Y09423 AB006790 AF022458 D111110 AJ224325 D38485 AJ005286 X97905 |
| AAR81348.1 AAK32119.1 AAK32118.1 AAR20600.1 | • | CAA0411/.1 CAB41490.1 CAA04116.1 CAA10067.1 AAG5282.1 AAG9208.1 BAA12159.1 CAA65580.1 | |

| | | | | | | | | | | | | | | | | | | 44 | 11 | | | × | | | | | | | | | | | | | | | | | |
|-----------------------------------|-----------------------|--------------|-----------------------|-------------|---------------|--------------|-------------------|-------------------|-------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|-------------------|---------------------------|--------------|----------------------|----------------------|-----------------|--------------------|-------------------|--------------------|----------------|--------------------|--------------|----------------|-----------------|--------------------|-------------------|--------------------|--------------|-------------------|
| Oryza sativa Triticum aestivum | Pseudotsuga menziesii | Oryza sativa | Pseudotsuga menziesii | | | Sinapis alba | Sorghum bicolor | Manihot esculenta | Manihot esculenta | Triglochin maritimum | Triglochin maritimum | Petunia x hybrida | Petunia x hybrida | Solanum melongena | Petunia x hybrida | Persea americana | Nicotiana tabacum | Nicotiana tabacum | Glycine max | Eustoma grandiflorum | Pisum sativum | Lycopersicon esculentum : | | Helianthus tuberosus | Helianthus tuberosus | Cicer arietinum | Pisum sativum | Brassica napus | Glycine max | Brassica napus | Pisum sativum | Glycine max | Brassica napus | Glycine max | Antirrhinum majus | Petunia x hybrida | ı | | Citrus x paradisi |
| U83670 X13431 | X92983 | U83671 | X92984 | | 1965 | AF069494 | U32624 | AF140613 | AF140614 | AF140609 | AF140610 | AB006790 | AF155332 | X70824 | AF081575 | M32885 | X95342 | X96784 | AF022458 | U72654 | AF175278 | AF150881 | n peruvianum | AJ000478 | AJ000477 | AJ239051 | U29333 | AF214009 | AF135485 | AF214008 | AF218296 | AF022459 | AF214007 | AF022461 | AB028151 | X71130 | | 1966 | AF283536 |
| AAC78393.1 CAA31785.1 | CAA63570.1 | AAC78394.1 | CAA63571.1 | | | AAD03415.1 | AAA85440.1 | AAF27289.1 | AAF27290.1 | AAF66543.1 | AAE66544.1 | BAA92894.1 | AAD56282.1 | CAA50155.1 | AAC32274.1 | AAA32913.1 | CAA64635.1 | CAA65580.1 | AAB94587.1 | AAB17562.1 | AAG09208.1 | AAD37433.1 | Lycopersicon | CAA04117.1 | CAA04116.1 | CAB43505.1 | AAC49188.2 | AAG14963.1 | AAD38930.1 | AAG14962.1 | AAG44132.1 | AAB94588.1 | AAG14961.1 | AAB94590.1 | BAA84071.1 | CAA50442.1 | | | AAG38521.1 |
| Brassica rapa | | Glycine max | Medicago sativa | Glycine max | Pisum sativum | Glycine max | Helianthus annuus | Cuscuta japonica | Glycine max | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Daucus carota | Pisum sativum | Malus x domestica | Medicago sativa | Helianthus annuus | Helianthus annuus | Helianthus annuus | Helianthus annuus | Fragaria x ananassa | Oryza sativa | Daucus carota | Oryza sativa | Oryza sativa | Chenopodium rubrum | Nicotiana tabacum | Papaver somniferum | Brassica rapa | Pennisetum glaucum | Oryza sativa | Zea mays | Castanea sativa | Pennisetum glaucum | Quercus suber | Pennisetum glaucum | Oryza sativa | Oryza sativa |
| AF230670 | 1962 | M11395 | X58711 | M11318 | M33899 | X01104 | AJ237596 | AB017273 | M11317 | AF123257 | AF123255 | X56138 | AF123256 | X53851 | M33900 | AF161179 | X58710 | 046544 | U46545 | Z95153 | X59701 | U63631 | M80939 | X53852 | M80938 | X60820 | X53870 | AF166277 | U08601 | AF022217 | X94192 | U81385 | X65725 | AJ009880 | X94193 | AJ000691 | X94191 | U83669 | D12635 |
| AAK14949.1 | SEQ ID NO. 1 | AAA33975.1 | CAA41547.1 | AAB03893.1 | AAA33672.1 | CAA25578.1 | | BAA33062.1 | AAA33974.1 | AAD30454.1 | AAD30452.1 | CAA39603.1 | AAD30453.1 | CAA37847.1 | AAA33671.1 | AAF34133.1 | CAA41546.1 | AAB63310.1 | AAB63311.1 | CAB08441.1 | CAA42222.1 | AAC39360.1 | AAA33910.1 | CAA37848.1 | AAA33909.1 | CAA43210.1 | CAA37864.1 | AAD49336.1 | AAA61632.1 | AAB72109.1 | CAA63902.1 | AAB39856.1 | CAA46641.1 | CAA08908.1 | CAA63903.1 | CAB36910.1 | CAA63901.1 | AAC78392.1 | BAA02160.1 |

| | 442 | Ħ |
|--|--|-------------------------|
| Hordeum vulgare Hordeum vulgare Oryza sativa Oryza sativa Hordeum vulgare Oryza sativa Oryza sativa Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum sulgare Lens culinaris | | Lycopersicon esculentum |
| AF136941 AB011266 AB0212818 AB021269 AB021746 AB019525 AB019525 AB011268 AB011268 AB011268 AB011268 AB011267 AF172681 AF172681 AF172681 AF172681 AF172681 AF172681 | S78994 AJ006052 X64201 AF089851 AF171698 1969 AF067401 AF263457 AB048713 AF067400 | U28007 |
| | | AAC61805.1 |
| Glycine max Vigna unguiculata Oryza sativa Oryza Zea mays Zea mays Zea mays Ambrosia artemisiifolia Zea mays Glycine max Triticum aestivum Triticum aestivum Castanea sativa Byrus communis Sorghum bicolor Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum Triticum aestivum | Cucumis sativus Artemisia vulgaris Oryza sativa Hordeum vulgare Brassica rapa Sesamum indicum Lycopersicon esculentum Glycine max Ricinus communis Manihot esculenta Glycine max Carica papaya Lycopersicon esculentum Ipomoea batatas Dianthus caryophyllus Triticum aestivum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum | Oryza sativa |
| U51853 Z21954 U54702 S49967 X87126 D63342 L16624 D38130 U51855 AB038392 AJ224331 U82220 X87168 AB038391 AB038391 AB038391 AB038391 | AB014760 AF143677 AP001073 Y12068 U51119 AF240007 AF198389 D64115 D31700 Z49697 AF26551 U51854 X71124 AF198388 AF117334 AF21536 AY028994 AB038395 AF083253 | AB023819 |
| AAA97905.1 CAA79954.1 AAB66355.1 AAB24010.1 CAA60660.1 BAA07327.1 AAA97907.1 BAB18766.1 BAB18766.1 CAA11899.1 CAA60634.1 BAB18766.1 AAB71505.1 CAA60634.1 BAB18768.1 | 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7 | BAB17824.1 |

| Oryza sativa Oryza sativa Oryza sativa Triticum aestivum Nicotiana tabacum Triticum aestivum Gesembryanthemum crystallir | Vicia faba Chlamydomonas eugametos Craterostigma plantagineum Papaver somniferum Papaver somniferum Papaver somniferum | nax sativa sativa sativa sativa | |
|--|--|--|---|
| ო თ | AF186020 Vi Z49233 Ch AJ005373 Ch 1979 AF108435 Pa AF108432 Pa AF108434 Pa | 7 | 41 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| BAA13608.1 AAG60195.1 BAA19573.1 AAB58348.1 AAD00240.1 AAA96325.1 CAA81443.1 | AAF27340.1 CAA89202.1 CAA06503.1 SEQ ID NO. 1 AAF13739.1 AAF13736.1 AAF13738.1 | CAA39261.1 CAA57783.1 AAB41556.1 CAA57784.1 CAA57782.1 | |
| Glycine max Glycine max Nicotiana tabacum Catharanthus roseus Lycopersicon hirsutum Lycopersicon esculentum Lycopersicon esculentum Zea mays | Lycopersicon hirsutum Zea mays Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Nicotiana tabacum Oruza sartiva | | Triticum aestivum Oryza sativa Zea mays Oryza sativa Sorghum bicolor Sorghum bicolor Oryza sativa Oryza sativa Oryza sativa Cucumis sativus Glycine max Hordeum vulgare Nicotiana tabacum Oryza sativa Solanum tuberosum Oryza sativa Hordeum vulgare Hordeum vulgare Hordeum vulgare |
| AF249318 AF249317 AF142596 Z73295 AF318491 U59316 AF220603 AF023164 | AF318490 AF023165 AF220602 U59317 AF220602 U02271 U59315 AF302082 | A12531 A12531 AF290411 AP001551 | AB011670 AB011967 AF141378 AB011968 Y12464 AF004947 AF002482 Y10036 AF128443 X82548 D26602 AF062479 X95997 U55768 X65606 U73938 |
| AAF91337.1 AAF91336.1 AAF66615.1 CAA97692.1 AAK11567.1 AAB47421.1 AAF76313.1 AAC27894.1 | AAK11566.1 AAC27895.1 AAF76306.1 AAB47424.1 AAF76307.1 AAB47423.1 AAG25966.1 | | |

| WO 02/016655 | | PCT/US01/26685 |
|---|--|---|
| Spinacia oleracea Spinacia oleracea Scutellaria baicalensis Scutellaria baicalensis Stylosanthes humilis Spinacia oleracea | Vicia sativa Triticum aestivum Vicia sativa Brassica rapa subsp. pekinensis Catharanthus roseus Glycine max Glycine max Persea americana Pisum sativum Glycine max Asparagus officinalis Nepeta racemosa Asparagus officinalis Lycopersicon esculentum x | Catharanthus roseus Nepeta racemosa Glycine max Petunia x hybrida Brassica napus Brassica napus Brassica napus Brassica napus Solanum melongena Berberis stolonifera Zea mays Zea mays Glycine max Cicer arietinum Triticum aestivum Cicer arietinum Gicer arietinum Helianthus tuberosus Helianthus tuberosus |
| Y10466 AF244924 AB024439 AB024438 L37790 AF244923 | ` | Deruvianum AJ238612 Y09423 AF022460 AF155332 AF214009 AF214008 X71657 U09610 X81829 Y11404 D86351 AJC38439 AB035772 AJC12581 AB032833 AJC00477 |
| CAA71492.1 AAE63027.1 BAA77389.1 BAA77388.1 AAB02554.1 AAE63026.1 | 202047.1 202047.1 202047.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 20207.1 | Lycopersicon CAB56503.1 CAA70575.1 AAB94589.1 AAD56282.1 AAG14963.1 AAG14962.1 CAA51428.1 CAA57423.1 CAA72208.1 BAA13076.1 CAA72208.1 BAA13076.1 CAA10067.1 BAB40322.1 CAA04117.1 CAA04117.1 |
| Ipomoea batatas Phaseolus vulgaris Populus balsamifera subsp. Populus kitakamiensis Nicotiana tabacum Nicotiana tabacum | tatissimum igra con esculen con esculen igra alsamifera alsamifera sativa | Medicago sativa Medicago sativa Populus kitakamiensis Populus kitakamiensis Medicago sativa Armoracia rusticana Glycine max Populus kitakamiensis Armoracia rusticana Cucumis sativa Oryza sativa Nicotiana tabacum Cucurbita pepo Armoracia rusticana Cucumis sativus Nicotiana tabacum Cucumis sativus Nicotiana tabacum Cucumis sativus Armoracia rusticana Cucumis sativus Armoracia rusticana Cucumis sativus Armoracia rusticana Cucumis sativus Arachis hypogaea |
| AJ242742 AF149280 X97351 D30653 J02979 D11396 X97348 | 107554 107554 1083225 X71593 Y19023 1083224 X97349 AF149277 D11102 X90692 AF014502 | X90693 X90694 D30652 D38051 L36156 L36157 D90116 AF007211 D13683 D90115 M91372 D49551 L02124 X17192 X57564 M32742 AB027752 AR155124 |
| CAB94692.1 AAD37430.1 CAA66037.1 trichocarpa BAA06335.1 AAA34108.1 BAA01992.1 | trichocarpa AAB47602.1 BAA11853.1 CAA50597.1 CAB67121.1 BAA11852.1 CAA66035.1 trichocarpa AAD37427.1 BAA01877.1 CAA66036.1 trichocarpa CAA66225.1 | CAA62227.1 BAA06334.1 BAA06334.1 BAA07241.1 AAB41810.1 AAB41811.1 BAA14144.1 AAC98519.1 BAA14143.1 AAA33129.1 BAA08499.1 AAA33129.1 CAA76680.1 CAA76680.1 CAA7680.1 CAA7680.1 AAA33121.1 BAA82306.1 AAA3561.1 AAB06183.1 |

| | | 445 |
|--|--|--|
| Lycopersicon esculentum Petroselinum crispum Antirrhinum majus Antirrhinum majus Nicotiana tabacum Catharanthus roseus Oryza sativa Oryza sativa Petroselinum crispum Oryza sativa Triticum aestivum | Vicia faba Hordeum vulgare Petroselinum crispum Petroselinum crispum Pisum sativum | Petunia x hybrida Gosspjum hirsutum Oryza sativa Antirrhinum majus Oryza sativa Nicotiana tabacum Lycopersicon esculentum Hordeum vulgare Gosspjum hirsutum Hordeum vulgare Gosspjum hirsutum Kordeum vulgare Gosspjum hirsutum Lycopersicon esculentum Nicotiana tabacum Oryza sativa Glycine max Glycine max Glycine max Oryza sativa Glycine max Glycine max Oryza sativa |
| AF176641 AJ292743 Y13676 Y13675 D63951 AY027510 D78609 AB021736 X58577 L34551 U57389 | X97903 Y10834 Y10809 U46217 1989 AF223643 | 1993 213996 AF336283 Y11415 AJ006292 D88617 AB028652 X95296 X70876 AF336286 X70877 AF336286 X70877 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF336296 AF33629161 AF029161 |
| AAD55394.1 CACO0656.1 CAA74023.1 CAA74022.1 BAA22204.1 AAK14790.1 BAA11431.1 BAA11431.1 BAA36492.1 CAA41453.1 AAC37418.1 AAC37418.1 CAA70216.1 | CAA66477.1 CAA71795.1 CAA71768.1 AAC49398.1 SEQ ID NO. AAF62896.1 | SEQ ID NO. CAA7836.1 AAK19616.1 CAA72218.1 CAB43399.1 BAA83337.1 BAA88224.1 CAA64614.1 CAA50221.1 AAK19619.1 CAA50221.1 AAK19611.1 CAA50222.1 AAK19611.1 CAA5022.1 BAA81732.1 BAA81732.1 BAA81732.1 BAA81732.1 BAA81732.1 |
| Oryza sativa Oryza sativa Raphanus sativus Pinus radiata Oryza sativa Oryza sativa Oryza sativa | | Oryza sativa Hemerocallis hybrid cultivar Simmondsia chinensis Limnanthes douglasii Brassica napus Brassica napus Brassica juncea Zea mays Dunaliella salina Brassica napus Brassica napus Brassica napus Brassica napus Brassica cleracea Brassica rapa |
| 1983 AB001882 AB001888 AF052690 AF001136 AB001885 AB001884 AB001884 AB001883 | 85 00 00 00 00 00 00 00 00 | AP000836 1987 AF082033 U3708 AF247134 AF009563 U50771 Y11007 AJ291728 AF333040 AF054497 AF054499 |
| SEQ ID NO. 1 BAA33200.1 BAA33206.1 AAD22518.1 BAA33203.1 BAA33204.1 BAA33202.1 BAA33202.1 | | |

| | 440 |
|---|---|
| Pisum sativum Spinacia oleracea Oryza sativa Oryza sativa Oryza sativa Oryza sativa Cicer arietinum Pisum sativum Flaveria trinervia Chlamydomonas sp. HS-5 Cicer arietinum Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus | Glycine max Petunia x hybrida Persea americana Glycine max Nicotiana tabacum Nicotiana tabacum Coptis japonica Pisum sativum Solanum melongena Eustoma grandiflorum Papaver somniferum Catharanthus roseus Nepeta racemosa Glycyrrhiza echinata Solanum melongena Glycyrrhiza echinata Solanum melongena Glycyrrhiza cohinata Solanum melongena Glycyrrhiza chinata Solanum selongena Glycyrrhiza chinata Solanum selongena Glycyrrhiza chinata Solanum selongena Glycyrrhiza chinata |
| X89828 X65742 D13512 D50301 D50307 X53130 AJ005041 X89829 Y18576 AU066535 AB025002 1996 Y10156 Y10155 AJ223307 U39289 U39289 | 1997 D83968 AF081575 M32885 D86351 X95342 X96784 AF155332 AB025030 AF218296 X70824 U72654 U72654 AF191772 AJ238612 X09423 AB022733 X71657 AB022733 AF191772 AJ238612 AG236243 AF191772 AJ238612 AG236243 AF191772 AJ238612 AG236243 AF191772 AG236243 AF191772 AG236243 AF191772 AG236243 AF191772 AG236243 |
| CAA61946.1 CAA46649.1 BAA02729.1 BAA08845.1 CAA37290.1 CAA06308.1 CAA61947.1 CAA61947.1 CAA61947.1 CAA71231.1 BAA78593.1 BAA78593.1 BAA78593.1 CAC34412.1 CAC34112.1 CAC34112.1 CAC34112.1 CAA71238.1 CAA71238.1 CAA71238.1 | SEQ ID NO. BAA12159.1 AAA32913.1 BAA13076.1 CAA64635.1 CAA65282.1 BAB12433.1 AAD56282.1 BAB12433.1 AAG44132.1 CAA50155.1 AAB17562.1 AAB17562.1 CAA50648.1 BAA74466.1 CAA50648.1 BAA22423.1 BAA22423.1 BAAB40324.1 AAB94588.1 |
| Pimpinella brachycarpa Nicotiana tabacum Lycopersicon esculentum Petunia x hybrida Glycine max Oryza sativa Nicotiana tabacum Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Cryza sativa Cryza sativa Gossypium hirsutum Oryza sativa Cryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa | Nicotiana paniculata Nicotiana paniculata Solanum tuberosum Oryza sativa Pisum sativum Pisum sativum Avena sativa Spinacia oleracea Dunaliella salina Dunaliella salina Chlamydomonas reinhardtii Chloroplast Chlamydomonas Scherffelia dubia Oryza sativa Fragaria x ananassa Mesembryanthemum crystallinum Persea americana Zea mays |
| AF161711 AB028650 X99134 Z13997 AB029165 Y11414 U72762 AB028651 Y11350 AC037425 AF336285 D88620 X96749 X95297 AF336282 AF336282 AF336282 AF336282 AF336282 AF336282 | 1995 AB027002 AB027001 Y10380 D13513 M97476 M97477 AF216582 X66814 AF329674 AF329673 X69969 S72951 AJ011516 AJ011516 AJ133146 X12872 M16220 |
| AAF22256.1 BAA88222.1 CAA7575.1 CAA72217.1 BAA81101.1 BAA8223.1 CAA72185.1 AAG13574.1 AAG13574.1 AAG13574.1 AAG13574.1 CAA65525.1 CAA65525.1 CAA66552.1 AAK19615.1 AAK19615.1 AAK19615.1 AAK19617.1 AAK19615.1 | |

| AAC39452.1 | AF014800 | Eschscholzia californica | AAF23556.1 | AF110458 | Barbarea vulgaris |
|--------------|----------|---------------------------|-------------|----------|-----------------------------|
| AAG14962.1 | AFZ14008 | Brassica napus | AAE 23333.1 | AETTO437 | Arabis currica |
| BAA84072.1 | AB028152 | Torenia hybrida | AAF23538.1 | AF110440 | |
| AAC39453.1 | AF014801 | Eschscholzia californica | AAF23524.1 | AF110426 | |
| AAD47832.1 | AF166332 | Nicotiana tabacum | AAF23543.1 | AF110445 | |
| | | | AAF23525.1 | AF110427 | |
| SEQ ID NO. 1 | O | | AAF23527.1 | AF110429 | |
| AAB01567.1 | L47672 | Picea glauca | AAF23535.1 | AF110437 | |
| | | | AAF23553.1 | AF110455 | Arabis procurrens |
| SEQ ID NO. 2 | 2000 | | AAF23544.1 | AF110446 | Arabis jacquinii |
| BAA22976.1 | D63457 | Arabis gemmifera | AAF23526.1 | AF110428 | Arabis alpina |
| BAA22973.1 | D63454 | Arabis gemmifera | AAF23528.1 | AE110430 | Cardamine amara |
| AAF23537.1 | AF110439 | Arabis glabra | AAF23552.1 | AE110454 | Arabis procurrens |
| BAA22978.1 | D63459 | Arabis gemmifera | AAF23542.1 | AF110444 | Arabis hirsuta |
| BAA22974.1 | D63455 | Arabis gemmifera | AAC79418.1 | AF037560 | Leavenworthia stylosa |
| AAF23540.1 | 14 | Arabidopsis halleri | BAA34682.1 | AB015504 | Arabidopsis griffithiana |
| AAF23551.1 | AF110453 | Arabidopsis lyrata subsp. | BAA34685.1 | AB015507 | |
| petraea | | | BAA34683.1 | AB015505 | Arabidopsis korshinskyi |
| AAF23539.1 | AF110441 | Halimolobos perplexa var. | CAB72921.1 | AJ251281 | Arabidopsis lyrata subsp. |
| lemhiensis | | | petraea | | 44 |
| BAA22975.1 | D63456 | Arabis gemmifera | CAB72920.1 | AJ251280 | Arabidopsis lyrata subsp. 4 |
| AAE23546.1 | AF110448 | Arabis lyallii | petraea | | |
| AAF23548.1 | AF110450 | Arabis parishii | CAB72919.1 | AJ251279 | Arabidopsis lyrata subsp. |
| AAF23550.1 | AF110452 | Arabidopsis lyrata subsp. | | | |
| petraea | | | CAB72918.1 | AJ251278 | Arabidopsis lyrata subsp. |
| BAA22972.1 | D63453 | Arabis gemmifera | petraea | | |
| BAA22971.1 | D63452 | Arabis gemmifera | CAB72917.1 | AJ251277 | Arabidopsis lyrata subsp. |
| BAA22977.1 | D63458 | Arabis gemmifera | petraea | | |
| AAF23549.1 | AF110451 | Ď, | | | |
| AAF23545.1 | AE110447 | Н | | 2001 | |
| AAF23536.1 | AF110438 | Arabis fendleri | AAG43286.1 | AF140228 | Oryza sativa |
| AAF23541.1 | AF110443 | Arabis hirsuta | AAA33944.1 | J03920 | |
| AAF23531.1 | AF110433 | Arabis blepharophylla | CAA48299.1 | X68217 | |
| AAF23530.1 | AF110432 | Arabis blepharophylla | CAA48300.1 | X68218 | |
| AAF23523.1 | AF110425 | Aubrieta deltoidea | CAA48297.1 | X68215 | Pisum sativum |
| AAF23529.1 | AF110431 | Arabis blepharophylla | | | |
| AAF23547.1 | AF110449 | Arabidopsis lyrata subsp. | | 2005 | |
| lyrata | | | BAA21923.1 | AB006601 | × |
| AAF23533.1 | AF110435 | Capsella rubella | BAA21922.1 | AB006600 | × |
| AAF23534.1 | AE110436 | ы | BAA21921.1 | AB006599 | × |
| AAF23532.1 | AF110434 | Brassica oleracea | BAA19110.1 | AB000451 | Petunia x hybrida |

| 4 | 48 س | | |
|--|--|---|---|
| Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Glycine max Glycine max Lycopersicon esculentum Zea mays Glycine max Lycopersicon esculentum Chenopodium rubrum Zea mays Sesbania rostrata Oryza sativa Oryza sativa Oryza sativa Lupinus luteus | | Morinda citrifolia Lycopersicon esculentum Lycopersicon esculentum | Brassica juncea Lycopersicon esculentum Phaseolus vulgaris Brassica rapa |
| X92967 X92966 X62820 X62303 AJ243451 U50064 Z26331 AJ243452 Y10161 U10077 Z75660 APD02481 ABD24986 U24193 AF126106 U24194 AF126107 U44857 AF126108 | D50869 X76122 D86386 D50870 L34207 Z37978 D82349 | 2009 Y15113 Z21792 Z21793 | 2010 Y10984 AF017984 AF258320 2011 AF022217 |
| CAA63543.1 CAA643542.1 CAA44188.1 CAA6441.1 AAC50013.1 CAA81232.1 CAA81232.1 CAA71243.1 CAA71243.1 CAA9990.1 BAA20237.1 CAA99990.1 AAC61888.1 AAC61888.1 AAC61889.1 AAC61889.1 AAC31790.1 AAC31790.1 AAC31790.1 AAC31790.1 | BAA09465.1 CAA53728.1 BAA20411.1 BAA09466.1 AAC41681.1 CAB81558.1 BAA11560.1 | SEQ ID NO. CAA75386.1 CAA79855.1 CAA79856.1 | SEQ ID NO. CAA71878.1 AAF71231.1 AAF98157.1 SEQ ID NO. AAB72109.1 |
| Petunia x hybrida Oryza sativa Nicotiana tabacum Petunia x hybrida | a rapa x hyb inum m dium r dium r | Lycopersicon esculentum Antirrhinum majus Lycopersicon esculentum Pisum sativum Lycopersicon esculentum | o sati o sati na tab inum m o sati dium r |
| AB006604 AB006603 AB006602 AB006598 AB006452 AB035133 AB035133 AB035133 AF035077 AF332876 AF053077 D26086 D26085 D26085 AB0006506 | 2008 AJ250396 Y10162 AJ011892 AJ011893 | AJ002589 AJ250397 AJ002590 AB008188 AJ002588 | 1 00001 |
| BAA21926.1 BAA21925.1 BAA21924.1 BAA21920.1 BAA19111.1 BAA21927.1 BAA21919.1 BAA21919.1 AAKO1713.1 AAKO1713.1 AAKO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 BAAO5078.1 | · | CAB6U837.1 CAB61222.1 CAB60838.1 BAA33153.1 CAB60836.1 | CAB61334.1 CAB40540.1 CAA09854.1 CAB61223.1 CAB40541.1 CAB4059.1 |

| CAA37847.1 | X53851 | Daucus carota | | | |
|------------|----------|-------------------------|--------------|----------|--------------------|
| AAD49336.1 | AF166277 | Nicotiana tabacum | | 2016 | |
| BAA33062.1 | AB017273 | Cuscuta japonica | BAA77204.1 | AB026262 | Cicer arietinum |
| CAB36910.1 | AJ000691 | Quercus suber | AAG43550.1 | AF211532 | Nicotiana tabacum |
| CAA08908.1 | AJ009880 | Castanea sativa | BAA78746.1 | AB023482 | Oryza sativa |
| • | M11395 | Glycine max | | | |
| CAA25578.1 | X01104 | Glycine max | SEQ ID NO. 2 | 2017 | |
| AAB03893.1 | M11318 | Glycine max | AAA33811.1 | L02830 | Solanum tuberosum |
| CAA41547.1 | X58711 | Medicago sativa | AAG43547.1 | AF211529 | Nicotiana tabacum |
| 10 | U46544 | Helianthus annuus | CAB63264.1 | AJ251808 | Lotus japonicus |
| | Z95153 | Helianthus annuus | AAA92677.1 | U13736 | Pisum sativum |
| | X59701 | Helianthus annuus | AAE31152.1 | AF078680 | Olea europaea |
| CAA37848.1 | X53852 | Daucus carota | AAD10245.1 | AF030033 | Phaseolus vulgaris |
| AAC39360.1 | U63631 | Fragaria x ananassa | AAF31151.1 | AE078679 | Olea europaea |
| AAA33672.1 | M33899 | Pisum sativum | AAA19571.1 | U10150 | Brassica napus |
| AAB63311.1 | U46545 | Helianthus annuus | AAC49587.1 | 049105 | Triticum aestivum |
| AAA33974.1 | M11317 | Glycine max | AAC49586.1 | U49104 | Triticum aestivum |
| CAA63903.1 | X94193 | Pennisetum glaucum | AAC49585.1 | U49103 | Triticum aestivum |
| AAA61632.1 | U08601 | Papaver somniferum | AAC49584.1 | U48693 | Triticum aestivum |
| CAB55634.2 | AJ237596 | Helianthus annuus | AAC49580.1 | U48689 | Triticum aestivum |
| $^{\circ}$ | U83669 | Oryza sativa | AAC49579.1 | U48688 | Triticum aestivum |
| AAA33910.1 | M80939 | Oryza sativa | AAC49578.1 | U48242 | Triticum aestivum |
| BAA02160.1 | D12635 | Oryza sativa | AAA85157.1 | U20297 | Solanum tuberosum |
| CAA43210.1 | X60820 | Oryza sativa | AAA85156.1 | U20296 | Solanum tuberosum |
| CAA37864.1 | X53870 | Chenopodium rubrum | AAA62351.1 | U20295 | Solanum tuberosum |
| AAA33909.1 | M80938 | Oryza sativa | AAA85155.1 | U20294 | Solanum tuberosum |
| | U83670 | Oryza sativa | AAA33900.1 | L18914 | Oryza sativa |
| | U81385 | Oryza sativa | AAA92681.1 | U13882 | Pisum sativum |
| 4 | C) | Lycopersicon esculentum | CAA78288.1 | Z12828 | Oryza sativa |
| AAA33671.1 | M33900 | Pisum sativum | | | |
| AAC78394.1 | U83671 | Oryza sativa | | 2019 | |
| CAA63901.1 | X94191 | Pennisetum glaucum | CAA71003.1 | X09876 | Nicotiana tabacum |
| CAA63902.1 | X94192 | Pennisetum glaucum | AAG43988.1 | AF215823 | Zea mays |
| AAD30452.1 | AF123255 | Lycopersicon esculentum | AAF73828.1 | AF162665 | Oryza sativa |
| CAA46641.1 | X65725 | Zea mays | BAB19052.1 | AB044537 | |
| CAA39603.1 | X56138 | Lycopersicon esculentum | BAA96793.1 | AB030939 | Oryza sativa |
| CAA63570.1 | 98 | Pseudotsuga menziesii | BAA96794.1 | AB037421 | Oryza sativa |
| AAD30453.1 | AF123256 | Lycopersicon esculentum | AAB41696.1 | U69142 | |
| CAA63571.1 | 98 | Pseudotsuga menziesii | AAA34025.1 | M31480 | Spinacia oleracea |
| 8 | X13431 | Triticum aestivum | CAA41377.1 | X58463 | Beta vulgaris |
| CAA53286.1 | 61 | Oryza sativa | CAA41376.1 | X58462 | Beta vulgaris |

| Lemna gibba Oryza sativa Daucus carota Daucus carota Dhyscomitrella patens Medicago sativa Pyrobotrys stellata Hordeum vulgare Lycopersicon esculentum Vigna radiata Pisum sativum Gossypium hirsutum Vigna radiata Pisum sativum Gossypium hirsutum Vigna radiata Pisum sativum Gossypium hirsutum Vigna radiata Pisum sativum Sembryanthemum crystallinum Oryza sativa Pyrobotrys stellata Physcomitrella patens Mesembryanthemum crystallinum Oryza sativa Pisum sativum Brassica napus Pisum sativum Brassica napus Pisum sativum Solanum tuberosum Solanum tuberosum Ricinus communis | Fritillaria agrestis Fritillaria agrestis Fritillaria agrestis Fritillaria agrestis Fritillaria agrestis Fritillaria agrestis Oryza sativa Oryza sativa Brassica napus Brassica napus |
|--|---|
| M12152 X13909 AE207690 M23532 AE072931 X71965 X63197 X60275 AE139465 X60275 AE139465 X69215 X69215 X69434 AB026686 AE003128 D00641 X61610 X81810 M17559 U51632 X04966 U73218 Z35160 AE047694 Z49699 | AF037988 AF037987 AF037986 AF037984 AF037455 D86744 X77150 2032 Y11483 |
| | AAB92657.1 AAB92657.1 AAB92655.1 AAB92655.1 AAB92419.1 AAB92419.1 BAA20071.1 CAA54397.1 SEQ ID NO. CAA72271.1 |
| Atriplex hortensis Avicennia marina Amaranthus hypochondriacus Oryza sativa Avicennia marina Hordeum vulgare Sorghum bicolor Sorghum bicolor Sorghum bicolor Brassica napus Pisum sativum Apium graveolens Nicotiana plumbaginifolia Oryza sativa Zea mays Oryza sativa Sorghum bicolor Nicotiana tabacum Glycine max Oryza sativa Solanum tuberosum Oryza sativa Gryza sativa | Lycopersicon esculentum Pinus sylvestris Alonsoa meridionalis Pisum sativum Pinus sylvestris Lycopersicon esculentum Lycopersicon esculentum Petunia x hybrida Pisum sativum Oryza sativa Hordeum vulgare Nicotiana tabacum |
| X69770 AB043540 AF017150 AB043539 D26448 U12196 U12196 U12195 S77096 X75327 AF196292 U87848 AF323586 X75326 AF045770 U87982 2020 AF123503 X60033 AF002094 2022 Z21493 AB019533 D88272 | X15258 X58517 AF241525 X81962 X58516 M20241 X14036 M21317 AF002248 AF002248 AF084775 |
| | CAA33330.1 CAA41407.1 AAF44703.1 CAA57492.1 CAA34159.1 CAA32197.1 AAC33711.1 AAC13731.1 AAC13731.1 AAC13731.1 AAC7557.1 AAC67557.1 |

| Cuscuta japonica Pisum sativum Orvza sativa | Helianthus annuus Helianthus annuus Castanea sativa Pennisetum glaucum | Zea mays Funaria hygrometrica Agrostis stolonifera var. | Lycopersicon pimpinellifolium Lycopersicon esculentum | | ersicon ersicon ersicon ersicon | an H | Oryza longistaminata Stylosanthes hamata Nicotiana sylvestris Oryza sativa Nicotiana tabacum Nicotiana sylvestris Catharanthus roseus Catharanthus roseus Lycopersicon esculentum |
|---|---|---|--|---|---|--|---|
| AB017273 M33900 D12635 | X95153 X59701 AJ009880 X94191 U83671 | X65725 AF089842 AF007762 | 2036 AJ002236 AF053993 AF053998 | AJ002237 AJ002237 AF053995 U15936 | AJ002236 AF053994 AF053997 AF053996 | AP002521 AP002539 AJ002235 AF166121 AL117265 | U72723 2038 U91857 AB016265 AB037183 AB024575 AB016264 AJ251250 AU251249 U89256 |
| BAA33062.1 AAA33671.1 BAA02160.1 | CABO8441.1 CAA42222.1 CAA08908.1 CAA63901.1 | CAA46641.1 AAD09181.1 AAC01560.1 palustris | SEQ ID NO. 3 CAA05276.1 AAC78591.1 | CAA05279.1 AAC78593.1 AAA65235.1 | CAA05274.1 AAC78592.1 AAC78595.1 AAC78594.1 | BAA96/76.1 BAB08215.1 CAA05268.1 AAD50430.1 CAB55409.1 AAC49123.1 | |
| Hordeum vulgare Hordeum vulgare | Lycopersicon esculentum Lycopersicon esculentum Mercurialis annua | Corylus avellana Malus x domestica Medicago sativa Medicago sativa | Pisum sativum Glycine max Helianthus annuus | Lycopersicon esculentum Helianthus annuus Lycopersicon esculentum | Pseudotsuga menziesii Pennisetum glaucum Glycine max Lycopersicon esculentum | Pseudotsuga menziesii Papaver somniferum Quercus suber Helianthus annuus Oryza sativa Daucus carota | Chenopodium rubrum Glycine max Oryza sativa Oryza sativa Oryza sativa Daucus carota Pennisetum glaucum Glycine max Oryza sativa Fragaria x ananassa Brassica rapa |
| AF021257 AF021256 | 2033 M98466 U63374 U79772 | 2034 AF021807 AF161179 X58710 X58711 | M33899 M11318 U46544 | AF123255 U46545 AF123256 |) 1 m m === m : | X92984 U08601 AJ00691 AJ237596 M80939 X53852 | X53870 M11395 U81385 W80938 X60820 X53851 X94192 M11317 U83669 U63631 |
| AAB72097.1 AAB72096.1 | SEQ ID NO. 2 AAA34181.1 AAB39547.1 AAB38497.1 | SEQ ID NO. 2 AAD15628.1 AAF34133.1 CAA41546.1 | AAA33672.1 AAB63310.1 AAB63310.1 | AAD30452.1 AAB63311.1 AAD30453.1 | CAA63570.1 CAA63903.1 CAA25578.1 CAA39603.1 | CAA63571.1 AAA61632.1 CAB36910.1 CAB55634.2 AAA33910.1 CAA37848.1 | CAA37864.1 AAA33975.1 AAA33909.1 CAA43210.1 CAA37847.1 CAA33974.1 AAC78392.1 AAC78392.1 |

| m | | 452 |
|---|--|--|
| Lycopersicon esculentum Nicotiana plumbaginifolia Nicotiana plumbaginifolia Sesbania rostrata Solanum tuberosum Oryza sativa Phaseolus vulgaris Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum | Raphanus sativus Raphanus sativus Raphanus sativus Brassica napus Raphanus sativus | Oryza sativa Hordeum vulgare Hordeum vulgare Linum usitatissimum Brassica napus Brassica napus Flaveria bidentis Flaveria chloraefolia |
| M60166 M80489 M27888 AJ286746 X76535 D31843 X94936 AF275745 | 2046 U18557 X97318 U18556 U59459 X97319 | 2048 AP000615 Z83834 Y14573 AJ005341 2049 AF000306 AF000305 U10275 M84135 U10277 M84136 2050 AF124148 AJ238651 2051 AF018174 U35830 X63537 |
| AAA34173.1 AAA34094.1 AAA34052.1 CAC28221.1 CAA54045.1 BAA06629.1 CAA64406.1 AAF98344.1 AAD55399.1 | | SEQ ID NO. BAA85400.1 CABO6083.1 CAA74909.1 CAA06487.1 SEQ ID NO. AAC63112.1 AAC63111.1 AAA61638.1 AAA33342.2 AAAA33342.2 AAAA33342.2 AAAA33342.2 AAAA33342.2 AAAA33342.1 CAB50901.1 SEQ ID NO. AAC04671.1 AAC49357.1 CAA45098.1 |
| Lycopersicon esculentum Nicotiana tabacum Lycopersicon esculentum Oryza sativa Solanum tuberosum Nicotiana sylvestris Nicotiana tabacum Matricaria chamomilla Nicotiana tabacum Brassica napus | Oryza sativa Nicotiana tabacum Solanum tuberosum | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Zea mays Mesembryanthemum crystallinum Glycine max Dunaliella bioculata Glycine max Brassica oleracea Oryza sativa Prunus persica Zea mays Oryza sativa Vicia faba Oryza sativa Kosteletzkya virginica Sesbania rostrata Nicotiana plumbaginifolia |
| U89257 D38123 U89255 AF190770 U77655 AB016266 AF057373 AB035270 U81157 AF084185 | 2040 AP001129 X61146 2043 AJ001310 | 2045 AP001072 AP000836 AP001111 AF050496 M96324 AF195029 AF195029 X93592 AF195028 X99972 AF195028 X99972 U02966 AJ271439 U09989 D10207 AJ310523 AF110268 M80490 AF029257 AJ286749 |
| AAC49741.1 BAA07321.1 AAC50047.1 AAC29516.1 BAA97124.1 AAC62619.1 BAA87068.1 AAB38748.1 | · H H • H | SEQ ID NO. 2 BAA89544.1 BAA8191.1 BAA90510.2 AAD11618.1 AAA34138.1 AAD31896.1 AAC28436.1 AAG28436.1 AAB60276.1 AAB60276.1 AAB60276.1 AAB60276.1 AAB60276.1 AAB60276.1 AAB60276.1 |

| Spinacia oleracea Nicotiana tabacum Zea mays | Hordeum vulgare | Pinns taeda | Spinacia oleracea | Lycopersicon esculentum | Ipomoea nil | | | Prunus persica | Gossypium hirsutum | Rumex palustris | Nicotiana tabacum | Beta vulgaris | Petunia x hybrida | Amaranthus hypochondriacus | Solanum tuberosum | Pinus thunbergii | Lycopersicon esculentum | Lemna gibba | Vigna radiata | Pisum sativum | Oryza sativa | Oryza sativa | Pinus palustris | Pinus thunbergii | Lycopersicon esculentum | Pseudotsuga menziesii | Oryza sativa | Ginkgo biloba | Zea mays | Solanum tuberosum | Lycopersicon esculentum | Solanum tuberosum | Solanum tuberosum | Nicotiana sylvestris |
|---|----------------------------|--|---------------------------|---------------------------|--------------|--------------|-------------------|-------------------|--------------------|-----------------|------------------------|---------------|-------------------|----------------------------|-------------------|------------------|-------------------------|-----------------------|----------------|---------------|--------------|--------------|---------------------------|-------------------|-------------------------|-----------------------|-------------------|---------------|---------------|-------------------|-------------------------|-------------------|-------------------|----------------------|
| AF215851 AF215852 AF215854 | 2066 X84308 | 2067 AF101788 | U76296 | AF243181 | AB035146 | | 2068 | AF039598 | X54090 | AF165529 | X58230 | Y13865 | X04966 | X74732 | Z35160 | X61915 | M17558 | M12152 | AF279248 | X57082 | AF061577 | D00642 | U51632 | X13407 | M17559 | 249749 | AF022739 | L23107 | X68682 | U21111 | M14443 | U21113 | U20983 | AB012637 |
| AAF74565.1 AAF74566.1 AAF74568.1 | SEQ ID NO. 3 CAA59049.1 | SEQ ID NO. 3 | AAC32448.1 | AAF66243.1 | BAA90481.1 | | | AAC34983.1 | CAA38025.1 | AAD48017.1 | CAA41188.1 | CAA74179.1 | CAA28639.1 | CAA52750.1 | CAA84525.1 | CAA43907.1 | AAA34141.1 | AAA33392.1 | AAF89205.1 | CAA40365.1 | AAC15992.1 | BAA00537.1 | AAB19040.1 | CAA31773.1 | AAA34142.1 | CAA89823.1 | AAB82142.1 | AAA60965.1 | CAA48641.1 | AAA80591.1 | AAA34147.1 | AAA80593.1 | AAA80589.1 | BAA25391.1 |
| Mesembryanthemum crystallinum Spinacia oleracea Picca mariana Orvza sativa | | Fagopyrum esculentum Ricinus communis | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | Oryza sativa | Oryza sativa | Triticum aestivum | Nicotiana tabacum | Oryza sativa | | Brassica oleracea var. | | O | Lolium perenne | Hordeum bulbosum | Secale cereale | Phalaris coerulescens | Phalaris coerulescens | Secale cereale | Oryza sativa | | | Chlamydomonas reinhardtii | Triticum aestivum | Brassica napus | Brassica napus | Spinacia oleracea | Pisum sativum | Pisum sativum | Spinacia oleracea | Oryza sativa | | | Solanum tuberosum |
| AF069314 X14959 AF051206 AB053294 | 0 | D87984 Z70677 | X80887 | X78822 | U92541 | 7 | ဖ | X58527 | D21836 | AB010434 | | | 059379 | AF159387 | 938 | AF159386 | AF159388 | AF159389 | AF186240 | AP002912 | X78821 | X80888 | 10 | AJ005840 | 087 | U76831 | X51462 | X76269 | U35831 | 14 | AJ005841 | | 2054 | AF215853 |
| AAC19392.1 CAA33082.1 AAC32111.1 BAB20886.1 | 1 42 82 D | BAA13524.1 CAA94534.1 | CAA56850.1 | CAA55399.1 | AAB51522.1 | BAA05546.1 | AAF88067.1 | CAA41415.1 | BAA04864.1 | BAA25681.1 | AAG35777.1 | alboglabra | AAB53694.1 | AAD49232.1 | AAD49230.1 | AAD49231.1 | AAD49233.1 | AAD49234.1 | AAD56954.1 | BAB39913.1 | CAA55398.1 | CAA56851.1 | CAA44209.1 | CAA06735.1 | AAD45358.1 | AAB52409.1 | CAA35826.1 | CAA53900.1 | 358. | CAA35827.1 | CAA06736.1 | | | AAF74567.1 |

| Pinus thunbergii Rumex palustris Oryza sativa Pisum sativum Glycine max Plastid Spinacia oleracea Lycopersicon esculentum Medicago sativa Funchia senia | Lemna gibba Nicotiana sylvestris Mesembryanthemum crystallinum Nicotiana sylvestris Solanum tuberosum Cucumis sativus Glycine max Golanum tuberosum | Mesembryanthemum crystallisum Mesembryanthemum crystallisum Nicotiana tabacum Fagus crenata Lycopersicon esculentum Ginkgo biloba Lycopersicon esculentum | Glycine max Glycine max Nicotiana tabacum Nicotiana tabacum Zea mays Cae mays Oryza sativa Pseudotsuga menziesii Zea mays Cucumis sativus Cucumis sativus | Cucurbita sp. |
|---|---|---|--|---------------|
| X61915 AF165529 AF061577 X56538 U01964 X14341 M17559 AJ131044 AF072931 | AB012638 AB012638 AF003129 AB012640 U20983 M16057 X12981 | AF023128 X58023128 X58029 AB06081 M1444 I23107 M14443 | 2070 AF031241 AF38252 X60058 X60057 U58209 U58208 AF006825 Z49764 M59449 2071 X14609 X58542 | D49432 |
| CAA43907.1 AAC15992.1 CAA39883.1 AAA50172.1 CAA32526.1 AAA34142.1 CAA10284.1 | AAA33396.1 BAA25333.1 BAA61238.1 AAB61238.1 BAA25395.1 AAA80589.1 AAA33124.1 CAA31419.1 | AAB61237.1 CAA11187.1 CAA1187.1 BAA24493.1 AAA34148.1 AAA60965.1 AAA34147.1 | | BAA08410.1 |
| Nicotiana sylvestris Nicotiana sylvestris Solanum tuberosum Nicotiana sylvestris Nicotiana sylvestris Polystichum munitum Picea abies Glycine max Solanum tuberosum | ०० भ | Vigna radiata Pisum sativum Daucus carota Brassica napus Brassica napus | Brassica napus Lemna gibba Amaranthus hypochondriacus Nicotiana tabacum Petunia x hybrida Prunus persica Beta vulgaris Lycopersicon esculentum Pseudotsuga menziesii Gossypium hirsutum Pinus palustris Solanum tuberosum Zea mays Pisum sativum | Oryza sativa |
| AB012641 AB012639 U21114 AB012637 AB012638 M34396 X81810 U01964 U21112 | AB012636 X58229 AB012637 X14794 M14444 X81809 AB012638 AB026686 | | X61608 M12152 X74732 X58230 X04966 AF039598 Y13865 M17558 Z49749 X54090 U51632 Z35160 | D00642 |
| BAA25396.1 BAA25394.1 AAA80594.1 BAA25389.1 BAA25389.1 CAA57409.1 AAA50172.1 AAA80592.1 | EAA25389.1 EAA25388.1 CAA32900.1 CAA34148.1 CAA57408.1 EAA25393.1 EAA77273.1 | | CAA3302.1 CAA53392.1 CAA52750.1 CAA51188.1 CAA28639.1 AAC34983.1 CAA74179.1 AAA34141.1 CAA89823.1 CAA89823.1 CAA89823.1 CAA84525.1 CAA84525.1 | BAA00537.1 |

| Petunia x hybrida Manihot esculenta Perilla frutescens | | Manihot esculenta | Gentiana triflora | Solanum melongena | Vigna mungo | Petunia x hybrida | Forsythia x intermedia | Petunia x hybrida | Petunia x hybrida | | | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Dorotheanthus bellidiforming | Scutellaria baicalensis 5 | Solanum tuberosum | Vigna mungo | Manihot esculenta | Phaseolus vulgaris | Phaseolus lunatus | Petunia x hybrida | Solanum berthaultii | Nicotiana tabacum | Manihot esculenta | Vigna mungo | Brassica napus | Verbena x hybrida | Sorghum bicolor | Citrus unshiu | Petunia x hybrida | Solanum melongena | Manihot esculenta | Manihot esculenta | Gentiana triflora | Forsythia x intermedia |
|--|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------------|-------------------|-------------------|--------------|--------------|-------------------|-------------------|-------------------|-------------------|-------------------------|------------------------------|---------------------------|-------------------|-------------------|-----------------------------|-------------------------|-------------------------|-------------------|---------------------|-------------------|-------------------|-------------------|--------------------|-------------------|-----------------|---------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------------|
| AB027454 X77459 AB013596 | AF165148 | X77463 | D85186 | X77369 | AB012115 | Z25802 | AF127218 | X71059 | X71060 | | 2077 | AF346431 | U32644 | U32643 | AE346432 | X85138 | Y18871 | AB031274 | U82367 | AB012114 | X77460 | AF116858 | AF101972 | AB027455 | AF006081 | AF190634 | X77462 | AB012116 | AF287143 | AB013598 | AF199453 | AB033758 | AB027454 | X77369 | X77461 | X77459 | D85186 | AF127218 |
| BAA89008.1 CAA54609.1 BAA36421.1 | AAD55985.1 | CAA54613.1 | BAA12737.1 | CAA54558.1 | BAA36411.1 | CAA81057.1 | AAD21086.1 | CAA50376.1 | CAA50377.1 | | SEQ ID NO. | AAK28303.1 | AAB36653.1 | AAB36652.1 | AAK28304.1 | CAA59450.1 | CAB56231.1 | BAA83484.1 | AAB48444.1 | BAA36410.1 | CAA54610.1 | AAD51778.1 | AAD04166.1 | BAA89009.1 | AAB62270.1 | AAF61647.1 | CAA54612.1 | BAA36412.1 | AAE98390.1 | BAA36423.1 | AAE17077.1 | BAA93039.1 | BAA89008.1 | CAA54558.1 | CAA54611.1 | CAA54609.1 | BAA12737.1 | AAD21086.1 |
| Cucurbita sp. Cucurbita pepo | | Glycine max | Glycine max | Glycine max | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Nicotiana tabacum | | | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Dorotheanthus bellidiformis | Lycopersicon esculentum | Scutellaria baicalensis | Solanum tuberosum | Vigna mungo | Manihot esculenta | Phaseolus lunatus | Petunia x hybrida | Phaseolus vulgaris | Nicotiana tabacum | Citrus unshiu | Viqna mungo | Verbena x hybrida | Sorghum bicolor | Manihot esculenta | Manihot esculenta | Brassica napus | Nicotiana tabacum |
| D49433 U01067 | 2072 | D63781 | X78547 | X78548 | U02495 | U02497 | U02494 | U02496 | U02498 | AP000570 | AP000492 | AP000570 | 49 | 057350 | | 2076 | U32643 | AF346432 | AF346431 | U32644 | X18871 | X85138 | AB031274 | U82367 | AB012114 | X77460 | AE101972 | AB027455 | AF116858 | AF190634 | AB033758 | AB012116 | AB013598 | AF199453 | X77461 | X77462 | AF287143 | AB000623 |
| BAA08411.1 AAB00105.1 | SEQ ID NO. 2 | BAA09852.1 | CAA55293.1 | CAA55294.1 | AAA81890.1 | AAA81892.1 | AAA81889.1 | AAA81891.1 | AAA81893.1 | BAA85201.1 | BAA84626.1 | BAA85202.1 | BAA84627.1 | AAB02006.1 | | SEQ ID NO. 2 | AAB36652.1 | AAK28304.1 | AAK28303.1 | AAB36653.1 | CAB56231.1 | CAA59450.1 | BAA83484.1 | AAB48444.1 | BAA36410.1 | CAA54610.1 | AAD04166.1 | BAA89009.1 | AAD51778.1 | AAF61647.1 | BAA93039.1 | BAA36412.1 | BAA36423.1 | AAF17077.1 | CAA54611.1 | CAA54612.1 | AAF98390.1 | BAA19155.1 |

| | 456 . | |
|---|--|--|
| Spinacia oleracea Vigna angularis Populus nigra Spinacia oleracea Spinacia oleracea Phaseolus vulgaris Oryza sativa Oryza sativa Oryza sativa Spinacia oleracea Zea mays Arachis hypogaea Pinus pinaster Nicotiana sylvestris Oryza sativa Zea mays Spinacia oleracea Gossypium hirsutum Spinacia oleracea Linum usitatissimum | Petroselinum crispum Linum usitatissimum Asparagus officinalis Spinacia oleracea Glycine max Populus balsamifera subsp. | a rusticana max na tabacum to leracea ria baicalen a polyrrhiza na tabacum toleracea max sicon esculer ta rusticana na tabacum toleracea max siton esculer ta rusticana na tabacum |
| Y10463 D11337 D13325 Y10465 Y10465 AF244921 AF001383 AP001551 AF24924 AJ401274 MJ7636 AJ251254 MJ4103 AP002482 AJ401276 Y10468 AF155124 Y16776 U59284 | L36981 L24120 ABO42103 AF244922 U51192 X97350 | D90116 AE049881 U51191 D42064 Y10464 AB024437 Z22920 AB027752 AE244923 AF145350 L13653 X57564 D42065 |
| CAA71489.1 BAA01950.1 BAA11853.1 CAA71491.1 AAD37429.2 BAA92967.1 BAA92967.1 AAF63027.1 CAC21391.1 AAB06183.1 CAC21391.1 AAB0643.1 CAA34050.1 BAA96643.1 CAA71494.1 CAA71494.1 | AAA98491.1 AAB48184.1 BAA94962.1 AAF63025.1 AAD11482.1 CAA66036.1 | trichocarpa BAA14144.1 AAC05277.1 AAD11481.1 BAA07663.1 CAA71490.1 BAA77387.1 CAA80502.1 BAA82306.1 AAF63026.1 AAF63026.1 AAF63026.1 AAF63026.1 AAB027376.1 AAB02554.1 |
| Vigna mungo Nicotiana tabacum Petunia x hybrida Manihot esculenta Perilla frutescens Perilla frutescens Vitis vinifera Vitis vinifera Vitis vinifera Citis vinifera Vitis vinifera Vitis minifera Vitis max Glycine max | Triticum aestivum Zea mays Brassica napus Medicago sativa Brassica napus Triticum aestivum | |
| AB012115 AB000623 AF165148 X77463 AB013596 AB042818 AF000372 AB047098 AB047096 U07745 U08469 U07745 AF163149 AF068249 AF163150 L38260 U34393 | AF029895 U19183 AJ131866 L25042 AJ131865 U39321 | X77576 UL0187 AF029897 AF029896 L48995 Y10301 U08846 X77374 Y10302 L39267 L39267 L39267 X74980 M37637 X94943 |
| | AAC39330.1 AAA80214.1 CAC19876.1 AAB42144.1 CAC19875.1 | |

| 16 87 | Cucurb Petros | sp. num crispum | BAA23725.1 AAC34192.1 AAG18450.1 | AB009087 S81466 AF302932 AF302931 | Chlamydomonas sp. W80 Glycine max Lycopersicon esculentum Twoopersicon esculentum |
|--|----------------------------------|--------------------|--|--|---|
| Phalaenop 3 Picea mar | sıs sp. True iana | | AAG02287.1 AAG02287.1 | AE177980 | |
| | Pisum sativum Pisum sativum | | AAG02286.1 AAG02288.1 | AE1//9/9 AE177981 | - G |
| | Solanum tuberosum | | AAB36072.1 | S81470 | Glycine max |
| AJ278988 Solanum tuberosum AF197439 Picea abies | Solanum tuberosum Picea abies | | AAC35554.2 AAG00450.1 | AE085174 AE274001 | Oryza satıva Triticum aestivum |
| Ficea abi | abi | | | | |
| 3 Picea | | | | 2082 | |
| 33 Picea | | | CAA64614.1 | X95296 | Lycopersicon esculentum |
| Arusi/34 ricea mariana | | | AAF22256 1 | 2F161711 | Fermina A Hybrida Pimpinella brachydarpa |
| 2081 | | | CAA78387.1 | Z13997 | Petunia x hybrida |
| AJ251511 Populus tremula x Populus | tremula x | | CAB43399.1 | AJ006292 | Antirrhinum majus |
| | | | CAA66952.1 | X98308 | |
| | Mitochondrion Nicotiana tabacum | | CAA67600.1 | X99210 | Lycopersicon esculentum |
| X79768 Nicotiana tabacum | | | BAA88224.1 | AB028652 | |
| AF083880 Glycine max | Glycine max | | BAA88221.1 | AB028649 | |
| | | | BAA88222.1 | AB028650 | Nicotiana tabacum |
| AB009395 Catharanthus roseus | | | AAA33500.1 | M73028 | Zea mays |
| | Oryza sativa | | AAG36774.1 | AF210616 | Zea mays |
| Oryza | | | AAB41101.1 | 072762 | iana tabacum |
| | | | CAA75509.15 | X15219 | Oryza sativa subsp. indica |
| Sauromatum | Sauromatum guttatum | | | | |
| | Sauromatum guttatum | | | 2083 | • |
| 004 | Triticum aestivum | | BAA13635.1 | D88530 | |
| 9 Mangifer | Mangifera indica | | BAA13634.1 | D88529 | Spinacia oleracea |
| AJ271889 Populus tremula x Populus | tremula x | | BAA93050.1 | AB040502 | Allium tuberosum |
| | | | BAA08479.1 | D49535 | |
| U87906 Glycine max | Glycine max | | BAA12843.1 | D85624 | Citrullus lanatus |
| AB004813 Oryza sativa | Oryza sativa | | BAA21827.1 | AB006530 | Citrullus lanatus |
| AB004865 Oryza sativa | Oryza sativa | | AAF19000.1 | AF212156 | Allium cepa |
| U87907 Glycine max | Glycine max | | | | |
| | Zea mays | | | 2084 | |
| | | | CAA11417.1 | AJ223499 | Brassica juncea |
| AF285187 Chlamydomonas reinhardtii | | | CAA11416.1 | AJ223498 | Brassica juncea |
| | | | AAB67995.1 | U69694 | Brassica oleracea |
| Chlamydomonas | Chlamydomonas reinhardtii | | AAF13064.1 | AF195511 | Brassica oleracea var. botryti |

| | | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-------------------------------------|---------------------------|-------------------|------------|--------------|---------------------------|------------------|-------------------|-------------------|-------------------|-----------------|-----------------|-------------------------------|------------|---------------|----------------------|----------------|---------------|---------------------------|-------------------|--------------------|-----------------------|----------------------------|---------------|---------------|-------------------------------|-----------------|------------|-------------------|------------|------------|------------|--------------------|-----------------|-----------------|-------------------------|---------------|--------------|
| | | | | | | | | | | | | | stallinum | | | | 45 | 8 | | | | | | | | ma viride | | | | | | | | | | | | |
| Oryza sativa Glycine max | Vitis vinifera Spinacia oleracea | Glycine max | Vigna unguiculata | | Oryza sativa | Oryza sativa | | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Glycine max | Betula pendula | Mesembryanthemum crystallinum | Zea mays | Pisum sativum | Pisum sativum | Glycine max | Pisum sativum | | | Zea mays | Zea mays | Zea mays | Pisum sativum | Picea mariana | Chloroplast Mesostigma viride | Pinus banksiana | | Oryza sativa | | | | Dendrobium 'Sonia' | Zea mays | Zea mays | Oryza sativa | | |
| AB026731 AF074940 | AF019907 D37870 | S70187 | AETRIOS6 | AE LUY094 | D85751 | AB009592 | AF349449 | X76293 | X76533 | X76455 | AF105199 | AJ279690 | AJ400816 | AJ006055 | X60373 | 96606X | L11632 | X98274 | | 2088 | AF069909 | AF069908 | AF069910 | 056697 | AF051249 | AF166114 | AF124755 | Y15782 | AF024512 | | 2089 | AJ294543 | AJ294542 | Y18377 | AF044603 | AP002816 | | 2090 |
| BAA77282.1 AAC26053.1 | AAB70837.1 BAA07108.1 | AAB30526.1 | AAD53185.1 | AADZ8111.1 | BAA36283.1 | BAA37092.1 | AAK27157.1 | CAA53925.1 | CAA54043.1 | CAA53993.1 | AAF26175.1 | CAB66332.1 | CAC13956.1 | CAA06835.1 | CAA42921.1 | CAA62482.1 | AAA33962.1 | CAA66924.1 | | SEQ ID NO. | AAC72193.1 | AAC72192.1 | AAC72194.1 | AAB01223.1 | AAC32149.1 | AAF43837.1 | AAD22077.1 | CAA75778.1 | AAB88295.1 | | | CAC17753.1 | CAC17752.1 | CAA77151.1 | AAC27500.1 | BAB03420.1 | | SEQ ID NO. |
| Brassica napus Zea mays | Oryza sativa Allium cepa | Chlamydomonas reinhardtii | | | Pinus taeda | Nicotiana plumbaginifolia | Ricinus communis | Ricinus communis | Prunus armeniaca | Beta vulgaris | Hordeum vulgare | Hordeum vulgare | Zea mays | Zea mays | Zea mays | Berberis stolonifera | Brassica napus | Zea mays | Chlamydomonas reinhardtii | Solanum melongena | Pennisetum ciliare | Parthenium argentatum | Lithospermum erythrorhizon | | | Brassica napus | Zea mays | Zea mays | Nicotiana tabacum | Zea mays | Zea mays | | | Brassica juncea | Cucumis sativus | Lycopersicon esculentum | Pisum sativum | Oryza sativa |
| U68218 AF016305 | AB015204 AF212154 | U57088 | 1 | 2085 | AF283816 | Z71395 | 074631 | U74630 | AF134733 | AJ002057 | L27348 | L27349 | AF190454 | 246772 | X89813 | AF052040 | AE019376 | X78057 | AJ000765 | AB018243 | AE325720 | X82578 | AB026251 | | 2086 | AE319771 | AF236368 | AF236371 | U69154 | AF236369 | AF236370 | | 2087 | AF109695 | D26392 | L41345 | U06461 | D85764 |
| AAB53100.1 AAB94542.1 | BAA36274.1 AAF18998.1 | AAB01234.1 | | | AAG01147.1 | CAA95999.1 | AAB71420.1 | AAB71419.1 | AAD32207.1 | CAA05161.1 | AAA32948.1 | AAA32949.1 | AAF01470.1 | CAA86728.1 | CAA61939.1 | AAD17490.1 | AAB70919.1 | CAA54975.1 | CAB54526.1 | BAA85118.1 | AAK15502.1 | CAA57914.1 | BAA77025.1 | | SEQ ID NO. ? | AAK07610.1 | AAF68384.1 | AAF68387.1 | AAC49690.1 | AAF68385.1 | AAF68386.1 | | | AAD28178.1 | BAA05408.1 | AAC41654.1 | AAA60979.1 | BAA77214.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| WOO | 2/016655 | | | | |] | PC1/US01/26685 |
|--|--|---|--|---|---|--|--|
| Zea mays Oryza sativa | Oryza sativa Oryza sativa | Cucumis sativus Cucurbita sp. Brassica napus Mangifera indica Raphanus sativus Zea mays | ·H ·H | Oryza sativa Oryza sativa Spinacia oleracea | Mesembryanthemum crystallinum Betula pendula Nicotiana tabacum Pisum sativum Brassica juncea | Brassica juncea Pisum sativum Glycine max Vitis vinifera Glycine max Nicotiana tabacum | Zea mays Nicotiana tabacum Glycine max Glycine max Vigna unguiculata Pisum sativum Cucumis sativus Lycopersicon esculentum |
| AF244679 AJ002381 | 2098 AB018444 AB018443 | 2099 X67696 D70895 X93015 X75329 X78116 | 2101 AF255651 AF008441 X98274 | D85751 AB009592 D37870 | AJ400816 AJ279690 X76293 X60373 AF349449 | AF109694 X90996 AF105199 AF019907 L11632 X76533 | AJO06055 X76455 S70187 AE074940 AE181096 U06461 D26392 L41345 |
| AAG34822.1 CAA05355.1 | SEQ ID NO. 3 BAA84780.1 BAA84779.1 | SEQ ID NO. CAA47926.1 BAA11117.1 CAA63598.1 CAA53078.1 CAA55006.1 AAD44539.1 | | BAA36283.1 BAA37092.1 BAA07108.1 | CAC13956.1 CAB66332.1 CAA53925.1 CAA42921.1 AAK27157.1 | AAD28177.1 CAA62482.1 AAF26175.1 AAB70837.1 AAA33962.1 CAA54043.1 | CAAO6835.1 CAA53993.1 AAB30526.1 AAC26053.1 AAD53185.1 AAA60979.1 BAAO5408.1 AAC41654.1 |
| Spinacia oleracea Mesembryanthemum crystallinum | Brassica napus Brassica napus | Hyoscyamus muticus Solanum commersonii Nicotiana tabacum Nicotiana plumbaginifolia Silene vulgaris Silene vulgaris | 1 | Glycine max Alopecurus myosuroides Alopecurus myosuroides | Alopecurus myosuroides Alopecurus myosuroides Triticum aestivum Triticum aestivum Petunia x hybrida | Zea mays Zea mays Zea mays Zea mays Betula pendula Oryza sativa | Triticum aestivum Zea mays |
| Z30332 Z30333 | 2094 U39289 U39319 | 2095 X78203 AF002692 D10524 Z71749 M84968 M84968 AF133894 | AJ010296 AJ010295 AF243376 AF243377 | AF243379 AJ010451 AJ010454 | AJ010452 AJ010453 AF184059 X56012 Y07721 | M16901 M16902 U12679 X79515 AJZ79691 AF062403 | X56004 AF244680 AF244675 AF244677 AF244674 AF244678 AJ002380 |
| CAA82993.1 CAA82994.1 | SEQ ID NO. 2 RAC49181.1 RAC49182.1 | SEQ ID NO. 2 CAA55039.1 AAB65163.1 BAA01394.1 CAA96431.1 AAA33930.1 AAA33930.1 | CAB38119.1 CAB38118.1 AAG34811.1 AAG34812.1 | AAG34814.1 CAA09190.1 CAA09193.1 | CAA09191.1 CAA09192.1 AAD56395.1 CAA39487.1 CAA68993.1 | AAA33470.1 AAA33469.1 AAA20585.1 CAA56047.1 CAB66333.1 AAC64007.1 | CAA39480.1 AAG34823.1 AAG34818.1 AAG34820.1 AAG34817.1 AAG34821.1 CAA05354.1 |
| | | | | | | | |

| AF195217 Pyrus pyrifolia | 2111 AB028132 Orvza sativa | | 30 | X97942 Nicotiana tabacum | AJ242853 Solanum tuberosum | | X97947 Nicotiana tabacum | X97945 Nicotiana tabacum | X97946 Nicotiana tabacum | | AB028133 Oryza sativa | | 2113 | Z73951 Lotus japonicus | D13758 Oryza sativa | | 2114 | AB027455 Petunia x hybrida 9 | AB013598 Verbena x hybrida | | AB013597 Perilla frutescens | AB033758 Citrus unshiu | AF190634 Nicotiana tabacum | AF287143 Brassica napus | AF199453 Sorghum bicolor | AB031274 Scutellaria baicalensis | AF127218 Forsythia x intermedia | D85186 Gentiana triflora | AF346431 Nicotiana tabacum | Y18871 Dorotheanthus bellidiformis | X77462 Manihot esculenta | AB047092 Vitis vinifera | AB047093 Vitis vinifera | U32644 Nicotiana tabacum | AB047098 Vitis vinifera | | AB047096 Vitis vinifera |
|---------------------------------|-------------------------------|-------------------------|-------------------------|--------------------------|----------------------------|------------|--------------------------|--------------------------|--------------------------|--------------|-----------------------|-------------------------|--------------|------------------------|---------------------|--------------|-------------------|------------------------------|----------------------------|--------------|-----------------------------|------------------------|----------------------------|-------------------------|--------------------------|----------------------------------|---------------------------------|--------------------------|----------------------------|------------------------------------|--------------------------|-------------------------|-------------------------|--------------------------|-------------------------|---|-------------------------|
| AAF78516.1 | SEQ ID NO. BAA78575.1 | BAA78572.1 | BAA78573.1 | CAA66601.1 | CAB89831.1 | CAA08755.1 | CAA66606.1 | CAA66604.1 | CAA66605.1 | BAA78574.1 | BAA78576.1 | | SEQ ID NO. | CAA98179.1 | BAA02904.1 | | SEQ ID NO. | BAA89009.1 | BAA36423.1 | BAA36421.1 | BAA36422.1 | BAA93039.1 | AAF61647.1 | AAF98390.1 | AAF17077.1 | BAA83484.1 | AAD21086.1 | BAA12737.1 | AAK28303.1 | CAB56231.1 | CAA54612.1 | BAB41019.1 | BAB41020.1 | AAB36653.1 | BAB41025.1 | | BAB41023.1 |
| Brassica juncea Oryza sativa | | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | | Lycopersicon esculentum | | | | Brassica rapa | Lycopersicon esculentum | Oryza sativa | Pyrus pyrifolia | | | Spinacia oleracea | = | 1 | | Nicotiana tabacum | Bruguiera gymnorhiza | Solanum tuberosum | Lycopersicon esculentum | Pisum sativum | Fritillaria agrestis | Spinacia oleracea | Triticum aestivum | Brassica napus | Volvox carteri f. nagariensis | Lycopersicon esculentum | • | | Medicago sativa | Nicotiana tabacum | | Oryza sacıva |
| AF109695 D85764 | 2104 | AF258809 | U82559 | AF258808 | AF258810 | D88451 | AF259793 | U82558 | | 2106 | L31936 | 275521 | U86018 | AF195209 | | 2107 | X85038 | AE170026 | | 2108 | X64349 | AB043960 | X17578 | 211999 | D13297 | AF037457 | X05548 | X57408 | AF139818 | AF110780 | X52427 | | 2109 | X78284 | AJ295006 | F C C C C | AFUULSSI |
| AAD28178.1 BAA77214.1 | | | AAB41742.1 | AAG22605.1 | AAG22607.1 | BAA23226.1 | AAG22608.1 | AAB41741.1 | | SEQ ID NO. 2 | ~ | CAA99757.1 | AAB46718.1 | AAF78511.1 | | SEQ ID NO. 2 | CAA59409.1 | AAD50464.1 | | SEQ ID NO. 2 | \vdash | BAA96365.2 | CAA35601.1 | CAA78043.1 | BAA02554.1 | AAC04808.1 | CAA29062.1 | CAA40670.1 | AAD38521.1 | AAD55562.1 | CAA36674.1 | | SEQ ID NO. 2 | CAA55090.1 | CAC12883.1 | 7 | BAASASO4.1 |

| Fagus sylvatica Oryza sativa Quercus suber | Mesembryanthemum crystalli Pisum sativum Capsicum annuum Spinacia oleracea | Silene latifolia subsp. alba Lycopersicon esculentum Lea mays Lea mays Triticum aestivum Oryza sativa Zea mays | Zea mays Impatiens balsamina Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas saina Physcomitrella patens Zea mays Oryza sativa Ipomoea nil Oryza sativa | u E H | brassica oleracea Brassica oleracea |
|---|---|--|---|--|--|
| AJ298303 Fac L76377 Ory AJ000692 Que | 2120 AF003125 Mes M31713 Pis AF039662 Cap M35660 Sp | | AB016810 Zee AF233452 Imp U29516 Ch. L10349 Ch. Z46944 Ci. AF010320 Or: Y12734 Ph. M73831 Zee D30794 Or: D30794 Or: D83660 Or: D83660 Or: | 123503 00233 002094 003751 2105 3904 3905 | |
| CAC22329.1 AAB67852.1 CAB36911.1 | SEQ ID NO. AAB61593.1 AAA33665.1 AAD02175.1 | CAA26281.1 CAA99756.1 AAA33459.1 AAA33460.1 CAA52980.1 BAA06436.1 | BAA32348.1 AAC49171.1 AAA33085.1 CAA87068.1 AAB65699.1 CAA73265.1 AAB65699.1 CAA73265.1 BAA06456.1 BAA06456.1 BAA19865.1 | · | AAA73948.1 |
| Perilla frutescens Vitis vinifera Vitis vinifera Nicotiana tabacum | Nicotiana tabacum Vitis labrusca x Vitis vinifera Petunia x hybrida Lycopersicon esculentum Manihot esculenta | | Vitis riparia Solanum commersonii Solanum commersonii Capsicum annuum Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Solanum dulcamara Nicotiana tabacum Solanum commersonii Nicotiana tabacum | Nicoliana tabacum Solanum commersonii Lycopersicon esculentum Vitis vinifera Nicotiana sylvestris Nicotiana tabacum Solanum commersonii Vitis vinifera Fragaria x ananassa Nicotiana tabacum Nicotiana tabacum | nordeum vulgare Fagus sylvatica |
| AB002818 AB047099 AB047097 AF346432 | U32643 AB047090 AB027454 X85138 X77464 | X77461 X77463 2116 AF148648 AF147203 | 2118 AF178653 X72928 X67121 AJ297410 X66416 S44889 S40046 AY007309 X65701 X65701 X65700 X72927 | A52506 A72926 AF093743 AF093007 D76437 M64081 X67244 Y10992 AF199508 M29279 X6167968 | AJ298304 |
| BAA19659.1 BAB41026.1 BAB41024.1 AAK28304.1 | AAB36652.1 BAB41017.1 BAA89008.1 CAA59450.1 CAA54614.1 | | SEQ ID NO. 2 AAD55090.1 CAA51432.1 CAA47601.1 CAC34055.1 CAA47047.1 AAB22459.2 AAG16625.1 CAA46622.1 CAA51431.1 CAA64620.1 | CAA64820.1 CAA51430.1 AAC64171.1 AAB61590.1 BAA11180.1 AAA34087.1 CAA71883.1 AAE13707.1 AAA43854.1 CAA43854.1 | CAC22330.1 |

| • | | |
|--|--|---|
| Pimpinella brachycarpa Physcomitrella patens Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Craterostigma plantagineum Physcomitrella patens Daucus carota Oryza sativa | Daucus carota Daucus carota Glycine max Glycine max Glycine max Physcomitrella patens Daucus carota Physcomitrella patens Lycopersicon esculentum Physcomitrella patens Oryza sativa Brassica rapa subsp. pekinensis Daucus carota Physcomitrella patens | Persea americana Thlaspi arvense Sorghum bicolor Asparagus officinalis Glycine max Nepeta racemosa Asparagus officinalis Solanum melongena Capsicum annuum Solanum melongena Glycine max Solanum melongena Glycine max Nepeta racemosa |
| X94449 AB028075 AF211193 X96681 AC079890 AF145731 AF145727 AJ005820 AB028074 D26573 AF145729 | D26576 D26578 AF184278 AF184277 AB028076 D26575 AB028078 Y17306 AB028080 AF145728 AF268422 D26574 AB028077 | 2124 M32885 L24438 AF029858 AB037244 AF022460 Y09423 AB037245 D14990 AF122821 X71654 AF022157 X70981 AF022459 |
| CAA64221.1 BAA93463.1 AAF19980.1 CAA65456.2 AAK31270.1 AAD37700.1 AAD37695.1 AAD37696.1 CAA06717.1 BAA93462.1 BAA93462.1 | BAA05625.1 BAA21017.1 AAF01765.1 AAF01764.2 BAA93464.1 BAA05624.1 BAA05624.1 BAA03766.1 AAD37697.1 BAA05623.1 BAA93465.1 | SEQ ID NO. AAA32913.1 AAA19701.1 AAC39318.1 BAB40323.1 AAB94589.1 CAA70575.1 BAA63635.1 AAE27282.1 CAA50312.1 AAB94588.1 CAA50312.1 AAB94588.1 CAA70576.1 |
| Brassica oleracea Gossypium hirsutum Gossypium hirsutum Gossypium hirsutum Gossypium hirsutum Brassica napus Gossypium hirsutum Gossypium hirsutum Corylus avellana Nicotiana glauca Spinacia oleracea Phaseolus vulgaris | Prunus avium Gossypium hirsutum Malus x domestica Sorghum bicolor Cicer arietinum Prunus dulcis Pyrus communis Pyrus communis Iilium longiflorum Sorghum bicolor Nicotiana tabacum Brassica rapa Zea mays | Malus x domestica Hordeum vulgare Triticum aestivum Gerbera hybrida Aerides japonica Oryza sativa Oryza sativa Zea mays Hordeum vulgare Sorghum bicolor Craterostigma plantagineum Pimpinella brachycarpa Glycine max Pimpinella brachycarpa |
| L29767 AF22833 AF195865 AF195863 AF04204 AF101038 U15153 S78173 AF329829 AF151214 M58635 U72765 | AF221501 AF195864 AF221502 X71667 AJ002958 X96714 AF221503 X96716 AF171094 X71668 X62395 L31938 | AJ277164 Z37115 AF302788 Z31588 AF198168 U31766 AF017359 U66105 Z37114 X71669 Z37123 X95193 X95193 X95193 |
| AAA32995.1 AAG29777.1 AAF35186.1 AAF35184.1 AAC009107.1 AAA75599.1 AAA75599.1 AAAX28533.1 AAAX28533.1 AAAX34032.1 | AAF26449.1 AAF35185.1 AAF26450.1 CAA50660.1 CAA65475.1 AAF26451.1 CAA65477.1 AAD46683.1 CAA64267.1 AAD4050.1 AAA91050.1 AAA33493.1 | |

| Nicotiana tabacum Glycine max Chlamydomonas eugametos Cryza sativa Oryza sativa Oryza sativa Zea mays Oryza sativa Gryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Glycine max Solanum tuberosum Gryza sativa | | 4 Cucurbita pepo Pinus sylvestris Chloroplast Pinus sylvestris Ginkgo biloba 6 Pinus sylvestris Chloroplast Pinus sylvestris 2 Nicotiana tabacum Zea mays Zea mays Zea mays Selaginella lepidophylla Hordeum vulgare Taxus baccata |
|--|--|---|
| D26602 AF128443 Z49233 AB011968 AP01168 AF062479 L15390 AF048691 AF000615 AF203479 X95997 AC073166 | 2127 M55147 AP000615 M14418 L26923 L27668 M18976 X15408 X52148 M14417 AB035312 AF022730 AF010582 | AF260734 107501 12550 126924 AJ001706 132561 AJ133422 U45858 U45855 X73151 U96623 X60343 |
| BAA05649.1 AAD23582.1 CAA89202.1 BAA83689.1 BAA90814.1 AAC99329.1 AAC33443.1 AAC05270.1 BAA85396.1 AAF19401.1 CAA65244.1 | | AAG23800.1 AAA33779.1 AAD10215.1 AAA33352.1 CAA04942.1 AAD10214.1 CAB39974.1 AAA87880.1 AAA87580.1 CAA51676.1 CAA51676.1 |
| Nicotiana tabacum Catharanthus roseus Triticum aestivum Mentha x piperita Mentha spicata Pisum sativum Nicotiana tabacum Mentha x piperita Nicotiana tabacum Glycine max Glycine max | Zea mayo Zea mayo Zea mayo Petunia x hybrida Mentha x piperita Zea mayo Brassica napus Nicotiana tabacum Brassica napus Oryza sativa Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Oryza sativa Glycine max | Zea mays Oryza sativa Fagus sylvatica Oryza sativa Nicotiana tabacum Malus x domestica Malus x domestica Dunaliella tertiolecta Sorghum bicolor Nicotiana tabacum Sorghum bicolor Nicotiana tabacum Sorghum bicolor Cucumis sativus Hordeum vulgare |
| AF166332 AJ238612 AB036772 Z33875 AF124815 AF218296 X95342 AF124816 X96784 D83968 D86351 AF135485 | X81831 AF155332 AF124817 X81829 2125 AJ010091 D26601 AJ010093 AF172282 AJ000728 AJ302651 AF165186 AF165186 AF165186 | U83625 AF194413 AJ298992 AF194414 D31964 Z17313 Z17313 AF038570 Y12464 AF325168 Y12465 Y12465 |
| AAD47832.1 CAB56503.1 BAB40322.1 CAA83941.1 AAD44132.1 CAA644132.1 CAA644132.1 CAA64535.1 AAD44151.1 CAA65580.1 BAA12159.1 BAA13076.1 | | AAC83393.1 AAF23900.1 CAC09580.1 AAF23901.2 BAA06731.1 CAA7896.1 CAA73067.1 AAC53979.1 CAA73068.1 CAA73068.1 CAA73068.1 |

| con esculentum berosum tabacum tabacum tabacum nata nata nata tabacum tx | canescens tabacum tabacum tabacum tabacum va va cota cota cota cella patens cota |
|--|---|
| | Populus x canes Nicotiana tabac Nicotiana tabac Nicotiana tabac Nicotiana tabac Oryza sativa Daucus carota Glycine max Lycopersicon esphyscomitrella Zinnia elegans Physcomitrella Daucus carota Daucus carota Physcomitrella Physcomitrella Physcomitrella Daucus carota Physcomitrella Physcomitrella Physcomitrella Physcomitrella Physcomitrella Physcomitrella |
| M80608 AF067863 U01901 M60402 M60403 U01900 M59442 AF01523 AF034106 AF034106 AF034113 AJ277900 M20620 AJ000081 U41323 U41323 U49454 M37753 AF227953 AF227953 | AF230109 AF141653 X81560 M60464 2131 AF145729 D26575 AF184278 X94947 AB028077 AB028077 AB0228077 AB0228078 AB0228073 AB0228073 AB0228073 AB0228073 AB0228073 AB0228073 AB0228073 AB0228073 AB028073 AB028073 AB028073 AB028073 AB028073 AB028073 AB028073 |
| AAAO3618.1 AAC19114.1 AAA18928.1 AAA63539.1 AAA63540.1 AAA63541.1 AAA63541.1 AAA19111.1 AAC04710.1 AAC04710.1 AAC04714.1 CAB91554.1 AAC34082.1 CAAO3908.1 AAA33946.1 AAA33946.1 AAA33946.1 AAA33946.1 AAA33881.1 AAAS3881.1 | AAF33405.1 AAD33880.1 CAA57255.1 AAA34053.1 SEQ ID NO. AAD37698.1 BAA05624.1 AAF01765.1 CAA64417.1 BAA93465.1 BAA93466.1 BAA93466.1 BAA93466.1 BAA93466.1 BAA93466.1 BAA93466.1 |
| nummularia nuthemum crystall uthemum crystall igma plantagineu igma plantagineu inva i pepo i hybrida rella patens liliiflora liliiflora i tabacum nonas reinhardtii nrteri f. nagarie turgidum subsp. aestivum turgidum subsp. | Triticum turgidum subsp. durum Triticum turgidum subsp. durum Ricinus communis Medicago sativa Datisca glomerata Oryza sativa Lithospermum erythrorhizon Lithospermum erythrorhizon Hevea brasiliensis Hevea brasiliensis Hevea brasiliensis Hevea brasiliensis Hevea brasiliensis Hevea brasiliensis Nitis vinifera Medicago sativa subsp. sativa Pisum sativum Phaseolus vulgaris Nicotiana plumbaginifolia Nicotiana plumbaginifolia |
| U45856 U02886 X75597 J05223 M29956 X78307 U31676 AF260733 X60346 X72381 X60346 X72381 X60347 AF260733 X60347 AF260733 U31676 AF260733 U31676 AF260733 U31676 U31676 U31676 U31676 U31676 U31676 U3177379 U11496 U11496 | AJ277378 AJ277377 U41385 Z11499 AF131223 AB039278 AB026252 2130 U22147 AJ133470 AF239617 U27179 S51479 X53129 M63634 M63634 |
| AAA87579.1 AAA03442.1 CAA53269.1 AAA33033.1 AAA33031.1 CAA42103.1 AAA82047.1 AAA82047.1 AAA623799.1 CAA42904.1 CAA42905.1 CAA42905.1 CAA42905.1 AAD02069.1 AAD02069.1 AAD55566.1 CAC21230.1 AAA19660.1 CAC21230.1 | |

| | | | 465 | | × |
|--|--|---|--|---|---|
| Samanea saman Populus tremula x Populus | Zea mays Zea mays Oryza sativa | Petunia x hybrida Lycopersicon esculentum Cucurbita maxima | | Eschscholzla Calliofinica Persea americana Solanum melongena Solanum melongena Glycine max Glycine max Antirrhinum majus Papaver somniferum Nepeta racemosa | Petunia x hybrida Lycopersicon esculentum 2 Petunia x hybrida Asparagus officinalis Nepeta racemosa Glycine max Asparagus officinalis Nicotiana tabacum |
| AJ299019 AJ271446 | 2134 X79086 X79085 AF242298 | 2135 AF210049 X63093 2136 AF212990 | AB025030 AB025030 U72654 X71656 AF155332 AF022458 AF014801 | AFU148UU M32885 X70824 X71657 AF022464 AF022459 AB028151 AF191772 | AF081575 AF150881 n peruvianum AB006790 AB037245 Y09424 AF022460 AB037244 AF166332 |
| CAC10514.1 CAC05488.1 tremuloides | SEQ ID NO. 2 CAA55693.1 CAA55691.1 AAF97508.1 | SEQ ID NO. 2 AAG43509.1 CAA44807.1 SEQ ID NO. 2 | AAG41/70.1 BAB12433.1 AAB17562.1 CAA50647.1 AAD56282.1 AAC394587.1 AAC394587.1 | AAC39452.1 AAA32913.1 CAA50155.1 CAA50648.1 AAB94593.1 AAB94588.1 BAA84071.1 AAF05621.1 CAA70575.1 | AAC32274.1 AAD37433.1 Lycopersicon BAA92894.1 BAB40324.1 CAA70576.1 AAB94589.1 AAB94589.1 AAB947832.1 AAD47832.1 |
| Oryza sativa Glycine max Daycis carota | g o + | hellanthus annuus Physcomitrella patens Pimpinella brachycarpa Pimpinella brachycarpa Pimpinella brachycarpa Orwza sativa | Oryza sativa Craterostigma plantagineum Lycopersicon esculentum Glycine max Oryza sativa | Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Daucus carota Lycopersicon esculentum Oryza sativa Zea mays | Samanea saman Solanum tuberosum Zea mays Vicia faba Populus tremula x Populus Samanea saman Mesembryanthemum crystallinum Nicotiana paniculata Triticum aestivum Ederia densa |
| AF145728 AF184277 D26578 | AB028080 AB028080 D26574 AF139497 | | AF145/26 AJ005833 X91212 X92489 X96681 AF211193 | 2132 AF079871 AF079872 U65390 AJ249962 X96390 AP002092 AJ132686 AP002093 | AF145272 X79779 Y07632 Y10579 AJ271447 AF2099095 AF267755 AB032074 AF207745 |
| AAD37697.1 AAF01764.2 BAA21017.1 | | AAA63.1 BAA93463.1 CAA64491.1 CAA64221.1 CAA64152.1 AAD37700.1 | | SEQ ID NO. 2 AAF33669.1 AAF33670.1 AAB53255.1 CAB62555.1 CAA65254.1 BAA96150.1 CAB54856.1 | AAD39492.1 CAA56175.1 CAA68912.1 CAA71598.1 CAC05489.1 tremuloides AAD16278.1 AAF81251.1 BAA84085.1 AAF36832.1 |

| CAA72218.1 CAA78386.1 | Y11415 Z13996 | | AAA33118.1 AAA33117.1 | L32701 L31550 | |
|--------------------------|------------------------|---|--------------------------|------------------|--------------------------------------|
| AAK19616.1 Cabasses 1 | AF336283 A.TOO 6292 | Gossypium hirsutum Antirrhinum maius | AAA83538.1 | L31552 L31551 | Cucurbita maxima Cucurbita maxima |
| 6 | AF336286 | Gossypium hirsutum | CAA78979.1 | Z17331 | |
| \vdash | 27 | Gossypium hirsutum | AAF74345.1 | AF150627 | Cucurbita moschata |
| CAA64614.1 | X95296 | Lycopersicon esculentum | AAA92465.1 | L32700 | Cucurbita argyrosperma |
| 23337.1 | D88617 | Oryza sativa | CAA80364.1 | 222647 | Cucurbita maxima |
| 50224.1 | 870878 | Hordeum vulgare | | | |
| 150222.1 | X70877 | Hordeum vulgare | SEQ ID NO. 2 | 2140 | |
| CAA50221.1 | X70876 | Hordeum vulgare | AAF27340.1 | AF186020 | Vicia faba |
| AAF22256.1 | AF161711 | Pimpinella brachycarpa | AAD00239.1 | U73938 | Nicotiana tabacum |
| A72186.1 | Y11351 | Oryza sativa | CAA81443.1 | Z26846 | Mesembryanthemum crystallinum |
| A67600.1 | X99210 | Lycopersicon esculentum | AAB58348.1 | U29095 | Triticum aestivum |
| A81732.1 | AB029161 | Glycine max | AAB68962.1 | L38855 | Glycine max |
| BAA81731.1 | AB029160 | Glycine max | AAG60195.1 | AC084763 | Oryza sativa |
| BAA81730.1 | AB029159 | Glycine max | BAA19573.1 | AB002109 | Oryza sativa |
| BAA88221.1 | AB028649 | Nicotiana tabacum | AAD00240.1 | U73939 | Nicotiana tabacum |
| BAA23338.1 | D88618 | Oryza sativa | AAA96325.1 | M94726 | Triticum aestivum |
| 188222.1 | AB028650 | Nicotiana tabacum | BAA13608.1 | D88399 | |
| CAA78387.1 | Z13997 | Petunia x hybrida | CAA06503.1 | AJ005373 | Craterostigma plantagineum |
| 172217.1 | Y11414 | Oryza sativa | AAC98509.1 | AF100162 | Chlamydomonas reinhardtii |
| 188224.1 | AB028652 | Nicotiana tabacum | CAA73067.1 | Y12464 | Sorghum bicolor |
| CAA67575.1 | X99134 | Lycopersicon esculentum | AAD23582.1 | AF128443 | Glycine max |
| 341101.1 | U72762 | | CAA71142.1 | X10036 | Cucumis sativus |
| 488223.1 | AB028651 | Nicotiana tabacum | CAA73068.1 | X12465 | Sorghum bicolor |
| 150226.1 | X70881 | Hordeum vulgare | BAA05649.1 | D26602 | Nicotiana tabacum |
| CAA50223.1 | X70878 | Hordeum vulgare | BAA96628.1 | AP002482 | Oryza sativa |
| 481733.2 | AB029162 | Glycine max | CAA65244.1 | X95997 | Solanum tuberosum |
| BAA81736.1 | AB029165 | Glycine max | CAA57898.1 | X82548 | Hordeum vulgare |
| 466952.1 | X98308 | Lycopersicon esculentum | AAC99329.1 | AF062479 | Oryza sativa |
| BAA23340.1 | D88620 | Oryza sativa | CAA07813.1 | AJ007990 | Hordeum vulgare |
| CAA72187.1 | Y11352 | Oryza sativa | CAA46556.1 | X65606 | Hordeum vulgare |
| CAA65525.1 | X96749 | Oryza sativa | AAB05457.1 | 055768 | Oryza sativa |
| AAK19618.1 | AF336285 | Gossypium hirsutum | CAA46554.1 | X65604 | Hordeum vulgare |
| υ. | 0 | Oryza sativa | BAA83689.1 | AB011968 | Oryza sativa |
| 57 | 0 | Oryza sativa | AAB62693.1 | AE004947 | Oryza sativa |
| CAA64615.1 | X95297 | Lycopersicon esculentum | BAA83688.1 | AB011967 | Oryza sativa |
| | | | BAA34675.1 | AB011670 | Triticum aestivum |
| | 2139 | | AAF22219.1 | AF141378 | Zea mays |
| BAA96751.1 | AP002521 | Oryza sativa | | | |

| | 1 |
|--|---|
| Triticum aestivum Vigna radiata Oryza sativa Capsicum annuum Bidens pilosa Hordeum vulgare Oryza sativa Capsicum annuum Oryza sativa Oryza sativa Cryza sativa | Hordeum vulgare Phragmites australis Phragmites australis Phragmites australis Phragmites australis Oryza sativa Hordeum vulgare Hordeum vulgare Hordeum vulgare Hordeum vulgare Solanum tuberosum |
| U49103 U48693 U48692 U48689 U48689 U48242 S81594 Z12827 U83402 X89890 M27303 AP000969 AF108889 AF042840 L18914 Z12828 L14071 U10150 M88307 X74490 Z152 X74490 | AF129479 AB055630 AB055629 AB055631 AB055631 AF129485 AF129484 AF129480 AJ300161 2154 AF022390 U65648 |
| AAC49585.1 AAC49581.1 AAC49582.1 AAC49580.1 AAC49580.1 AAC49578.1 AAC49578.1 AAC49578.1 AAB36130.1 CAA78288.1 CAA61980.1 AAA32938.1 AAA32938.1 AAA3290.1 AAA3290.1 AAA3290.1 AAA3290.1 AAA165511.1 AAA33900.1 CAA78288.1 AAA16571.1 AAA16320.1 AAA16320.1 AAA16571.1 AAA16571.1 AAA16571.1 AAA16571.1 AAA16571.1 AAA16571.1 AAA16571.1 | AAF36491.1 BAB32443.1 BAB32444.1 BAB32444.1 BAB32445.1 AAF36496.1 AAF36492.1 AAF36492.1 CAC15061.1 SEQ ID NO. 3 AAF43095.1 AAB41849.1 |
| Pisum sativum Zea mays Zea mays Oryza sativa Oryza sativa Pisum sativum Glycine max Zea mays Pisum sativum Helianthus tuberosus Medicago truncatula Vigna radiata Medicago sativa Phaseolus vulgaris Phaseolus vulgaris Zea mays Oryza sativa Oryza sativa Oryza sativa | Zea mays Oryza sativa Pisum sativum Petunia x hybrida Petunia x hybrida Malus x domestica Lilium longiflorum Daucus carota Capsicum annuum Elaeis guineensis Prunus avium Vigna radiata Triticum aestivum |
| 2142 AB048713 AF263457 AF067400 AP001168 AF067401 AB048714 2146 U20502 X77569 Y17329 Z35108 Z35108 Z3543 AF134835 AF134835 AF134835 AF134835 AF134835 AF030032 Y13974 X65016 AF042839 AF042839 AF042839 AF042839 AF042839 | X77397 AP000815 U13882 M80836 M80831 X60738 Z12839 X59751 X98404 AF295637 AF292108 1,20691 U49105 |
| SEQ ID NO. BAB39155.1 AAG13663.1 AAC98090.1 BAA90816.1 AAC98091.1 BAB39156.1 SEQ ID NO. AAA80588.1 CAA54678.1 CAA84491.1 CAA84491.1 SEQ ID NO. 2 CAA83924.1 AAF37386.1 | CAA54583.1 BAA87825.1 AAA32706.1 AAA33706.1 CAA78301.1 CAA78301.1 CAA742423.1 CAA67054.1 AAG27432.1 AAG11418.1 AAG1428.1 |

| AAC32818.1 | AF050181 | iva | AAC49583.1 | U48692 | Triticum aestivum |
|------------|----------|---------------------------|--------------|----------|--------------------------------|
| BAB18583.1 | LΩ | Ceratopteris richardii | AAC49582.1 | U48691 | Triticum aestivum |
| AAD13611.1 | AF100455 | Zea mays | AAK25753.1 | AF334833 | Castanea sativa |
| BAB18582.1 | AB043954 | Ceratopteris richardii | AAA33706.1 | M80836 | Petunia x hybrida |
| BAB18584.1 | AB043956 | Ceratopteris richardii | CAA74307.1 | Y13974 | Zea mays |
| AAC33008.1 | AF080104 | Pisum sativum | AAA33705.1 | M80831 | Petunia x hybrida |
| AAC32817.1 | AF050180 | Oryza sativa | AAD10244.1 | AF030032 | Phaseolus vulgaris |
| AAD09582.1 | U76409 | Lycopersicon esculentum | CAA36644.1 | X52398 | Medicago sativa |
| AAD00252.1 | U76408 | con | CAA43143.1 | X60738 | Malus x domestica |
| AAG27464.1 | AE308454 | tran | CAA78301.1 | Z12839 | Lilium longiflorum |
| AAC49917.1 | AF000141 | | AAB68399.1 | U79736 | Helianthus annuus |
| AAD00251.1 | U76407 | Lycopersicon esculentum | CAA42423.1 | X59751 | Daucus carota |
| AAF23753.2 | AF193813 | Brassica oleracea | AAA34238.1 | L20507 | Vigna radiata |
| | | | AAG27432.1 | AF295637 | Elaeis guineensis |
| ċ | 2157 | | AAG11418.1 | AF292108 | Prunus avium |
| AAF31151.1 | AF078679 | Olea europaea | CAA74111.1 | X13784 | Mougeotia scalaris |
| AAF31152.1 | AF078680 | Olea europaea | AAA92681.1 | U13882 | Pisum sativum |
| CAB63264.1 | AJ251808 | Lotus japonicus | | | |
| AAA92677.1 | U13736 | Pisum sativum | SEQ ID NO. ; | 2158 | |
| AAA33083.1 | M20729 | Chlamydomonas reinhardtii | AAG43835.1 | AF213455 | Zea mavs |
| BAA94697.1 | AB041712 | Chara corallina | AAC36698.1 | AF075580 | Mesembryanthemum crystallicaum |
| BAA94696.1 | | | CAC10359.1 | AJ277087 | Nicotiana tabacum |
| BAA96536.1 | AB044286 | Chara corallina | CAB90633.1 | AJ277743 | Fagus sylvatica |
| AAK11255.1 | AE329729 | Nicotiana tabacum | AAC36697.1 | AE075579 | Mesembryanthemum crystallinum |
| AAB67884.1 | U62865 | Dunaliella salina | CAC10358.1 | AJ277086 | |
| CAA67054.1 | X98404 | Capsicum annuum | CAA72341.1 | Y11607 | Medicado sativa |
| BAA87825.1 | AP000815 | Oryza sativa | AAD17804.1 | AF092431 | Lotus japonicus |
| 0 | X90560 | Physcomitrella patens | AAC36700.1 | AF075582 | Mesembryanthemum crystallinum |
| AAB46588.1 | U83402 | Capsicum annuum | CAC09575.1 | AJ298987 | Fagus sylvatica |
| AAA85155.1 | U20294 | Solanum tuberosum | AAD17805.1 | AF092432 | Lotus japonicus |
| AAA62351.1 | U20295 | Solanum tuberosum | AAC36699.1 | AF075581 | Mesembryanthemum crystallinum |
| AAA85156.1 | U20296 | Solanum tuberosum | AAC26828.1 | AF075603 | Oryza sativa |
| AAA85157.1 | U20297 | Solanum tuberosum | CAB90634.1 | AJ277744 | Fagus sylvatica |
| AAF65511.1 | AF108889 | Capsicum annuum | AAB93832.1 | U81960 | Zea mays |
| CAA61980.1 | X89890 | Bidens pilosa | AAD11430.1 | AF097667 | Mesembryanthemum crystallinum |
| AAA33900.1 | L18914 | Oryza sativa | AAC35951.1 | AF079355 | Mesembryanthemum crystallinum |
| CAA78288.1 | Z12828 | Oryza sativa | CAC09576.1 | AJ298988 | Fagus sylvatica |
| $^{\circ}$ | X77397 | Zea mays | | | |
| AAA87347.1 | M88307 | Brassica juncea | SEQ ID NO. | 2159 | |
| AAA19571.1 | 010150 | Brassica napus | BAB19864.1 | AB052885 | Oryza sativa |
| AAD10245.1 | AF030033 | Phaseolus vulgaris | CAA04511.1 | AJ001061 | Vitis vinifera |

| Oryza sativa Sorghum bicolor | | | | Hordeum vulgare | Hordeum vulgare | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Zea mays | Triticum aestivum | | | Triticum aestivum | Nicotiana tabacum | Triticum aestivum | Mesembryanthemum crystallinum | Oryza sativa | | Oryza sativa | Nicotiana tabacum | | Craterostigma plantagineum | | Chlamydomonas reinhardtii | Oryza sativa | | Cucumis sativus | Glycine max | Sorghum bicolor | Nicotiana tabacum | Solanum tuberosum | Hordeum vulgare | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Oryza sativa | Hordeum vulgare | Zea mays |
|-----------------------------------|-------------------|----------------|------------------|------------------|-----------------|-------------------------|-------------------------|--------------|--------------|--------------------|--------------------|--------------------|-------------------------|-------------------|-------------------------|-----------------------------|-------------------------------|-------------------|-------------------|--------------|-------------------|--------------|----------------------------|----------------------------|---------------------------|--------------|-------------------|-----------------|-------------------|-------------------|-------------------------------|-------------------|-----------------|---------------------------|-----------------|-------------------|-----------------|-----------------|--------------|
| AP002482 Y12465 | Y12464 | X95997 | AJ007990 | X65606 | X65604 | 055768 | AF004947 | AB011968 | AB011967 | AE141378 | AB011670 | | 2164 | U29095 | U73938 | M94726 | Z26846 | AC084763 | AB002109 | D88399 | U73939 | L38855 | AJ005373 | AF186020 | AF100162 | AP002482 | Y12464 | $_{ m X10036}$ | AF128443 | Y12465 | D26602 | X95997 | X82548 | AF062479 | AJ007990 | X65606 | U55768 | X65604 | AF141378 |
| BAA96628.1 CAA73068.1 | CAA73067.1 | CAA65244.1 | CAA07813.1 | CAA46556.1 | CAA46554.1 | AAB05457.1 | AAB62693.1 | BAA83689.1 | BAA83688.1 | AAF22219.1 | BAA34675.1 | | | AAB58348.1 | AAD00239.1 | AAA96325.1 | CAA81443.1 | AAG60195.1 | BAA19573.1 | BAA13608.1 | AAD00240.1 | AAB68962.1 | CAA06503.1 | AAF27340.1 | AAC98509.1 | BAA96628.1 | CAA73067.1 | CAA71142.1 | AAD23582.1 | CAA73068.1 | BAA05649.1 | CAA65244.1 | CAA57898.1 | AAC99329.1 | CAA07813.1 | CAA46556.1 | AAB05457.1 | CAA46554.1 | AAF22219.1 |
| Medicago truncatula Vicia faba | Nicotiana tabacum | Vitis vinifera | Ricinus communis | Ricinus communis | Oryza sativa | Lycopersicon esculentum | Lycopersicon esculentum | Picea abies | Oryza sativa | Chlorella kessleri | Chlorella kessleri | Chlorella kessleri | Lycopersicon esculentum | Beta vulgaris | Lycopersicon esculentum | Apium graveolens var. dulce | Solanum tuberosum | Spinacia oleracea | Nicotiana tabacum | Zea mays | 1 | | Glycine max | Craterostigma plantagineum | | Oryza sativa | Nicotiana tabacum | Oryza sativa | Triticum aestivum | Nicotiana tabacum | Mesembryanthemum crystallinum | aestivum | Vicia faba | Chlamydomonas reinhardtii | Glycine max | Nicotiana tabacum | Cucumis sativus | Hordeum vulgare | Oryza sativa |
| U38651 Z93775 | X66856 | $_{ m Y09590}$ | L08196 | L08188 | AB052884 | AJ132224 | AJ010942 | 283829 | AB052883 | X07520 | X55349 | X75440 | AJ132223 | AF173655 | AJ132225 | AF215837 | AF215853 | AF215851 | AF215852 | AF215854 | | 2163 | L38855 | 37 | AC084763 | D88399 | U73938 | AB002109 | U29095 | U73939 | 226846 | M94726 | AF186020 | AF100162 | AF128443 | D26602 | X10036 | X82548 | AF062479 |
| AAB06594.1 CAB07812.1 | CAA47324.1 | CAA7077.1 | AAA79761.1 | AAA79857.1 | BAB19863.1 | CAB52689.1 | CAA09419.1 | CAB06079.1 | | CAA68813.1 | CAA39036.1 | CAA53192.1 | CAB52688.1 | AAD55054.1 | CAB52690.1 | AAG43998.1 | | AAF74565.1 | | AAE74568.1 | | SEQ ID NO. 2 | AAB68962.1 | • | AAG60195.1 | · | AAD00239.1 | BAA19573.1 | AAB58348.1 | AAD00240.1 | CAA81443.1 | 10 | 0 | AAC98509.1 | AAD23582.1 | BAA05649.1 | CAA71142.1 | CAA57898.1 | AAC99329.1 |

| BAA83688.1 | AB011967 | sat | BAA88222.1 | AB028650 | Nicotiana tabacum |
|--------------------------|----------------------|-----------------------------------|------------|--------------------|-------------------------------|
| BAA83689.1 | AB011968 | 11 | BAA81/36.1 | AB029165 | Glycine max |
| BAA346/5.1 AAR62693.1 | AB0116/0 AF004947 | Triticum aestivum Orvza sativa | AAG36774.1 | M/3028 AF210616 | zea mays Zea mavs |
|) | | | BAA23339.1 | D88619 | Oryza sativa |
| SEQ ID NO. 2 | 2165 | | CAA72217.1 | Y11414 | Oryza sativa |
| CAA72271.1 | X11483 | Brassica napus | BAA81733.2 | AB029162 | Glycine max |
| CAA72270.1 | X11482 | Brassica napus | BAA88224.1 | AB028652 | Nicotiana tabacum |
| AAB72097.1 | AF021257 | Hordeum vulgare | CAA66952.1 | 80886X | Lycopersicon esculentum |
| AAB72096.1 | AF021256 | Hordeum vulgare | | | |
| | | | | 2169 | |
| SEQ ID NO. 3 | 2166 | | BAA95893.1 | AP002071 | Oryza sativa |
| AAA86424.1 | U44386 | Lycopersicon esculentum | CAB51834.1 | 69000 | Oryza sativa |
| AAF05766.1 | AF192758 | Glycine max | AAB09771.1 | U67422 | Zea mays |
| | | 1 | AAK11566.1 | AF318490 | Lycopersicon hirsutum |
| SEQ ID NO. 3 | 2168 | | CAA97692.1 | 273295 | Catharanthus roseus |
| AAK19619.1 | AF336286 | Gossypium hirsutum | AAK11674.1 | AE339747 | Lophopyrum elongatum |
| CAA64614.1 | X95296 | Lycopersicon esculentum | AAF43496.1 | AF131222 | Lophopyrum elongatum |
| CAA50224.1 | X70879 | Hordeum vulgare | AAF76313.1 | AF220603 | Lycopersicon esculentum |
| CAA50222.1 | X70877 | Hordeum vulgare | AAB47421.1 | U59316 | Lycopersicon esculentum & |
| CAA50221.1 | X70876 | Hordeum vulgare | AAB47423.1 | U59315 | Lycopersicon pimpinellifokum |
| BAA23337.1 | D88617 | Oryza sativa | AAC48914.1 | U02271 | |
| BAA23338.1 | D88618 | Oryza sativa | AAF76306.1 | AE220602 | Lycopersicon pimpinellifolium |
| CAA72218.1 | X11415 | Oryza sativa | AAK11567.1 | AE318491 | Lycopersicon hirsutum |
| CAA78386.1 | 213996 | Petunia x hybrida | AAK21965.1 | AX028699 | Brassica napus |
| AAK19616.1 | AF336283 | Gossypium hirsutum | AAG25966.1 | AF302082 | Nicotiana tabacum |
| CAB43399.1 | AJ006292 | Ξ, | AAK11569.1 | AF318493 | Lycopersicon hirsutum |
| CAA50225.1 | X70880 | Hordeum vulgare | AAF66615.1 | AF142596 | Nicotiana tabacum |
| AAF22256.1 | AF161711 | Pimpinella brachycarpa | AAG03090.1 | AC073405 | Oryza sativa |
| AAK19611.1 | AF336278 | Gossypium hirsutum | BAA83373.1 | AP000391 | Oryza sativa |
| AAK19617.1 | AF336284 | Gossypium hirsutum | BAA84787.1 | AP000559 | Oryza sativa |
| CAA72186.1 | X11351 | Oryza sativa | CAA74662.1 | Y14286 | Brassica oleracea |
| CAA67600.1 | X99210 | Lycopersicon esculentum | CAA67145.1 | X98520 | Brassica oleracea |
| AAK19615.1 | AF336282 | Gossypium hirsutum | CAA73133.1 | Y12530 | Brassica oleracea |
| AAK19618.1 | AF336285 | Gossypium hirsutum | AAK11568.1 | AF318492 | Lycopersicon hirsutum |
| BAA81732.1 | AB029161 | Glycine max | BAA78764.1 | AB023482 | Oryza sativa |
| CAA72185.1 | X11350 | Oryza sativa | BAA94509.1 | AB041503 | Populus nigra |
| AAG13574.1 | AC037425 | Oryza sativa | BAA94510.1 | AB041504 | Populus nigra |
| BAA81731.1 | AB029160 | Glycine max | | | |
| BAA81730.1 | AB029159 | Glycine max | | 2172 | |
| CAA78387.1 | Z13997 | Petunia x hybrida | BAA22422.1 | AB001379 | Glycyrrhiza echinata |

| BAA74465.1 | AB022732 | Glycyrrhiza echinata | AAG34808.1 | AF243373 | Glycine max |
|------------|----------|--------------------------|--------------|----------|-------------------------------|
| CAB43505.1 | AJ239051 | | AAG34800.1 | AEZ43305 | Glycine max |
| CAB41490.1 | AJ238439 | | CAA71784.1 | Y10820 | Glycine max |
| CAA10067.1 | AJ012581 | Cicer arietinum | AAG34844.1 | AE244701 | Zea mays |
| BAA93634.1 | AB025016 | Lotus japonicus | AAA68430.1 | J03679 | Solanum tuberosum |
| CAA04117.1 | AJ000478 | Helianthus tuberosus | CAA04391.1 | AJ000923 | Carica papaya |
| CAA04116.1 | AJ000477 | Helianthus tuberosus | AAG34831.1 | AF244688 | Zea mays |
| AAD56282.1 | AF155332 | Petunia x hybrida | CAA09187.1 | AJ010448 | Alopecurus myosuroides |
| BAA12159.1 | D83968 | ൻ | CAA09188.1 | AJ010449 | Alopecurus myosuroides |
| AAB94590.1 | AF022461 | Glycine max | AAG34802.1 | AF243367 | Glycine max |
| • | X96784 | Nicotiana tabacum | AAG34805.1 | AE243370 | Glycine max |
| AAA32913.1 | M32885 | Persea americana | AAG34832.1 | AF244689 | Zea mays |
| • | AF175278 | Pisum sativum | AAG34837.1 | AF244694 | Zea mays |
| CAB56742.1 | AJ249800 | Cicer arietinum | AAG34836.1 | AF244693 | Zea mays |
| • | U29333 | | AAG34849.1 | AF244706 | Zea mays |
| AAG44132.1 | AF218296 | Pisum sativum | CAC24549.1 | AJ296343 | Cichorium intybus x Cichorium |
| BAA13076.1 | D86351 | Glycine max | endivia | | |
| AAC39454.1 | AF014802 | Eschscholzia californica | AAC32118.1 | AF051214 | Picea mariana |
| ъ. | X95342 | Nicotiana tabacum | AAG34795.1 | AF243360 | Glycine max |
| • | AF135485 | Glycine max | AAG34841.1 | AF244698 | Zea mays |
| AAB17562.1 | U72654 | Eustoma grandiflorum | AAF29773.1 | AF159229 | Gossypium hirsutum |
| BAA92894.1 | AB006790 | | | | |
| AAC32274.1 | AF081575 | × | SEQ ID NO. 2 | 2174 | |
| BAA84072.1 | AB028152 | Torenia hybrida | AAB67714.1 | AF013161 | Prunus serotina |
| CAA50155.1 | X70824 | Solanum melongena | CAA51194.1 | X72617 | Prunus serotina |
| BAB40324.1 | AB037245 | Asparaqus officinalis | AAB38536.1 | U78814 | Prunus serotina |
| • | AB037244 | Asparaqus officinalis | CAA69388.1 | Y08211 | Prunus dulcis |
| BAA74466.1 | | Glycyrrhiza echinata | AAB96764.1 | AF040079 | Prunus serotina |
| | | 1 | AAB96763.1 | AE040078 | Prunus serotina |
| SEQ ID NO. | 2173 | | AAC61982.1 | AF053886 | Prunus serotina |
| AAF64450.1 | AF239928 | Euphorbia esula | AAC61981.1 | AF053885 | Prunus serotina |
| AAG34803.1 | AF243368 | Glycine max | AAC61980.1 | AF053884 | Prunus serotina |
| AAG34796.1 | AF243361 | Glycine max | AAD02266.1 | AE043187 | Prunus serotina |
| AAG34809.1 | AE243374 | Glycine max | AAD02265.1 | AF043186 | Prunus serotina |
| AAG34797.1 | AF243362 | Glycine max | | | |
| AAG34807.1 | AF243372 | Glycine max | | 2176 | |
| AAG34798.1 | AF243363 | Glycine max | CAA58994.1 | X84208 | Sinapis alba |
| AAG34804.1 | AF243369 | Glycine max | CAA76116.1 | Y16190 | Sinapis alba |
| AAG34801.1 | AF243366 | Glycine max | | | |
| AAG34810.1 | AF243375 | Glycine max | | 2177 | |
| AAC18566.1 | AE048978 | Glycine max | CAA68190.1 | X99922 | Brassica napus |

| sp. | | SD. | 4 | | | | | | | | | | | | | | | 47 | 72 | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------------|---|---|-------------------|-------------------|-------------------------|----------------------|---------------------|---------------------|----------------------------|-------------------|-------------------|-------------------------|----------------------|-------------------|-------------------------|--------------------|------------------|-------------------------|-----------------------|-------------------|----------------------|----------------------|----------------------|--------------|-----------------|-----------------|-------------------|-----------------|-------------|---------------------|-------------|-------------------|---------------|----------------------------|-----------------|------------|-------------------|-----------------------|
| Populus balsamifera subsp | | Cucurbita pepo Populus balsamifera subsp. | | Oryza sativa | Oryza sativa | Zea mays | | | Sinapis alba | Sorghum bicolor | Manihot esculenta | Manihot esculenta | Triglochin maritimum | Triglochin maritimum | Petunia x hybrida | Petunia x hybrida | Solanum melongena | Persea americana | Nicotiana tabacum | Nicotiana tabacum | Petunia x hybrida | Cicer arietinum | Helianthus tuberosus | Helianthus tuberosus | | | | Pisum sativum | Pisum sativum | Glycine max | Glycine max | Glycine max | Antirrhinum majus | Glycine max | Glycyrrhiza echinata | Torenia hybrida | | | Medicago satıva |
| X97349 | | X17192 X97350 | | D49551 | AP001383 | AJ401276 | | 2183 | AF069494 | U32624 | AF140613 | AF140614 | AF140609 | AF140610 | AB006790 | AF155332 | X70824 | M32885 | X95342 | X96784 | AF081575 | AJ239051 | AJ000478 | AJ000477 | U72654 | AF175278 | AB025016 | AF218296 | U29333 | AF022458 | AF022461 | D83968 | AB028151 | AF022459 | AB022732 | AB028152 | | 2184 | X90695 |
| CAA66035.1 | trichocarpa | CAA76680.1 | trichocarna | BAA08499.1 | BAA92500.1 | CAC21393.1 | | SEQ ID NO. | AAD03415.1 | AAA85440.1 | AAF27289.1 | AAF27290.1 | AAF66543.1 | AAF66544.1 | BAA92894.1 | AAD56282.1 | CAA50155.1 | AAA32913.1 | CAA64635.1 | CAA65580.1 | AAC32274.1 | CAB43505.1 | CAA04117.1 | CAA04116.1 | AAB17562.1 | AAG09208.1 | BAA93634.1 | AAG44132.1 | AAC49188.2 | AAB94587.1 | AAB94590.1 | BAA12159.1 | BAA84071.1 | AAB94588.1 | BAA74465.1 | BAA84072.1 | | | CAA62228.1 |
| | | Glycine max | practice injudance Despoins injuents | Nicotiana tabacum | Spinacia oleracea | Lycopersicon esculentum | Stylosanthes humilis | Linum usitatissimum | Armoracia rusticana | Populus balsamifera subsp. | | Medicago sativa | Lycopersicon esculentum | Glycine max | Spinacia oleracea | Lycopersicon esculentum | Phaseolus vulgaris | Medicago sativa | Lycopersicon esculentum | Populus kitakamiensis | Glycine max | Spirodela polyrrhiza | Medicago sativa | Phaseolus vulgaris | Oryza sativa | Medicago sativa | Ipomoea batatas | Nicotiana tabacum | Medicago sativa | Glycine max | Armoracia rusticana | Glycine max | Nicotiana tabacum | Populus nigra | Populus balsamifera subsp. | | Si | Spinacia oleracea | Populus kitakamiensis |
| | 2181 | AF145349 | 1 | AB027753 | Y10468 | X94943 | L77080 | L07554 | D90115 | X97351 | | X90694 | L13654 | 051192 | AF244924 | X71593 | AE149277 | X90693 | Y19023 | D11102 | U51191 | Z22920 | L36156 | AF149280 | D14997 | X90692 | AJ242742 | D11396 | 136157 | AF014502 | X57564 | AF007211 | J02979 | D83225 | X97348 | | L13653 | AF244923 | D30653 |
| | SEQ ID NO. 2 | AAD37375.1 | AAA32010.1 | BAA82307.1 | CAA71494.1 | CAA64413.1 | AAB67737.1 | AAB47602.1 | BAA14143.1 | CAA66037.1 | trichocarpa | CAA62227.1 | AAA65637.1 | AAD11482.1 | AAF63027.1 | CAA50597.1 | AAD37427.1 | CAA62226.1 | CAB67121.1 | BAA01877.1 | AAD11481.1 | CAA80502.1 | AAB41810.1 | AAD37430.1 | BAA03644.1 | CAA62225.1 | CAB94692.1 | BAA01992.1 | AAB41811.1 | AAB97734.1 | CAA40796.1 | AAC98519.1 | AAA34108.1 | BAA11853.1 | CAA66034.1 | trichocarpa | AAA65636.1 | AAF63026.1 | BAA06335.1 |

473

| 473 | |
|--|---|
| Lycopersicon esculentum Spinacia oleracea Arachis hypogaea Scutellaria baicalensis Armoracia rusticana Glycine max Zea mays Alopecurus myosuroides Alopecurus myosuroides Alopecurus myosuroides Alopecurus myosuroides Clycine max Zea mays Glycine max | Gryclie max Alopecurus myosuroides |
| L13654 X10462 M37637 AB024439 X57564 2186 AF243368 AF243363 AF243363 AF243372 AF243373 AF244694 AF243365 AF244694 AF244694 AF244699 AF244699 AF244699 AF244690 AF244690 | AJ010450 2187 |
| AAA65637.1 CAA71488.1 AAA32676.1 BAA77389.1 CAA40796.1 SEQ ID NO. AAG34803.1 AAG34807.1 AAG34807.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34809.1 AAG34800.1 AAG34837.1 | · |
| Trifolium repens Spinacia oleracea Medicago sativa Glycine max Spinacia oleracea Glycine max Stylosanthes humilis Medicago sativa Medicago sativa Glycine max Scutellaria baicalensis Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Clycine max Vigna angularis Petroselinum crispum Glycine max Vigna angularis Petroselinum crispum Clycine max Vigna angularis Medicago sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana sylvestris Medicago sativa Medicago sativa Nicotiana sylvestris Medicago sativa Nicotiana sylvestris Phaseolus vulgaris Medicago sativa Armoracia rusticana Populus kitakamiensis Triticum aestivum Armoracia rusticana Populus balsamifera subsp. | opinacia Oleiacea Nicotiana tabacum Oryza sativa Hordeum vulgare |
| AJO11939 Y10469 L36158 U51193 AF244921 U51194 L77080 X90693 X90693 X90693 X90693 X71593 X71593 X71593 X71593 X71593 X71593 X71593 AJ242742 L36981 U51191 U51192 X97351 L36156 AF149277 D42065 AJ24103 AF149280 L36157 D42065 AJ24103 AF149280 L36157 D42064 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 X90692 AJ26116 D30653 | 110770 J02979 AP002482 M73234 |
| CAA09881.1 CAA71495.1 AAB41812.1 AAD11483.1 AAD11483.1 AAD11483.1 CAA62226.1 CAA62226.1 CAA62227.1 AAC98519.1 CAA50597.1 CAB67121.1 CAA50597.1 CAA50597.1 CAA50597.1 CAA50597.1 CAA50597.1 CAA6222.1 AAD11482.1 CAA66037.1 trichocarpa AAB41810.1 BAA07664.1 CAC21393.1 BAA07664.1 CAA62225.1 AAB34050.1 AAB34050.1 AAB34050.1 AAB34050.1 AAB41811.1 BAA06335.1 CAA62225.1 AAB34050.1 AAB41811.1 BAA01877.1 CAA66034.1 CAA66034.1 | AAA34108.1 BAA96643.1 AAA32973.1 |

| Lophopyrum elongatum | Mesembryanthemum crystalli | Lycopersicon esculentum | Lycopersicon esculentum | Kalanchoe fedtschenkoi | Kalanchoe fedtschenkoi | Glycine max | Brassica napus | Ipomoea batatas | Daucus carota | Mesembryanthemum crystallinum | Solanum tuberosum | Fragaria x ananassa | Nicotiana tabacum | Glycine max | Zea mays | Medicago sativa | Oryza sativa | Oryza sativa | Zea mays | Cucurbita pepo | Tortula ruralis | Zea mays | Vigna radiata | Oryza sativa | Oryza sativa | Zea mays | Oryza sativa | Marchantia polymorpha | | | Marchantia polymorpha | Glycine max | Zea mays | Zea mays | Oryza sativa | Chlamydomonas eugametos | Oryza sativa | Oryza sativa |
|---------------------------|---------------------------------|-------------------------|-------------------------|------------------------|------------------------|--------------|-------------------|------------------------|---------------|-------------------------------|-------------------|---------------------|-------------------|-------------|--------------|-------------------|------------------|--------------|--------------|-------------------------------|---------------------|---------------------|---------------|--------------------|--------------|------------|--------------|-----------------------|---------------------|-------------------|-----------------------|--------------------|----------------|------------|--------------|-------------------------|-------------------|----------------------|
| AF196350 Lc | 2190 AF158091 Me | AF203480 L3 | AF203481 L | AF162661 Ka | AF162662 Ka | AF203479 GJ | AF203482 B1 | | | | | | AF072908 N | | | X96723 Me | X81394 01 | AP001168 01 | | | | 99 | | AP000615 O: | 91 | | X81393 O | AB017515 Ma | | | AB017515 M | | D87042 Z | L27484 Z | AC073166 0 | | | AF194413 O |
| AAG28490.1 | SEQ ID NO. 2 AAF05112.1 | AAF19402.1 | AAF19403.1 | AAF06969.1 | AAF06970.1 | AAF19401.1 | AAF19404.1 | BAA13440.1 | CAA39936.1 | AAD17800.1 | AAD28192.2 | AAB88537.1 | AAC25423.1 | AAB80693.1 | BAA12715.1 | CAA65500.1 | CAA57157.1 | BAA90814.1 | AAA69507.1 | AAB49984.1 | AAB70706.1 | CAA07481.1 | AAC49405.1 | BAA85396.1 | AAC05270.1 | BAA12338.1 | CAA57156.1 | BAA81749.1 | BAA81751.1 | BAA81750.1 | BAA81748.1 | AAB80692.1 | BAA13232.1 | AAA61682.1 | AAG46110.1 | CAA89202.1 | BAA02698.1 | AAF23900.1 |
| Populus tremula x Populus | Citrus unshiu Betula pendula | Pisum sativum | Lycopersicon esculentum | Citrus unshiu | Nicotiana suaveolens x | | Malus x domestica | Nicotiana suaveolens x | | Picea mariana | Hordeum vulgare | Hordeum vulgare | Zea mays | 1 | | Nicotiana tabacum | Prunus armeniaca | Oryza sativa | Oryza sativa | Mesembryanthemum crystallinum | Catharanthus roseus | Catharanthus roseus | Oryza sativa | Atriplex hortensis | Oryza sativa | | | Elaeis guineensis | Populus x canescens | Petunia x hybrida | Petunia x hybrida | Lilium longiflorum | Brassica napus | Zea mays | Zea mays | Zea mays | Triticum aestivum | Lophopyrum elongatum |
| AF086839 | AB011798 AJ279687 | 079562 | AJ250003 | AB011799 | AB058921 | tabacum | 068560 | AB058922 | tabacum | AF051247 | AJ133276 | AJ133277 | AF055909 | | 2188 | AJ299252 | AF071893 | AF193803 | AB036883 | AF245119 | AJ251250 | AJ251249 | AB023482 | AF274033 | AP002526 | | 2189 | AF236068 | AF112887 | AF183903 | AF183904 | Z14110 | 214109 | X97725 | X97726 | X80820 | U58278 | AF195612 |
| AAD02848.1 tremuloides | BAA36555.1 | AAC77357.1 | CAB61887.1 | BAA36556.1 | BAB40808.1 | Nicotiana ta | AAB16804.1 | BAB40809.1 | Nicotiana ta | AAC32147.1 | CAB56223.1 | CAB56224.1 | AAC24568.2 | | SEQ ID NO. 2 | CAC12822.1 | AAC24587.1 | AAF23899.1 | BAB16083.1 | AAF63205.1 | CAB96900.1 | CAB96899.1 | BAA78738.1 | AAF76898.1 | BAA99376.1 | | SEQ ID NO. 2 | AAF60173.1 | AAD23407.1 | AAG16973.1 | AAG16974.1 | CAA78483.1 | CAA78482.1 | CAA66310.1 | CAA66311.1 | CAA56786.1 | AAC49404.1 | AAG28460.1 |

| Brassica napus Lilium longiflorum Oryza sativa Vigna radiata Oryza sativa Vigna radiata Oryza sativa Hordeum vulgare | Triticum aestivum Triticum aes | Momordica charantia Lycopersicon peruvianum Lycopersicon peruvianum Amaranthus hypochondriacus Lycopersicon esculentum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum |
|---|--|--|
| U10150 Z12839 AP000969 S81594 AF042840 L18914 L20691 Z12828 M27303 | U49105 U49105 U49104 U48693 U48691 U48689 U48689 U48242 AF042839 U20296 U20294 U20294 U20297 U20297 U20597 U20597 U20597 | 2194 AB055807 J05094 M59427 AJ132473 J04099 X67076 Z12619 |
| AAA19571.1 CAA78301.1 BAA88540.1 AAB36130.1 AAC36059.1 AAA33900.1 AAA34237.1 CAA78288.1 AAA32938.1 | AAC49587.1 AAC49586.1 AAC49585.1 AAC49582.1 AAC49582.1 AAC49580.1 AAC49579.1 AAC49579.1 AAC49579.1 AAC49579.1 AAC49579.1 AAC49579.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC49578.1 AAC45351.1 AAC45351.1 AAC462351.1 AAC462351.1 AAC462351.1 AAC462351.1 AAC462351.1 | SEQ ID NO. BAB32588.1 AAA34180.1 AAA34198.1 CAB61327.1 CAA47461.1 CAA47461.1 CAA47460.1 |
| Dunaliella tertiolecta Daucus carota Zea mays Cucumis sativus Zea mays Zea mays Zea mays Zea mays Zea mays | Pisum sativum Lycopersicon esculentum Brassica napus Hordeum vulgare Prunus dulcis Oryza sativa Glycine max Cucumis sativus Glycine max Glycine max Lotus japonicus Nepenthes alata Prunus dulcis Bidens pilosa Brassica napus Oryza sativum | Brassica juncea Brassica juncea Elaeis guineensis Daucus carota Prunus avium Pisum sativum Capsicum annuum Petunia x hybrida Capsicum annuum Malus x domestica |
| AF216527 X83869 L15390 AY027885 D84508 S82324 D84507 AF289237 D38452 | 2191 D86180 2192 AF016713 AJ278966 AF023472 AF213936 AF05278 AF060392 | M88307 AF295637 X59751 AF292108 U13882 U83402 M80836 AF108889 |
| AAF21062.1 CAA58750.1 AAA33443.1 AAK26164.1 BAA12692.1 AAB47181.1 AAG01179.1 BAA22410.1 | SEQ ID NO. SEQ ID NO. AAD01600.1 CAC07206.1 AAF20002.1 AAF20002.1 AAF20002.1 AAF07875.1 BAB19750.1 CAA93316.1 BAB19757.1 BAB19756.1 AAD42860.1 SEQ ID NO. CAA61980.1 AAD42860.1 SEQ ID NO. CAA61980.1 CAA61980.1 | AAA87347.1 AAG27432.1 CAA42423.1 AAG11418.1 AAA92681.1 AAB46588.1 AAA33706.1 AAF65511.1 CAA43143.1 |

476 Chlamydomonas reinhardtii Chlamydomonas reinhardtii Lycopersicon esculentum Lycopersicon esculentum Scutellaria baicalensis Rosa hybrid cultivar Phaseolus vulgaris Nicotiana tabacum Petunia x hybrida Nicotiana tabacum Spinacia oleracea Nicotiana tabacum Solanum tuberosum Spinacia oleracea Nicotiana tabacum Arachis hypogaea Trifolium repens Fagus sylvatica Medicago sativa Medicago sativa Ipomoea batatas Sorghum bicolor sativa Medicago sativa Medicago sativa Sorghum bicolor Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Glycine max Glycine max Glycine max Glycine max Glycine max Medicago AJ298992 AF177392 AJ251330 AF216316 AJ011939 AF325168 AB042714 AB042715 **AF194415** AY027437 AF203480 AF241166 AE149277 AJ242742 AY029067 AF305911 AF203481 AB024437 AF244921 AF007211 X12464 X83440 L36158 X90694 051194 L36156 X12465 S74753 X90695 Y10469 051193 X90693 D42065 D42064 051191 U51192 X69971 2196 SEQ ID NO. AAB32591.2 SEQ ID NO. AAB41810.1 CAB94692.1 AAG53979.1 AAE19402.1 CAA73068.1 AAF19403.1 AAG40580.1 AAE63024.1 CAA62226.1 BAA77387.1 AAD11484.1 BAA07664.1 BAA07663.1 AAD11482.1 AAD37427.1 AAC98519.1 AAK30005.1 BAB18104.1 CAA73067.1 CAC09580.1 CAA49592.1 AAK11734.1 CAB61889.1 AAF61238.1 CAA09881.1 CAA71495.1 CAA62227.1 AAD11481.1 AAG31141.1 BAB18105,1 AAF23902.1 AAD52659.1 CAA58466.1 CAA62228.1 AAB41812.1 AAD11483.1 Nicotiana glauca X Nicotiana Lycopersicon esculentum Nicotiana sylvestris Solanum tuberosum Nicotiana tabacum Nicotiana tabacum Solanum tuberosum Solanum tuberosum Solanum tuberosum Solanum tuberosum Nicotiana tabacum Nicotiana tabacum Solanum tuberosum Solanum tuberosum Nicotiana tabacum Cucurbita maxima Cucurbita maxima Fagus sylvatica Fagus sylvatica Fagus sylvatica Brassica napus Brassica napus Brassica napus Brassica napus Oryza sativa sativa Oryza sativa Glycine max Zea mays Zea mays Zea mays Zea mays Oryza AJ298993 AJ010093 AF165186 AF096250 AF110518 AF110519 AF080436 AJ298980 AJ298981 AF172282 AJ010091 AJ009609 AJ009608 AJ000728 AJ005077 AB055514 AF216314 AJ302651 M67449 D31964 083625 X81647 L06985 T06606 X67950 X82187 X69972 D26601 M74102 M13938 X67675 X78988 M17108 U30861 D13662 K03290 212611 X81447 langsdorffii AAA33816.1 CAA04261.2 AAG40578.1 AAC83393.1 CAA47907.1 CAA55588.1 CAA57307.1 SEQ ID NO. CAA08995.1 CAA08758.1 CAA08757.1 BAA05648.1 AAE67262.1 AAD46406.1 AAD10056.1 CAA06334.1 BAB32405.1 AAA34067.1 AAA34199.1 CAA57677.1 CAA49593.1 CAA57203.1 AAC32599.1 AAE34436.1 AAD10057.1 AAA34002.1 BAA06731.1 AAC49603.1 BAA02823.1 AAA34200.1 AAA72133.1 CAA78259.1 AAA69781.1 CAA48136.1 CAC09581.1 CAC09568.1 CAA08997.1 CAC09569.1

| W O 02/010055 | | 1 C1/ 0501/20005 |
|--|---|---|
| ntum dia | Vitis vinifera | Vitis vinifera |
| Gentiana triflora Petunia x hybrida Nicotiana tabacum Lycopersicon esculentum Petunia x hybrida Forsythia x intermedia Solanum tuberosum Perilla frutescens Petunia x hybrida Sorghum bicolor Manihot esculenta Citrus unshiu Solanum berthaultii Brassica napus Manihot esculenta | Vitis labrusca x Vi Tpomoea purpurea Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera | iculenta iculenta iculenta iculenta iculenta iculenta iculenta tabacum tabacum tabacum tabacum tabacum tabacum hybride hybride |
| Gentiana t Petunia x Nicotiana Lycopersic Petunia x Forsythia Solanum tu Perilla fr Petunia x Sorghum bi Manihot es Citrus uns Solanum be Brassica r Manihot es | Vitis Vitis Vitis Vitis Vitis Vitis Vitis Vitis | Manihot es Manihot es Manihot es Manihot es Manihot es Nicotiana Nicotiana Dorotheant Nicotiana Nicotiana Nicotiana Nicotiana Nicotiana Nicotiana Petunia x Verbena x Petunia x |
| D85186 AB027454 AF190634 X85138 AF165148 AF127218 U82367 AB002818 AB027455 AF199453 X77464 AB033758 AF006081 AF287143 | ABO47091 AF028237 AF000372 AB047094 AB047098 AB047096 AB047096 | AB047090 2211 X77461 X77463 X77462 AE346431 U32644 Y18871 U32643 AE546432 X85138 AE190634 AB027454 AB027455 |
| BAA12737.1 BAA89008.1 AAF61647.1 CAA59450.1 AAD21086.1 AAB48444.1 BAA19659.1 BAA89009.1 AAF17077.1 CAA54614.1 BAA93039.1 AAB62270.1 AAB62270.1 | BAB41018.1 AAB86473.1 AAB81683.1 BAB41021.1 BAB41025.1 BAB41019.1 AAB81682.1 | |
| Zea mays Triticum aestivum Stylosanthes humilis Oryza sativa Oryza sativa Populus balsamifera subsp. Lycopersicon esculentum Medicago sativa Oryza sativa Petroselinum crispum Medicago sativa Triticum aestivum Lycopersicon esculentum | Lycopersicon esculentum Lycopersicon esculentum Nicotiana tabacum Populus kitakamiensis Vigna angularis Populus kitakamiensis Phaseolus vulgaris Pinus sylvestris | Hordeum vulgare Triticum aestivum Stylosanthes humilis Spinacia oleracea Raphanus sativus Manihot esculenta Manihot esculenta Manihot esculenta Manihot esculenta Manihot esculenta Micotiana tabacum Dorotheanthus bellidiformis Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Sicotiana tabacum Nicotiana tabacum Sicotiana tabacum |
| AJ401276 X85228 L77080 AE014467 X66125 X97351 L13654 L36157 AF247700 L36981 X90692 X56011 Y19023 | X71593 X71593 X8027752 D30653 AJZ76227 D11337 D38051 AF149280 | 136093 X53675 L37790 Y10462 X91172 X91172 X77459 X77461 X77461 X77461 X77461 X77461 X77461 X77461 X77461 X77463 X77463 AF346431 O32643 AF346432 AF346432 AF346432 AF346432 |
| CAC21393.1 CAA59485.1 AAB67737.1 AAC49818.1 CAA66037.1 trichocarpa AAA65637.1 AAB41811.1 AAF65464.2 AAA62225.1 CAA62225.1 CAA62225.1 CAA62225.1 | | |

| Paeonia szechuanica Paeonia suffruticosa subsp Paeonia delavayi Paeonia lutea Paeonia lutea Paeonia mairei Paeonia mairei Paeonia japonica Paeonia japonica Paeonia japonica Paeonia covata Paeonia obovata Paeonia chovata Paeonia dovata Paeonia dovata | Paconia anomata Paconia mairei Paconia szechuanica Paconia delavayi Paconia lutea Paconia lutea Paconia tenuifolia Paconia tenuifolia Paconia tenuifolia Oryza sativa Pisum sativum Triticum aestivum Salix gilgiana Musa acuminata Brassica napus Musa acuminata Nicotiana tabacum Oryza sativa Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana plumbaginifolia |
|--|--|
| AY016276 AY016275 AY016273 AY016273 AY016272 AY016264 AY016264 AY016259 AY016258 AY016256 AY016256 AY016256 AY016256 AY016256 AY016256 AY016256 AY016256 | AYO16262 AYO16267 AYO16277 AYO16271 AYO16268 AYO16265 AYO16251 U72255 AU251646 U30323 ABO29462 AFO01523 ABO29462 AFO01523 ABO29462 AFO1523 AYO1253 AYO1280 MZ3120 UZ2147 MG3634 |
| AAK15844.1 AAK15843.1 spontanea AAK15841.1 AAK15840.1 AAK15834.1 AAK15834.1 AAK15826.1 AAK15826.1 AAK15826.1 AAK15826.1 AAK15826.1 AAK15820.1 AAK15820.1 AAK15820.1 AAK15820.1 | 58830.1 58830.1 58830.1 58830.1 58846.1 5821.1 1D NO. 0386.1 5903.1 6953.1 8679.1 2772.2 8679.1 8679.1 1643.1 4078.1 |
| Citrus unshiu Sorghum bicolor Solanum tuberosum Forsythia x intermedia Scutellaria baicalensis Manihot esculenta Phaseolus lunatus Ipomoea purpurea Vitis labrusca x Vitis vinifera Perilla frutescens Perilla frutescens Solanum berthaultii Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera | Cucumis sativus Cucurbita moschata Elaeis guineensis Cucurbita moschata Cucurbita moschata Cucurbita moschata Blastid Pisum sativum Phaseolus vulgaris Spinacia oleracea Elaeis guineensis Spinacia oleracea Chloroplast Oryza sativa Plastid Oryza sativa Plastid Oryza sativa Plastid oryza sativa Paeonia californica Paeonia californica Paeonia californica Paeonia rockii Paeonia rockii |
| AB033758 AF199453 U82367 AF127218 AB031274 X77464 AF101972 AF028237 AB047091 AB013597 AF000372 AB047096 AB047096 AB047096 AB047096 AB047097 | 2213 M80571 AB042401 AF251795 AB049135 AB049134 AB042400 X59041 X79722 Z49091 A77370 A77370 A77370 A7242939 A7242940 AV16285 AV16285 AV16285 AY016283 AY016283 AY016283 |
| BAA93039.1 AAB17077.1 AAB48444.1 AAD21086.1 BAA83484.1 CAA54614.1 AAD04166.1 AAB6473.1 BAB41018.1 BAB41018.1 BAB41025.1 AAB81683.1 BAB41025.1 BAB41025.1 BAB41023.1 BAB41023.1 BAB41023.1 BAB41023.1 | SEQ ID NO. 2 AAA33122.1 BAB17755.1 AAF64066.1 BAB39689.1 BAB39688.1 CAA41769.1 CAA41769.1 CAA56159.1 CAA56159.1 CAA56159.1 CAA56159.1 CAA56159.1 CAB75874.1 CAB75874.1 CAB75874.1 CAB75874.1 AAK15852.1 AAK15852.1 AAK15852.1 AAK15852.1 AAK15852.1 AAK15852.1 AAK15852.1 AAK15853.1 AAK15853.1 |

479

| | 479 | |
|---|--|---|
| Lycopersicon esculentum Oryza sativa Oryza sativa Solanum tuberosum Nicotiana sylvestris Nicotiana tabacum Nicotiana tabacum Brassica napus Nicotiana tabacum Horotiana tabacum Nicotiana tabacum Nicotiana tabacum | Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Malus x domestica Raphanus sativus Brassica nigra Malus x domestica Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus | Ipomoea nil Oryza sativa Vigna unguiculata Cicer arietinum Cicer arietinum Brassica oleracea Cicer arietinum Lycopersicon esculentum Mangifera indica |
| U89257 AB037183 AF193803 U77655 AB016265 D38124 AB024575 AF084185 AF211531 AF211530 AF298231 | 2216 AB001885 AB001883 AB001884 AF052585 AF052690 AF269128 AF269128 AF016010 AF016010 AF016011 AF01609 | AF300700 AB001882 2227 U30896 2232 AJ011010 AJ005042 X84684 AJ006771 AF020390 AF020390 |
| AAC49741.1 BAB03248.1 AAF23899.1 AAC29516.1 BAA97123.1 BAA07322.1 BAA76734.1 AAD45623.1 AAG43549.1 AAG43548.1 AAG43548.1 | SEQ ID NO. BAA33203.1 BAA33201.1 BAA33204.1 BAAC99310.1 AAC99310.1 AAG27546.1 AAG27546.1 AAC27695.1 AAC27696.1 | AAG24863.1 BAA33200.1 SEQ ID NO. AAA74447.1 SEQ ID NO. CAA09457.1 CAA06309.1 CAA59162.1 CAA59162.1 AAC25984.1 |
| Oryza sativa Hevea brasiliensis Glycine max Hordeum vulgare Nicotiana tabacum Lycopersicon esculentum Oryza sativa Oryza sativa Vitis vinifera Hordeum vulgare Citrus sinensis Hevea brasiliensis | Nicotiana tabacum Triticum aestivum Oryza sativa Nicotiana tabacum | accum baccum roseu ramomi escul baccum baccum baccum baccum |
| U72254 AJ133470 U41323 M62907 AF141654 M80604 AB027431 AB027432 AJ277900 AF030771 AJ000081 | M59443 M59443 AF112965 U72250 X81560 AF141653 AF030166 M60402 M60464 U72249 M60403 2215 AB016264 D38123 | D38126 AF057373 AJ251250 AJ251249 AB035270 U89256 U81157 AB016266 D38125 AF211527 U91857 AF190770 |
| AAD10385.1 CAB38443.1 AAB03501.1 AAD32939.1 AAD33881.1 AAA03617.1 BAA77786.1 BAA77786.1 CAB91554.1 CAC14399.1 CAC14399.1 CAC14399.1 | | AAC62619.1 CAB96900.1 CAB96899.1 BAA87168.1 AAC49740.1 AAB38748.1 BAA97124.1 BAA97124.1 AAG00708.1 AAF05606.1 |

| Nicotiana tabacum Lycopersicon hirsutum Lycopersicon hirsutum Oryza sativa Brassica oleracea | Fagus sylvatica Nicotiana tabacum Nicotiana tabacum Fagus sylvatica Lotus japonicus Mesembryanthemum crystallinum Medicado sativa | Mesembryanthemum crystallinum Lotus japonicus Zea mays Mesembryanthemum crystallinum Mesembryanthemum crystallinum Oryza sativa Zea mays Faqus sylvatica | Mesembryanthemum crystallinum Mesembryanthemum crystallinum Fagus sylvatica Oryza sativa Oryza sativa Oryza sativa Spirodela polyrihiza | Petunia x hybrida Petunia x hybrida Oryza sativa Oryza sativa Oryza sativa |
|---|---|--|--|--|
| AF142596 AF318490 AF318491 AJ243961 AB032473 | 2235 AJ277743 AJ277086 AJ277087 AJ298987 AF092431 AF075579 | AF075580 AF092432 AF213455 AF075582 AF075603 U81960 AJ277744 | AF027773 AF097667 AF097667 AJ298988 AJ298988 AP001311 AP001111 AB0411505 Z70524 | 2240 X92204 X92205 AP000559 AP002817 AP001366 |
| AAK11566.1 AAK11566.1 AAK11567.1 CAB51836.1 BAA92836.1 | SEQ ID NO. CAB90633.1 CAC10358.1 CAC10359.1 CAC09575.1 AAD17804.1 AAC36697.1 | AAC36698.1 AAD17805.1 AAG43835.1 AAC36700.1 AAC26828.1 AAB93832.1 CAB90634.1 | | SEQ 1D NO. CAA63101.1 CAA63102.2 BAA84803.1 BAB03447.1 BAA92400.1 |
| Lycopersicon esculentum Asparagus officinalis Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum | Vigna radiata Vigna radiata Lycopersicon esculentum Lycopersicon esculentum Pyrus pyrifolia Cicer arietinum Vigna radiata Carica papaya Carica papaya | | Brassica napus Zea mays Zea mays Populus nigra Zea mays Populus nigra Oryza sativa Nicotiana tabacum Lophopyrum elongatum | Zea mays Catharanthus roseus Lycopersicon esculentum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium |
| AJ012798 X77319 AJ012796 AE154421 AF154420 | AF229193 AJ012797 AB046543 AJ012687 AF229794 AF004786 | AF159124 AF159124 AF159124 U28007 AF249318 AF249317 | AF243317 AY007545 AF023164 AF023165 AF023165 AB041504 AC073405 AF023482 AF302082 AF131222 AF131222 | U67422 Z73295 U59316 AF220603 U0069 U59315 AF220602 |
| CAA10175.1 CAA54525.1 CAA10173.1 AAF70822.1 | AAF6/342.1 CAA10174.1 AAF21626.1 BAB21492.1 CAA10128.1 AAC77377.1 CAA10064.1 | | AAG16628.1 AAC27894.1 BAA94509.1 AAK21965.1 AAC27895.1 BAA94510.1 AAG23090.1 BAA78764.1 AAG25966.1 AAF43496.1 | AAB09771.1 CAA97692.1 AAB47421.1 AAE776313.1 CAB51834.1 AAB47423.1 AAE76306.1 |

| AJ133638 Avena sativa | ADOZYLOJ AF336282 Gossvojim hirsiitim | | AB029162 Glycine max | 34 Lycopersicon esculentum | 98 Petunia x hybrida | 19 Oryza sativa | | Oryza | | છ | | | | 94 Sinapis alba | 36 Sinapis alba | AF034631 Panax ginseng | AB012637 Nicotiana sylvestris | 43 Lycopersicon esculentum 25 | Solanum tuberosum | 41 Plastid Spinacia oleracea | AF220527 Euphorbia esula | AB012637 Nicotiana sylvestris | 11 Solanum tuberosum | .13 Solanum tuberosum | AB012637 Nicotiana sylvestris | 34 Lemna gibba | .14 Solanum tuberosum | AB012638 Nicotiana sylvestris | 64 Prunus persica | Mesembryar | AB012636 Nicotiana sylvestris | 44 Lycopersicon esculentum | .2639 Nicotiana sylvestris | 63 Apium graveolens | 128 | .2641 Nicotiana sylvestris | .12 Solanum tuberosum | .19 Chloroplast Gossypium hirsutum | AF003129 Mesembryanthemum crystallinum |
|-----------------------|--|------------|-------------------------|----------------------------|----------------------|-------------------|-------------------|------------|-------------------------|-------------------|-------------------------|------------|------------|-----------------|-----------------|------------------------|-------------------------------|-------------------------------|-------------------|------------------------------|--------------------------|-------------------------------|----------------------|------------------------|-------------------------------|--------------------|-----------------------|-------------------------------|-------------------|-------------------------|-------------------------------|----------------------------|----------------------------|---------------------|-------------------|----------------------------|-----------------------|------------------------------------|--|
| AJ13 | ABUZ AF33 | AF33 | AB02 | X99134 | Z13998 | D88619 | X11351 | X11352 | X11415 | AF33628 | X96749 | | 2244 | X15894 | X16436 | AF03 | AB01 | M14443 | U20983 | X14341 | AF22 | AB01 | 021111 | U21113 | AB01 | M29334 | 021114 | AB01 | L36064 | AF00 | AB01 | M14444 | AB01263 | Z75663 | AE00 | AB012 | U21112 | L07119 | AF00 |
| CAB40189.1 | AAK19615.1 | AAK19617.1 | BAA81733.2 | CAA67575.1 | CAA78388.1 | BAA23339.1 | CAA72186.1 | CAA72187.1 | CAA72218.1 | AAK19619.1 | CAA65525.1 | | SEQ ID NO. | CAA33903.1 | CAA34459.1 | AAB87573.1 | BAA25391.1 | AAA34147.1 | AAA80589.1 | CAA32526.1 | AAF26741.1 | BAA25390.1 | AAA80591.1 | AAA80593.1 | BAA25389.1 | AAA33396.1 | AAA80594.1 | BAA25392.1 | AAA50310.1 | AAB61236.1 | BAA25388.1 | AAA34148.1 | BAA25394.1 | CAA99993.1 | AAB61237.1 | BAA25396.1 | AAA80592.1 | AAA18529.1 | AAB61238.1 |
| Petunia x hybrida | Ancilling majus Tycopersicon esculentum | a br | Lycopersicon esculentum | Petunia x hybrida | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | ٠. | Lycopersicon esculentum | Nicotiana tabacum | Lycopersicon esculentum | Zea mays | Zea mays | | | Oryza sativa | Lilium hybrid division I | Pisum sativum | Oryza sativa | Glycine max | Glycine max | Glycine max | Nicotiana tabacum | Pimpinella brachycarpa | Gossypium hirsutum | Gossypium hirsutum | Nicotiana tabacum | Petunia x hybrida | Triticum aestivum | Lycopersicon esculentum | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Lolium temulentum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Lycopersicon esculentum |
| Z13996 | X99210 | AF161711 | X95296 | Z13997 | AB028650 | AB028649 | AB028652 | U72762 | X99134 | AB028651 | %98308 | | AF210616 | | 2242 | AJ237661 | AB058642 | X11105 | AY026332 | AB029160 | AB029159 | AB029161 | AB028650 | AF161711 | AF336285 | AF336278 | AB028652 | Z13997 | AB044084 | X99210 | X98355 | X87690 | AY008692 | AF114162 | AB028649 | S | U72762 | X98308 | X95296 |
| CAA78386.1 | CAA67600.1 | AAF22256.1 | CAA64614.1 | CAA78387.1 | BAA88222.1 | BAA88221.1 | BAA88224.1 | AAB41101.1 | CAA67575.1 | BAA88223.1 | CAA66952.1 | AAA33500.1 | AAG36774.1 | | SEQ ID NO. 2 | CAC19439.1 | BAB40790.1 | CAA71992.1 | AAK08983.1 | BAA81731.1 | BAA81730.1 | BAA81732.1 | BAA88222.1 | AAF22256.1 | AAK19618.1 | AAK19611.1 | BAA88224.1 | CAA78387.1 | BAA96421.1 | CAA67600.1 | CAA67000.1 | CAA61021.1 | AAG22863.1 | AAD31395.1 | BAA88221.1 | BAA88223.1 | AAB41101.1 | CAA66952.1 | CAA64614.1 |

| AJ242045 Lycopersicon esculentum AF136942 Hordeum vulgare AB023819 Oryza sativa AF136941 Hordeum vulgare AB011266 Hordeum vulgare AB011269 Hordeum vulgare AB019525 Hordeum vulgare AB046401 Oryza sativa AB023818 Oryza sativa AB021746 Oryza sativa AB011268 Hordeum vulgare AB011268 Hordeum vulgare AB011268 Hordeum vulgare AB011267 Hordeum vulgare | 1064823 Nicotiana sylvestris U04823 Nicotiana sylvestris Nicotiana sylve | 000615 0000615 0000615 215837 215852 215854 215854 5440 5349 |
|---|--|--|
| SEQ ID NO. 2250 CAB42052.1 AJJ AAD32651.1 AF BAB17824.1 AB AAD32650.1 AF BAA74583.1 AB BAA74586.1 AB BAA74587.1 AB BAB17826.1 AB | SEQ ID NO. 2251 AAB96830.1 UG AAB48944.1 U3 AAD25160.1 AF CAA70778.1 AF AAD25162.1 AF AAD16014.1 AF CAA70968.1 YO AAD16014.1 AF AAD16015.1 AF | 22 |
| Lactuca sativa Nicotiana sylvestris Glycine max Glycine max Nicotiana tabacum Nicotiana sylvestris Zea mays Medicago sativa Zea mays Nicotiana plumbaginifolia Cicer arietinum Fagus crenata Glycine max Oryza sativa Triticum aestivum | Vigna radiata Nicotiana plumbaginifolia Vigna radiata Brassica napus Nepenthes alata Nepenthes alata Hordeum vulgare Oryza sativa Oryza sativa Helianthus annuus Nepenthes alata | Oryza sativa Centaurea calcitrapa Centaurea calcitrapa Nepenthes alata Cucurbita pepo Oryza sativa Pyrus pyrifolia Nepenthes alata Cicer arietinum Oryza sativa Brassica napus |
| | AF279250 M21398 AF279249 2245 U55032 AB045894 AB045891 X56136 D32144 D32144 D32155 AB025359 AB045892 | APO02480 Y09123 AB045893 AB002695 D12777 AB021787 AB024999 AB028888 U55033 |
| BAA03104.1 BAA25395.1 AAA80688.1 AAA50172.1 CAA41187.1 BAA25393.1 CAA39376.1 AAC25775.1 CAA32900.1 AAA34055.1 CAA10284.1 BAA24493.1 CAA31419.1 CAA32109.1 | | BAA96578.1 CAA70340.1 BAB20971.1 BAA02242.1 BAA96446.1 BAA96446.1 BAA76427.1 BAA76427.1 BAA76427.1 BAA76908.1 AAB03109.1 |

| ooid ooid | e | 483 | |
|--|--|--|--|
| japonica glyptostroboid glyptostroboid japonica | esculentum | u u u | Lycopersicon esculentum Lycopersicon esculentum Pisum sativum Lycopersicon esculentum Lycopersicon esculentum Antirrhinum majus Nicotiana tabacum Antirrhinum majus Antirrhinum majus Antirrhinum majus Chopersicon esculentum Medicago sativa Chenopodium rubrum Oryza sativa Lycopersicon esculentum Oryza sativa Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum |
| | | Nicotiana tabacum Chenopodium rubrum Nicotiana tabacum Medicago sativa Medicago sativa | |
| Cryptomeria Metasequoia Metasequoia Cryptomeria | Glycine max Pisum sativum Pisum sativum Glycine max Glycine max Pisum sativum Pisum sativum | Nicotiana tabac Chenopodium rub Nicotiana tabac Medicago sativa Medicago sativa | Lycopersicon Lycopersicon Pisum sativum Lycopersicon Antirrhinum m Nicotiana tab Antirrhinum m Antirrhinum m Antirrhinum m Cycopersicon Medicago sati Chenopodium r Oryza sativa Lycopersicon Oryza sativa Nicotiana tab Nicotiana tab Nicotiana tab Nicotiana tab Lycopersicon Oryza sativa Oryza sativa Oryza sativa Oryza sativa |
| Cryr Meta Meta Cryr | Glycin Pisum Pisum Glycin Glycin Pisum Pisum | Nicc Cher Nicc Medi | Lyoc Pist Pist Iyoc Ant: Ant: Ant: Cher Ory: Nico Nico Nico Nico Nico Nico Nico Nico |
| 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 19 15 16 9830 20 18 17 | 57 AJ011892 Y10162 AJ011894 X88864 AJ132929 | AJ245415 AJ002588 AB008188 AJ002589 AJ250397 AJ11893 AJ250396 AJ32930 AJ132930 AJ132930 AJ132930 AJ132930 AJ132930 AJ132930 AJ132930 AJ132930 AJ132930 AJ243452 X82035 X82035 X82035 X82035 X92966 X92966 X92967 X82035 |
| X95542 X95546 X95545 X95543 | 2256 J03919 X68215 X68216 AF16983 J03920 X68218 X68217 AJ24999 | 2257 AJ01189 Y10162 AJ01189 X88864 AJ13292 | AU24541 AU00258 AU00258 AU25039 AU25039 AU1189 AU13293 AU1177 AU0259 AU1177 AU24345 X92965 X92966 X92965 X92967 AU24345 |
| CAA64789.1 CAA64793.1 CAA64792.1 CAA64790.1 | SEQ ID NO. AAA33945.1 CAA48297.1 CAA48298.1 AAD50278.1 AAA53344.1 CAA48300.1 CAA48299.1 | SEQ ID NO. CAA09852.1 CAA71244.1 CAA09854.1 CAA61334.1 CAA61334.1 | CAB51788.1 CAB60836.1 BAA33153.1 CAB60837.1 CAB61222.1 CAB61222.1 CAB61223.1 CAB61223.1 CAB61223.1 CAB609769.1 CAB6629.1 CAB46642.1 CAA63542.1 CAA63542.1 CAA63542.1 CAA63543.1 CAA63543.1 |
| CAA64 CAA64 CAA64 | SEQ AAA33 CAA41 CAA41 AAD51 AAA3 CAA41 CAA41 | SEQ CAAO CAA7 CAAO CAAO CAA6 | CAB51788 CAB60836 BAA33153 CAB60837 CAB61222 CAA09853 CAB61221 CAB61223 CAB61223 CAB61223 CAB60838 CAB60838 CAB6642 CAA63541 CAA63543 |
| | | | |
| | | | s s s s s s s s s s s s s s s s s s s |
| sleri esculentum esculentum | Oryza sativa Beta vulgaris Vicia faba Wedicago truncatula Oryza sativa Ricinus communis Lycopersicon esculentum Lycopersicon esculentum Vitis vinifera | esculentum es es | Raphanus sativus Brassica napus Coffea arabica Coffea arabica Coffea arabica Sesamum indicum Raphanus sativus Fagopyrum esculentum Avena sativa Raphanus sativus Avena sativa Helianthus annuus Raphanus communis |
| n O | tiva garis ba truncatula tiva communis icon escule icon escule nifera | | Raphanus sativus Brassica napus Coffea arabica Coffea arabica Coffea arabica Sesamum indicum Raphanus sativus Fagopyrum esculentum Avena sativa Raphanus sativus Avena sativa |
| lla abie rsic rsic | Oryza sativa Beta vulgaris Vicia faba Medicago trunc Oryza sativa Ricinus commun Lycopersicon e Lycopersicon e Uitis vinifera | sat rsi ca | Raphanus sativ Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Amaranthus hyp Raphanus sativ Coffea arabica Coffea arabica Sesamum indicu Raphanus sativ Fagopyrum escu Avena sativa Raphanus sativa Raphanus sativa Raphanus sativa Raphanus sativa Raphanus sativa Raphanus sativa Rephanus sativa Rephanus sativa |
| Chlorell. Picea ab. Lycopers Lycopers Nicotian | Oryza sai Beta vulo Vicia fal Medicago Oryza sai Ricinus o Lycopers Lycopers Vitis vii | Oryza sa Oryza sa Lycopers Brassica Brassica | Raphanus Brassica Brassica Brassica Brassica Amaranth Raphanus Coffea a Coffea a Coffea a Raphanus Fagopyru Avena sa Raphanus Fagopyru Avena sa Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus Raphanus |
| 0 2224 1942 6 | 884 6555 11 18 18 18 12 12 10 10 10 | 2883 2874 33 3771 | |
| Y07520 Z83829 AJ13222 AJ01094 X66856 | AB05288. AR17365. Z93775. U38651. AB05288. L08196. AJ13222. AJ13222. AJ00106 | ABO5287 ABO5288 AFO2287 2255 JO5233 AF31977 | X59808 X59294 M16860 X14555 X59295 X59295 X59802 U64443 AF0976 AF2400 X59803 X17637 X59803 X76737 AF1520 X59807 |
| 813.1 079.1 6689.1 324.1 | 863.1 054.1 594.1 761.1 688.1 511.1 | | 9988.1 9988.1 6922.1 6922.1 633.1 633.1 633.1 633.1 633.1 633.1 631.1 63 |
| CAA68813 CAB06079 CAB52689 CAA09419 CAA47324 | BAB19863.1 BAD55054.1 CAB07812.1 BAB19864.1 BAB19864.1 CAB52688.1 CAB52690.1 CAB52690.1 | EAR1077.1 BAB82147.1 SEQ ID NO. AAR32989.1 AAK07609.1 | CAA42478.1 CAA41984.1 AAA32692.1 CAA41985.1 CAA41985.1 CAA42472.1 AAC61881.1 AAC61983.1 CAA76573.1 CAA42473.1 CAA42473.1 CAA42473.1 CAA42473.1 CAA42473.1 CAA42473.1 |

| | | Nicotiana tabacum | Brassica napus | Brassica napus | Oryza sativa | Brassica napus | Brassica napus | Zea mays | Nicotiana tabacum | Oryza sativa | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Lycopersicon esculentum | Lycopersicon esculentum | Nicotiana tabacum | Nicotiana tabacum | Oryza sativa | Glycine max | n esculentum | Nicotiana tabacum | Glycine max | Lycopersicon esculentum | Lycopersicon esculentum | Solanum tuberosum | Lycopersicon esculentum | Hordeum vulgare | Tradescantia virginiana | Zea mays | Nicotiana tabacum | Cucumis sativus | Oryza sativa | Hordeum vulgare | Hordeum vulgare | | Mesembryanthemum crystallinum | Mesembryanthemum crystallinum | Hordeum vulgare | | |
|-------------|------------|-------------------|----------------|----------------|---------------|----------------|-----------------|-----------------|-------------------------|---------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|-------------------------|--------------------|---------------------------|-------------|--------------|-------------------|---------------|-------------------------|-------------------------|-------------------|-------------------------|-------------------|-------------------------|-----------------|-------------------|-------------------------|-----------------|-----------------|-----------------|-----------------|-------------------------------|-------------------------------|-------------------------|-------------------|-----------------------|
| (| 2260 | D26601 | AJ010093 | AJ010091 | AF172282 | AJ009609 | AJ009608 | U83625 | AF325168 | AF216314 | AJ000728 | AF165186 | AB055514 | AF203481 | AF203480 | AJ302651 | D31964 | AF305911 | AF203479 | AF096250 | D26602 | AF128443 | AJ005077 | AF110519 | AF030879 | AF110518 | AF305912 | AF009337 | L27484 | AE072908 | X10036 | AB011968 | X65604 | X65606 | X96723 | AF158091 | AE090835 | AJ007990 | | 2262 |
| | | BAA05648.1 | CAA08997.1 | CAA08995.1 | AAE34436.1 | CAA08758.1 | CAA08757.1 | AAC83393.1 | AAG53979.1 | AAG40578.1 | CAA04261.2 | AAF67262.1 | BAB32405.1 | AAE19403.1 | AAF19402.1 | CAC24705.1 | BAA06731.1 | AAG31141.1 | AAF19401.1 | AAD46406.1 | BAA05649.1 | AAD23582.1 | CAA06334.1 | AAD10057.1 | AAC78558.1 | AAD10056.1 | AAG31142.1 | AAC24961.1 | AAA61682.1 | AAC25423.1 | CAA71142.1 | BAA83689.1 | CAA46554.1 | CAA46556.1 | CAA65500.1 | AAF05112.1 | AAD17800.1 | CAA07813.1 | | SEQ ID NO. |
| Glycine max | Zea mays | Zea mays | Oryza sativa | Oryza sativa | Pisum sativum | Zea mays | Medicago sativa | Medicago sativa | Lycopersicon esculentum | Daucus carota | Glycine max | Nicotiana tabacum | Nicotiana tabacum | Glycine max | Catharanthus roseus | Lycopersicon esculentum | Chenopodium rubrum | Adiantum capillus-veneris | | | Lupinus albus | Lupinus albus | Gossypium arboreum | Humulus lupulus | Humulus lupulus | Parthenium argentatum | Helianthus annuus | Parthenium argentatum | Artemisia annua | Capsicum annuum | Lycopersicon esculentum | Artemisia annua | Oryza sativa | Oryza sativa | Artemisia annua | Oryza sativa | Artemisia annua | Xanthoceras sorbifolium | Nicotiana tabacum | Parthenium argentatum |
| D50869 | 050064 | U10076 | AP002481 | AB024986 | AJ133722 | 010077 | X68741 | X78504 | AJ243454 | X62819 | D50871 | D89636 | X92964 | D50870 | D86385 | AJ243455 | X10161 | D82349 | | 2258 | U15777 | U20771 | Y12072 | AB053486 | AB053487 | X82543 | AF019892 | X82542 | u36376 | X84695 | AE048747 | AF112881 | D85317 | AB021747 | AF136602 | AB021979 | AF149257 | AF164026 | U97330 | AF005201 |
| BAA09465.1 | AAC50013.1 | AAA20236.1 | BAA96590.1 | BAA86628.1 | CAB77269.1 | AAA20237.1 | CAA48675.1 | CAA55272.1 | CAB46644.1 | CAA44631.1 | BAA09467.1 | BAA20426.1 | CAA63540.1 | BAA09466.1 | BAA20410.1 | CAB46645.1 | CAA71243.1 | BAA11560.1 | | | AAA86687.1 | AAA87729.1 | CAA72793.1 | BAB40665.1 | BAB40666.1 | CAA57893.1 | AAC78557.1 | CAA57892.1 | AAC49452.1 | CAA59170.1 | AAC73051.1 | AAD17204.1 | BAA19856.1 | BAA36276.1 | AAD32648.1 | BAA36347.1 | AAD37789.1 | AAD45122.1 | AAB93951.1 | AAB93984.1 |

| Solanum tuberosum Nicotiana tabacum Rubus idaeus Populus tremuloides Lolium perenne | (| Capsicum annuum Lithospermum erythrorhizon Glycine max Juglans nigra Pinus armandii Pinus armandii | 0.11 | Cedrus atlantica Larix gmelini Pseudolarix amabilis Pseudotsuga sinensis Tsuga canadensis | Nicotiana tabacum Petroselinum crispum Nicotiana tabacum Petroselinum crispum Cucumis sativus Petroselinum crispum Avena fatua Avena fatua |
|---|--|--|---|---|---|
| M62755 U50846 AF239687 AF041049 AF052221 | 039404 039404 039405 AFC239685 AFC41050 012012 | AC93533 AC12317 D49367 X69954 AJ278455 AF144502 AF144501 AF144525 | AF144517 AF144527 AF144523 AF144504 AF144520 AF144520 | AF144529 AF144512 AF144528 AF144510 AF144526 | AB020023 U56834 AF096299 AF121354 U58540 L44134 U48831 Z48431 |
| AAA33842.1 AAB18638.1 AAF91310.1 AAC24503.1 AAF37732.1 | AAB42382.1 AAB42383.1 AAF91308.1 AAC24504.1 AAA92668.1 | AGG43823.1 BAA08366.2 CAA49575.1 CAB97359.1 AAF73995.2 AAF73994.2 | AAF74010.2 AAF74020.2 AAF73997.2 AAF74013.2 AAF74008.2 | | BAA77358.1 AAC49528.1 AAD16139.1 AAD27591.1 AAC49529.1 AAC37515.1 AAC49527.1 CAA88331.1 |
| Oryza sativa Oryza sativa Spirodela polyrrhiza Oryza sativa Solanum tuberosum | Berberis stolonifera Eschscholzia californica Eschscholzia californica Papaver somniferum | Phaseolus vulgaris Pelargonium x hortorum Cucumis sativus Pelargonium x hortorum | Oryza sativa Hordeum vulgare Hordeum vulgare Linum usitatissimum | Brassica napus Brassica napus Brassica napus Cicer arietinum Populus x generosa Petroselinum crispum | Populus x generosa Lolium perenne Rubus idaeus Lolium perenne Oryza sativa Nicotiana tabacum Lithospermum erythrorhizon Nicotiana tabacum Solanum tuberosum |
| AP001111 AP001111 Z70524 AP000391 U52079 | 2266 AF049347 AF005655 S65550 AF025430 | 2267 AF053354 U67861 AB006807 U07953 | AP000615 283834 Y14573 AJ005341 2269 | X94624 X72153 A7401089 A7006025 AF008183 X13325 X13324 | AF008184 AF05223 AF239686 AF05222 X52623 D43773 D4376 U50845 |
| BAA90508.1 BAA90507.1 CAA94437.1 BAA83352.1 AAD10836.1 | SEQ ID NO. 2 AAD17487.1 AAC39358.1 AAB20352.1 AAC61839.1 | SEQ ID NO. 2 AAC12934.1 AAB70884.1 BAA33378.1 AAC48977.1 SEQ ID NO. 2 | | _ | AAC39366.1 AAF37734.1 AAF31733.1 CAA36850.1 BAA07828.1 BAA08365.1 AAB18637.1 |

| | | 486 | નન્ન |
|---|--|--|---|
| Torenia hybrida Glycyrrhiza echinata Glycyrrhiza echinata Petunia x hybrida Petunia x hybrida Cicer arietinum Antirrhinum majus | Nicotiana tabacum Cucumis sativus Avena fatua Petroselinum crispum Nicotiana tabacum Petroselinum crispum Avena fatua Nicotiana tabacum Betula pendula | Petroselinum crispum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Glycine max Glycine max Hordeum vulgare Lycopersicon esculentum Cucumis sativus Prunus dulcis Oryza sativa Brassica napus Lotus japonicus Nepenthes alata Prunus dulcis | Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii |
| AB028152 AB022733 AB001380 AB006790 AF081575 AJ249801 AB028151 | 2279 AF096299 L44134 Z48429 U48831 AF096298 U58540 Z48431 AB020023 U56834 AJ279697 | A52.79697 AF121354 AF193771 AF193770 AF052784 AB052784 AF023472 AF016713 Z69370 AF213936 AF213936 AF213936 AF154930 | 2282 X80888 X78821 X62335 |
| BAA84072.1 BAA74466.1 BAA22423.1 BAA92894.1 AAC32274.1 CAB56743.1 BAA84071.1 | SEQ ID NO. AAD16139.1 AAC37515.1 CAA88326.1 AAC49527.1 AAD16138.1 AAC49529.1 CAA88331.1 BAA77358.1 AAC49528.1 CAB66338.1 | | SEQ ID NO. CAA56851.1 CAA55398.1 CAA44209.1 |
| Nicotiana tabacum Nicotiana tabacum Matricaria chamomilla Nicotiana tabacum Ipomoea batatas Dianthus caryophyllus | Dianthus caryophyllus Dianthus caryophyllus Dianthus caryophyllus Dianthus caryophyllus Dianthus caryophyllus Pisum sativum Pisum sativum | Glycyrrhiza echinata Glycyrrhiza echinata Lotus japonicus Cicer arietinum Cicer arietinum Helianthus tuberosus Helianthus tuberosus Glycine max Cicer arietinum Petunia x hybrida Petunia x hybrida Pisum sativum Bisum sativum Glycine max Eschscholzia californica Nicotiana tabacum Glycine max Eschscholzia californica Nicotiana tabacum Glycine max Bersea americana | Pisum sativum Nicotiana tabacum Glycine max Glycine max |
| AF096298 AF193771 AB035271 AF193770 2276 AB035183 Z98758 | Z84385 Z84383 Z84386 Z84571 Z84574 Z84384 X98739 X98738 | ABOO1379 ABO025016 AJC239051 AJC239051 AJC239051 AJC239051 AJC239051 AJC00477 AFC02461 AJC49800 AF155332 AF175278 U29333 D83968 AF014802 X96784 D86351 M32885 | AF218296 X95342 AF022458 AF135485 |
| AAD16138.1 AAF61864.1 BAA87069.1 AAF61863.1 SEQ ID NO. 3 BAA87043.1 CAB11466.1 | CAB06429.1 CAB06427.1 CAB06430.1 CAB06538.1 CAB06428.1 SEQ ID NO. CAA67291.1 CAA67290.1 | • | AAG44132.1 CAA64635.1 AAB94587.1 AAD38930.1 |

| AAC49358.1 | U35831 | sati | | 2290 | |
|------------|------------------|------------------------------------|-------------|----------|------------------------------------|
| CAA53900.1 | X/6269 V51/62 | Fishm sativum Spinodio Olomondo | CAA36396.1 | A32148 | Fisum sativam Nicotiana tabacum |
| CAA35827.1 | X51463 | Spinacia oleracea | AAA33780.1 | L26923 | Pinus sylvestris |
| CAA06736.1 | AJ005841 | Oryza sativa | CAA33455.1 | X15408 | Zea mays |
| CAA06735.1 | 4 | Triticum aestivum | AAA33464.1 | M18976 | Zea mays |
| AAB52409.1 | U76831 | Brassica napus | AAA34076.1 | M14418 | Nicotiana tabacum |
| AAD45358.1 | AF160870 | Brassica napus | AAA84543.1 | M55147 | Chloroplast Pisum sativum |
| CAA41415.1 | X58527 | Nicotiana tabacum | BAA85402.1 | AP000615 | Oryza sativa |
| AAC32111.1 | AF051206 | Picea mariana | AAA86855.1 | 127668 | Chloroplast Chlamydomonas |
| CAA94534.1 | Z70677 | Ricinus communis | reinhardtii | | |
| BAA05546.1 | D26547 | Oryza sativa | AAB82133.1 | AF022730 | Oryza sativa |
| AAB51522.1 | 092541 | Oryza sativa | BAA94304.1 | AB035312 | Chlamydomonas sp. W80 |
| AAF88067.1 | AF286593 | Triticum aestivum | AAB66887.1 | AF010582 | Oryza sativa |
| BAA04864.1 | D21836 | Oryza sativa | AAG23799.1 | AF260733 | Cucurbita pepo |
| BAA13524.1 | D87984 | Fagopyrum esculentum | CAA06030.1 | AJ003783 | Marsilea quadrifolia |
| CAA05081.1 | AJ001903 | Triticum turgidum subsp. durum | AAA33352.1 | L26924 | Ginkgo biloba |
| BAB20886.1 | Q | Oryza sativa | AAA33779.1 | L07501 | Pinus sylvestris |
| CAA56850.1 | X80887 | Chlamydomonas reinhardtii | AAD10215.1 | L32560 | Chloroplast Pinus sylvestris |
| CAA55399.1 | X78822 | Chlamydomonas reinhardtii | AAD10214.1 | L32561 | Chloroplast Pinus sylvestyss |
| AAC19392.1 | AF069314 | Mesembryanthemum crystallinum | CAA55116.1 | X78307 | Craterostigma plantagineum |
| CAA77847.1 | Z11803 | Nicotiana tabacum | AAA89207.1 | 126922 | Taxus baccata |
| BAA25681.1 | AB010434 | Brassica rapa | CAA51071.1 | X72381 | Physcomitrella patens |
| AAB53694.1 | U59379 | | CAA04942.1 | AJ001706 | Pinus sylvestris |
| AAG35777.1 | AF273844 | Brassica oleracea var. | CAB39974.1 | AJ133422 | Nicotiana tabacum |
| alboglabra | | | AAA33031.1 | M29956 | Mesembryanthemum crystallinum |
| AAD33596.1 | | Hevea brasiliensis | AAA33033.1 | J05223 | Mesembryanthemum crystallinum |
| AAD49232.1 | AF159387 | Lolium perenne | CAA42901.1 | X60343 | Hordeum vulgare |
| AAD56954.1 | AF18624 | Secale cereale | AAA82047.1 | U31676 | Oryza sativa |
| BAB39913.1 | AP00291 | Oryza sativa | AAA87579.1 | 045856 | Zea mays |
| AAD49234.1 | AF15938 | Phalaris coerulescens | AAA03442.1 | U02886 | Atriplex nummularia |
| AAD49233.1 | AF159388 | Phalaris coerulescens | CAA53269.1 | X75597 | Atriplex nummularia |
| AAD49230.1 | AF15938 | Hordeum bulbosum | AAB59010.1 | 096623 | Selaginella lepidophylla |
| | | | CAA42904.1 | X60346 | Petunia x hybrida |
| | 2283 | | CAA42905.1 | X60347 | Magnolia liliiflora |
| BAA85440.1 | AP000616 | Oryza sativa | CAA42103.1 | X59517 | Antirrhinum majus |
| CAB53493.1 | AJ245900 | Oryza sativa | CAA51676.1 | X73151 | Zea mays |
| | | | AAA87580.1 | 045857 | Zea mays |
| SEQ ID NO. | 2285 | | CAA51675.1 | X73150 | Pisum sativum |
| AAD03693.1 | AE084554 | Brassica napus | AAA87880.1 | U45858 | Zea mays |
| | | | AAA87578.1 | 045855 | Zea mays |
| | | | | | |

| | | 488 | llinum |
|---|--|---|---|
| Nicotiana sylvestris Vigna radiata Spinacia oleracea Zea mays Oryza sativa Oryza sativa | Aralia cordata Populus deltoides Populus balsamifera subsp Populus tremuloides Nicotiana tabacum Medicago sativa Medicago sativa Eucalyptus globulus Eucalyptus gunnii | Eucalyptus saligna Eucalyptus gunnii Lolium perenne Zea mays Zea mays Zecharum officinarum Zinnia elegans Picea abies Picea abies Picea abies Picea abies Picea abies Picea abies | > 7 7 0 d b · H |
| D16247 AF156667 X99937 AF079782 AB042644 AB042643 Z298 X62343 | D13991 Z19568 AJ295837 AF217957 X62344 Z19573 AF083332 AF083332 AF083332 | AF294793 X75480 AF2010290 Y13733 AJ231135 AJ231135 D86590 X72675 AJ001925 AJ001925 | AF2072 237992 237991 D16624 U63534 AF320110 U79770 AF08333 L36823 AF207552 |
| BAA03763.1 AAF40306.1 CAA68193.1 AAD20980.1 BAA95705.1 BAA95704.1 SEQ ID NO.2 | BAA03099.1 CAA79622.1 CAC07423.1 trichocarpa AAF443140.1 CAA44217.1 CAA79625.1 AAC35845.1 AAC35845.1 CAA46585.1 | AAG15553.1 CAA53211.1 AAB70908.1 CAA74070.1 CAA13177.1 BAA19487.1 CAA51226.1 CAA55096.1 CAA65096.1 CAA65096.1 | CAA86073.1 CAA86073.1 CAA86072.1 BAA010327.1 AAK28509.1 AAR38503.1 AAA74882.1 AAA74882.1 |
| Pisum sativum Pisum sativum Lilium hybrid division I Oryza sativa Lycopersicon esculentum Glycine max Lycopersicon esculentum | עט ססט עע | Oryza sativa Petunia x hybrida Oryza sativa Gossypium hirsutum Avena sativa Triticum aestivum Nicotiana tabacum Nicotiana tabacum Hordeum vulgare Hordeum vulgare Lolium temulentum Nicotiana tabacum Lolium temulentum | Hordeum vulgare Hordeum vulgare Hordeum vulgare Oryza sativa Nicotiana tabacum Glycine max Petunia x hybrida |
| L07500 2294 X11105 AB058642 AY026332 X95297 AB029159 X99210 | AB029160 AF161711 AF336282 Z13998 AB028649 AB028652 AB029161 X95296 AF336284 AF336284 | D88617 Z13997 AJ237661 AF336286 AJ133638 AB044084 AB028651 U72762 X87690 AY008692 AF114162 | X70879 X10879 X11415 AF198499 AB029165 Z13996 Z296 AF271892 |
| AAA33667.1 SEQ ID NO. 3 CAA71992.1 BAB40790.1 AAK08983.1 CAA64615.1 BAA81730.1 | BAA81731.1 AAF22256.1 AAK19615.1 CAA78388.1 BAA88221.1 BAA88224.1 BAA81732.1 CAA64614.1 AAK19617.1 | BAA23337.1 CAA78387.1 CAC19439.1 AAK19619.1 CAB40189.1 BAA96421.1 BAA96421.1 AAB41101.1 CAA61021.1 AAC22863.1 AAD31395.1 BAA88222.1 | 1 |

| tris m | ш | tris | ш | | tris | tris | | tris | tris | patens | | tris | tris | | :ulentum | tum | | 48 | 39 | | ğ | ğ | - | | | .antagineum | | | | HI. | | | esculentum | | | | | | |
|---|-------------------|----------------------|-------------------|----------------------|----------------------|-------------------------|-----------------|----------------------|----------------------|------------------|-----------------|-----------------|----------------------|----------------|-------------------------|---------------------|-------------------|-------------------|---------------|-------------------|----------------------------|-------------------|------------------|------------------|-------------------------|----------------------------|------------------|------------|--------------|-------------------|-----------------|-----------------------|-------------------------|----------------|----------------|------------|-------------------|--------------|-------------|
| Nicotiana sylvestris Solanum tuberosum | Solanum tuberosum | Nicotiana sylvestris | Solanum tuberosum | Zea mays | Nicotiana sylvestris | Nicotiana sylvestris | Glycine max | Nicotiana sylvestris | Nicotiana sylvestris | Physcomitrella p | Prunus persica | | Nicotiana sylvestris | Lactuca sativa | Lycopersicon esculentum | Polystichum munitum | | | Vicia faba | Raphanus sativus | Brassica oleracea | Brassica oleracea | Raphanus sativus | Raphanus sativus | Vitis vinifera | Craterostigma plantagineum | Zea mays | Zea mays | Zea mays | Nicotiana tabacum | Beta vulgaris | Hordeum vulgare | Lycopersicon esc | Pyrus communis | Vitis vinifera | Zea mays | Zea mays | Oryza sativa | |
| AB012638 U21113 | U20983 | AB012637 | U21112 | X14794 | AB012639 | AB012637 | U01964 | AB012641 | AB012637 | AB026686 | L36064 | AB012638 | AB012636 | D14002 | M14444 | M34396 | | 2302 | AF266760 | AB012044 | X95639 | X95640 | AB030696 | AB030695 | AE188843 | AJ001292 | AF326488 | AF326487 | AF131201 | AF024511 | U60149 | X76911 | X73848 | AB058679 | AF188844 | AJ271796 | AF326489 | AE022737 | C C C C C E |
| BAA25392.1 AAA80593.1 | AAA80589.1 | BAA25389.1 | AAA80592.1 | CAA32900.1 | BAA25394.1 | BAA25391.1 | AAA50172.1 | BAA25396.1 | BAA25390.1 | BAA77273.1 | AAA50310.1 | BAA25393.1 | BAA25388.1 | BAA03104.1 | AAA34148.1 | AAA68425.1 | | SEQ ID NO. | AAF78062.1 | BAA32777.1 | CAA64895.1 | CAA64896.1 | BAA92259.1 | BAA92258.1 | AAF80556.1 | CAA04652.1 | AAK26755.1 | AAK26754.1 | AAD29676.1 | AAB81601.1 | AAB67870.1 | CAA54233.1 | CAA52068.1 | BAB40142.1 | AAF80557.1 | CAC33802.1 | AAK26756.1 | AAB82140.1 | 100 |
| Apium graveolens Brassica oleracea | | Apium graveolens | Brassica napus | Stylosanthes humilis | Eucalyptus globulus | Lycopersicon esculentum | Hordeum vulgare | Brassica rapa | | | Nicotiana alata | Nicotiana alata | | | Prunus persica | •~ | Petunia x hybrida | Nicotiana tabacum | Beta vuldaris | Solanum tuberosum | Amaranthus hypochondriacus | Vìqna radiata | Rumex palustris | Pisum sativum | Lycopersicon esculentum | Lemna gibba | Pinus thunbergii | | Oryza sativa | Pinus thunbergii | Pinus palustris | Pseudotsuga menziesii | Lycopersicon esculentum | Oryza sativa | Ginkgo biloba | Zea mays | Solanum tuberosum | | |
| U24561 AF207554 | AF207555 | AF067082 | AF207553 | L36456 | AF109157 | AF146691 | X92754 | AF207559 | | 2299 | U45958 | U88587 | | 2301 | AF039598 | X54090 | X04966 | X58230 | Y13865 | Z35160 | X74732 | AE279248 | \sim | X57082 | M17558 | M12152 | X61915 | AE061577 | D00642 | X13407 | U51632 | 249749 | M17559 | AF022739 | L23107 | X68682 | U21114 | U21111 | |
| AAC15467.1 | AAF23412.1 | AAC61854.1 | AAF23410.1 | AAA74883.1 | AAD18000.1 | AAE72100.1 | CAA63410.1 | AAF23416.1 | | SEO ID NO. | 7047.1 | AAC15893.1 | | SEQ ID NO. | AAC34983.1 | CAA38025.1 | CAA28639.1 | CAA41188.1 | CAA74179.1 | | | | • | CAA40365.1 | • | AAA33392.1 | CAA43907.1 | AAC15992.1 | BAA00537.1 | CAA31773.1 | AAB19040.1 | CAA89823.1 | AAA34142.1 | AAB82142.1 | AAA60965.1 | CAA48641.1 | AAA80594.1 | AAA80591.1 | |

| | | | | | | | | | | | | | | | | | 4 | 90 | | S | ŗ | ŗ | | | | | | | | | | | | | | | | |
|--|---|-------------------|-------------------|-------------------|-------------------------|-------------------|------------|--------------|---------------------|-------------------------|-----------------------|-----------------------|------------------------|-------------------------------|------------|-----------------|---------------------|---------------|--------------|---------------------------|---------------------------|---------------------------|------------|-------------|-------------------|-------------------|-----------------|-----------------|--------------|-------------------|--------------|--------------|-------------------|--------------|-----------------|-----------------|--------------|-------------------|
| Arachis hypogaea Dunaliella tertiolecta | Chlamydomonas eugametos Oryza sativa | Oryza sativa | Solanum tuberosum | Daucus carota | Zea mays | Zea mays | Zea mays | Zea mays | Zea mays | Tradescantia virginiana | Oryza sativa | Picea mariana | Kalanchoe fedtschenkoi | Kalanchoe fedtschenkoi | | | Catharanthus roseus | Lemna minor | Allium cepa | Enteromorpha intestinalis | Chlamydomonas reinhardtii | Chlamydomonas reinhardtii | | | Sorghum bicolor | Sorghum bicolor | Oryza sativa | Zea mays | Oryza sativa | Triticum aestivum | Oryza sativa | Oryza sativa | Nicotiana tabacum | Glycine max | Cucumis sativus | Hordeum vulgare | Oryza sativa | Solanum tuberosum |
| Y18055 AF216527 | Z49233 AF194413 | AF194414 | AF030879 | X83869 | \$82324 | D38452 | D84507 | D84508 | AF289237 | AE009337 | AP001168 | AF051211 | AF162662 | AF162661 | | 2305 | U63784 | AJ249831 | AF212155 | AF069951 | AE027727 | AE036939 | | 2313 | Y12464 | Y12465 | AF004947 | AF141378 | AB011967 | AB011670 | AB011968 | AP002482 | D26602 | AF128443 | X10036 | X82548 | AF062479 | X95997 |
| CAB46228.1 AAF21062.1 | CAA89202.1 AAF23900.1 | AAF23901.2 | AAC78558.1 | CAA58750.1 | AAB47181.1 | BAA22410.1 | BAA12691.1 | BAA12692.1 | AAG01179.1 | AAC24961.1 | BAA90814.1 | AAC32116.1 | AAF06970.1 | AAF06969.1 | | SEQ ID NO. | AAB05871.2 | CAB65911.1 | AAF18999.1 | AAC26855.1 | AAC49896.1 | AAD02069.1 | | SEQ ID NO. | CAA73067.1 | CAA73068.1 | AAB62693.1 | AAF22219.1 | BAA83688.1 | BAA34675.1 | BAA83689.1 | BAA96628.1 | BAA05649.1 | AAD23582.1 | CAA71142.1 | CAA57898.1 | AAC99329.1 | CAA65244.1 |
| Solanum tuberosum | Citrus sinensis | Spinacia oleracea | Nicotiana tabacum | Solanum tuberosum | Lycopersicon esculentum | Solanum tuberosum | | | Fragaria x ananassa | Marchantia polymorpha | Marchantia polymorpha | Marchantia polymorpha | Marchantia polymorpha | Mesembryanthemum crystallinum | Zea mays | Tortula ruralis | Cucurbita pepo | Vigna radiata | Oryza sativa | Zea mays | Zea mays | Zea mays | Zea mays | Glycine max | Nicotiana tabacum | Solanum tuberosum | Ipomoea batatas | Medicago sativa | Zea mays | Zea mays | Oryza sativa | Oryza sativa | Daucus carota | Oryza sativa | Glycine max | Oryza sativa | Oryza sativa | Cucumis sativus |
| Y18311 | .303 AF196966 | AF118132 | AF118133 | AF106068 | AF208543 | X94302 | | 304 | AF035944 | AB017516 | AB017517 | AB017515 | AB017515 | AE090835 | D85039 | U82087 | U90262 | 008140 | X81394 | U28376 | AJ007366 | D87042 | D84408 | U69174 | AF072908 | AF115406 | D87707 | X96723 | L27484 | L15390 | AP000615 | AF048691 | X56599 | X81393 | U69173 | D13436 | AC073166 | AY027885 |
| CAB46350.1 | SEQ ID NO. 2 AAG28503.1 | | AAF18585.1 | AAF14186.1 | AAG35735.1 | CAA63966.1 | | SEQ ID NO. 2 | AAB88537.1 | BAA81750.1 | BAA81751.1 | BAA81749.1 | BAA81748.1 | AAD17800.1 | BAA12715.1 | AAB70706.1 | AAB49984.1 | AAC49405.1 | CAA57157.1 | AAA69507.1 | CAA07481.1 | BAA13232.1 | BAA12338.1 | AAB80693.1 | AAC25423.1 | AAD28192.2 | BAA13440.1 | CAA65500.1 | AAA61682.1 | AAA33443.1 | BAA85396.1 | AAC05270.1 | CAA39936.1 | CAA57156.1 | AAB80692.1 | BAA02698.1 | AAG46110.1 | AAK26164.1 |

| | | | | | | | | | | | | | | | | | | | 4 | 91 | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------------|-------------------------|-----------------|-------------------------|-------------------|---------------------------|------------------------|-------------------|-------------------|--------------|---------------------|-------------------------|--------------|----------------------|-------------------|-------------------|-------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------|-------------------|-----------------|---------------|-------------------|-------------------------|-------------------------|-----------------|-------------------|-------------------------|-------------------------|-------------------------|--------------|-------------------------|---------------|-------------------------|-------------------------|
| Lycopersicon esculentum | | Lycopersicon esculentum | | | Oryza sativa | Chlamydomonas reinhardtii | Pinus taeda | Oryza sativa | | | Stylosanthes hamata | Lycopersicon esculentum | Oryza sativa | Nicotiana sylvestris | Solanum tuberosum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana sylvestris | | | Helianthus annuus | Spinacia oleracea | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Oryza sativa | Zea mays | | | Zea mays | Solanum tuberosum | Capsicum annuum | Lycopersicon esculentum | Daucus carota | | | Vigna radiata | Oryza sativa | Zea mays |
| AE022012 | AE 022022 | AF022013 | | 2315 | AB052887 | AE205377 | AF220199 | AB033537 | | 2316 | U91857 | U89257 | AB037183 | AB016265 | U77655 | AB024575 | U81157 | AB016266 | | 2322 | L36129 | D37870 | D21836 | D26547 | U92541 | D85751 | AB009592 | AJ006055 | | 2326 | U16123 | L29099 | U87849 | D11350 | X67163 | | 2327 | AF139466 | AF058796 | 250801 |
| AAC13252.1 | AAC13202.1 | AAC13253.1 | | | BAB19880.1 | AAF12877.1 | AAF27916.1 | BAB17626.1 | | | AAD00708.1 | AAC49741.1 | BAB03248.1 | BAA97123.1 | AAC29516.1 | BAA76734.1 | AAB38748.1 | BAA97124.1 | | SEQ ID NO. | AAA33376.1 | BAA07108.1 | BAA04864.1 | BAA05546.1 | AAB51522.1 | BAA36283.1 | BAA37092.1 | CAA06835.1 | | SEQ ID NO. | AAA83439.1 | AAA50305.1 | AAB48484.1 | BAA01954.1 | CAA47636.1 | | SEQ ID NO. | AAD27878.1 | AAC14566.1 | CAA90681.1 |
| ro - | | | Hordeum vulgare | Chlamydomonas eugametos | Nicotiana tabacum | Glycine max | Dunaliella tertiolecta | Triticum aestivum | Nicotiana tabacum | Oryza sativa | Oryza sativa | Daucus carota | Orvza sativa | 0 | batata | | 1 | | Nicotiana tabacum | Nicotiana tabacum | | <u> </u> | Nicotiana tabacum | Pisum sativum | Nicotiana tabacum | Cucumis sativus | Pisum sativum | Nicotiana tabacum | Lycopersicon esculentum | Lycopersicon esculentum | Cucumis sativus | Pisum sativum | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Oryza sativa | Lycopersicon esculentum | Oryza sativa | Lycopersicon esculentum | Lycopersicon esculentum |
| on o | AJ00/990 | X65606 | X65604 | Z49233 | U73938 | L38855 | AF216527 | U29095 | U73939 | D88399 | AC084763 | X56599 | AB002109 | AJ005373 | D87707 | AE035944 | | 314 | K | AF123509 | AB026822 | AE123507 | AF123506 | X68215 | AF123504 | AB026823 | X68216 | AF123505 | AF022020 | AF022018 | AB026821 | X68218 | AE022021 | AF022015 | AF022017 | AB023482 | AF022019 | AP002070 | AJ249996 | AE022014 |
| AAB05457.1 | ή. | ف | • | CAA89202.1 | AAD00239.1 | | AAF21062.1 | • | AAD00240.1 | BAA13608.1 | AAG60195.1 | CAA39936.1 | BAA19573.1 | m | | AAB88537.1 | | SEO ID NO. 2 | 2146.1 | AAD32147.1 | • | • | AAD32144.1 | 97. | • | BAA85822.1 | CAA48298.1 | AAD32143.1 | AAC13260.1 | AAC13258.1 | BAA85820.1 | CAA48300.1 | AAC13261.1 | AAC13255.1 | AAC13257.1 | BAA78739.1 | AAC13259.1 | BAA95840.1 | CAB61882.1 | |

| S72358 Chloroplast Nicotiana | | D42U/U NICOTIANA SYLVESTYIS | Culamydomonas sp. | | , | AJ011939 Trifolium repens | X90695 Medicago sativa | L36158 Medicago sativa | Y10469 Spinacia oleracea | AB024437 Scutellaria baicalensis | X90693 Medicago sativa | | 21 | | U51193 Glycine max | 29 | X66125 Oryza sativa | AJ401276 Zea mays | Y19023 Lycopersicon esculentum A | Medicago sativa | X71593 Lycopersicon esculentum | AF007211 Glycine max | X90692 Medicago sativa | X97351 Populus balsamifera subsp. | | U12315 Cenchrus ciliaris | L36981 Petroselinum crispum | Y10462 Spinacia oleracea | | D16442 Oryza sativa | D42064 Nicotiana tabacum | 70 | Z22920 Spirodela polyrrhiza | U51194 Glycine max | AF149280 Phaseolus vulgaris | | | AF149277 Phaseolus vulgaris | |
|------------------------------|-------------------|-----------------------------|-------------------|------------|-----------------|---------------------------|------------------------|---------------------------|--------------------------|----------------------------------|------------------------|-----------------|-----------------|------------|-------------------------|-------------|---------------------|-------------------|----------------------------------|----------------------|--------------------------------|----------------------|------------------------|-----------------------------------|--------------|--------------------------|-----------------------------|--------------------------|------------|---------------------|--------------------------|---------------|-----------------------------|--------------------|-----------------------------|------|-----------------------|-----------------------------|--|
| | | BAAU/66/.1 D4 | | () () | 23 | CAA09881.1 AJ | CAA62228.1 X9 | AAB41812.1 L3 | τ | BAA77387.1 AB | CAA62226.1 X9 | CAB94692.1 AJ | 1 | | AAD11483.1 U5 | | CAA46916.1 X6 | CAC21393.1 AJ | CAB67121.1 Y1 | AAB41811.1 L3 | | AAC98519.1 AF | | | trichocarpa | _ | | • | | BAA03911.1 D1 | ⊣ | AAC49821.1 AE | | AAD11484.1 U5 | AAD37430.1 AE | | 7 | AAD37427.1 AE | |
| Lycopersicon esculentum | Nicotiana tabacum | Lycopersicon esculentum | Finus sylvestris | | Hordeum vulgare | Oryza sativa | Hordeum vulgare | Chlamydomonas reinhardtii | Asarina barclaiana | Pinus sylvestris | Zea mays | Hordeum vulgare | Brassica juncea | Zea mays | Lycopersicon esculentum | Glycine max | Sinapis alba | Vigna radiata | Sinapis alba | Nicotiana sylvestris | Oryza sativa | Apjum graveolens | Pisum sativum | Acetabularia acetabulum | Oryza sativa | Oryza sativa | Polystichum munitum | Solanum tuberosum | | Cicer arietinum | Vigna radiata | Pisum sativum | Cryptomeria japonica | Brassica napus | Tetraselmis sp. RG-15 | | Chloroplast Nicotiana | | |
| M17633 | X64198 | JU3558 | X58515 | X58514 | AFZI8305 | AF094776 | AJ006296 | AF195794 | AE241524 | Z16408 | U23188 | X63052 | X95727 | U23189 | X61287 | U01964 | X16436 | AF139465 | X15894 | AB012637 | D00641 | 275663 | X56538 | AE093617 | X13909 | X13908 | M34396 | U21114 | AB026686 | AJ131044 | AF279250 | X69215 | AB013728 | X61610 | AF017998 | 2328 | <i>S</i> 72356 | | |
| AAA34140.1 | • | AAA34186.1 | • | CAA41404.1 | • | AAC67558.1 | CAA06961.1 | AAG28464.1 | AAF44702.1 | CAA78900.1 | AAA64414.1 | CAA44777.1 | CAA65042.1 | AAA64415.1 | CAA43590.1 | AAA50172.1 | CAA34459.1 | AAD27877.1 | CAA33903.1 | BAA25390.1 | BAA00536.1 | CAA99993.1 | CAA39883.1 | | CAA32109.1 | CAA32108.1 | AAA68425.1 | AAA80594.1 | BAA77273.1 | CAA10284.1 | AAF89207.1 | CAA49149.1 | BAA32346.1 | CAA43804.1 | AAB70556.1 | | AAB31704.1 | sylvestris | |

| AAD11482.1 | U51192 | Glycine max | BAA76430.1 | AB025002 | Ħ |
|-------------|----------|-------------------------------|--------------|----------|-------------------------------|
| BAA82306.1 | AB021152 | ဌ | BAA78593.1 | AU066535 | Chlamydomonas sp. HS-5 |
| BAA01877.1 | D11102 | Populus kitakamiensis | CAC34412.1 | X18576 | Flaveria trinervia |
| BAA06335.1 | D30653 | Populus kitakamiensis | | | |
| AAD37376.1 | AF145350 | Glycine max | SEQ ID NO. 2 | 2333 | |
| CAA66034.1 | X97348 | Populus balsamifera subsp. | CAA66952.1 | X98308 | Lycopersicon esculentum |
| trichocarpa | | | CAA78387.1 | Z13997 | Petunia x hybrida |
| AAB41810.1 | L36156 | Medicago sativa | CAA78386.1 | Z13996 | Petunia x hybrida |
| AAC49819.1 | AF014468 | Ð | CAA67575.1 | X99134 | Lycopersicon esculentum |
| AAD11481.1 | 051191 | Glycine max | CAB43399.1 | AJ006292 | Antirrhinum majus |
| BAA96643.1 | AP002482 | Oryza sativa | BAA88222.1 | AB028650 | Nicotiana tabacum |
| | | | BAA88224.1 | AB028652 | Nicotiana tabacum |
| | 2330 | | BAA88221.1 | AB028649 | Nicotiana tabacum |
| CAB77243.2 | AJ133146 | Persea americana | AAB41101.1 | U72762 | Nicotiana tabacum |
| BAA08845.1 | D50307 | Oryza sativa | BAA88223.1 | AB028651 | Nicotiana tabacum |
| BAA08830.1 | D50301 | Oryza sativa | CAA64614.1 | X95296 | Lycopersicon esculentum |
| CAA06308.1 | AJ005041 | Cicer arietinum | AAG36774.1 | AF210616 | Zea mays |
| CAA61947.1 | X89829 | Pisum sativum | AAA33500.1 | M73028 | Zea mays |
| AAG21429.1 | AF308587 | Fragaria x ananassa | CAA67600.1 | X99210 | Lycopersicon esculentum |
| CAA37290.1 | X53130 | Oryza sativa | AAF22256.1 | AF161711 | rachycarpa |
| BAA02729.1 | D13512 | Oryza sativa | | | 93 |
| AAB61592.1 | AF003124 | Mesembryanthemum crystallinum | SEQ ID NO. 2 | 2334 | |
| CAA46649.1 | X65742 | oleracea | AAB49984.1 | U90262 | Cucurbita pepo |
| CAA31366.1 | X12872 | Zea mays | CAA07481.1 | AJ007366 | Zea mays |
| AAA33435.1 | M16220 | Zea mays | AAB70706.1 | U82087 | Tortula ruralis |
| CAA61946.1 | X89828 | Pisum sativum | BAA85396.1 | AP000615 | Oryza sativa |
| AAK19324.1 | AF329673 | Dunaliella salina | CAA57156.1 | X81393 | Oryza sativa |
| BAA77604.1 | AB027001 | Nicotiana paniculata | AAC05270.1 | AF048691 | Oryza sativa |
| BAA77603.1 | AB027002 | Nicotiana paniculata | AAC49405.1 | 008140 | Vigna radiata |
| CAA71408.1 | X10380 | Solanum tuberosum | BAA81749.1 | AB017515 | Marchantia polymorpha |
| AAA33642.1 | M97476 | Pisum sativum | BAA81750.1 | AB017516 | Marchantia polymorpha |
| • | D13513 | Oryza sativa | BAA81748.1 | AB017515 | Marchantia polymorpha |
| AAA33643.1 | M97477 | Pisum sativum | BAA13232.1 | D87042 | Zea mays |
| AAF74220.1 | AF216582 | Avena sativa | AAA33443.1 | L15390 | Zea mays |
| CAA09669.1 | AJ011516 | Scherffelia dubia | BAA81751.1 | AB017517 | Marchantia polymorpha |
| CAA47293.1 | X66814 | Spinacia oleracea | BAA12338.1 | D84408 | Zea mays |
| AAK19325.1 | ത | ·-! | AAB80692.1 | U69173 | Glycine max |
| AAC60574.1 | S72951 | Chloroplast Chlamydomonas | AAC25423.1 | AF072908 | Nicotiana tabacum |
| reinhardtii | | | AAB80693.1 | U69174 | Glycine max |
| CAA49590.1 | X69969 | | CAA65500.1 | X96723 | Medicago sativa |
| AAB70542.1 | AF017362 | Oryza sativa | AAD17800.1 | AF090835 | Mesembryanthemum crystallinum |

| WU 02/010055 | | | PC1/USU1/20085 |
|---|---|---|--|
| | mr.j.r | . pekinensis | ifolia |
| Beta vulgaris Pisum sativum Ipomoea batatas Ipomoea batatas Triticum aestivum Solanum tuberosum Cicer arietinum Ipomoea batatas | Citrulius Lanatus Hordeum vulgare Oryza sativa Lycopersicon esculentum Hordeum vulgare Ipomoea batatas Triticum aestivum Orvza sativa | Brassica rapa subsp. Zea mays Sorghum bicolor Zea mays Oryza sativa Pisum sativum Ipomoea batatas Pisum sativum Brassica napus Pisum sativum Vicia faba Vicia faba Ipomoea batatas Citrullus lanatus | Cicer arietinum Nicotiana tabacum Nicotiana plumbaginifolia Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum |
| X78900 X96766 AFO68260 AJ252316 Z21969 X61187 AF356003 AJ249256 | AFU324/3 X67151 D50317 U85497 U66876 AJ249257 X14350 | AE947698 Z38111 AE010283 S48563 U66041 Y08728 AJ245392 X96765 AJ271162 X96764 X76940 X76941 Z79635 AE032471 | AF356005 2339 X79008 X79009 X61205 X79137 X79138 X79136 X79136 |
| CAA55516.1 CAA65541.1 AAC21562.1 CAB52196.1 CAA79980.1 CAA43490.1 AAK27719.1 CAB55495.1 | AAB91468.1 CAA47626.1 BAA23490.1 AAC49943.1 AAC49729.1 CAB55496.1 CAA32533.1 | AAR27685.1 CAA8622.1 AAB24191.2 AAB24191.2 AAB38781.1 CAA69978.1 CAA65540.1 CAA65539.1 CAA65539.1 CAA65539.1 CAA65539.1 CAA65539.1 CAA65539.1 | SEQ ID NO. CAA55641.1 CAA43513.1 CAA55738.1 CAA55739.1 CAA55739.1 CAA55739.1 CAA55739.1 |
| Zea mays Zea mays Oryza sativa Zea mays Solanum tuberosum Ipomoea batatas Daucus carota Oryza sativa | Oryza sativa Cucumis sativus Tragaria x ananassa Dunaliella tertiolecta Chlamydomonas eugametos Oryza sativa Oryza sativa | Picea mariana Arachis hypogaea Arachis hypogaea Daucus carota Zea mays Zea mays Zea mays Zea mays Zea mays Zea mays Zia | Citrus unshiu Lycopersicon esculentum Citrullus lanatus Solanum tuberosum Cucumis melo Perilla frutescens Cucumis melo Lycopersicon hirsutum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum |
| D85039 L27484 X81394 U28376 AF115406 D87707 X56599 AC073166 | D13436 AY027885 AF035944 AF216527 Z49233 AF194413 AF194414 | AF050817 AF051211 Y18055 X83869 D84507 S82324 D38452 D84508 AF289237 AF009337 AF009337 | AF184598 U88089 AF032472 X74982 AF030383 AF249917 AF184345 U81033 U81033 |
| BAA12715.1 AAA61682.1 CAA57157.1 AAA69507.1 AAD28192.2 BAA13440.1 CAA39936.1 | BAA02698.1 AAK26164.1 AAB88537.1 AAF21062.1 CAA89202.1 AAF23900.1 AAF23900.1 | | 6042.1 1467.1 1467.1 2917.1 1463.1 6436.1 1464.1 6405.1 0723.1 |

| | 495 | |
|---|--|---|
| Zea mays Lupinus albus Zea mays Zea mays Triticum aestivum Lupinus albus Anemia phyllitidis Pisum sativum Volvox carteri Volvox carteri Glycine max Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas incerta Glycine max | Daucus carota Zea mays Zea mays Zea mays Polytomella agilis Polytomella agilis Pisum sativum Zinnia elegans Pisum sativum | Petunia x hybrida Petunia x hybrida Petunia x hybrida Gossypium hirsutum Lycopersicon esculentum Hordeum vulgare Hordeum vulgare Coryza sativa Oryza sativa Oryza sativa Hordeum vulgare |
| L10633 X70184 L10636 X52878 U76896 U47660 X69185 X54844 L24547 X12855 M21296 K03281 M10064 AF001379 | U63927 L10635 X74654 M33371 M33373 M33372 X54845 D63138 X54846 | 2345 AB006604 AB006602 AB000453 2346 AF336286 X70879 X70877 X70876 D88617 D88617 D88618 Y11415 X70880 |
| AAA20186.1 CAA49736.1 AAA19709.1 CAA37060.1 AAD10492.1 AAB03267.1 CAA48929.1 CAA38613.1 AAA99439.1 CAA31334.1 AAA33102.1 AAA33102.1 AAA33101.1 | | SEQ ID NO. BAA21926.1 BAA21924.1 BAA21924.1 SEQ ID NO. AAK19619.1 CAA50222.1 CAA5022.1 CAA50221.1 BAA23337.1 BAA23338.1 CAA72218.1 CAA72218.1 CAA78386.1 |
| Nicotiana tabacum Nicotiana tabacum Zea mays Zea mays Zea mays Zea mays Oryza sativa Oryza sativa Nicotiana tabacum Oryza sativa Oryza sativa Nicotiana plumbaginifolia Nicotiana plumbaginifolia Nicotiana tabacum Zea mays | Triticum aestivum Triticum aestivum Oryza sativa Oryza sativa Eleusine indica Solanum tuberosum Eleusine indica Oryza sativa | Oryza sativa Zea mays Oryza sativa Hordeum vulgare Cicer arietinum Triticum aestivum Oryza sativa Solanum tuberosum Zinnia elegans Eleusine indica Zinnia elegans Triticum aestivum Eleusine indica Zea mays Zea mays |
| X79005 X79004 U17979 U73459 AF007580 D12627 AB046416 X79140 AB046415 AB046414 AF180356 X61206 X79139 Y17186 | 342 U7674 U7689 AC084 D1322 AF059 Z3338 D3071 | D30717 L10634 X78143 Y09741 X98406 U76744 X79367 Z33402 D63136 D63137 U76745 AF059290 U76745 AF059288 X74656 |
| CAA55640.1 CAA55639.1 AAB82736.1 AAB64289.1 BAA02152.1 BAB21260.1 CAA55741.1 BAB21259.1 BAB21259.1 AAF19805.1 CAA43514.1 CAA43514.1 | SEQ ID NO. 2 AAD10489.1 AAD10490.1 AAK09229.1 BAA02505.1 AAD20178.1 CAA83847.1 AAD20180.1 BAA06381.1 | BAA06382.1 AAA19708.1 CAA55022.1 CAA70891.1 CAA67056.1 AAD10487.1 CAA55912.1 CAA55912.1 CAA83853.1 BAA82637.1 AAD20181.1 BAA82638.1 AAD20179.1 CAA52720.1 CAA52719.1 |

| | | | | | | | | | | | | mun. | | | | | 49 | 96 | | | | | | | | | | | | | | | | | | | | |
|------------------|------------------|---|---|----------------------|------------------------|--------------|-----------------|-----------------|-----------------|-------------------------|----------------------------|-------------------------------|-------------------|--------------------|--------------|-------------------|------------|-------------------------|-------------------------|-----------------|----------------------|-------------------------|-------------------|-----------------|---------------------------|-------------------------|--------------------|-------------------|----------------------|------------------|----------------------|-----------------|-------------------|---------------|-----------------|--------------------|-----------------|-------------------------|
| Ricinus communis | Hordenm vnlagre | Dhramites anstralis | | Phragmites australis | Phragmites australis | Oryza sativa | Hordeum vulgare | Hordeum vulgare | Hordeum vulgare | | | Mesembryanthemum crystallinum | Nicotiana tabacum | Oryza sativa | Zea mays | Nicotiana tabacum | | Lycopersicon esculentum | Lycopersicon esculentum | Medicago sativa | Petroselinum crispum | Lycopersicon esculentum | Pisum sativum | Medicago sativa | Chlamydomonas reinhardtii | Lycopersicon esculentum | Chenopodium rubrum | Medicago sativa | Petroselinum crispum | Medicago sativa | Nicotiana tabacum | Allium cepa | Nicotiana tabacum | Pisum sativum | Capsicum annuum | Ipomoea batatas | Medicago sativa | Petunia x hybrida |
| AJ132228 | 2348 25129479 | NEO55630 | AB055631 | AB055632 | AB055629 | AF129485 | AF129484 | AF129480 | AJ300161 | | 2349 | AF234652 | U73937 | D64036 | M60526 | AF289467 | X97637 | Y17225 | AJ297917 | AF129087 | L34206 | AJ297916 | AB008187 | X70707 | AB035141 | Y17226 | x10160 | L07042 | Y12785 | X66469 | X83880 | AB006033 | D61377 | X70703 | AF247135 | AF149424 | X82268 | Y13646 |
| CAA10608.1 | SEQ ID NO. | 1.1.0.0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1 | BAB32444.1 | BAB32445.1 | BAB32442.1 | AAE36497.1 | AAF36496.1 | AAF36492.1 | CAC15061.1 | | SEQ ID NO. | AAF40430.1 | AAC04324.1 | BAA19553.1 | AAA33479.1 | AAG01534.1 | CAA66233.1 | CAA76700.1 | CAC15504.1 | AAD28617.1 | AAC41680.1 | CAC15503.1 | BAA33152.1 | CAA50038.1 | BAB18271.1 | CAA76701.1 | CAA71242.1 | AAB41548.1 | CAA73323.1 | CAA47099.1 | CAA58761.1 | BAA21673.1 | BAA09600.1 | CAA50036.1 | AAF81419.1 | AAD37790.1 | CAA57719.1 | CAA73997.1 |
| Glycine max | | Gossyptum intraucum | Gossyptum iirsacum Antirrhinim mains | Orvza sativa | Pimpinella brachycarpa | Oryza sativa | Glycine max | Glycine max | Oryza sativa | Lycopersicon esculentum | Oryza sativa subsp. indica | Petunia x hybrida | Glycine max | Gossypium hirsutum | Oryza sativa | Zea mays | Zea mays | Nicotiana tabacum | Glycine max | Oryza sativa | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | | | Solanum tuberosum | Vicia faba | Solanum tuberosum | Nicotiana sylvestris | Ricinus communis | Nicotiana sylvestris | Nepenthes alata | Vicia faba | Vicia faba | Vicia faba | Atriplex hortensis | Nepenthes alata | Lycopersicon esculentum |
| AB029161 | AF336278 | AE 230204 | At 536282 A.TOO 6292 | X11350 | AF161711 | AC037425 | AB029160 | AB029159 | Y11351 | X99210 | Y15219 | Z13997 | AB029165 | AF336285 | Y11414 | M73028 | AF210616 | AB028650 | AB029162 | D88619 | 5 | AB028649 | U72762 | | 2347 | X09825 | AF061436 | Y09826 | U64823 | AJ007574 | U31932 | AF080544 | X09591 | AF061434 | AF061435 | AF274032 | AF080543 | AF014809 |
| BAA81732.1 | AAK19611.1 | AAN1901/.1 | AAKL9015.1 CAR43399 1 | CAA72185.1 | AAF22256.1 | AAG13574.1 | BAA81731.1 | BAA81730.1 | CAA72186.1 | CAA67600.1 | CAA75509.1 | CAA78387.1 | BAA81736.1 | AAK19618.1 | CAA72217.1 | AAA33500.1 | AAG36774.1 | BAA88222.1 | BAA81733.2 | BAA23339.1 | BAA88224.1 | H | AAB41101.1 | | SEQ ID NO. 2 | CAA70968.1 | AAF15946.1 | CAA70969.1 | AAB96830.1 | CAA07563.1 | AAB48944.1 | AAD16015.1 | CAA70778.1 | AAF15944.1 | AAF15945.1 | AAF76897.1 | AAD16014.1 | AAD25161.1 |

497

PCT/US01/26685

| AAF65766.1 | AF242308 | Euphorbia esula | AAA19701.1 | L24438 | Thlaspi arvense |
|---------------|----------|-------------------------------|------------|----------|-----------------------|
| \rightarrow | 49 | Vigna aconitifolia | AAC39318.1 | AF029858 | Sorghum bicolor |
| CAA41172.1 | X58194 | Oryza sativa | BAB40323.1 | AB037244 | Asparagus officinalis |
| AAF81420.1 | 4713 | Capsicum annuum | BAB40324.1 | AB037245 | Asparagus officinalis |
| 532 | 89 | Nicotiana tabacum | AAB94589.1 | AF022460 | Glycine max |
| \leftarrow | X89400 | Vigna unguiculata | CAA70575.1 | Y09423 | Nepeta racemosa |
| AAG01533.1 | | Nicotiana tabacum | AAB94584.1 | AF022157 | Glycine max |
| AAF73236.1 | 53 | Pisum sativum | AAF27282.1 | AF122821 | Capsicum annuum |
| CAA58594.1 | X83619 | Petunia x hybrida | CAB56503.1 | AJ238612 | Catharanthus roseus |
| CAA57721.1 | X82270 | Medicago sativa | AAD47832.1 | AF166332 | Nicotiana tabacum |
| CAA99991.1 | 275661 | Sesbania rostrata | AAB94588.1 | AF022459 | Glycine max |
| LO. | 29 | Vigna radiata | CAA50645.1 | X71654 | Solanum melongena |
| | | | BAA03635.1 | D14990 | Solanum melongena |
| SEQ ID NO. | 2352 | | CAA50312.1 | X70981 | Solanum melongena |
| 3236 | AF180143 | Glycine max | CAA70576.1 | Y09424 | Nepeta racemosa |
| AAA34309.1 | M28059 | Triticum aestivum | AAD44151.1 | AF124816 | Mentha x piperita |
| AAA34125.1 | L23762 | Lycopersicon esculentum | CAA83941.1 | Z33875 | Mentha x piperita |
| 7 | L29077 | Pisum sativum | AAD44152.1 | AF124817 | Mentha x piperita |
| CAA51821.1 | X73419 | Lycopersicon esculentum | AAD44150.1 | AF124815 | Mentha spicata |
| AAB88617.1 | AF034946 | Zea mays | CAA57423.1 | X81829 | Zea mays |
| AAD51109.1 | AF176040 | Mesembryanthemum crystallinum | CAA72208.1 | Y11404 | Zea mays |
| BAB40310.1 | AB026055 | Nicotiana tabacum | CAC27827.1 | AJ295719 | Catharanthus roseus |
| AAA34310.1 | M62720 | Triticum aestivum | AAG44132.1 | AF218296 | Pisum sativum |
| AAF73016.1 | AF262934 | Avicennia marina | AAG14963.1 | AF214009 | Brassica napus |
| BAB40311.1 | AB026056 | Nicotiana tabacum | CAA57424.2 | X81830 | Zea mays |
| AAB02168.1 | U15971 | Oryza sativa | CAA72207.1 | Y11403 | Zea mays |
| CAA58111.1 | X82938 | Lycopersicon esculentum | AAG14962.1 | AF214008 | Brassica napus |
| AAD42941.1 | AF091621 | Catharanthus roseus | AAG14961.1 | AE214007 | Brassica napus |
| AAA86089.1 | 017250 | Brassica oleracea | BAA12159.1 | D83968 | Glycine max |
| AAG23847.1 | AY004247 | Lycopersicon esculentum | BAB40322.1 | AB036772 | Triticum aestivum |
| BAA90392.1 | AP001081 | Oryza sativa | | | |
| AAB63513.1 | AF008910 | Prunus armeniaca | | 2355 | |
| CAA05772.1 | AJ002959 | Zea mays | CAA70587.1 | Y09437 | Brassica napus |
| AAC12662.1 | AF032468 | Zea mays | AAC08048.1 | U59443 | Brassica napus |
| BAA21006.1 | D17786 | Oryza sativa | AAC08049.1 | U59444 | Brassica napus |
| AAF22280.1 | AF165420 | Mesembryanthemum crystallinum | AAC08051.1 | U59446 | Brassica napus |
| CAA10494.1 | AJ131733 | Pseudotsuga menziesii | AAC08050.1 | U59445 | Brassica napus |
| AAC32141.1 | | Picea mariana | AAG10403.1 | AF233284 | Convolvulus arvensis |
| SEQ ID NO. | 2354 | | | 2356 | |
| AAA32913.1 | M32885 | Persea americana | AAB/ZIIU.I | 8566/0 | Pisum sativum |

| | . 498 | | riapus IIIapus |
|--|--|--|--|
| Nicotiana tabacum Pisum sativum Oryza sativa Oryza sativa Oryza sativa Cryza sativa Cryza sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Medicago sativa Ipomoea batatas Avena sativa | | on construction of the con | napus subsp. napus napus |
| X83880 X70703 AJ250311 AF194415 AF177392 AF247136 AF332873 AF216315 D61377 U94192 X82270 AF149424 | AF153061 X69971 AB035141 AJ297917 AF154329 X82268 AF216316 X83440 X83879 X83879 U83687 D11080 AF057134 | 2362 AF078082 Y12531 X98520 Y12530 U82481 AB000970 U20948 Y18260 Y14286 | M97667 U00443 |
| CAA58761.1 CAC13967.1 CAC13967.1 AAF23902.1 AAD52659.1 AAK01710.1 AAK01710.1 AAG40579.1 AAB58396.1 CAA57721.1 AAD37790.1 | | SEQ ID NO. AAD21872.1 CAA73134.1 CAA67145.1 CAA73133.1 AAB93834.1 BAA23676.1 AAC23542.1 CAA74662.1 CAA74662.1 | AAA33008.1 AAA62232.1 |
| Triticum aestivum Helianthus annuus Prunus dulcis Zea mays Oryza sativa Pisum sativum Cyamopsis tetragonoloba Cyamopsis tetragonoloba Cicer arietinum Phragmites australis | Medicago sativa Nicotiana tabacum Oryza sativa Oryza sativa Medicago sativa Medicago sativa Medicago sativa Petunia x hybrida Medicago sativa Petunia x hybrida Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Setunia x hybrida Petunia x hybrida Trifolium repens | titia r | medicago sativa Euphorbia esula Oryza sativa |
| AF161719 AY029172 AF209910 U79961 AP001550 2357 U31544 AJ005081 AJ005082 AJ275318 AJ295156 | 2358 X68411 X77763 AP001278 AB059621 X68410 X83619 AJ295939 X83620 Y08607 AJ224163 AJ224163 AJ224163 | X12674 AJ002315 AP001551 AJ002314 Y13437 AJ131048 Y11591 Y11591 X11527 AF061509 | LU / U42 AF242308 AF194416 |
| AAF80450.1 AAF22842.1 AAB72113.1 BAA92985.1 SEQ ID NO. 2 AAA86532.1 CAA06338.1 CAA06339.1 CABG1752.1 | SEQ ID NO. CAA54803.1 CAA54803.1 CAA524803.1 BAB40983.1 CAA48472.1 CAA48472.1 CAA58594.1 CAA58595.1 CAA69899.1 CAA69899.1 CAA69899.1 CAA11860.1 CAA11862.1 CAA11862.1 | CAA73214.1 CAA05329.1 BAA92966.1 CAA05328.1 CAA10288.1 CAA72330.1 CAA72330.1 CAA72291.1 AAC24574.1 | AAB41548.1 AAE65766.1 AAE23903.1 |

| | ഗ | ntum | | ø | .dsqns | 499 | .dsqns | | ·dsoms | | nsis ntum | ntum | | a H | ntum | | |
|---|---|--|---|--------------------------------------|------------------------------|---|--|------------------------------|-----------------------------------|--------------------------------------|--|--|-------------------|--|-------------------------|---------------------------------------|--------------------------------------|
| Pisum sativum Brassica napus Oryza sativa Sorghum bicolor Sorghum bicolor | Stylosanthes humilis | Atachis hypogaea Lycopersicon esculentum Spinacia oleracea | Nicotiana tabacum Populus nigra Linum usitatissimum | Spirodela polyrrhiza Oryza sativa | Populus balsamifera | Phaseolus vulgaris Ipomoea batatas Phaseolus vulgaris | Spinacia oleracea Populus balsamifera | Armoracia rusticana | Populus balsamilera | Populus Kitakamiensis Glycine max | scutellaria baicalensis Lycopersicon esculentum | Lycopersicon esculentum Glycine max | Spinacia oleracea | robulus Kilakamitemsi Triticum aestivum | Lycopersicon esculentum | Pinus sylvestris Spinacia oleracea | Populus nigra Medicado sativa |
| X75327 S77096 AF323586 U12196 U12195 | 2367 L77080 M37637 | | AB027753 D83225 AF049881 | Z22920 D49551 | X97348 | AF149280 AJ242742 AF149279 | AF244924 X97351 | X57564 | A4/54 | D30652 U51191 | ABU24439 Y19023 | X71593 U51192 | X10463 | X85230 | L13654 | AF291667 Y16776 | D83224 L36157 |
| CAA53076.1 AAB33843.1 AAG43027.1 AAC49268.1 AAC49267.1 | SEQ ID NO. 2 AAB67737.1 | CAA64413.1 CAA71494.1 | BAA82307.1 BAA11853.1 AAC05277.1 | CAA80502.1 BAA08499.1 | CAA66034.1 trichocarpa | AAD37430.1 CAB94692.1 AAD37429.2 | AAE63027.1 CAA66037.1 | trichocarpa CAA40796.1 | trichocarpa | BAA06334.1 AAD11481.1 | BAA//389.1 CAB67121.1 | CAA50597.1 AAD11482.1 | CAA71489.1 | CAA59487.1 | AAA65637.1 | AAG02215.1 CAA76374.2 | BAA11852.1 AAB41811.1 |
| | Brassica rapa Brassica rapa Brassica rapa | brassica oleracea Brassica rapa Brassica oleracea | Nicotiana tabacum Brassica napus Oryza sativa | | Oryza sativa Oryza sativa | Oryza sativa | () () | Oryza sativa Oryza sativa | Avicennia marina Beta vulgaris | beta vulgaris Zea mays | Oryza sativa Nicotiana tabacum | Oryza sativa Amaranthus hypochondriacus | | Amatantins hypochonariacus Oryza sativa | | Hordeum vulgare Apium graveolens | Nicotian plumbaginifolia Zea mavs |
| Y14285 M76647 Z18921 Y18259 D38563 | D30049 D88193 D38564 | AB054061 AB054061 AB032474 | AF088885 AY028699 L27821 | AF001800 AF172282 | AC073405 AP001800 | 2364 AF045770 | M31480 U69142 | AB001348 AB037421 | | X58463 AE215823 | AB044537 Y09876 | AF162665 AF017150 | X69770 | AE000132 AB030939 | 54 | D26448 AF196292 | 1 |
| 10000 | BAA06285.1 BAA21132.1 BAA07577.2 | BAB21001.1 BAB21001.1 BAA92837.1 | AAD52097.1 AAK21965.1 AAA33915.1 | ~ ~ | AAG03090.1 BAA94516.1 | SEQ ID NO. 2 AAC03055.1 | AAB41696.1 | BAA21098.1 BAA96794.1 | CAA41376.1 | . , | BAB19052.1 CAA71003.1 | AAE73828.1 AAB70010.1 | CAA49425.1 | BAA96793.1 | BAB18544.1 | BAA05466.1 AAF08296.1 | AAB47571.1 |

500

| | | | | | | | | | | | | | | | | | | 50 | 00 | | | | | | | | | | | | | | | | | | | | |
|---|-----------------|-------------------|------------|-------------------|--------------|------------------|--------------------------|---------------------|-------------------|-----------------------|----------------------|--------------------|--------------------|-------------------------|---------------|-----------------|-------------------|-------------------------------|-------------------|-------------------|-------------------------|----------------------|--------------------|-------------------------|-------------------------|-------------------|-----------------------|---------------------------|-------------------------|-------------------------|-------------------|------------|------------|-------------------|-------------------|--------------------|-------------------|-------------------|------------|
| | Medicago sativa | Tortula ruralis | | | | | Lilium hybrid division I | Gossypium hirsutum | Petunia x hybrida | Nicotiana tabacum | Nicotiana tabacum | Gossypium hirsutum | Gossypium hirsutum | Glycine max | Glycine max | Glycine max | Nicotiana tabacum | Nicotiana tabacum | Glycine max | Glycine max | Oryza sativa | Oryza sativa | Gossypium hirsutum | Lycopersicon esculentum | Lycopersicon esculentum | Lolium temulentum | Hordeum vulgare | Triticum aestivum | Hordeum vulgare | Lycopersicon esculentum | Nicotiana tabacum | Zea mays | Zea mays | Oryza sativa | Avena sativa | Gossypium hirsutum | | Petunia x hybrida | Zea mays |
| 2372 | AF084200 | AE157017 | | 2373 | AY026332 | X11105 | AB058642 | AF336285 | Z13997 | AB028649 | AB028652 | AF336284 | AF336282 | AB029162 | AB029161 | AB029159 | AB028651 | U72762 | AB029165 | AB029160 | X11415 | X98355 | AF336278 | X99134 | X95296 | AF114162 | AX008692 | AB044084 | X87690 | X98308 | AB028650 | AF210616 | M73028 | AJ237661 | AJ133638 | AF336286 | AF198499 | Z13998 | AF320614 |
| SEQ ID NO. | AAC77926.1 | AAD46189.1 | | | AAK08983.1 | CAA71992.1 | BAB40790.1 | AAK19618.1 | CAA78387.1 | BAA88221.1 | BAA88224.1 | AAK19617.1 | AAK19615.1 | BAA81733.2 | BAA81732.1 | BAA81730.1 | BAA88223.1 | AAB41101.1 | BAA81736.1 | BAA81731.1 | CAA72218.1 | CAA67000.1 | AAK19611.1 | CAA67575.1 | CAA64614.1 | AAD31395.1 | AAG22863.1 | BAA96421.1 | CAA61021.1 | CAA66952.1 | BAA88222.1 | AAG36774.1 | AAA33500.1 | CAC19439.1 | CAB40189.1 | AAK19619.1 | AAG28526.1 | CAA78388.1 | AAK09327.1 |
| Glycine max Populus balsamifera subsp. | | Nicotiana tabacum | Zea mays | Triticum aestivum | Oryza sativa | Arachis hypogaea | Gossypium hirsutum | Armoracia rusticana | Nicotiana tabacum | Asparagus officinalis | Nicotiana sylvestris | | | Zantedeschia aethiopica | Pisum sativum | Hordeum vulgare | Hordeum vulgare | Mesembryanthemum crystallinum | Spinacia oleracea | Helianthus annuus | Lycopersicon esculentum | Nicotiana sylvestris | Nicotiana tabacum | Gossypium hirsutum | Helianthus annuus | Hordeum vulgare | Chlamydomonas sp. W80 | Chlamydomonas reinhardtii | Lycopersicon esculentum | Triticum aestivum | Betula pendula | | | Antirrhinum majus | Antirrhinum majus | Antirrhinum majus | Antirrhinum majus | Antirrhinum majus | Zea mays |
| AE007211 X97350 | | D11396 | AJ401276 | X56011 | AP001383 | M37636 | AF155124 | D90115 | J02979 | AB042103 | M74103 | | 2368 | AF053311 | AJ000508 | AJ238697 | AJ238745 | AJ250951 | D63425 | Y14707 | Y14762 | X60219 | AB041518 | AF037051 | Y14429 | AJ238744 | AB009083 | AF014927 | X14763 | AJ010455 | AJ279689 | | 2369 | AJ011623 | AJ011622 | X92079 | X92369 | AJ011621 | U89496 |
| AAC98519.1 CAA66036.1 | trichocarpa | BAA01992.1 | CAC21393.1 | CAA39486.1 | BAA92500.1 | AAB06183.1 | AAD43561.1 | BAA14143.1 | AAA34108.1 | BAA94962.1 | AAA34050.1 | | SEQ ID NO. 2 | AAC78466.1 | CAA04142.1 | CAB59893.1 | CAB59895.1 | CAB96145.1 | BAA22194.1 | CAA75009.1 | CAA75054.1 | CAA42780.1 | BAB16430.1 | AAB94892.1 | CAA74775.1 | CAB59894.1 | BAA83594.1 | AAB66330.1 | CAA75055.1 | CAA09194.1 | CAB66331.1 | | | CAB56570.1 | CAB56569.1 | CAA63061.1 | CAA63113.1 | CAB56568.1 | AAB51071.1 |

| WO 02/010033 | | | 1 C 17 0501/20003 |
|--|---|---|--|
| es. | | 501 | lidiformis Vitis vinifera |
| Pyrus pyrifolia Malus x domestica Lycopersicon esculentum Pisum sativum Rumex palustris Nicotiana glutinosa Pyrus communis Helianthus annuus | Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Brassica napus Citrus unshiu Petunia x hybrida Nicotiana tabacum Perilla frutescens | Zea mays Perilla frutescens Sorghum bicolor Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Gentiana triflora Nicotiana triflora Nicotiana triflora Perilla frutescens Forsythia x intermedia Lycopersicon esculentum | bell sammaga kan kan kan kan kan kan kan kan kan ka |
| D67038 X98627 Y00478 M98357 Y10034 U54566 X87097 L29405 | X83229 X83229 X83229 AF287143 AB033758 AB027455 AF190634 AB013596 | L34847 AB013597 AF199453 U32643 AF346432 U32644 D85186 AF346431 AB031274 AB031274 AB0127218 | X18871 U82367 AB047093 AB047099 AB047097 AB047090 AB047090 AB047090 |
| BAA76387.1 CAA68238.1 CAA68538.1 AAA33644.1 CAA71140.1 AAA99793.1 CAA60576.1 AAA99793.1 | | AAA59054.1 BAA36422.1 AAB36652.1 AAK28304.1 AAB36653.1 AAR2737.1 AAK28303.1 BAA83484.1 BAA19659.1 AAD21086.1 | CAB56231.1 AAB4844.1 BAB41020.1 BAB41024.1 BAB41022.1 BAB41017.1 BAB41019.1 BAB41019.1 BAB41023.1 |
| Zea mays Spinacia oleracea Nicotiana tabacum Spinacia oleracea Spinacia oleracea | Brassica oleracea Brassica napus Brassica oleracea Brassica juncea Carica papaya Petunia x hybrida Carica papaya Pelargonium x hortorum Actinidia deliciosa | - 7 > 4 4 4 4 6 4 9 4 9 | |
| AF320613 2375 AF110228 AF110226 AF110230 | X81629 X81629 X81626 AF252628 U68215 L21978 AF254125 U19856 AB003514 | X10749 L21976 Z46349 AB033504 AB012101 AB012857 AF129074 U67861 X95553 Z54199 X58273 | AJ001646 Z29529 X77232 AF129073 AF03582 AF026793 AB031027 Y14005 AF030859 U54565 |
| न •ननन | AAS 15 NO. CAA57285.1 AAA57284.1 AAF65472.1 AAC98808.1 AAA33697.1 AAF64528.1 AAB70883.1 BAA21541.1 | CAA71738.1 AAC77381.1 CAA86468.1 CAA864601.1 BAA34924.1 BAA3466.1 AAF36484.1 AAF736484.1 CAA64799.1 CAA64799.1 CAA41212.1 | CAA04895.1 CAA82646.1 CAA54449.1 AAF36483.1 AAC67233.1 AAC33524.1 BAA90550.1 CAA74228.1 AAC36461.1 |
| | | | |

| ~ | | 502 | |
|--|---|--|--|
| Daucus carota Oryza sativa Glycine max Daucus carota Brassica rapa subsp. pekine Physcomitrella patens | Lupinus albus Lupinus albus Ipomoea batatas Ipomoea batatas Spirodela punctata Phaseolus vulgaris Glycine max Ipomoea batatas Anchusa officinalis | | Lycopersicon esculentum Petunia x hybrida Nicotiana tabacum Lotus japonicus Solanum tuberosum Solanum tuberosum Phaseolus vulgaris Spinacia oleracea Betula pendula Spinacia oleracea Cucurbita maxima Glycine max Cichorium intybus |
| D26574 AF145728 AF184277 D26578 AF268422 AB028072 | 2387 AB037887 AB023385 AJ006224 AE200826 AJ01270 AF200824 AF200824 AF200825 | AJOO6870 AB029086 AB023388 AB023386 AB023387 2389 D38220 D38220 D38219 AF314093 X14059 | X14060 X11563 X10658 X80670 U95317 U76701 U01029 M32600 X54097 D86226 M33154 AF055369 |
| BAA05623.1 AAD37697.1 AAF01764.2 BAA21017.1 AAF73482.1 BAA93460.1 | | | CAA33218.1 AAA33712.1 CAA32216.1 CAA56696.1 AAB18985.1 AAA95940.1 AAA34033.1 CAA38031.1 BAA13047.1 AAA33114.1 AAA19790.1 CAA58909.1 |
| Vitis vinifera Petunia x hybrida Vitis vinifera Vitis vinifera Vitis labrusca x Vitis vinifera Zea mays | Chloroplast Nicotiana Chloroplast Nicotiana Nicotiana sylvestris Chlamydomonas sp. HS-5 Oryza sativa | ne max nella bra sativa sativa sativa sativa nella bra nella bra sativa sativa | Craterostigma plantagineum Daucus carota Physcomitrella patens Oryza sativa Physcomitrella patens Daucus carota Physcomitrella patens Daycomitrella patens Physcomitrella patens Physcomitrella patens Physcomitrella patens Physcomitrella patens Physcomitrella patens Clycine max |
| AB047098 AB027454 AF000372 AF000371 AB047091 X13500 | 2385 S72356 S72358 D42070 AU066497 2386 AF145727 | AB028075 X92489 X94449 AC079890 AF211193 X96681 X94375 X95193 AF145726 AF145731 | AJ005820 D26573 AB028074 AF145729 AB028077 D26575 AB028076 AB028076 AB028078 AB028078 AB028078 |
| BAB41025.1 BAA89008.1 AAB81683.1 AAB81682.1 BAB41018.1 CAA31855.1 | H H H H H H H H | BAA93463.1 CAA63222.1 CAA64221.1 AAK31270.1 AAK19980.1 CAA65456.2 CAA64152.1 CAA64491.1 AAD37700.1 CAA06728.1 | CAA06/1/.1 BAA05622.1 BAA03462.1 AAD37698.1 BAA05624.1 BAA05624.1 BAA03466.1 BAA03466.1 BAA03466.1 BAA03467.1 BAA03467.1 |

Nicotiana tabacum Picea abies

AF211530 AF253971

AAG43548.1 AAG32659.1

SEQ ID NO. 2397

| 1 51890444 | 73087 | | 13663 1 | ひずつんネルちフ | 7.00 mosts |
|------------|----------|---------------------------|------------|----------|-------------------------------|
| CAA37672.1 | X53603 | Phaseolus vulgaris | AAC98090.1 | AF067400 | Zea mays |
| AAA96727.1 | L23854 | Glycine max | BAA90816.1 | AP001168 | Oryza sativa |
| AAA62316.1 | U20450 | Zea mays | AAC98091.1 | AF067401 | Oryza sativa |
| AAD38068.1 | AF153448 | Zea mays . | | | |
| CAA40975.1 | X57844 | Hordeum vulgare | | 2398 | |
| CAA40976.1 | X57845 | Hordeum vulgare | BAA81862.1 | AB026295 | Oryza sativa |
| CAA42739.1 | X60173 | Hordeum vulgare | AAB39995.1 | U82432 | Dianthus caryophyllus |
| AAB93560.1 | AE022780 | Glycine max | AAD56580.1 | AF184273 | Daucus carota |
| AAF17595.1 | AE203033 | Chlamydomonas reinhardtii | AAD56581.1 | AF184274 | Daucus carota |
| CAA45497.1 | X64136 | Volvox carteri | CAA50498.1 | X71360 | Malus sp. |
| AAC49460.1 | U39931 | Chlorella vulgaris | AAD26205.1 | AF117269 | Malus x domestica |
| 9.1 | 039930 | Chlorella vulgaris | AAB82287.1 | AF026058 | Matthiola incana |
| 7.1 | X06134 | Nicotiana tabacum | BAA20143.1 | AB003779 | Perilla frutescens |
| AAA18377.1 | 008029 | Spinacia oleracea | AAB66560.1 | AF015885 | Callistephus chinensis |
| AAB39553.1 | U64308 | Agrostemma githago | BAB21477.1 | AB044091 | Torenia fournieri |
| AAA03202.1 | M27821 | Zea mays | CAA53580.1 | X75966 | Vitis vinifera |
| AAA33483.1 | M77792 | Zea mays | BAA75305.1 | AB023786 | Ipomoea batatas |
| AAB39555.1 | U64310 | Agrostemma githago | AAB84049.1 | AF028602 | Ipomoea purpurea |
| AAB39554.1 | U64309 | Agrostemma githago | BAA75306.1 | AB023787 | |
| CAA33819.1 | X15820 | | CAA73094.1 | Y12489 | Forsythia x intermedia 🐱 |
| CAA33817.1 | X15819 | Oryza sativa | CAA69252.1 | X07955 | Oryza sativa |
| AAA33998.1 | L23853 | Glycine max | | | |
| CAA58908.1 | X84102 | Cichorium intybus | | 2399 | |
| CAA40090.1 | X56771 | Chlorella vulgaris | CAC12822.1 | AJ299252 | Nicotiana tabacum |
| CAA45776.1 | X64446 | Zea mays | AAF63205.1 | AF245119 | Mesembryanthemum crystallinum |
| AAD17694.1 | AF077372 | Zea mays | AAC24587.1 | AF071893 | Prunus armeniaca |
| AAA96242.1 | L40147 | Avena strigosa | BAB16083.1 | AB036883 | Oryza sativa |
| AAB20155.1 | S61885 | Nicotiana plumbaginifolia | BAB03248.1 | AB037183 | Oryza sativa |
| AAA96245.1 | L40151 | Hordeum pusillum | AAF76898.1 | AF274033 | Atriplex hortensis |
| AAA96247.1 | L40153 | Hordeum stenostachys | CAB96900.1 | AJ251250 | Catharanthus roseus |
| | | | CAB96899.1 | AJ251249 | Catharanthus roseus |
| ID NO. | 2390 | | BAA07321.1 | D38123 | Nicotiana tabacum |
| AAG36871.1 | AF239818 | Zea mays | AAG43545.1 | AF211527 | Nicotiana tabacum |
| AAG36870.1 | AF239817 | Zea mays | BAA99376.1 | AP002526 | Oryza sativa |
| 9.1 | AF239816 | Zea mays | AAF23899.1 | AF193803 | Oryza sativa |
| | | | BAA78738.1 | AB023482 | Oryza sativa |
| | 2395 | | AAC62619.1 | AE057373 | Nicotiana tabacum |
| AAC49600.1 | U30304 | Solanum brevidens | AAG43549.1 | AF211531 | Nicotiana tabacum |

| | | | BAA81777.1 | AP000364 | |
|---------------------------|----------|-------------------------------|-------------|----------|--|
| SEQ ID NO. 2 | 2400 | | CAA10217.1 | AJ130841 | Populus balsamıtera subsp. |
| AAA80651.1 | U27116 | Populus tremuloides | trichocarpa | 000 | H |
| AAC49915.1 | U62735 | Nicotiana tabacum | AADS0441.1 | AF168779 | Eucalypius globulus Encalypius globulus |
| CAALZI98.1 trichocarpa | | | AAC15067.1 | AF060180 | |
| AAC08395.1 | AF053553 | Mesembryanthemum crystallinum | | | |
| CAA11496.1 | AJ223621 | Populus balsamifera subsp. | | 2402 | |
| trichocarpa | | | CAB82852.1 | Z30329 | Mesembryanthemum crystallinum |
| AAD02050.1 | AF036095 | Pinus taeda | CAA82991.1 | Z30330 | Spinacia oleracea |
| CAB45149.1 | AJ242980 | Zea mays | BAB03409.1 | AP002816 | Oryza sativa |
| AAC28973.1 | U20736 | Medicago sativa subsp. sativa | CAA50374.1 | X71057 | |
| CAA90969.1 | Z54233 | Vitis vinifera | CAA82994.1 | Z30333 | Mesembryanthemum crystallinum |
| CAB05369.1 | 282982 | Nicotiana tabacum | CAA82993.1 | Z30332 | Spinacia oleracea |
| AAF44689.1 | AF240466 | Populus tomentosa | BAB18104.1 | AB042714 | |
| BAA78733.1 | AB023482 | Oryza sativa | BAB18105.1 | AB042715 | Chlamydomonas reinhardtii |
| AAC49916.1 | U62736 | Nicotiana tabacum | CAA62476.1 | 06606X | Solanum tuberosum |
| AAC49913.1 | U38612 | Nicotiana tabacum | AAA50304.1 | M92989 | Pisum sativum |
| CAA90894.1 | Z54183 | Petroselinum crispum | AAF66637.1 | AF143505 | Lycopersicon esculentum |
| AAB80931.1 | AF022775 | Nicotiana tabacum | BAA96593.1 | AP002481 | Oryza sativa |
| AAA33851.1 | M69184 | Petroselinum crispum | CAA66616.1 | X97980 | ltii |
| CAA83943.1 | 7 | Petroselinum crispum | CAA73067.1 | X12464 | Sorghum bicolor |
| CAA11495.1 | AJ223620 | Populus balsamifera subsp. | CAA73068.1 | Y12465 | Sorghum bicolor |
| trichocarpa | | 1 | BAA83689.1 | AB011968 | Oryza sativa |
| CAA12200.1 | AJ224896 | Populus balsamifera subsp. | BAA83688.1 | AB011967 | Oryza sativa |
| trichocarpa | | | AAB62693.1 | AF004947 | Oryza sativa |
| CAA12199.1 | AJ224895 | Populus balsamifera subsp. | AAD23582.1 | AF128443 | Glycine max |
| trichocarpa | | | AAF22219.1 | AF141378 | Zea mays |
| CAB45150.1 | AJ242981 | Zea mays | BAA05649.1 | D26602 | Nicotiana tabacum |
| AAC49914.1 | U62734 | Nicotiana tabacum | CAA71142.1 | X10036 | |
| CAA72911.1 | Y12228 | Eucalyptus gunnii | CAA82992.1 | Z30331 | Mesembryanthemum crystallinum |
| AAK16714.1 | AF327458 | Populus alba x Populus | | | |
| glandulosa | | | | 2403 | |
| AAA59389.1 | U13151 | Zinnia elegans | CAB41474.1 | AJ238402 | |
| AAD50443.1 | AF168780 | Eucalyptus globulus | AAK31592.1 | AY029178 | Brassica rapa subsp. pekinensis |
| CAA91228.1 | Z56282 | Nicotiana tabacum | AAG17470.1 | AF123609 | |
| AAC26191.1 | AF046122 | Eucalyptus globulus | AAG33645.1 | AF092917 | |
| AAB61680.1 | L22203 | Stellaria longipes | AAD10204.1 | AF030260 | Vicia sativa |
| BAA81774.1 | AP000364 | Oryza sativa | AAB94586.1 | AF022457 | Glycine max |
| BAA88234.1 | AB035144 | Citrus natsudaidai | BAA93632.1 | AB024931 | Lotus japonicus |
| BAA19102.1 | AB000408 | Populus kitakamiensis | BAA76380.1 | AB023636 | Glycyrrhiza echinata |

| WO 02/016655 | PC1/US01/26685 |
|--|--|
| Thong-In | 505 |
| Solanum commersonii Hordeum vulgare Betula pendula Betula pendula Physcomitrella patens Physcomitrella patens Physcomitrella patens Malus x domestica Ceratopteris richardii Dendrobium grex Madame Pisum sativum Nicotiana sylvestris Brassica oleracea Eucalyptus globulus | Betula pendula Sinapis alba Glycine max Alopecurus myosuroides Alopecurus myosuroides |
| AF002666 AJ249144 X99655 X99655 AF150932 AF150931 U78948 DB9671 AF291298 AJ2791298 AJ2791298 AJ2791298 AJ2791298 AF305696 AF305696 AF305696 AF305696 AF305696 AF305696 | X99654 AF109403 2405 AF243368 AF243363 AF243362 AF243362 AF243372 AF243374 AF243373 AF243373 AF243373 AF243373 AF243365 AF243373 AF243365 AF244694 |
| AAB65161.1 CAB67969.1 CAA67969.1 CAA67967.1 AAG09136.1 AAC83170.1 BAA25246.1 AAF13261.1 CAC37031.1 AAB08875.1 AAB08875.1 AAG30923.1 AAG24909.1 AAB08876.1 AAB08876.1 | CAA67968.1 AAD20329.1 SEQ ID NO. AAG34803.1 AAG34798.1 AAG34707.1 AAG34801.1 AAG34807.1 AAG34804.1 AAG34804.1 AAG34806.1 AAG34809.1 |
| Glycyrrhiza echinata Nepeta racemosa Pisum sativum Pisum sativum Antirrhinum majus Pisum sativum Glycyrrhiza echinata Beta vulgaris Trifolium pratense Glycine max Lens culinaris Lotus japonicus Vigna radiata Torenia hybrida Glycine max Vigna radiata Torenia myratense Glycine max Trifolium pratense | Glycine max Vigna radiata Vigna radiata Vigna radiata Zea mays Medicago sativa Oryza sativa Oryza sativa Hordeum vulgare Lolium temulentum Zea mays Triticum aestivum Zea mays Lolium temulentum Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Malus x domestica Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Malus x domestica Oryza sativa |
| AB022732 V09424 U29333 AF175278 AB028151 Z49263 AF195817 AF195810 AF135484 AF195809 AF195809 AF195809 AF195819 AF195819 AF195819 AF195819 | AF195818 AF195806 2404 AF112149 U91964 AD249146 AJ249146 AF13564 AJ249146 AF035378 AF112150 AF035379 |
| BAA74465.1 CAA70676.1 AAC49188.2 AAG09208.1 BAA84071.1 CAA89260.1 BAA22422.1 AAF34538.1 AAF34538.1 AAF34536.1 AAF34525.1 BAA93634.1 AAF34525.1 BAA93634.1 AAF34525.1 BAA93634.1 AAF34525.1 AAF34525.1 AAF34532.1 | AAF45142.1 AAF34528.1 AAF34527.1 SEQ ID NO. 2 AAG09919.1 AAB51377.1 BAA94342.1 AAD10625.1 AAG43200.1 BAA33457.1 AAG43200.1 BAAS3457.1 AAG43200.1 BAAS3457.1 AAG43200.1 AAG43200.1 AAG43200.1 AAG43200.1 AAG43200.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG4320.1 AAG64321.1 AAG64321.1 AAG64321.1 |

| Citrus unshiu Vicia faba Craterostigma plantagineum Lycopersicon esculentum Pisum sativum Tulipa gesneriana Tulipa gesneriana Medicago truncatula Medicago sativa Glycine max Daucus carota Citrus unshiu Alnus glutinosa Daucus carota Daucus carota Daucus carota Daucus carota Daucus carota Citrus unshiu Medicago truncatula Lycopersicon esculentum Vigna radiata Citrus unshiu | cosum cosum cosum n Lia cubrum cicinarum cicinarum cicinarum are |
|---|--|
| AB025778 X69773 AJ132000 AJ1319 AJ012080 X96938 X96938 AJ131943 AF049487 AF049487 AF053231 Y16091 X92378 Y16090 X75332 AF079851 AJ131964 L19762 D10266 AB022092 | U24087 U73588 U24088 AJ0011071 AB045710 X82504 AC2382 X02400 X64770 Z15028 AJ001117 X65871 AJ311496 Y15802 L33244 X59046 L03366 X69931 |
| BAA88981.1 CAA49428.1 CAB38022.1 CAA09593.1 CAA65639.1 CAA65640.1 CAA65640.1 CAA65640.1 AAC17867.1 AAC39323.1 CAA76057.1 BAA89049.1 CAA76056.1 CAA76056.1 CAA76056.1 CAA76056.1 CAA76056.1 CAA76056.1 CAA76056.1 CAA76056.1 | AAA97571.1 AAA97571.1 AAA97572.1 CAA97572.1 CAA97572.1 CAA57881.1 AAF85966.1 CAA26229.1 CAA26229.1 CAA26247.1 CAA46017.1 CAA46017.1 CAA4677.1 CAA4677.1 CAA4677.1 CAA4677.1 CAA33515.1 CAA33515.1 CAA33515.1 CAA49551.1 |
| Zea mays Zea mays Glycine max Glycine max Solanum tuberosum Carica papaya Zea mays Picea mariana Gossypium hirsutum Suaeda mariima Cichorium intybus x Cichorium Lavatera thuringiaca | Oryza sativa Fagus sylvatica Lycopersicon esculentum Lycopersicon esculentum Nicotiana tabacum Glycine max Picea glauca Glycine soja Glycine soja Glycine soja Slycine soja Clycine soja Clycine soja Citrus unshiu |
| AAG34849.1 AF244706 AAG34806.1 AF244701 AAG34806.1 AF243371 CAA71784.1 Y10820 AAA68430.1 J03679 CAA04391.1 AJ000923 AAG34836.1 AF244693 AAG34831.1 AF244693 AAG34847.1 AF244688 AAG34847.1 AF244704 AAC32118.1 AF244704 AAC32118.1 AF2244704 AAG43509.1 AF21049 AAG43509.1 AF210049 AAG43509.1 AF210049 AAG15460.1 AF060569 | 24 24 24 |

| 11 0 02/0100. | 55 | | | | | | | | | | | | | | | | | | | | | | | • | · | 1, | UL | ,0,1 | . / 2 | JUC | ,, | |
|--|---|---------------------------------|-------------------|---------------|----------------------------------|-------------------|---------------|--------------------|-----------------|------------|----------------------|---------------|---------------|-------------------------|------------------------|-------------------|-------------------------|-------------------|-------------------|-------------------|---------------|-------------------|-------------------------|----------------|--------------------|-------------------------|-------------------|-------------------|------------------------|----------------------|-------------------|-------------------|
| ∃ 0 | Vitis vinifera Vitis vinifera Petunia x hybrida | Vitis labrusca x Vitis vinifera | Vitis vinifera | | Vitis Vinifera Vitis Vinifera | | | frutes | Ipomoea batatas | is ruideus | 50 rearrand recomodi | 7 | | Lycopersicon esculentum | Pimpinella brachycarpa | Petunia x hybrida | Lycopersicon esculentum | Antirrhinum majus | Petunia x hybrida | Nicotiana tabacum | | | Lycopersicon esculentum | | | C : | Petunia x hybrida | Petunia x hybrida | Petunia integrifolia | Petunia integrifolia | Petunia x hybrida | Petunia x hybrida |
| AF199453 X85138 AB047090 AB047099 | AB047095 AB047093 AB027454 | AB047091 | AE000372 | AB047092 | AB04/098 AB047096 | AB047094 | AF000371 | AB002818 | AB038248 | AFTUL9/2 | AE'028237 | | 2420 | X95296 | AF161711 | Z13996 | X99210 | AJ006292 | Z13997 | AB028650 | AB028652 | AB028649 | X98308 | AF122054 | AB028651 | U72762 | AF146706 | AF146702 | AF146704 | AF146703 | AF146707 | AF146705 |
| AAF17077.1 CAA59450.1 BAB41017.1 BAB41026.1 BAB41024.1 | BAB41022.1 BAB41020.1 BAA89008.1 | BAB41018.1 | AAB81683.1 | BAB41019.1 | BAB41025.1 BAB41023.1 | BAB41021.1 | AAB81682.1 | BAA19659.1 | BAA90787.1 | AADU4166.1 | AAB864/3.1 | | | CAA64614.1 | AAF22256.1 | CAA78386.1 | CAA67600.1 | CAB43399.1 | CAA78387.1 | BAA88222.1 | BAA88224.1 | BAA88221.1 | CAA66952.1 | AAG08962.1 | BAA88223.1 | AAB41101.1 | AAF66731.1 | AAF66727.1 | AAF66729.1 | AAF66728.1 | AAF66732.1 | AAF66730.1 |
| Craterostigma plantagineum Beta vulgaris Hordeum vulgare | Solanum tuberosum Solanum tuberosum Nicotiana tabacum | Daucus carota | ~ | Pisum sativum | Zea mays Vicia faba | Triticum aestivum | Daucus carota | Phaseolus vulgaris | Vicia faba | carot | carot | Daucus carota | Daucus carota | Triticum aestivum | Brassica oleracea | | | Nicotiana tabacum | Petunia x hybrida | Zea mays | Citrus unshiu | Verbena x hybrida | Perilla frutescens | Brassica napus | Perilla frutescens | Scutellaria baicalensis | Nicotiana tabacum | Nicotiana tabacum | Forsythia x intermedia | Nicotiana tabacum | Gentiana triflora | Nicotiana tabacum |
| AJ131999 X81974 X66728 2416 | Z22645 Z21486 X81834 | X69321 | AF192 AF063246 | X85327 | AE043346 735162 | AF030420 | X75353 | U92438 | 249831 | X/5351 | 10/8TX | X75352 | X18706 | AF030421 | AF274299 | | 2417 | AF190634 | AB027455 | L34847 | AB033758 | AB013598 | AB013596 | AF287143 | AB013597 | AB031274 | U32643 | AF346432 | AF127218 | U32644 | D85186 | AF346431 |
| | CAA80358.1 CAA79676.1 CAA57428.1 | CAA49162.1 | AAC17166.1 | CAA59677.1 | AAD02263.1 | AAC96065.1 | CAA53099.1 | AAB68679.1 | CAA89992.1 | CAA53097.1 | CAA77267.1 | CAA53098.1 | CAA77266.1 | AAC96066.1 | AAG36943.1 | | SEQ ID NO. 2 | AAF61647.1 | BAA89009.1 | AAA59054.1 | BAA93039.1 | BAA36423.1 | BAA36421.1 | AAF98390.1 | BAA36422.1 | BAA83484.1 | AAB36652.1 | AAK28304.1 | AAD21086.1 | AAB36653.1 | BAA12737.1 | AAK28303.1 |

| | | | | | í |
|----------------|----------------------|--|--------------|----------|-----------------------------|
| AAE66734.1 | AF146709 2F146708 | Petunia axillaris Detunia axillaris | AAA74017.1 | U30475 | Glycine max |
| T. 00 100 TERT | 9 | | SEQ ID NO. 2 | 2422 | |
| SEQ ID NO. 2 | 2421 | | AAD17230.1 | AF117339 | Nicotiana tabacum |
| AAF01764.2 | AF184277 | Glycine max | CAA09935.1 | AJ012165 | Capsicum annuum |
| BAB18171.1 | AB042769 | Zinnia elegans | BAA33755.2 | AB017480 | |
| • | D26578 | Daucus carota | AAK15322.1 | AE332134 | Chloroplast Medicago sativa |
| AAD37697.1 | AF145728 | Oryza sativa | CAA06853.1 | AJ006095 | Cicer arietinum |
| BAA05625.1 | D26576 | Daucus carota | BAA57906.1 | AB001684 | Chlorella vulgaris |
| AAF01765.1 | AF184278 | Glycine max | | | |
| BAA05623.1 | D26574 | Daucus carota | | 2423 | |
| BAA93465.1 | AB028077 | Physcomitrella patens | CAA55739.1 | X79138 | Nicotiana tabacum |
| CAA64417.1 | X94947 | Lycopersicon esculentum | CAA55742.1 | X79141 | |
| BAA93461.1 | AB028073 | Physcomitrella patens | CAA55641.1 | X79008 | Nicotiana tabacum |
| BAA93464.1 | AB028076 | | CAA55642.1 | X79009 | Nicotiana tabacum |
| BAA93466.1 | AB028078 | | CAA55737.1 | X79136 | Nicotiana tabacum |
| BAA05624.1 | D26575 | Daucus carota | CAA55741.1 | X79140 | Nicotiana tabacum |
| BAA05622.1 | D26573 | Daucus carota | | | |
| BAA93467.1 | AB028079 | Physcomitrella patens | SEQ ID NO. 2 | 2431 | |
| AAD37698.1 | AF145729 | Oryza sativa | AAB18669.1 | U11716 | Pisum sativum |
| BAA93460.1 | AB028072 | Physcomitrella patens | AAA33662.1 | M18250 | Pisum sativum 8 |
| BAB18164.1 | AB042762 | egans | AAD25355.1 | AF115574 | Pisum sativum |
| BAA93468.1 | AB028080 | Physcomitrella patens | | | |
| AAD37699.1 | AF145730 | Oryza sativa | | 2442 | |
| AAD38144.1 | AE139497 | Prunus armeniaca | AAC33475.1 | AF082531 | Pimpinella brachycarpa |
| AAA63768.2 | AE339748 | Helianthus annuus | AAF19968.1 | AF207699 | Elaeis guineensis |
| CAA62608.1 | X91212 | Lycopersicon esculentum | AAK21252.1 | AF335239 | Petunia x hybrida |
| BAA93463.1 | AB028075 | | AAK21251.1 | AF335238 | Petunia x hybrida |
| CAA06717.1 | AJ005820 | Craterostigma plantagineum | CAA53782.1 | X76188 | Nicotiana tabacum |
| BAB18170.1 | AB042768 | Zinnia elegans | BAA81886.1 | AB003328 | Oryza sativa |
| CAA64221.1 | X94449 | Pimpinella brachycarpa | AAD38369.1 | AF141965 | Oryza sativa |
| CAA64491.1 | X95193 | Pimpinella brachycarpa | AAK21257.1 | AF335244 | Petunia x hybrida |
| CAA64152.1 | X94375 | Pimpinella brachycarpa | AAB41526.1 | U25696 | Sinapis alba |
| AAD37695.1 | AF145726 | | AAK21253.1 | AF335240 | Petunia x hybrida |
| AAD37700.1 | AF145731 | Oryza sativa | AAG43199.1 | AF112148 | Zea mays |
| CAA06728.1 | AJ005833 | Craterostigma plantagineum | AAK21254.1 | AF335241 | Petunia x hybrida |
| CAA65456.2 | X96681 | Oryza sativa | AAB50187.1 | U49734 | Sorghum bicolor |
| AAK31270.1 | AC079890 | | BAA85630.1 | AB022665 | Gnetum parvifolium |
| AAF19980.1 | AF211193 | | CAA04322.1 | AJ000760 | Malus x domestica |
| AAD37696.1 | AF145727 | Oryza sativa | AAB58907.1 | U76726 | Pinus radiata |
| CAA63222.1 | X92489 | Glycine max | AAF22138.1 | AF129875 | Capsicum annuum |

509

| 509 | |
|--|---|
| Spinacia oleracea Spirodela polyrrhiza Glycine max Glycine max Triticum aestivum Zea mays Glycine max Spinacia oleracea Medicago truncatula Petroselinum crispum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Spinacia oleracea Oryza sativa Armoracia rusticana Spinacia oleracea Medicago sativa Armoracia rusticana Spinacia oleracea Medicago sativa Nicotiana tabacum Raphanus sativus Scutellaria baicalensis Medicago sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Spinacia oleracea Nicotiana tabacum Oryza sativa Nicotiana tabacum Oryza sativa Nicotiana tabacum Oryza sativa | Arachis hypogaea Trifolium repens Spinacia oleracea Linum usitatissimum Oryza sativa Mercurialis annua Oryza sativa |
| AF244921 Z22920 U51191 X85230 AJ401276 AF014502 Y10469 U16727 U36981 U13654 U13654 U13654 U13654 U136981 X10469 AF014383 X57564 X10469 AF014469 AF014469 AF014469 AF014469 AF01172 AF01133 AF011337 AF011337 AF011337 AF011337 AF011337 AF011337 AF011337 AF011337 AF011337 AF149277 L36158 D42065 AP002482 X10465 AP002482 | M37637 AJ011939 Y10462 U59284 AF014468 X91232 AF014470 |
| AAF63024.1 CAA80502.1 AAD11481.1 CAA59487.1 CAC21393.1 AAB97734.1 CAA71496.1 AAA65637.1 AAA65637.1 AAA65226.1 AAA62226.1 CAA71490.1 AAC49820.1 BAAC49820.1 CAA71490.1 CAA71490.1 CAA71490.1 CAA62226.1 CAA71490.1 AAC49820.1 BAAC49820.1 | AAA32676.1 CAA09881.1 CAA71488.1 AAB02926.1 AAC49819.1 CAA62615.1 |
| Oryza sativa Pinus resinosa Oryza sativa Petunia x hybrida Picea mariana Picea mariana Oryza sativa Zea mays Malus x domestica Triticum aestivum Oryza sativa Capsicum annuum Hordeum vulgare Zea mays Malus x domestica Triticum aestivum Oryza sativa Solanum tuberosum subsp. Zea mays Euphorbia esula Chlamydomonas reinhardtii Oryza sativa | Spinacia oleracea Glycine max Glycine max Scutellaria baicalensis Oryza sativa |
| U78782 AF006210 AJ011675 AF335236 U69483 U69482 U46582 U46582 U46389 E46398 AF024515 AF09153 AF109153 AF109153 AF126551 X68678 AF242312 AF242312 AF005206 AC073405 AF005206 AC073405 AF005206 AC073405 AF005206 AC073405 AF006559 | 2446 Y16778 U51193 U51194 AB024437 D14997 |
| AAB64250.1 AAD01266.1 CAB56800.1 AAC271249.1 AAC97158.1 AAC97157.1 AAC97146.1 AAC97146.1 AAC97146.1 AAC97146.1 AAB00078.1 AAB00078.1 AAB00078.1 AAB00079.1 AAB01423.1 AAB01423.1 AAB51423.1 AAB51423.1 AAB6731.1 AAF65770.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC05639.1 AAC348638.1 AAC348638.1 AAC348638.1 AAC3448638.1 | SEQ ID NO. 2 CAA76376.1 AAD11483.1 AAD11484.1 BAA77387.1 BAA03644.1 |

| cultiva. ca | 510 | sativa |
|---|---|---|
| Oryza sativa Oryza sativa Sandersonia aurantiaca Oryza sativa Ipomoea batatas Vicia sativa Hemerocallis hybrid cult Sandersonia aurantiaca Oryza sativa Oryza sativa Carica papaya Brassica napus Phalaenopsis sp. SM9108 | | Solanum tuberosum Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea Medicago sativa subsp. sativa Mesembryanthemum crystallinum Petroselinum crispum Solanum tuberosum Petroselinum crispum Triticum aestivum Triticum aestivum Nicotiana tabacum Nicotiana tabacum Triticum aestivum |
| ABO04648 X80876 AF133838 ABO04819 AF242372 Z34895 U12637 AF133839 D76415 AF099203 AJ131995 AF089849 | 2454 AL117264 AP001552 AP001383 U08285 2455 AF231351 X99405 AF012861 AJ010712 AJ132346 AJ001772 | X83923 AJO00184 AJO00182 AJO00183 U18238 AF097663 AF012863 X74421 AF012862 AB029454 AB029455 AJO01770 AJO01769 |
| BAA83472.1 CAA56844.1 AAD28476.1 BAA83473.1 AAK27968.1 CAA84378.1 AAC35211.1 AAD28477.1 BAA11170.1 AAD20453.1 CAB38314.1 AAD53012.1 AAD53012.1 | | CAA58775.1 CAA03941.1 CAA03939.1 CAA03940.1 AAB41552.1 AAB69319.1 CAA52442.1 AAB69319.1 CAA52442.1 AAB69318.1 BAA97662.1 BAA97663.1 CAA04993.1 CAA04992.1 |
| Stylosanthes humilis Spinacia oleracea Hordeum vulgare Hordeum vulgare Cucumis sativus Cucumis sativus Oryza sativa Solanum tuberosum Chlamydomonas reinhardtii Polytomella sp. 'Pringsheim | Triticum aestivum Triticum aestivum Triticum aestivum Phaseolus vulgaris Zea mays Lycopersicon esculentum Lycopersicon esculentum Solanum tuberosum Zea mays Phaseolus vulgaris | Phaseolus vulgaris Phaseolus vulgaris Dianthus caryophyllus Vicia sativa Nicotiana tabacum Pseudotsuga menziesii Cicer arietinum Pisum sativum Zea mays Zea mays Ricinus communis Hordeum vulgare Hordeum vulgare |
| L77080 Y10470 2447 AF020791 D26106 AB037113 AB007120 AJ005802 AF332962 AF332963 AF1322963 | 2448 M95747 M95746 2449 Z99954 AB020961 AJ003137 AF172856 AJ245924 AF019147 Z99952 | AJ224766 U52970 U17135 X75749 Z99173 U41902 X82011 U44947 AF019146 AF019146 AF050756 Z97023 Z97021 |
| AAB67737.1 CAA71496.1 SEQ ID NO. 2 AAB71887.1 BAA05101.1 BAA05102.1 BAA22284.1 CAA06705.1 AAK16728.1 AAK16729.1 | SEQ ID NO. 2 AAA16209.1 AAA74724.1 SEQ ID NO. 2 CAB17076.1 BAA88898.1 CAA05894.1 AAD48496.1 CAB53515.1 CAB53515.1 CABS | CAA12118.1 AAB68374.1 AAA79915.1 CAA53377.1 CAB16317.1 AAC49455.1 CAA57538.1 AAB41816.1 AAB70820.2 AAB82262.1 AAB88262.1 CAB09699.1 CAB09699.1 |

| Lithospermum erythrorhizon Glycine max Bixa orellana Cucumis sativus | Yene="3-hydroxy-3-methylglutaryl coenzyn this M74799 Hevea brasiliensis L34825 Solanum tuberosum L34827 Solanum tuberosum L34826 Solanum tuberosum L34828 Solanum tuberosum L34829 Solanum tuberosum L34829 Solanum tuberosum L34829 Solanum tuberosum | Plastid Oryza sativa Solanum tuberosum Zea mays Oryza sativa Populus tremula x Populus | 10 7 4 O •= | Lycopersicon peruvianum Lycopersicon peruvianum Glycine max Glycine max Lycopersicon peruvianum Nicotiana tabacum |
|---|--|---|--|---|
| X74783 Li U97683 G1 AF196964 Bi D63389 Cv | /gene="3-hydroxy This This In474799 He In34825 Sc In34827 Sc In34826 Sc In34826 Sc In34828 Sc In34829 Sc | X15901 P1 2460 236894 Sc AF034947 Ze AF093629 O1 AF149116 Pc | 772 772 88 33 58 88 | X67601 Ly AF208544 Ly Z46956 G; Z46952 G; X55347 Ly AB014483 N; |
| CAA52787.1 AAD09278.1 AAG43469.1 BAA09705.1 | • | SEQ ID NO. 350 SEQ ID SEQ | n . | CAA47870.1 AAF74563.1 CAA87080.1 CAA87076.1 CAA39034.1 BAA83710.1 |
| Cucurbita pepo Betula pendula Triticum aestivum Glycine max | Raphanus sativus Raphanus sativus Gossypium hirsutum Catharanthus roseus Solanum tuberosum Nicotiana tabacum Zea mays Nicotiana sylvestris Capsicum annuum Solanum tuberosum | Solanum tuberosum Lycopersicon esculentum Camptotheca acuminata Oryza sativa Solanum tuberosum Camptotheca acuminata Artemisia annua | Artemisia annua Artemisia annua Hevea brasiliensis Artemisia annua Oryza sativa Hevea brasiliensis Oryza sativa Gossypium hirsutum Tagetes erecta Tagetes erecta Hevea brasiliensis Hevea brasiliensis | Oryza sativa Camptotheca acuminata Morus alba Solanum tuberosum Lycopersicon esculentum Hevea brasiliensis |
| AF260736 AJ279688 AB011441 AJ004900 | 2456 X68652 X68651 AF038046 M96068 U51985 U60452 Y63649 AF110383 U51986 | AB022690 U68072 U72145 U95816 AB041031 U72146 | M03042 U14625 M74798 U14624 U43961 M74800 Z68504 AF038045 AF034760 AF034761 X54659 | AF110382 L10390 U43711 AF096838 L40938 |
| AAG23802.1 CAB66330.1 BAA82155.1 CAA06200.1 | | BAA93631.1 AAB62581.1 AAB69726.1 AAB53748.1 BAB20771.1 AAB69727.1 | AAA34109.1 AAA33358.1 AAA68966.1 AAD08820.1 AAA33360.1 CAA92821.1 AAC05088.1 AAC15476.1 CAA38469.1 CAA38469.1 | AAD38873.1 AAA33040.1 AAD03789.1 AAC72378.1 AAB04043.1 CAA38468.1 |

| Zea mays Pisum sativum Oryza sativa Zea mays Pisum sativum Oryza sativa | Pisum sativum Solanum tuberosum Oryza sativa Cucumis sativus | Daucus carota Vigna radiata Pinus mugo Triticum aestivum Marchantia paleacea Avena sativa Lycopersicon esculentum Pinus strobus Chlamydomonas reinhardtii | Lycopersicon esculentum Pinus mugo Lycopersicon esculentum Pinus taeda Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon sculentum Pinus strobus Oryza sativa Medicago truncatula Medicago truncatula Cucumis sativus |
|---|---|---|--|
| 2474 AF263457 AB048713 AP001168 AF067400 AB048714 AF067401 | 2475 Z32743 U58597 2479 AF039531 2485 D50085 x63060 | AF207691 AF279251 S63824 X76532 AB007321 X17067 AF243522 AF027356 U36752 | AF243520 S63825 AF243524 AF027350 AF243521 AF027355 AF093628 L22765 L22766 AB024081 |
| SEQ ID NO. 3 AAG1363.1 BAB39155.1 BAA90816.1 AAC98090.1 BAB39156.1 AAC98091.1 | SEQ ID NO. CAA83655.1 AAB02720.1 SEQ ID NO. AAB97366.1 SEQ ID NO. BAA21089.1 CAA44786.1 | AAF20949.1 AAF89208.1 AAC60560.2 CAA54042.1 BAA31693.1 CAA34913.1 AAF82475.1 AAB86734.1 AAB86734.1 | AAF82471.1 AAF82471.1 AAF82474.1 AAF82473.1 AAF82473.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 AAF82472.1 |
| Glycine max Pisum sativum Glycine max Glycine max Fisum sativum Cucurbita sp. | | (1) | Oryza sativa Oryza sativa Pinus radiata Oryza sativa Raphanus sativus Oryza sativa Oryza sativa |
| Z46953 AJ010644 Z46955 Z46951 AJ010643 X70868 | A70007 1212114 121007 121006 1211546 212115 227165 U46136 APO01389 | M35600 M35599 Z68903 Z27222 AF030515 AB049590 U46137 Z49766 | 2467 AP000616 AJ245900 2468 AF001136 AB001887 AF052690 AB001886 AB001888 AB001888 AB001888 |
| CAA87077.1 CAA87073.1 CAA87079.1 CAA87075.1 CAA9300.1 SEQ ID NO. 2 CAA50218.1 | CAA33450.1 AAA33450.1 AAA33452.1 AAA33451.1 CAA77645.1 CAA78101.1 CAA781689.1 AAB39827.1 BAA92724.1 | AAA32980.1 AAA32990.1 CAA93139.1 CAA81736.1 AAC68501.1 BAB16318.1 AAB39828.1 CAA89836.1 | SEQ ID NO. 2 BAA85440.1 CAB53493.1 SEQ ID NO. 2 AAD22518.1 BAA33206.1 BAA33206.1 BAA33206.1 BAA33206.1 BAA33206.1 |

| 87 89 World Brassica napus AJ311624 Brassica napus AB015593 Oryza sativa AB015593 Oryza sativa AB010876 Oryza sativa AB010876 Oryza sativa AB010876 Oryza sativa AJ276491 Phaseolus vulgaris Y15962 Drinum usitatissimum AF310018 Beta vulgaris AF310018 Beta vulgaris AF310018 Beta vulgaris AF322979 Oryza sativa AP0322979 Oryza sativa AP032297 Oryza sativa AP03201 Brinus radiata AF03201 Pinus radiata AF03201 Pinus radiata AF03203 Arriplex lentiformis AF0323 Arriplex lentiformis AF0323 Arriplex lentiformis AF0323 Arriplex lentiformis AF0323 Arriplex sativa Mesembryanthemum crystall Triticum aestivum AJ250834 Pisum sativum AJ250832 AF052391 Oryza sativa Asizo833 Arriplex lentiformis Arriplex lentiformis Arriplex lentiformis AJ250834 Arriticum aestivum AJ250832 AF067731 Oryza sativa | 2487 U96736 2489 U21743 AJ31162- AB01559 AF03297- AF03297- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF31001- AF32297- AF03297- AF03297- AF04906- |
|--|---|
|--|---|

| | | | | | | | | | | | | | | | | 5 | 14 | | | | | | | | | | | | įį | | | | | | iti | | |
|--------------|---|-------------|--------------|--------------|-----------------|------------|-----------------|---------------------------|---------------------|---------------------|------------|---------------------|-------------------|--------------------|-------------------|--------------------|-------------------|---------------|-----------------|-------------------|-----------------|-------------------|-------------------|-------------------|----------------|-----------------------------|-------------------|-----------------|---------------------------|-------------------|----------------------|----------------------|-------------------|--------------|---------------------------|--------------|-------------------|
| Oryza sativa | Beta procumbens | | Oryza sativa | Oryza sativa | Eleusine indica | Zea mays | Hordeum vulgare | Zea mays | Zea mays | Miscanthus sinensis | | Miscanthus sinensis | Prunus dulcis | Chlorella vulgaris | Pisum sativum | Anemia phyllitidis | Betula pendula | Daucus carota | Hordeum vulgare | Eleusine indica | Eleusine indica | Nicotiana tabacum | Zea mays | Zea mays | Volvox carteri | Volvox carteri | Hordeum vulgare | Eleusine indica | Chlamydomonas reinhardtii | . Eleusine indica | Chloromonas sp. ANT3 | Chloromonas sp. ANT1 | Triticum aestivum | Oryza sativa | Chlamydomonas reinhardtii | Oryza sativa | Oryza sativa |
| AP001800 | 2509 U79733 | 2510 | Z11931 | X91808 | AF008122 | X63178 | X99623 | U05258 | X63177 | AJ133709 | X97446 | AJ133710 | X67162 | D16504 | U12589 | X69183 | AJ279695 | AY007250 | AJ132399 | AJ005598 | AF008120 | AB052822 | X15704 | X15704 | L24546 | X12846 | X08490 | AJ005599 | M11447 | AF008121 | AF032877 | AF032876 | U76558 | AF182523 | M11448 | X91806 | X91807 |
| BAA94516.1 | SEQ ID NO. 3 | SEO ID NO. | - | CAA62918.1 | AAC05719.1 | CAA44863.1 | CAA67942.1 | AAA16225.1 | CAA44862.1 | CAB77671.1 | CAA66075.1 | CAB77672.1 | CAA47635.1 | BAA03955.1 | AAA79910.1 | CAA48927.1 | CAB66336.1 | AAG02564.1 | CAA10663.1 | CAA06618.1 | AAC05717.1 | BAB19779.1 | CAA33734.1 | CAA33733.1 | AAA99438.1 | CAA31326.1 | CAA69724.1 | CAA06619.1 | AAA33095.1 | AAC05718.1 | AAB86648.1 | AAB86649.1 | AAD10486.1 | AAG16905.1 | AAA33098.1 | CAA62916.1 | CAA62917.1 |
| | Hordeum vulgare Oryza sativa Brassica napus | Glycine max | Glycine max | | Oryza sativa | • | | Chlamydomonas reinhardtii | Phaseolus coccineus | Spinacia oleracea | | | Brassica oleracea | Zea mays | Brassica oleracea | | Brassica oleracea | | | Brassica oleracea | Ipomoea trifida | Brassica rapa | Brassica oleracea | Brassica oleracea | Brassica napus | Brassica napus subsp. napus | Brassica oleracea | Brassica rapa | Brassica rapa | Brassica rapa | Brassica oleracea | Brassica rapa | Brassica rapa | | Phaseolus vulgaris | Oryza sativa | Nicotiana tabacum |
| X95997 | X82548 D88399 AJ010091 | AF203479 | AF128443 | U73938 | AC084763 | | 2506 | AF175385 | AF293406 | X76932 | | 2508 | X12531 | U82481 | X98520 | X12530 | | U00443 | AB032473 | X18259 | U20948 | AB000970 | Y18260 | M76647 | M97667 | AJ245479 | Y14286 | D30049 | D88193 | D38564 | 218921 | D38563 | AB054061 | AB032474 | AF078082 | AF172282 | AF088885 |
| CAA65244.1 | CAA57898.1 BAA13608.1 CAA08995.1 | AAF19401.1 | AAD23582.1 | AAD00239.1 | AAG60195.1 | | SEQ ID NO. 2 | AAD50305.1 | AAG17879.1 | CAA54255.1 | | SEQ ID NO. | CAA73134.1 | AAB93834.1 | CAA67145.1 | CAA73133.1 | CAA74661.1 | AAA62232.1 | BAA92836.1 | CAB41878.1 | AAC23542.1 | BAA23676.1 | CAB41879.1 | • | AAA33008.1 | CAB89179.1 | CAA74662.1 | BAA06285.1 | BAA21132.1 | BAA07577.2 | CAA79355.1 | BAA07576.1 | BAB21001.1 | BAA92837.1 | AAD21872.1 | AAF34428.1 | AAD52097.1 |

| AD044084 Triticum aestivum AJ133638 Avena sativa X99134 Lycopersicon esculentum Z13997 Petunia x hybrida X98308 Lycopersicon esculentum Z13998 Petunia x hybrida Y11415 Oryza sativa | | AB029160 Glycine max | X90990 Solanum tuberosum AF143505 Lycopersicon esculentum X97980 Solanum berthaultii AP002481 Oryza sativa M92989 Pisum sativum Z30332 Spinacia oleracea Z30333 Mesembryanthemum crystallinum X71057 Nicotiana tabacum X71057 Spinacia oleracea AF089099 Salvia columbariae AF089097 Salvia columbariae AP002816 Oryza sativa |
|--|--|---|---|
| BAA96421.1 CAB40189.1 CAA67575.1 CAA78387.1 CAA78388.1 CAA72218.1 | BAA81736.1 BAA81733.2 BAA88224.1 BAA23341.1 CAA50223.1 BAA88222.1 CAA72217.1 BAA88221.1 AAB41101.1 BAA88221.1 | | SEQ ID NO. 2' CAA62476.1 AAF6637.1 CAA66616.1 BAA96593.1 AAA50304.1 CAA82993.1 CAA82992.1 CAA82992.1 CAA82992.1 CAA82991.1 AAD50585.1 AAD50584.1 BAB03409.1 |
| Hordeum vulgare Zea mays Zea mays Oryza sativa Chlorella ellipsoidea Eucalyptus globulus subsp. | Anemia phyllitidis Mesembryanthemum crystallinum Hordeum vulgare Zea mays Zinnia elegans Pisum sativum Daucus carota Zea mays | Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum | Oryza sativa Adiantum raddianum Adiantum raddianum Secale cereale Secale cereale Solanum tuberosum Solanum tuberosum Colanum tuberosum Solanum tuberosum Coryza sativa Oryza sativa Hordeum vulgare Hordeum vulgare Lolium temulentum |
| U40042 X63176 M60171 AE030548 AB038515 U37794 | X69184 AF097662 AJ276012 X73980 D63137 X54845 U63927 L10633 2511 AF051209 | 2514 AB018444 AB018443 2515 AP000616 AF211532 | AP001080 2516 AF190304 AF190303 AF190301 AF122051 AF122053 AF122053 AF122053 AF172282 X98355 AY008692 X87690 AF114162 |
| AAB08791.1 CAA44861.1 AAA33518.1 AAB84298.1 BAA92148.1 AAB36609.1 | CAA48928.1 AAD11425.1 CAB76917.1 CAA52158.1 BAA82638.1 CAA38614.1 AAB64308.1 AAB64308.1 AAA20186.1 SEQ ID NO. 2 | ·ਰਰ •ਰਰ | |

| | allinum | 516 | n n tii |
|---|--|--|--|
| Oryza sativa Oryza sativa Oryza sativa Hordeum vulgare Hordeum vulgare Barbula unguiculata Oryza sativa Atriplex lentiformis Triticum aestivum Oryza sativa Triticum aestivum | Hordeum vulgare Hordeum vulgare Triticum aestivum Hordeum vulgare Pinus caribaea Triticum aestivum Mesembryanthemum crystallinum Pinus radiata Pisum sativum | Pisum sativum Triticum aestivum Pisum sativum Brassica napus Zea mays Oryza sativa | Vigna radiata Nicotiana tabacum Lycopersicon esculentum Hordeum vulgare Lycopersicon esculentum Pinus sylvestris Pinus sylvestris Oryza sativa Brassica juncea Asarina barclaiana Zea mays Zea mays Zea mays Hordeum vulgare |
| AF032976 AF141879 AF250935 AF250934 AB028454 AF072694 AB024338 M63223 AF032973 AF032973 | AFZ50936 U01963 M63224 AF250937 AF039201 Y09917 M93041 AF049065 AJ250834 | AJ250833 Y09915 AJ311624 U21743 2524 Z50801 AF058796 | AF139466 X64198 M17633 AF218305 J03558 X58514 X58514 X58515 AF094776 X95727 AF241524 U23189 U23188 AF195794 |
| AAC04837.1 AAD43972.1 AAG00426.1 BAA86880.1 AAC25777.1 BAA78563.1 AAA34270.1 AAA34270.1 | AAG00428.1 AAA34271.1 AAG00429.1 AAC99473.1 CAA71052.1 AAA33030.1 AAC05146.1 CAB65371.1 | CAB65370.1 CAA71050.1 CAC34417.1 AAA86365.1 SEQ ID NO. CAA90681.1 AAC14566.1 | AAD27878.1 CAA45523.1 AAA34140.1 AAF23819.1 AAA34186.1 CAA41404.1 CAA41405.1 AAC67558.1 CAA65042.1 AAF44702.1 AAA64415.1 AAA64415.1 AAAG44177.1 |
| Lycopersicon esculentum Salvia columbariae Salvia columbariae Lycopersicon esculentum Lycopersicon esculentum Salvia columbariae Salvia columbariae Lycopersicon esculentum Lycopersicon esculentum | Plastid Oryza sativa Oryza sativa Oryza sativa Oryza sativa Prunus armeniaca Oryza sativa | | Oryza sativa Oryza sativa Oryza sativa Lycopersicon esculentum Oryza sativa Oryza sativa Oryza sativa Triticum aestivum Hordeum vulgare Hordeum vulgare Triticum aestivum Oryza sativa |
| U89678 AF089100 AF089101 U89679 AF089102 AF089103 U89681 U89682 | 2521 X15901 2522 D10335 D10334 AB041773 U82330 AF187063 | | AP003018 AP003020 AF032974 AB012138 AF032971 AL117264 AF042489 AC37942 AF250933 X93171 AJ237943 AF250933 |
| | SEQ ID NO. 2 CAA33924.1 SEQ ID NO. 2 BAA01181.1 BAA94761.1 AAB68604.1 AAE23372.1 | AAF23371.1 AAD41679.1 BAA85443.1 SEQ ID NO. 2 CAB65369.1 AAF03355.1 | BAB39965.1 BAB39980.1 AAC04835.1 BAAC5197.1 AAC04832.1 CAB55394.1 AAB97470.1 CAB5558.1 AAG00425.1 CAB5558.1 AAG0425.1 CAB5559.1 AAD43973.1 |

Linum usitatissimum

AAA91021.1 U27081

| o i done i |) 1 | | | | | | | | | | | | | | | | | 5 | 17 | | | | | | | | | | | | | | | | | | | |
|------------------------|--------------|--------------|------------------------|----------------|-------------------|----------------------|-------------------|-----------------|-------------|------------------|------------------|-----------------|-------------------------|-------------------------|-------------|---------------|--------------------|-------------------|---------------|---------------------|-------------------|-----------------------|-------------------|---------------------|-----------------|-------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|---------------------|
| r madica estites estra | | | | Lolium perenne | Lolium perenne | Triticum aestivum | Triticum aestivum | | | Clarkia concinna | Clarkia breweri | Clarkia breweri | Oenothera arizonica | Clarkia breweri | | | Oryza sativa | | | Nicotiana glutinosa | Nicotiana tabacum | Solanum tuberosum | Solanum tuberosum | Linum usitatissimum | Glycine max | Glycine max | Linum usitatissimum | | Linum usitatissimum |
| 2530 | AF150630 | | 2531 | AX014277 | AX014280 | Y14008 | X14007 | | 2532 | AF067602 | U58314 | AE067603 | AE067604 | AE067601 | | 2533 | AP000836 | | 2534 | U15605 | AF211528 | AJ009719 | AJ009720 | 073916 | AF175388 | AF175395 | AF093639 | AF093642 | AF093648 | AF093638 | AE093644 | AE093643 | AF093640 | AF093647 | AF093645 | AJ310156 | AJ310150 | AF093641 |
| SEQ ID NO. | AAD39534.2 | | | AAG43043.1 | AAG43044.1 | CAA74331.1 | CAA74330.1 | | SEQ ID NO. | AAD19839.1 | AAC49395.1 | AAD19840.1 | AAD19841.1 | AAD19838.1 | | | BAA88183.1 | | SEQ ID NO. | AAA50763.1 | AAG43546.1 | CAA08797.1 | CAA08798.1 | AAB47618.1 | AAG09951.1 | AAG01052.1 | AAD25966.1 | AAD25969.1 | AAD25975.1 | AAD25965.1 | AAD25971.1 | AAD25970.1 | AAD25967.1 | AAD25974.1 | AAD25972.1 | CAC35331.1 | CAC35323.1 | AAD25968.1 |
| Oryza sativa | Sinapis alba | Sinapis alba | Chlamydomonas moewusii | Oryza sativa | Solanum tuberosum | Cryptomeria japonica | Vigna radiata | Rumex palustris | Lemna gibba | Oryza sativa | Pinus sylvestris | Prunus persica | Lycopersicon esculentum | Lycopersicon esculentum | Glycine max | Vigna radiata | Gossypium hirsutum | Petunia x hybrida | Pisum sativum | Viqna radiata | Pinus palustris | Pseudotsuga menziesii | | | Hordeum vulgare | Zea mays | Allium porrum | Solanum tuberosum | Solanum tuberosum | Hyoscyamus niger | Hyoscyamus niger | Datura stramonium | Cuphea lanceolata | Solanum tuberosum | Hyoscyamus niger | Hyoscyamus niger | Datura stramonium | Datura stramonium |
| X13909 | | X15894 | X54856 | D00641 | U21114 | AB013728 | AF279248 | AF165529 | M12152 | D00642 | X14505 | AE039598 | M17558 | M17559 | X12980 | AF279250 | X54090 | X04966 | X57082 | AF279249 | U51632 | 249749 | | 2529 | U89510 | U89509 | U89511 | AJ292343 | AJ245634 | L20485 | AB026545 | L20474 | X64566 | AJ307584 | D88156 | AB026544 | L20473 | 120475 |
| CAA32109.1 | CAA34459.1 | CAA33903.1 | CAA38635.1 | BAA00536.1 | AAA80594.1 | BAA32346.1 | AAF89205.1 | AAD48017.1 | AAA33392.1 | BAA00537.1 | CAA32657.1 | AAC34983.1 | AAA34141.1 | AAA34142.1 | CAA31418.1 | AAF89207.1 | CAA38025.1 | CAA28639.1 | CAA40365.1 | AAF89206.1 | AAB19040.1 | CAA89823.1 | | SEQ ID NO. 2 | AAB82766.1 | AAB82767.1 | AAB82764.1 | CAC19810.1 | CAB52307.1 | AAB09776.1 | BAA85845.1 | AAA33282.1 | CAA45866.1 | CAC34420.1 | BAA13547.1 | BAA85844.1 | AAA33281.1 | AAA33280.1 |

| Lycopersicon esculentum Carica papaya Asparagus officinalis Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Cicer arietinum Prunus armeniaca Carica papaya Cicer arietinum Carica papaya | Chloroplast Nephroselmis Chloroplast Mesostigma viride Nicotiana tabacum Pisum sativum Pelargonium graveolens Oryza sativa Zea mays Glycine max | Triticum aestivum Triticum aestivum Triticum aestivum Friticum aestivum Pinus taeda Picea abies Volvox carteri Volvox carteri Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Euphorbia esula Zea mays Petroselinum crispum Solanum melongena |
|--|---|--|
| Lycopersicon esc Carica papaya Asparagus offici Lycopersicon esc Lycopersicon esc Lycopersicon esc Cicer arietinum Prunus armeniaca Carica papaya Cicer arietinum Carica papaya | Chloroplast M Chloroplast M Nicotiana tab Pisum sativum Pelargonium g Oryza sativa Zea mays Glycine max | Triticum aestivum Triticum aestivum Triticum aestivum Priticum aestivum Priticum aestivum Priticum aestivum Priticum aestivum Crica abies Volvox carteri Volvox carteri Collamydomonas reicicer arietinum Chlamydomonas reicicer arietinum Cricar Solanum melongena Triticum aestivum |
| AJO12798 AF064786 X77319 AJO12796 AJO06771 AF184080 AJO12578 AJO12578 AJO12578 AJO12578 AJO12578 | 2537 AF137379 AF166114 M94204 Y14561 AF234537 AF145053 AF145053 | 25 |
| CAA10175.1 AAC77377.1 CAA54525.1 AAC25984.1 CAA10173.1 AAF70822.1 CAA07236.1 AAG12249.1 CAA10064.1 CAA06310.1 AAC28739.1 | SEQ ID NO. AAD54821.1 olivacea AAF43860.1 AAA18546.1 CAA74893.1 AAK08141.1 AAK15312.1 AAK15312.1 AAK32661.1 | SEQ ID NO. BAA07280.1 BAA07278.1 CAA64356.1 CAA48030.1 AAA34247.1 AAA34247.1 AAA98453.1 CAA07234.1 AAA98451.1 AAA98451.1 AAA98451.1 AAA98467.1 AAA98451.1 AAAB85117.1 BAA85117.1 |
| | | E E E |
| usi ne m usi usi usi usi usi usi | usi usi usi usi usi usi usi | 0 0 ⋅ 0 44 |
| U27081 AE175399 AE093646 AJ310152 AE093649 AF175394 AJ310157 AJ310153 AJ310156 AJ310156 AJ310155 | AF310968 AJ310151 AJ310150 AJ310150 AJ310159 AJ310159 AJ310158 AJ310158 AF310960 | AE310952 AE310952 AE310958 AE310961 AE310961 AE310960 AE229794 AB046543 AJ012687 AJ012687 AJ012797 AJ012797 AF023847 AJ012797 AF04584 AJ015797 AF04584 |
| AAA91022.1 AAG09954.1 AAD25973.1 CAC35327.1 AAG01051.1 CAC35336.1 CAC35332.1 CAC35332.1 CAC35332.1 CAC35328.1 CAC35328.1 | AAK28812.1 CAC35326.1 CAC35321.1 CAC35337.1 CAC35329.1 CAC35334.1 CAC35338.1 CAC35338.1 CAC35333.1 AAK28806.1 | |

| BAA07279.1 | D38090 | Triticum aestivum | AAE63027.1 | AF244924 | Spinacia oleracea |
|--------------|----------|--------------------|-------------|----------|----------------------------|
| BAA07277.1 | D38088 | Triticum aestivum | AAF63026.1 | AF244923 | Spinacia oleracea |
| AAA86947.1 | U10041 | Pisum sativum | BAA94962.1 | AB042103 | Asparagus officinalis |
| CAA64423.1 | X94973 | Triticum aestivum | BAA92500.1 | AP001383 | Oryza sativa |
| CAB53509.1 | AJ245999 | Brassica napus | AAF63025.1 | AF244922 | Spinacia oleracea |
| CAA65069.1 | X95763 | Allium cepa | CAA62615.1 | X91232 | Mercurialis annua |
| AAF07182.1 | AF193345 | Oryza sativa | BAA92422.1 | AP001366 | Oryza sativa |
| BAA96096.1 | | Lilium longiflorum | BAA92497.1 | AP001383 | Oryza sativa |
| BAA96097.1 | AB003782 | Lilium longiflorum | CAB65334.1 | AJ250121 | Picea abies |
| CAB40356.1 | | Lilium longiflorum | CAA66037.1 | X97351 | Populus balsamifera subsp. |
| | | | trichocarpa | | |
| SEQ ID NO. 3 | 2541 | | AAD43561.1 | AF155124 | Gossypium hirsutum |
| AAD26942.1 | AF119050 | Datisca glomerata | BAA82306.1 | AB027752 | Nicotiana tabacum |
| BAA05079.1 | D26086 | Petunia x hybrida | BAA06335.1 | D30653 | Populus kitakamiensis |
| AAC06243.1 | AE053077 | Nicotiana tabacum | CAA62226.1 | X90693 | Medicago sativa |
| BAA05077.1 | D26084 | Petunia x hybrida | CAB94692.1 | AJ242742 | Ipomoea batatas |
| BAA05076.1 | D26083 | Petunia x hybrida | AAD37430.1 | AF149280 | Phaseolus vulgaris |
| AAB53260.1 | U76554 | Brassica rapa | CAA62227.1 | X90694 | Medicago sativa |
| BAA05078.1 | D26085 | Petunia x hybrida | BAA07241.1 | D38051 | Populus kitakamiensis |
| AAB53261.1 | 076555 | Brassica rapa | BAA77389.1 | AB024439 | Scutellaria baicalensis 9 |
| AAK01713.1 | 7 | Oryza sativa | BAA14143.1 | D90115 | Armoracia rusticana 61 |
| BAA21920.1 | AB006598 | Petunia x hybrida | BAA06334.1 | D30652 | Populus kitakamiensis |
| BAA21922.1 | AB006600 | Petunia x hybrida | CAA71492.1 | Y10466 | Spinacia oleracea |
| BAA19112.1 | AB000453 | Petunia x hybrida | AAB02554.1 | L37790 | Stylosanthes humilis |
| BAA21927.1 | AB006605 | Petunia x hybrida | AAD37427.1 | AF149277 | Phaseolus vulgaris |
| BAA96071.1 | AB035133 | Petunia x hybrida | CAA66034.1 | X97348 | Populus balsamifera subsp. |
| BAA96070.1 | AB035132 | Petunia x hybrida | trichocarpa | | |
| BAA21919.1 | AB006597 | Petunia x hybrida | AAB97734.1 | AF014502 | Glycine max |
| BAA19114.1 | AB000455 | × | AAC05277.1 | AF049881 | Linum usitatissimum |
| BAA21921.1 | AB006599 | Petunia x hybrida | AAC49819.1 | AF014468 | Oryza sativa |
| BAA21928.1 | AB006606 | Petunia x hybrida | AAC98519.1 | AF007211 | Glycine max |
| BAA21925.1 | AB006603 | Petunia x hybrida | BAA11853.1 | D83225 | Populus nigra |
| BAA19111.1 | AB000452 | Petunia x hybrida | CAA59487.1 | X85230 | Triticum aestivum |
| BAA19926.1 | AB000456 | Petunia x hybrida | AAB41811.1 | L36157 | Medicago sativa |
| BAA21924.1 | AB006602 | Petunia x hybrida | BAA11852.1 | D83224 | Populus nigra |
| BAA21923.1 | AB006601 | Petunia x hybrida | CAA59485.1 | X85228 | Triticum aestivum |
| BAA21926.1 | AB006604 | Petunia x hybrida | CAA66036.1 | X97350 | Populus balsamifera subsp. |
| BAA19110.1 | AB000451 | Petunia x hybrida | trichocarpa | | |
| BAA19113.1 | AB000454 | Petunia x hybrida | CAA62225.1 | X90692 | |
| | , | | AAB41810.1 | L36156 | Medicago sativa |
| CIA CIF CGO | 2万人 万 | | | | |

SEQ ID NO. 2545

| | | | | | | | | | | .linum | | | | | | | 5 | 20 | | | | | | | Llinum | | | | | | | | | | | | | |
|----------------------------|---|---------------------|-------------------|-------------------|--------------|-----------------------|---------------------|-------------------------|------------|-------------------------------|-------------------------|-----------------|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|--------------------|-------------------------|-------------------|-------------------|-------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------------|-------------------|--------------------|-------------------|-------------------|------------------------|------------------------|------------------------|-----------------------|
| Oryza sativa | Pisum sativum | Nicotiana tabacum | Nicotiana tabacum | | | Pseudotsuga menziesii | Pisum sativum | Lycopersicon esculentum | Zea mays | Mesembryanthemum crystallinum | Lycopersicon esculentum | Zea mays | Zea mays | Oryza sativa | Nicotiana tabacum | Avicennia marina | Nicotiana tabacum | Triticum aestivum | Oryza sativa | Catharanthus roseus | Brassica oleracea | Lycopersicon esculentum | Prunus armeniaca | Oryza sativa | Mesembryanthemum crystallinum | Picea mariana | | | | Phalaenopsis sp. SM9108 | Zea mays | Gossypium hirsutum | Prunus armeniaca | Helianthus annuus | Pimpinella brachycarpa | Pimpinella brachycarpa | Pimpinella brachycarpa | Physcomitrella patens |
| AL117264 | 2550 AB052729 | M96432 | M93436 | | 2551 | AJ131733 | L29077 | L23762 | AF034946 | AF176040 | X73419 | AF032468 | AJ002959 | AP001081 | AB026055 | AF262934 | AB026056 | M62720 | U15971 | AF091621 | 017250 | X82938 | AF008910 | D17786 | AF165420 | AF051240 | | 2552 | AF172931 | U34743 | X17898 | AF336277 | AF139497 | AF339748 | X95193 | X94449 | X94375 | AB028074 |
| CAB55395.1 | SEQ ID NO. 3 | AAA34054.1 | AAA34085.1 | | | CAA10494.1 | AAA64427.1 | AAA34125.1 | AAB88617.1 | AAD51109.1 | CAA51821.1 | AAC12662.1 | CAA05772.1 | BAA90392.1 | BAB40310.1 | AAF73016.1 | BAB40311.1 | AAA34310.1 | AAB02168.1 | AAD42941.1 | AAA86089.1 | CAA58111.1 | AAB63513.1 | BAA21006.1 | AAF22280.1 | AAC32141.1 | | | AAG43405.1 | AAB37230.1 | CAB51059.1 | AAK19610.1 | AAD38144.1 | AAA63768.2 | CAA64491.1 | CAA64221.1 | CAA64152.1 | BAA93462.1 |
| Populus balsamifera subsp. | Medicago truncatula Raphanus sativus | Linum usitatissimum | Hordeum vulgare | Triticum aestivum | Oryza sativa | Oryza sativa | Armoracia rusticana | Nicotiana tabacum | | | Nicotiana tabacum | Sorghum bicolor | Sorghum bicolor | Nicotiana tabacum | Cucumis sativus | Vigna unguiculata | Vigna unguiculata | Sorghum bicolor | Nicotiana tabacum | Hevea brasiliensis | Hevea brasiliensis | Solanum tuberosum | Solanum tuberosum | Solanum brevidens | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Nicotiana tabacum | Nicotiana tabacum | Solanum tuberosum | | | Nicotiana tabacum | Oryza sativa | Oryza sativa |
| X97349 | U16727 X91172 | L07554 | AJ276227 | X53675 | D16442 | AF014470 | D90116 | J02979 | | 546 | AF158027 | AF061282 | AF061282 | AF158253 | Y12793 | AF318315 | AF193067 | AF061282 | U68484 | AJ223038 | AJ223039 | X03932 | X01125 | U09331 | X03956 | M18880 | X13179 | M21879 | X13178 | 227221 | U68483 | AF158254 | AF151219 | | 2547 | U08285 | AP001552 | AP001383 |
| CAA66035.1 | AAB48986.1 CAA62597.1 | AAB47602.1 | CAB99487.1 | CAA37713.1 | BAA03911.1 | AAC49821.1 | BAA14144.1 | | | SEQ ID NO. 2 | AAF98368.1 | AAD22170.1 | AAD22169.1 | AAF98369.1 | CAA73328.1 | AAK27797.1 | AAK18751.1 | AAD22149.1 | AAB08428.1 | CAA11041.1 | CAA11042.1 | CAA27571.1 | CAA25592.1 | AAA66198.1 | CAA27588.1 | AAA33819.1 | CAA31576.1 | AAA33828.1 | CAA31575.1 | CAA81735.1 | AAB08427.1 | AAF98370.1 | AAK19055.1 | | SEQ ID NO. 2 | AAA17740.1 | BAA93021.1 | BAA92501.1 |

| ri. | 521 |
|---|--|
| Prunus persica Solanum tuberosum Zea mays Prunus persica Lilium longiflorum Vicia faba Wedicago truncatula Medicago truncatula Medicago truncatula Nicotiana plumbaginifolia Oryza sativa Hordeum vulgare Cucumis sativus Liycopersicon esculentum Vicia faba Zea mays Hordeum vulgare | Fragaria x ananassa Zea mays Nicotiana tabacum Capsicum annuum Zea mays Gossypium hirsutum Lycopersicon esculentum Gossypium hirsutum Medicago truncatula Medicago truncatula Medicago sativa Lycopersicon esculentum Solanum tuberosum Lavatera thuringiaca Nicotiana tabacum Nicotiana tabacum Capsicum annuum |
| AJ271439 X76536 U09989 AJ271438 AY029190 ABO22442 AJ32891 AJ32891 AF308816 AF289025 AF289025 AF263917 U08984 U08985 | 2555 AF188832 X98244 AF113545 AJ130956 X98245 UG9609 AF079232 U73747 Y15036 X74947 AF079231 AJ401032 AF006197 Y14972 Y17502 X93308 Y14973 Y17502 X93308 Y17502 X93308 U130829 U73746 U19941 |
| CAB69824.1 CAA54046.1 AAB60276.1 CAB69823.1 AAK31759.1 BAA37150.1 CAB85495.1 CAB85495.1 CAB85494.1 AAD29712.1 AAD29712.1 AAF97591.1 AAF97591.1 AAR32118.1 AAA20600.1 | SEQ ID NO. 3AF01250.1 CAA66900.2 AAD24540.1 CAA66901.1 AAC33305.1 AAC97494.1 AAB67994.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75308.1 CAA75213.1 CAA75213.1 CAA76710.1 CAA76710.1 CAA76710.1 CAA76710.1 CAA76710.1 CAA76710.1 CAA76710.1 |
| Physcomitrella patens Physcomitrella patens Lycopersicon esculentum Glycine max Physcomitrella patens Zinnia elegans Physcomitrella patens Physcomitrella patens Physcomitrella patens Glycine max Glycine max Brassica oleracea Mesembryanthemum crystallinum Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum | Crea mays Oryza sativa Nicotiana plumbaginifolia Lycopersicon esculentum Nicotiana plumbaginifolia Solanum tuberosum Nicotiana plumbaginifolia Zea mays Oryza sativa Vicia faba Phaseolus vulgaris Mesembryanthemum crystallinum Nicotiana plumbaginifolia Kosteletzkya virginica Nicotiana plumbaginifolia Lycopersicon esculentum Nicotiana plumbaginifolia Lycopersicon esculentum Nicotiana plumbaginifolia Lycopersicon esculentum Vicia faba Zostera marina Oryza sativa |
| u, | AF096871 082966 AF156691 072148 X66737 X76535 AF156679 X85804 X85804 U84891 M80489 AF029256 M27888 M60166 M80490 AF179442 AF179442 |
| BAA93465.1 BAA93468.1 CAA64417.1 CAA63222.1 BAA93466.1 BAA93466.1 BAA93466.1 BAA93466.1 BAA93464.1 SEQ ID NO. 2 AAG28435.1 CAA68234.1 AAD31896.1 BAA90510.2 AAD11618.1 AAA34138.1 | AAF73985.1 AAB58910.1 AAB17186.1 CAA54045.1 CAA54045.1 CAA59800.1 CAA59800.1 CAA59800.1 CAA59799.1 AAB35314.2 CAA59799.1 AAB41898.1 AAB41898.1 AAB41898.1 AAB41898.1 AAB41898.1 AAB41898.1 AAB34094.1 AAB4173.1 AAB4173.1 AAB5399.1 CAC29436.1 BAA01058.1 |

| 522 | i s sis subsp. |
|---|--|
| Helianthus annuus Helianthus annuus Cuscuta japonica Helianthus annuus Malus x domestica Pisum sativum Brassica rapa Helianthus annuus Medicago sativa Nicotiana tabacum Fragaria x ananassa Daucus carota Papaver somniferum Pennisetum glaucum Chenopodium rubrum Chenopodium subrum Chenopodium subrum Chenopodium subrum Cuercus suber Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa | Pennisetum glaucum Zea mays Oryza sativa Pseudotsuga menziesii Oryza sativa Pseudotsuga menziesii Oryza sativa Triticum aestivum Phaseolus vulgaris Asparagus officinalis Scutellaria baicalensis Oryza sativa Populus balsamifera sub Nicotiana tabacum Oryza sativa |
| Z95153 X59701 AB017273 U46544 AF161179 M33900 AF022217 U46545 X58710 AF166277 U63631 X53852 U08601 X53852 U08601 X53870 AJ000691 M80939 AJ009880 M80938 X53870 AJ009880 M80938 | X94191 X65725 V81385 X92983 U83671 X92984 U83670 X13431 2559 AF149277 AB02277 AB02277 AB02277 AB027752 AB027752 |
| CABO8441.1 CAA42222.1 BAA33062.1 AAB63310.1 AAF34133.1 AAB72109.1 AAB72109.1 AAB63311.1 CAA41546.1 AAD49336.1 AAC39360.1 CAA37848.1 AAA61632.1 CAA63903.1 CAA63903.1 CAA63909.1 CAA63909.1 CAA63909.1 CAA63300.1 AAA33909.1 CAA63300.1 CAA63300.1 CAA63300.1 | CAA63901.1 CAA46641.1 AAB39856.1 CAA63570.1 AAC78394.1 CAA63571.1 AAC78393.1 CAA31785.1 SEQ ID NO. 3 AAD37427.1 BAA937427.1 BAA94962.1 BAA94962.1 BAA92500.1 CAA66037.1 trichocarpa BAA82306.1 BAA82306.1 |
| Ceratopteris richardii Medicago sativa Ceratopteris richardii Cicer arietinum Malus x domestica Malus x domestica Glycine max Oryza sativa Oryza sativa Physcomitrella patens Pimpinella brachycarpa Pimpinella brachycarpa Physcomitrella patens Oryza sativa Daucus carota Physcomitrella patens Oryza sativa Oryza sativa Daucus carota Physcomitrella patens | Physcomitrella patens Daucus carota Pimpinella brachycarpa Physcomitrella patens Glycine max Medicago sativa Lycopersicon esculentum Glycine max Glycine max Lycopersicon esculentum Pisum sativum Lycopersicon esculentum Lycopersicon esculentum Glycine max Lycopersicon esculentum Lycopersicon esculentum Glycine max Helianthus annuus |
| AF30858 Y11348 AF30858 AJ00534 L41393 AF18427 AF18427 AF18427 AF18427 AF18427 AF18427 AF18427 AF18427 AF18427 AF184572 AF18375 AG681 D26576 AF1457306 AF1457306 | AB028076 D26578 X94449 AB028075 2558 M11318 X58711 AF123257 X01104 M11395 AF123255 M33899 X56138 AF123256 M11317 X54138 |
| AAG32468.1 CAA72183.1 AAG32467.1 CAA06492.1 AAA73894.1 SEQ ID NO. 2 AAC79430.1 AAD37698.1 AAD37698.1 AAD37698.1 AAD37698.1 AAD37698.1 CAA64152.1 BAA93466.1 CAA64152.1 CAA64152.1 CAA64152.1 BAA93466.1 CAA64162.1 AAF19980.1 CAA65456.2 BAA05625.1 BAA93462.1 | BAA93464.1 BAA21017.1 CAA64221.1 BAA93463.1 SEQ ID NO. 3 AAB03893.1 CAA41547.1 AAD30454.1 CAA25578.1 AAD30454.1 CAA25578.1 AAD30452.1 AAD30452.1 AAD30452.1 AAD30452.1 AAD30452.1 CAA39603.1 AAD30452.1 CAA39603.1 AAD30453.1 |

| | 523 | | napus |
|---|---|---|--|
| Raphanus sativus Spinacia oleracea Nicotiana sylvestris Pisum sativum Vigna radiata Spinacia oleracea Zea mays Oryza sativa Oryza sativa | Hordeum vulgare Phragmites australis Phragmites australis Phragmites australis Oryza sativa Hordeum vulgare Hordeum vulgare Aordeum vulgare | Phaseolus vulgaris Ipomoea trifida Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Arassica oleracea | oleracea oleracea oleracea rapa oleracea napus subsp. |
| X91172 Y10466 2560 D16247 AF271892 AF15667 X99937 AF079782 AB042644 AB042644 | AF129479 AB055629 AB055632 AB055630 AB055631 AF129485 AF129484 AJ300161 AF129480 2564 AP001551 | 2569 AF078082 U20948 Y12531 Y18260 Y18259 U82481 | 112330 X98520 M76647 Y14286 AB000970 AB032473 AJ245479 |
| CAA62597.1 CAA71492.1 SEQ ID NO. BAA03763.1 AAF40306.1 CAA68193.1 AAD20980.1 BAA95705.1 BAA95704.1 | | | CAA71133.1 CAA67145.1 AAA33000.1 CAA74662.1 BAA23676.1 BAA92836.1 CAB89179.1 |
| Oryza sativa Glycine max Populus nigra Medicago sativa Spinacia oleracea Oryza sativa Medicago sativa Spinacia oleracea Scutellaria baicalensis Linum usitatissimum Mercurialis annua Arachis hypogaea Gossynium hirsutum | Styloganthes humilis Stylosanthes humilis Ipomoea batatas Spinacia oleracea Armoracia rusticana Spinacia oleracea Picea abies Triticum aestivum Nicotiana sylvestris Oryza sativa Oryza sativa Populus balsamifera subsp. | Populus kitakamiensis Glycine max Spinacia oleracea Medicago sativa Striga asiatica Oryza sativa Linum usitatissimum Populus kitakamiensis Oryza sativa | Populus Angra Populus balsamifera subsp. Medicago sativa Armoracia rusticana Populus kitakamiensis Oryza sativa |
| APO01366 AF007211 D83225 X90694 AF244924 AF014468 X90693 AF244922 AB024439 L24120 X91232 M37636 AF155124 | 137790 AJ242742 AF244923 X57564 Y10465 AJ250121 X85230 M74103 AF014470 D16442 | D30653 AE014502 Y10467 L36156 AE041551 L07554 D30652 AF014467 | X97349 X90692 D90116 D38051 |
| BAA92422.1 AAC98519.1 BAA11853.1 CAA62227.1 AAC49819.1 CAA62226.1 AAF63025.1 BAA77389.1 AAB48184.1 CAA62615.1 AAB06183.1 | AAB02554.1 CAB94692.1 AAF63026.1 CAA40796.1 CAA71491.1 CAB65334.1 CAA59487.1 AAA34050.1 AAC49821.1 BAA03911.1 CAA66034.1 | BAA06335.1 AAB97734.1 CAA71493.1 AAB41810.1 AAB97853.1 BAA92967.1 AAB47602.1 BAA06334.1 AAC49818.1 | DAA11852.1 CAA66035.1 trichocarpa CAA62225.1 BAA14144.1 BAA07241.1 |

| AAA33008.1 | M97667 | Brassica napus | BAA92500.1 | AP001383 | Oryza sativa |
|------------|----------|-------------------------|--------------|----------|----------------------------|
| CAA79355.1 | 218921 | Brassica oleracea | CAA62228.1 | X90695 | Medicago sativa |
| BAA21132.1 | D88193 | Brassica rapa | CAA40796.1 | X57564 | Armoracia rusticana |
| AAA62232.1 | U00443 | Brassica napus | AAD43561.1 | AF155124 | Gossypium hirsutum |
| BAA06285.1 | D30049 | Brassica rapa | CAA62615.1 | X91232 | Mercurialis annua |
| BAA92837.1 | AB032474 | Brassica oleracea | AAA65637.1 | L13654 | Lycopersicon esculentum |
| BAA07576.1 | D38563 | Brassica rapa | BAA14143.1 | D90115 | Armoracia rusticana |
| BAA07577.2 | D38564 | Brassica rapa | BAA01877.1 | D11102 | Populus kitakamiensis |
| BAB21001.1 | AB054061 | Brassica rapa | AAF63025.1 | AF244922 | Spinacia oleracea |
| AAD52097.1 | AF088885 | Nicotiana tabacum | CAB94692.1 | AJ242742 | Ipomoea batatas |
| AAK21965.1 | AY028699 | Brassica napus | CAA76374.2 | X16776 | Spinacia oleracea |
| AAA33915.1 | L27821 | Oryza sativa | AAB47602.1 | L07554 | Linum usitatissimum |
| BAA94509.1 | AB041503 | Populus nigra | AAB97734.1 | AF014502 | Glycine max |
| CAB51836.1 | AJ243961 | | AAF63026.1 | AF244923 | Spinacia oleracea |
| AAG16628.1 | AY007545 | Brassica napus | CAB65334.1 | AJ250121 | Picea abies |
| BAA94510.1 | AB041504 | Populus nigra | AAA65636.1 | L13653 | Lycopersicon esculentum |
| AAG03090.1 | AC073405 | Oryza sativa | CAA66037.1 | X97351 | Populus balsamifera subsp. |
| | | | trichocarpa | | |
| SEQ ID NO. | 2570 | | BAA11853.1 | D83225 | Populus nigra |
| AAD11483.1 | U51193 | Glycine max | BAA01950.1 | D11337 | Vigna angularis |
| AAD11484.1 | 051194 | Glycine max | CAA80502.1 | 222920 | rhiza |
| CAA76376.1 | X16778 | Spinacia oleracea | AAA98491.1 | L36981 | Petroselinum crispum |
| CAC21393.1 | AJ401276 | Zea mays | CAA66034.1 | X97348 | Populus balsamifera subsp. |
| AAF63027.1 | AF244924 | Spinacia oleracea | trichocarpa | | |
| AAA32676.1 | M37637 | Arachis hypogaea | CAC21391.1 | AJ401274 | Zea mays |
| CAA71495.1 | X10469 | Spinacia oleracea | CAA71490.1 | X10464 | Spinacia oleracea |
| BAA77387.1 | AB024437 | Scutellaria baicalensis | | | |
| BAA03644.1 | D14997 | Oryza sativa | | 2575 | |
| BAA94962.1 | AB042103 | Asparagus officinalis | AAD17487.1 | AF049347 | Berberis stolonifera |
| CAA09881.1 | AJ011939 | Trifolium repens | AAB20352.1 | 865550 | Eschscholzia californica |
| CAA64413.1 | X94943 | Lycopersicon esculentum | AAC39358.1 | AF005655 | Eschscholzia californica |
| AAF63024.1 | AF244921 | Spinacia oleracea | AAC61839.1 | AF025430 | Papaver somniferum |
| BAA07664.1 | D42065 | Nicotiana tabacum | | | |
| BAA07663.1 | D42064 | Nicotiana tabacum | SEQ ID NO. 2 | 2577 | |
| AAD11482.1 | U51192 | Glycine max | BAA76896.1 | AB022687 | .Lycopersicon esculentum |
| BAA92497.1 | AP001383 | Oryza sativa | AAE97517.1 | AF250047 | Zea mays |
| BAA92422.1 | AP001366 | Oryza sativa | BAA76895.1 | AB022686 | Lycopersicon esculentum |
| AAD11481.1 | U51191 | Glycine max | | | |
| AAB48986.1 | U16727 | Medicago truncatula | | 2578 | |
| AAB67737.1 | L77080 | Stylosanthes humilis | AAD21872.1 | AF078082 | Phaseolus vulgaris |
| AAB41812.1 | L36158 | Medicago sativa | AAB93834,1 | U82481 | Zea mays |

| Brassica oleracea Ipomoea trifida Brassica oleracea Brassica capa Brassica rapa Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Brassica napus Brassica oleracea Brassica oleracea Brassica oleracea Brassica napus Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Ipomoea trifida Zea mays Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea Brassica oleracea | | Y12531 U20948 X98520 Y12530 AB000970 Y18260 Y14286 Y14286 D30049 D88193 AB032473 Z18921 M76647 U00443 M97667 AJ245479 AF08885 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AB032474 AY028699 AJ243961 IZ7821 AF142596 Z18884 AY028699 AJ243961 IZ7821 AF142596 Z18884 AY12531 U20948 U82481 Y12530 X12530 X12530 X12530 X12530 X12530 X12530 X12530 X12530 |
|---|--|--|
|---|--|--|

| 526 |
|--|
| Pyrus pyrifolia Medicago sativa Ocimum basilicum Zea mays Medicago sativa Ocimum basilicum Thalictrum tuberosum Thalictrum tuberosum Thalictrum tuberosum Pisum sativum Capsicum annuum Nicotiana tabacum Thalictrum tuberosum Nicotiana tabacum Populus kitakamiensis Populus kremuloides Capsicum annuum Thalictrum tuberosum Populus tremuloides Capsicum annuum Thalictrum tuberosum Populus kremuloides Capsicum annuum Thalictrum tuberosum Populus kremuloides Capsicum comencosa Populus kitakamiensis Eucalyptus gunnii Clarkia breweri Hordeum vulgare Medicago sativa Capsicum chinense Prunus dulcis Zinnia elegans Saccharum officinarum Triticum aestivum Liquidambar styraciflua Lolium perenne Vitis vinifera Eucalyptus globulus Fragaria x ananassa Zea mays Chrysosplenium americanum |
| AB014456 AF000975 AF154917 L14063 U97125 AF000976 AF154918 AF064694 AF064694 AF064696 AF064695 AF064699 AF064695 AF064696 AF06666 AF066666 AF0666666666666666666 |
| BAA86059.1 AAC49926.1 AAD38189.1 AAA18532.1 AAC49928.1 AAC49928.1 AAD29844.1 AAD29844.1 AAD29844.1 AAC49856.1 AAC49856.1 AAC49856.1 AAC49856.1 AAC49856.1 AAC49856.1 AAC60951.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC6051.1 AAC1141.1 CAA52814.1 AAC1141.1 CAA58218.1 AAC18623.1 |
| Lilium longiflorum Lycopersicon esculentum Vicia faba Lycopersicon esculentum Lycopersicon esculentum Zea mays Solanum tuberosum Nicotiana plumbaginifolia Dunaliella bioculata Dunaliella acidophila Phaseolus vulgaris Oryza sativa Lycopersicon esculentum Lycopersicon esculentum Dunaliella bioculata Lycopersicon esculentum Lycopersicon esculentum Mesembryanthemum crystallinum Glycine max Brassica oleracea Oryza sativa Nicotiana plumbaginifolia Zea mays Cucumis sativus Lycopersicon esculentum Sea mays Triticum aestivum Triticum aestivum Triticum aestivum Zea mays Pinus radiata Pinus radiata Pinus radiata Pinus radiata Pinus radiata Pinus radiata Pinus armeniaca Coptis japonica Coptis japonica Prunus dulcis |
| AY029190 M60166 AJ310523 AF275745 AF179442 X85805 X76536 M27888 X93592 U54690 X85804 AP001111 M96324 AP001111 M96324 AF050496 AF195029 X939972 U82966 AR145478 AF195029 X99972 U82966 AR195029 AF289025 AF289021 AF289025 A |
| AAK31799.1 AAA34173.1 CAC29435.1 AAF98344.1 AAD55399.1 CAA59800.1 CAA59800.1 CAA54046.1 AAA34052.1 CAA53790.1 AAA34138.1 AAA52107.1 AAA534099.1 AAA534099.1 AAA534099.1 AAA54090.1 AAA54296.1 AAB09044.1 AAB08005.1 BAB08005.1 BAB08005.1 |

| allin | m. | | 527 | | • ds |
|---|---|---|--|---|--|
| Zea mays Zea mays Mesembryanthemum crystallin Zea mays Zea mays | Brassica napus Plastid Solanum demissum Capsicum annuum | Limnanthes douglasii Simmondsia chinensis Brassica napus Brassica napus Dunaliella salina Zea mays | Brassica napus Brassica napus Brassica cleracea Brassica rapa | Cucurbita moschata Cucurbita maxima Cucurbita maxima Cicer arietinum Glycine max Cucumis sativus | Arabis glabra Arabis gemmifera Arabidopsis lyrata subsp Vitis vinifera Malus x domestica Vigna angularis Nicotiana tabacum |
| AB042260 AB042269 AF219972 AB004882 AB031011 | 2596 AF084554 AJ131455 X71952 | 2597 AF247134 U37088 U50771 AF009563 AF333040 AJ291728 | AF054498 AF054497 AF054450 AF054499 AF054499 AF054499 | AF150627 Z22647 Z17331 AJ271666 AJ010265 D63388 | 2600 AB006071 AB006070 AB006072 AE309514 AF309514 D11335 |
| BAB17300.1 BAB20582.1 AAF32350.1 BAA75253.1 BAA85112.1 | • = = = | | AAC25110.1 AAC25109.1 AAC25112.1 AAC25111.1 SEQ ID NO. BAA96751.1 | AAF74345.1 CAA80364.1 CAA78979.1 CAB71030.1 CAB44031.1 BAA09704.1 | SEQ ID NO. BAA21876.1 BAA21877.1 BAA21877.1 kawasakiana CAA92207.1 AAG25709.1 BAA01948.1 |
| Lycopersicon esculentum Lycopersicon esculentum Lycopersicon esculentum | Lycopersicon esculentum Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Lycopersicon esculentum Lycopersicon hirsutum | Lycopersicon pimpinellifolium Lycopersicon pimpinellifolium Oryza sativa Oryza sativa Hordeum vulgare | Lycopersicon pennellii Nicotiana tabacum Vigna aconitifolia | Pisum sativum Nicotiana tabacum Pisum sativum Oryza sativa | Zea mays Chamydomonas reinhardtii Chlamydomonas reinhardtii |
| 2590 AF053993 AF053998 AF053995 | AF053994 AF053994 AF053996 AF02237 AF02235 | AJ002236 U15936 AP002539 AP002521 AF166121 AL117265 | 2592 AF004165 2593 AF349948 L22584 | 2594 AF061962 AB059832 AF061963 AB015431 | 2595 AB060130 AB042267 AB042261 AB042268 AB042268 AB031012 AB339732 AF339732 AF174480 |
| | AAC78595.1 AAC78592.1 CAA05276.1 AAC78594.1 CAA05279.1 CAA05268.1 | CAA05274.1 AAA65235.1 BAB08215.1 BAA96776.1 AAD50430.1 CAB55409.1 | SEQ ID NO. 3 AAB61598.1 SEQ ID NO. 3 AAK14408.1 AAC37400.1 | SEQ ID NO. AAC16330.1 BAB41076.1 AAC16331.1 BAA31260.1 | SEQ ID NO. BAB41137.1 BAB20580.1 BAB20579.1 BAB20581.1 BAA82873.1 BAA85113.1 AAK14395.1 AAD55945.1 AAD55941.1 |

| vinj | 528 | |
|--|---|--|
| Vitis vinifera Forsythia x intermedia Vitis vinifera Perilla frutescens Vitis labrusca x Vitis Vitis vinifera Manihot esculenta Cicer arietinum Prunus avium | Hordeum vulgare Vigna radiata Oryza sativa Hordeum vulgare Pyrus communis Oryza sativa Nicotiana glauca Picea abies Avicennia marina Oryza sativa Hordeum vulgare Hordeum vulgare Triticum aestivum Hordeum vulgare Triticum aestivum Hordeum vulgare Brassica oleracea Brassica oleracea | ulgare iva ulgare ulgare aestivu liata icolor |
| AB047095 AF127218 AB047093 AB047091 AF000372 X77460 A7225027 AF298827 | X94296 2614 U20808 2615 AF017358 X96979 AF221503 U29176 AF151214 AB007843 AF331710 AP002094 U18127 X59253 X62395 X68654 AF302788 Z37115 AF093751 L33904 | U63993 AF017360 Z66529 Z66528 -AF334185 U90342 X71668 |
| BAB41022.1 AAD21086.1 BAB41020.1 BAA19659.1 BAB41018.1 AAB81683.1 CAA54610.1 SEQ ID NO. CAA12358.1 | SEQ ID NO. 3AA87182.1 SEQ ID NO. 3AA87182.1 SEQ ID NO. 3AB70538.1 CAA65680.1 AAF26451.1 AAA72548.1 AAA73945.1 AAA73945.1 AAA73945.1 | AAB05812.1 AAB70540.1 CAA91436.1 CAA91435.1 AAK20395.1 AAB80805.1 CAA50661.1 |
| Glycine max Oryza sativa Oryza sativa Oryza sativa Beta vulgaris Glycine max Vigna unguiculata Glycine max Betula pendula | Manihot esculenta Manihot esculenta Manihot esculenta Manihot esculenta Nanihot esculenta Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Lycopersicon esculentum Sorghum bicolor Scutellaria baicalensis Nicotiana tabacum Lycopersicon esculentum Sorghum bicolor Scutellaria baicalensis Nicotiana tabacum Petunia x hybrida Citrus unshiu Verbena x hybrida Solanum tuberosum Phaseolus lunatus Petunia x hybrida | 0 444444 |
| AB007126 AB006188 AB026998 S66038 AB007127 X88802 AB000097 AJZ79692 Z606 X79677 | 2612 X77459 X77461 X77463 X77462 U32644 U32644 U32643 AF346431 AF346432 AF346432 AF199453 AF199453 AB021274 AB031274 AB013598 AB013598 AB027455 U82367 AF101972 AF101972 | X77464 AB047096 AB047098 AB047094 AB047092 AB047099 AB047097 |
| BAA77676.1 BAA21743.2 BAA77605.1 AAB28479.1 BAA77677.1 CAA61280.1 BAA25015.1 CAB66334.1 SEQ ID NO. 2 | | CAA54614.1 BAB41023.1 BAB41025.1 BAB41021.1 BAB41019.1 BAB41026.1 BAB41024.1 |

| Triticum aestivum Zea mays Pisum sativum Nicotiana plumbaginifolia Apium graveolens Zea mays | | NICOLIARA TADACUMO Oryza sativa Oryza sativa Zea mays Oryza sativa Oryza sativa Oryza sativa Oryza sativa Borghum bicolor Oryza sativa Oryza sativa Sorghum bicolor | Chloroplast Solanum tuberosum Solanum tuberosum Eragaria vesca Chloroplast Solanum tuberosum Glycine max Mesembryanthemum crystallinum Zea mays Nicotiana tabacum |
|---|--|---|--|
| U86763 AF342809 2620 X75327 U87848 AF196292 X75326 | AF000132 AB043540 AB001348 AF017150 M31480 U69142 X58462 X58463 X69770 | AF162665 AB044537 AF215823 AB037421 AB0330939 D26448 U12196 AF045770 S77096 AF323586 U12195 | AE082891 AE082891 X17185 AE082892 AF10602 AF007786 AF007785 |
| AAD10495.1 AAK26848.1 SEQ ID NO. CAA53076.1 AAB47571.1 AAF08296.1 CAA53075.1 | AAB58165.1 BAB18544.1 BAA21098.1 AAB70010.1 AAB41696.1 CAA41376.1 CAA41377.1 CAA49425.1 | | AAE74981.1 AAD31520.2 CAB57356.1 AAE74982.1 AAC19395.1 AAB61348.1 AAB61347.1 AAB61347.1 |
| Phaseolus vulgaris Aerides japonica Oryza sativa Oryza sativa Oryza sativa Oryza sativa Malus x domestica Hordeum vulgare | Oryza sativa Brassica oleracea Zea mays Prunus dulcis Hordeum vulgare Oryza sativa Sorghum bicolor Zea mays | Brassica oleracea var. botrytis Brassica napus Pyrus communis Medicago truncatula Lotus japonicus Medicago sativa Nicotiana tabacum Zea mays Triticum aestivum Mesembryanthemum crystallinum Zea mays | Picea ables Brassica oleracea var. botrytis Gossypium hirsutum Helianthus annuus Helianthus annuus Vernicia fordii Helianthus annuus Zea mays Helianthus annuus Zea mays |
| .1 U72765 .1 AF198168 .1 Y08691 .1 U77295 .1 U31766 .1 AF017361 .1 AF221502 | č | Z61/ U92651 AB04824 AD25165 AF27531 AF27531 AF02079 Y08161 AF03706 U86762 U43291 AF32650 X95650 | AJU050/8 11 092652 11 062778 11 X95951 11 X95950 11 X95953 11 X95953 11 X95953 11 X95953 11 X95953 |
| AAC49860.1 AAF71695.1 CAA69949.1 AAB18815.1 AAA74624.1 AAB70541.1 AAF71423.1 | AAR 2010.1.1 AAR 73947.1 AAR 33493.1 CAA 65475.1 CAA 8623.1 CAA 8623.1 CAA 8620.1 AAB 06443.1 | SEQ 1D NO. AAB51393.1 AAB51393.1 BAB12722.1 CAC01618.1 AAF82790.1 AAC04846.1 CAA69353.1 AAD10494.1 AAB17284.1 AAB17284.1 | CAAU6335.1 AAB51394.1 AAB04557.1 CAA65185.1 CAA65184.1 AAC39480.1 CAA65187.1 AAK26769.1 CAA65186.1 |

| | Nicotiana tabacum Nicotiana tabacum | Nicotiana tabacum | Zea mays | Lycopersicon esculentum | | Nicotiana paniculata | Zea mays | Egería densa | Samanea saman | Triticum aestivum | Populus tremula x Populus | | Samanea saman | Samanea saman | Solanum tuberosum | Oryza sativa | Oryza sativa | Mesembryanthemum crystallaum | Daucus carota | Populus tremula x Populus | | | | | Sinapis alba | | | Pisum sativum | Glycine max | Triticum aestivum | | | Antirrhinum majus | Nicotiana tabacum | Zea mays | Zea mays | | Raphanus sativus |
|--------------------------|---|-------------------|------------|-------------------------|--------------|----------------------|-------------------------------|--------------|---------------|-------------------|---------------------------|------------------|----------------------------|---------------|-------------------|----------------|-------------------------|------------------------------|-------------------------|---------------------------|-------------------|------------|--------------------|--------------------|------------------|----------|------------|-------------------|-------------------|-------------------|----------------------------|-------------------------------|--------------------|-------------------------|----------------|-----------------|----------------|-------------------|
| 2626 | AF079872 | 065390 | Y07632 | Xyeayo | Y10579 | AB032074 | AJ132686 | AJ225805 | AF145272 | AF207745 | AJ271447 | | AF099095 | AJ299019 | 8719779 | AP002093 | AP002092 | AF267755 | AJ249962 | AJ271446 | | | 2628 | X84208 | X16190 | | 2632 | U81289 | L38856 | U26918 | | 2633 | X70417 | X54855 | AE326502 | AF326501 | AF326503 | AB010416 |
| | AAE33670.1 | AAB53255.1 | CAA68912.1 | CAA65254.1 | CAA/IS98.I | BAA84085.1 | CAB54856.1 | CAA12645.1 | AAD39492.1 | AAF36832.1 | CAC05489.1 | tremuloides | AAD16278.1 | CAC10514.1 | CAA56175.1 | BAA96192.1 | BAA96150.1 | AAF81251.1 | CAB62555.1 | CAC05488.1 | tremuloides | | | CAA58994.1 | CAA76116.1 | | | AAB72115.1 | AAA88792.1 | AAA70363.1 | | | CAA49854.1 | CAA38634.1 | AAK26769.1 | AAK26768.1 | AAK26770.1 | BAA31452.1 |
| sati | Oryza sativa Chloroplast Solanum tuberosum | Cucumis melo | | | Oryza sativa | Oryza sativa | Mesembryanthemum crystallinum | Oryza sativa | Oryza sativa | | Aloe arborescens | Ricinus communis | Populus balsamifera subsp. | | Vitis vinifera | Vitis vinifera | Lycopersicon esculentum | Lycopersicon esculentum | Lycopersicon esculentum | Flaveria trinervia | Flaveria pringlei | Zea mays | Phaseolus vulgaris | Phaseolus vulgaris | Apium graveolens | Zea mays | Zea mays | Flaveria linearis | Solanum tuberosum | Solanum tuberosum | Amaranthus hypochondriacus | Mesembryanthemum crystallinum | Flaveria trinervia | Lycopersicon esculentum | Cucurbita pepo | Cicer arietinum | Cucurbita pepo | Flaveria bidentis |
| AE076495 AP002069 | AF002069 AF082890 | AF206626 | | 2624 | AP002816 | D16499 | X64434 | AP002836 | AB053295 | AB005808 | AB016804 | AF262997 | X56233 | | L34836 | U67426 | AF001269 | L27509 | AF001270 | X57142 | X78069 | AJ224847 | X80051 | J03825 | AJ132257 | u39958 | J05130 | M59415 | Z23023 | 223002 | U01162 | AF097666 | M59416 | L35306 | AE260735 | AB025007 | AF260732 | U44922 |
| AAG38873.1 BAA95820.1 | BAA95830.1 AAF74980.1 | AAF64422.1 | | | BAB03427.1 | BAA03949.1 | CAA45772.1 | BAB07934.1 | BAB20887.1 | BAA24950.1 | BAA74735.1 | AAF73006.1 | CAA39690.1 | trichocarpa | AAA67087.1 | AAB08874.1 | AAB58727.1 | AAA34174.1 | AAB58728.1 | • | CAA54986.1 | CAA12157.1 | CAA56354.1 | AAA19575.1 | CAB66003.1 | | AAA33487.1 | AAB41026.1 | CAA80559.1 | CAA80547.1 | | • | AAB19243.1 | AAA83963.1 | AAG23801.1 | BAA76435.1 | AAG23798.1 | AAB17593.1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| ica | | | 531 | napus |) } } | | |
|---|----------------------------|---|---|--|--|--|--|
| Oryza sativa Lycopersicon esculentum Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Oryza sativa | Lycopersicon esculentum | Lycopersicon esculentum Lycopersicon esculentum | Brassica oleracea Zea mays Brassica oleracea Brassica oleracea | oleracea oleracea napus napus subsp. | napus oleracea rapa | Ipomoea trifida Brassica oleracea Brassica rapa Brassica rapa | 1 |
| Y11351 X99210 AB028650 Y11414 D88619 Y15219 X96749 | 2642 U82558 | 2643 U82559 U82558 | Y12531 U82481 X98520 V14285 | 1142530 V12530 U00443 AJ245479 | | U20948 M76647 D88193 D30049 | Y18260 D38564 Y14286 AB054061 AB032474 Y18259 Z18921 D38563 |
| CAA72186.1 CAA67600.1 BAA88222.1 CAA72217.1 BAA2339.1 CAA75509.1 CAA65525.1 AAB411101.1 CAA72185.1 | SEQ ID NO. 3 | SEQ ID NO. 3AB41742.1 AAB41741.1 SEC ID NO. 3EC ID NO. | 3134.1 3834.1 7145.1 | | AAA33008.1 BAA92836.1 BAA23676.1 | AAC23542.1 AAA33000.1 BAA21132.1 BAA06285.1 | CAB41879.1 BAA07577.2 CAA74662.1 BAB21001.1 BAA92837.1 CAB41878.1 CAA79355.1 BAA07576.1 |
| Mesembryanthemum crystallinum Mesembryanthemum crystallinum Raphanus sativus Lotus japonicus Zea mays Zea mays Zea mays Medicago truncatula Mesembryanthemum crystallinum Mesembryanthemum crystallinum | Citrus unshiu | Gossypium hirsutum Lycopersicon esculentum Hordeum vulgare | Hordeum varyane Hordeum valgare Oryza sativa Oryza sativa | Oryza sarıva Gossypium hirsutum Petunia x hybrida Hordenm vulgare | | Pimpinella brachycarpa Gossypium hirsutum Petunia x hybrida Antirrhinum majus | Glycine max Glycine max Glycine max Nicotiana tabacum Nicotiana tabacum Zea mays Zea mays Glycine max |
| AF133533 AF133532 D84669 AF275315 AF037061 AF326500 AJ251652 U43291 AF133531 | 2635 AB027456 | 2636 AF336286 X95296 X70876 | X70877 X70877 D88617 D88618 | ILL413 AF336278 Z13996 X70880 | A/0880 AF336285 AF336283 AF336282 | AF161711 AF336284 Z13997 AJ006292 | AB029161 AB029160 AB029159 AB028652 AB028649 M73028 AF210616 |
| AAD31849.1 AAD31848.1 BAA12711.1 AAF82790.1 AAC09245.1 AAK26767.1 CAC01618.1 AAB17284.1 | SEQ ID NO. 3 BAA77836.1 | SEQ ID NO. 2 AAK19619.1 CAA64614.1 CAA50221.1 | CAA50223.1 CAA50222.1 BAA23337.1 BAA23338.1 | CAA/2218.1 AAK19611.1 CAA78386.1 | AAK19618.1 AAK19616.1 AAK19615.1 | AAF22256.1 AAK19617.1 CAA78387.1 CAB43399.1 | BAA81732.1 BAA81731.1 BAA81730.1 BAA88224.1 BAA88221.1 AAA33500.1 AAG36774.1 BAA81736.1 |

| AAB47996.1 U87982 Sorghum bicolor | BAB19052.1 AB044537 | AAF73828.1 AF162665 Oryza sativa | DARKIUSO.1 ADOULSTO CLYCA DAGARGR 1 DF215823 Zee me | CAA41377.1 X58463 | CAA41376.1 X58462 | M31480 Spinacia | U69142 | us BAA96793.1 AB030939 | CAA71003.1 Y09876 | AAB70010.1 AF017150 | subsp. durum BAB18544.1 AB043540 | BAB18543.1 AB043539 | AAB58165.1 AF000132 | BAA96794.1 AB037421 Oryza sativa | CAA49425.1 X69770 | D26448 Hordeum | 012196 | X75326 | AE045770 | 1 X75327 | 1 U87848 | AF196292 | AAC49267.1 Ul2195 Sorghum bicolor | | .s SEQ ID NO. 2649 | CABSOS/U.1 AUGLIGES ALCELLIMM CAREFEES 1 A.1011621 Antirrhimm | CAR56569 1 AJ011622 Antirrhinum | CAA63113.1 x92369 Antirrhinum | AAB51071.1 [189496 Zea mays | 67079X | | um subsp. durum SEO ID NO. 2651 | AAG13527.1 | CAA55326.1 X78589 | AAB37756.1 L46702 | 17E 2070 Mi 20+: 200 | AAC49393.1 UDZU/8 NICOCIAMA LADACUM |
|-----------------------------------|---------------------|----------------------------------|--|-------------------|-------------------|-----------------|------------|------------------------|-------------------|---------------------|----------------------------------|------------------------|---------------------|----------------------------------|-------------------|------------------------|----------------------|----------|----------|----------|------------|----------|-----------------------------------|---------|--------------------|---|---------------------------------|-------------------------------|-----------------------------|--------|---------------------|---------------------------------|------------|-------------------|-------------------|----------------------|-------------------------------------|
| vulgaris | | iva | > = | > ⊳ 1 •H | í | | | | ulg | ռոց | turg | ulga | ulgar | ulgar | ulgar | lcis | ax | | ulgare | ulgare | ulgare | ulgare | ulgare | ulgare | ineensi | ulgare m olong | un eronge mlasra | argarc | i color | 1 0 | ימר בסו היומסורי | turaid | מופח[וו | mlgare | | | |
| Phaseolus | Nicotiana | Oryza | AFUUISUU ORYZA SACIVA | Oryza OO Orvza | 21.5 | 645 | Helianthus | 4 Helianthus | 9 Hordeum | 094 | X78431 Triticum turgidum | X15289 Hordeum vulgare | Hordeum | Hordeum | | AF172263 Prunus dulcis | AF004807 Glycine max | Zea mays | Hordeum | Hordeum | 51 Hordeum | Hordeum | Hordeum | Hordeum | 67 Elaeis g | X/L362 Hordeum vulgare | V TOTOLINE TOTOLINE | T Helianthis | Sordhim bio | | MICHELLS I | or Sorginal | 129 | 3 Hordeim | | 2647 | |

| | | | | | | | | | | | | | | | | | | 53 | 33 | | | | | | | | | | | | | | | | jρ. | | | | |
|---|----------------|---------------------|------------------------------|----------------------|--------------|------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------|--------------------|-----------------|---------------|-------------------|-------------------|--------------------|---------------|-------------------|---------------|---------------|-------------------|-------------------|-------------------------|-------------------|-------------------|-------------------|----------------------|---------------|-----------------|-------------------------|--------------------|---------------------|----------------------------|--------------|-----------------|-------------------|-------------------|
| Phaseolus vulgaris Petunia x hybrida | Bryonia dioica | bidens priosa | Oryza sativa Oryza sativa | | | | | | Solanum tuberosum | Solanum tuberosum | Solanum tuberosum | Oryza sativa | Phaseolus vulgaris | Brassica napus | Zea mays | | | Picea mariana | Picea mariana | Picea mariana | Picea mariana | | | Spinacia oleracea | Lycopersicon esculentum | Arachis hypogaea | Nicotiana tabacum | | Stylosanthes humilis | Glycine max | Medicago sativa | Lycopersicon esculentum | Phaseolus vulgaris | Armoracia rusticana | Populus balsamifera subsp. | | Medicago sativa | Medicago sativa . | Oryza sativa |
| AF030032 M80831 | L14071 | X89890 | 110914 712828 | V13974 | # COO ST | U48692 | 048691 | U20297 | U20296 | U20295 | U20294 | X65016 | AF030034 | AF150059 | X77397 | | 2654 | AF051216 | AF051745 | AF051744 | AF051743 | | 2656 | Y10468 | X94943 | M37637 | AB027753 | AF149279 | L77080 | AF145349 | X90633 | L13654 | AF149277 | X57564 | X97351 | | L36157 | X90694 | D49551 |
| AAD10244.1 AAA33705.1 | AAA16320.1 | CAAbly80.1 | AAA33900.1 | CAP7/307 1 | T. (OLO) CEE | AAC49583.1 | AAC49582.1 | AAA85157.1 | AAA85156.1 | AAA62351.1 | AAA85155.1 | CAA46150.1 | AAD10246.1 | AAF73157.1 | CAA54583.1 | | SEQ ID NO. 2 | AAC32120.1 | AAC32164.1 | AAC32163.1 | AAC32162.1 | | | CAA71494.1 | CAA64413.1 | AAA32676.1 | BAA82307.1 | AAD37429.2 | AAB67737.1 | AAD37375.1 | CAA62226.1 | AAA65637.1 | AAD37427.1 | CAA40796.1 | CAA66037.1 | trichocarpa | AAB41811.1 | CAA62227.1 | BAA08499.1 |
| | • | japonica | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oryza sativa Oryza sativa | | Oryza sativa subsp. | Nicotiana tabacum | | | | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | | | Brassica napus | Brassica juncea | Pisum sativum | Petunia x hybrida | Malus x domestica | Lilium longiflorum | Daucus carota | Elaeis guineensis | _ | Vigna radiata | Triticum aestivum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Triticum aestivum | Vigna radiata | Oryza sativa | 겆 | Hordeum vulgare | Oryza sativa | Capsicum annuum | Oryza sativa | Vigna radiata | Medicago sativa | Helianthus annuus |
| AP002817 AP002744 | | | AB053095 | ADOCCOOR COOCSOOR | AB033092 | AB053093 | AB053091 | AB053096 | AB053090 | AB053089 | | 2653 | 010150 | M88307 | U13882 | M80836 | X60738 | Z12839 | X59751 | AF295637 | AF292108 | 120691 | U49105 | U49104 | U49103 | U48693 | U48689 | U48688 | U48242 | S81594 | Z12827 | U83402 | M27303 | AP000969 | AE108889 | AF042840 | L20507 | X52398 | U79736 |
| BAB03437.1 BAB19066.1 | BAB40710.1 | AAF78897.1 | BAB40706.1 | DAD40/03.1 | BAB40/03.1 | BAB40704.1 | BAB40702.1 | BAB40707.1 | BAB40701.1 | BAB40700.1 | | SEQ ID NO. | | AAA87347.1 | AAA92681.1 | AAA33706.1 | CAA43143.1 | CAA78301.1 | • | AAG27432.1 | AAG11418.1 | AAA34237.1 | | AAC49586.1 | AAC49585.1 | AAC49584.1 | AAC49580.1 | AAC49579.1 | AAC49578.1 | AAB36130.1 | CAA78287.1 | AAB46588.1 | AAA32938.1 | BAA88540.1 | AAF65511.1 | AAC36059.1 | AAA34238.1 | CAA36644.1 | AAB68399.1 |

| Cucumis sativus Hordeum vulgare Solanum tuberosum Oryza sativa Sorghum bicolor Sorghum bicolor Sorghum bicolor Oryza sativa Coryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Cryza sativa Cryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sativa Oryza sativa Oryza sativa Cryza sativa Oryza sati |
|--|
| Y10036 X82548 X95996 AP002482 Y12464 AB011968 AF141378 AB011967 U73938 AC084763 AF004947 AB02109 U3938 AC084763 AF004947 AB02109 U3939 U3939 U3938 AF004947 AF186020 U29095 AF186020 U29095 AF186020 U29095 AF186020 U29095 AF186020 U29095 AF18926 AF18926 AF18926 AF18926 AF244705 AF244699 AF244699 AF244699 AF244699 AF244699 AF244699 AF244699 |
| CAA71142.1 CAA57898.1 CAA65243.1 BAA96628.1 CAA73068.1 CAA73067.1 BAA83689.1 AAF22219.1 BAA83688.1 AAD00239.1 AAB62693.1 BAA19573.1 BAA19573.1 BAA19573.1 AAB625693.1 AAB68962.1 CAA81443.1 AAB68962.1 CAA81443.1 AAB68962.1 AAG3488.1 AAG34846.1 AAG348830.1 AAG34839.1 AAG34839.1 AAG34835.1 AAG34839.1 AAG34839.1 |
| Cucurbita pepo Populus kitakamiensis Asparagus officinalis Nicotiana tabacum Spinacia oleracea Ipomoea batatas Populus kitakamiensis Nicotiana tabacum Oryza sativa Phaseolus vulgaris Spinacia oleracea Glycine max Spirodela polyrrhiza Glycine max Medicago sativa Medicago sativa Oryza sativa Oryza sativa Oryza sativa Nicotiana tabacum Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Oryza sativa Spinacia oleracea Nicotiana tabacum Cryza sativa Oryza sativa Oryza sativa Oryza sativa Spinaciana tabacum Cryza sativa Oryza sativa Hordeum vulgare Oryza sativa Hordeum vulgare Oryza sativa Hordeum vulgare Oryza sativa Hordeum vulgare Oryza sativa |
| Y17192 D30653 ABD42103 D11396 AF244924 AJ242742 D111102 J02979 D14997 AF149280 AF07791 AF0744921 AF01192 L36156 X90692 D16442 AF07711 Z22920 U51192 L36156 X90692 D16442 AF014467 D42064 L24120 X66125 X85228 U51191 AF011383 AF014469 L37790 X66125 X85206 U51191 AF011383 AF014469 L37790 X65006 AF143743 D26602 U83797 X65604 AF062479 U55768 AJ007990 |
| CAA76680.1 BAA06335.1 BAA94962.1 BAA91992.1 AAF63027.1 CAB94692.1 CAB94692.1 CAB94692.1 CAB94692.1 CAB34108.1 BAA01877.1 AAD37430.1 AAC98519.1 CAA628519.1 CAA6362.1 AAB41810.1 CAA69821.1 CAA656.1 AAB02554.1 AAB02554.1 AAB02554.1 CAA46556.1 AAB66639.1 BAA05649.1 AAB62224.1 CAA46556.1 AAB6659.1 CAA46556.1 CAA46556.1 AAB62524.1 CAA46556.1 CAA46556.1 AAB62224.1 CAA46556.1 CAA46556.1 CAA46556.1 CAA46556.1 CAA46554.1 CAA46554.1 CAA46554.1 |

| | | | | | | | | | | | | | | | | | | 53 | 35 | | | | | | | | | | | | | | | | | n | | | |
|---------------|-----------------------------|------------------|--|-----------------|------------|-----------------|-----------------|-----------------|-----------------|---------------|-----------------|-------------------------|---------------------|-----------------|------------------------|---------------------|---------------------|-----------------------|--------------|--------------------------|--------------|----------------------|----------------------|----------------------|--------------------|----------------------|---------------|------------|--------------------|--------------------------|--------------------|--------------------|--------------------|-----------------------|----------------------|-----------------------|---------------------|---------------------|--------------------|
| Oryza sativa | | | Hordenm wildsre | Hordeum vulgare | | Sorghum bicolor | Sorghum bicolor | Hordeum vulgare | Sorghum bicolor | Oryza sativa | Hordeum vulgare | Lycopersicon esculentum | Solanum berthaultii | Hordeum vulgare | Lycopersicon pennellii | Solanum berthaultii | Solanum berthaultii | Matricaria chamomilla | Oryza sativa | Hordeum vulgare | Oryza sativa | Cicer arietinum | Oryza sativa | Oryza sativa | Vigna radiata | Vigna radiata | Pisum sativum | | | Mitochondrion Marchantia | | | | Nicotiana tabacum | Petunia x hybrida | Sorghum bicolor | Citrus unshiu | Verbena x hybrida | Brassica napus |
| AC037197 | | 2666 ADOO2539 | Y19602 | X78878 | X78877 | AF061282 | AF061282 | X78876 | AF061282 | D17586 | X09603 | AF242849 | AF006079 | J03897 | AF248647 | AF006080 | AF006078 | AF141384 | D10985 | Y09604 | D17587 | AJ271659 | AP001633 | AP002839 | U49741 | U49382 | Z68130 | | 2667 | M68929 | | | 2668 | AF190634 | AB027455 | AF199453 | AB033758 | AB013598 | AF287143 |
| AAG12476.1 | | SEQ ID NO. | 1 3100 T T T T T T T T T T T T T T T T T T | CAB59202.1 | CAA55478.1 | AAD22150.1 | AAD22151.1 | CAB58992.1 | AAD22164.1 | BAA04510.1 | CAA70816.1 | AAF44708.1 | AAD01264.1 | AAA32940.1 | AAF64227.1 | AAD01265.1 | AAD01263.1 | AAD42963.2 | BAA01757.1 | CAA70817.1 | BAA04511.1 | CAB71127.1 | BAA94235.1 | BAB19126.1 | AAA92064.1 | AAA92062.1 | CAA92216.1 | | | AAC09419.1 | polymorpha | | | AAE61647.1 | BAA89009.1 | AAE17077.1 | BAA93039.1 | BAA36423.1 | AAF98390.1 |
| Picea mariana | Alopecurus myosuroldes - | Zea mays | Alopeculus myosurorues | Glvcine max | ~ | Zea mays | Glycine max | | Glycine max | Carica papaya | Zea mays | Glycine max | Euphorbia esula | Glycine max | Glycine max | Glycine max | Glycine max | | | Thalictrum flavum subsp. | | Petroselinum crispum | Petroselinum crispum | Petroselinum crispum | Papaver somniferum | Petroselinum crispum | | | Papaver somniferum | | Papaver somniferum | Papaver somniferum | Papaver somniferum | Camptotheca acuminata | Petroselinum crispum | Camptotheca acuminata | Catharanthus roseus | Catharanthus roseus | Papaver somniferum |
| | AJUTU449 | AF244691 | AUU10440 | AF243363 | AJ010450 | AF244698 | AF243362 | AF244697 | AF243374 | AJ000923 | AF244700 | AF243372 | AF239928 | AF243366 | AF243361 | AE048978 | AF243368 | | 2663 | AF314150 | | M96072 | M96071 | M95685 | AF025435 | M96070 | AF025433 | 008597 | 008598 | AF025434 | AE025432 | AF025431 | U16804 | U73657 | M96069 | U73656 | M25151 | X67662 | 008599 |
| AAC32139.1 | CAA09188.1 | AAG34834.1 | CAMOSTOLIT | AAG34033.1 | CAA09189.1 | AAG34841.1 | AAG34797.1 | AAG34840.1 | AAG34809.1 | CAA04391.1 | AAG34843.1 | AAG34807.1 | AAF64450.1 | AAG34801.1 | AAG34796.1 | AAC18566.1 | AAG34803.1 | | SEQ ID NO. 2 | AAG60665.1 | glaucum | AAA33862.1 | AAA33861.1 | AAA33863.1 | AAC61844.1 | AAA33860.1 | AAC61842.1 | AAA62346.1 | AAA62347.1 | AAC61843.1 | AAC61841.1 | AAC61840.1 | AAA97535.1 | AAB39709.1 | AAA33859.1 | AAB39708.1 | AAA33109.1 | CAA47898.1 | AAA62348.1 |

| BAA36421.1 | AB013596 | Perilla frutescens | BAA03439.1 | D14589 | Eustoma grandiflorum |
|------------|----------|---------------------------------|--------------|----------|-------------------------------|
| BAA12737.1 | D85186 | ีเป | AAC39452.1 | AF014800 | Eschscholzia californica |
| BAB41024.1 | AB047097 | | CAA50648.1 | X71657 | |
| BAB41026.1 | AB047099 | Vitis vinifera | AAC39453.1 | AF014801 | Eschscholzia californica |
| BAB41020.1 | AB047093 | Vitis vinifera | BAA12735.1 | D85184 | Gentiana triflora |
| BAB41022.1 | AB047095 | Vitis vinifera | AAF05621.1 | AF191772 | Papaver somniferum |
| AAD21086.1 | AF127218 | Forsythia x intermedia | | | |
| BAB41025.1 | AB047098 | Vitis vinifera | SEQ ID NO. 2 | 2672 | |
| BAB41023.1 | AB047096 | Vitis vinifera | AAC48922.1 | 006047 | Vigna radiata |
| BAB41021.1 | AB047094 | Vitis vinifera | | | • |
| BAB41019.1 | AB047092 | Vitis vinifera | SEQ ID NO. 2 | 2673 | |
| BAB41018.1 | AB047091 | Vitis labrusca x Vitis vinifera | BAA93453.1 | AB026495 | Petunia x hybrida |
| AAB81683.1 | AE000372 | Vitis vinifera | BAA74428.1 | AB010708 | Gentiana triflora |
| AAB81682.1 | AF000371 | Vitis vinifera | BAA96577.1 | AP002480 | Oryza sativa |
| BAB41017.1 | | Vitis labrusca x Vitis vinifera | BAA93452.1 | AB026494 | Gentiana triflora |
| BAA19659.1 | AB002818 | Perilla frutescens | BAA93475.1 | AB029340 | Perilla frutescens |
| AAB48444.1 | U82367 | Solanum tuberosum | AAG13130.1 | AF193789 | Fragaria x ananassa |
| AAB36652.1 | U32643 | Nicotiana tabacum | | | |
| AAK28304.1 | AF346432 | Nicotiana tabacum | SEQ ID NO. 2 | 2674 | 53 |
| AAB36653.1 | U32644 | Nicotiana tabacum | AAF19807.1 | AF180356 | Brassica oleracea |
| AAK28303.1 | AF346431 | Nicotiana tabacum | BAA92986.1 | AP001550 | Oryza sativa |
| • | AB038248 | Ipomoea batatas | AAE19403.1 | AF203481 | Lycopersicon esculentum |
| CAA54612.1 | X77462 | Manihot esculenta | AAF19402.1 | AF203480 | Lycopersicon esculentum |
| BAA89008.1 | AB027454 | Petunia x hybrida | BAA05648.1 | D26601 | Nicotiana tabacum |
| CAA54614.1 | X77464 | Manihot esculenta | AAF23900.1 | AF194413 | Oryza sativa |
| | | | AAF23901.2 | AF194414 | Oryza sativa |
| | 2669 | | CAA89202.1 | Z49233 | Chlamydomonas eugametos |
| AAD56282.1 | AF155332 | ď | BAA13440.1 | D87707 | Ipomoea batatas |
| BAB20076.1 | AB012925 | ๗ | AAF21062.1 | AF216527 | Dunaliella tertiolecta |
| • | 222545 | Petunia x hybrida | BAA85396.1 | AP000615 | Oryza sativa |
| BAA03438.1 | D14588 | Petunia x hybrida | AAC05270.1 | AF048691 | Oryza sativa |
| AAC32274.1 | AF081575 | Petunia x hybrida | AAC04324.1 | U73937 | Nicotiana tabacum |
| CAA09850.1 | AJ011862 | Catharanthus roseus | CAA73067.1 | Y12464 | Sorghum bicolor |
| AAG49299.1 | AF313489 | Callistephus chinensis | CAA57156.1 | X81393 | Oryza sativa |
| AAG49300.1 | AF313490 | Lycianthes rantonnei | AAG36872.1 | AF239819 | Zea mays |
| CAA50155.1 | X70824 | Solanum melongena | AAD17800.1 | AF090835 | Mesembryanthemum crystallinum |
| BAA03440.1 | D14590 | Campanula medium | CAA43659.1 | X61387 | Zea mays |
| CAA80265.1 | 222544 | | AAF76187.1 | AF271237 | Zea mays |
| AAB17562.1 | U72654 | Eustoma grandiflorum | BAB21591.1 | AB036788 | Oryza sativa |
| AAG49301.1 | AF313491 | Matthiola incana | BAB21589.1 | AB036786 | Oryza sativa |

| | 537 | Cichorium | |
|--|---|--|--|
| Zea mays Zea mays Zea mays Zea mays Zea mays Zea mays Picea mariana Zea mays Alopecurus myosuroides Zea mays Alopecurus myosuroides Zea mays Glycine max Glycine max Glycine max | Glycine max Zea mays Glycine max Glycine max Glycine max | ntybus x n esculen | Pisum sativum Nicotiana sylvestris Vigna radiata Spinacia oleracea Zea mays Oryza sativa Oryza sativa |
| AE244705 AE244696 AE244703 AE244702 AE244702 AF051238 AF061238 AJ010449 AJ010449 AJ010448 AF244691 AF244691 AF244697 AF244697 AF244697 AF244697 AF243362 AF048978 AF243362 | AF243365 AF244701 Y10820 AF243375 AF243363 | AJ296343 AE193439 AE243370 AE243372 | 2677 AF271892 D16247 AF156667 X99937 AF079782 AB042644 AB042643 2678 |
| AAG34848.1 AAG34839.1 AAG34846.1 AAG34845.1 AAG34835.1 AAG34833.1 CAA09188.1 CAA09188.1 CAA09189.1 AAG34843.1 AAG34841.1 AAG34841.1 AAG34840.1 AAG34840.1 AAG34840.1 AAG34840.1 AAG34840.1 AAG34840.1 AAG34840.1 AAG34840.1 | AAG34800.1 AAG34844.1 CAA71784.1 AAG34810.1 AAG34798.1 | CAC24549.1 endivia AAF22647.1 AAG34805.1 AAG34807.1 | SEQ ID NO. AAF75791.1 BAA03763.1 AAF40306.1 CAA68193.1 AAD20980.1 BAA95704.1 SEQ ID NO. AAG17470.1 |
| Zea mays Zea mays Zea mays Solanum tuberosum Oryza sativa Glycine max Daucus carota Zea mays Zea mays Zea mays Zea mays Solanum tuberosum Oryza sativa Glycine max Oryza sativa Sicotiana tabacum Mesembryanthemum crystallinum Oryza sativa | Mesembryanthemum crystallinum Nicotiana tabacum Solanum tuberosum Zea mays | Zea mays Apium graveolens Malus x domestica Ricinus communis Prunus dulcis | Gossypium hirsutum Papaver somniferum Papaver somniferum Papaver somniferum Glycine max Zea mays Zea mays Aegilops tauschii Zea mays |
| Y11649 Y11526 X95997 AC073166 U69174 X56599 AJ007366 D84408 D87042 AF115406 AF062479 U69173 X81394 D13436 D26602 AF234652 U55768 | 2675 U16021 X70651 AF047842 M80912 | Z33611 AJ132256 AJ004915 X70652 | 2676 AF159229 AF118925 AF118924 AF118926 AF243360 AF244699 AF004358 AF244687 AF051214 |
| CAA72362.1 CAA72290.1 CAA65244.1 AAB80693.1 CAA39936.1 CAA07481.1 BAA13232.1 BAA13232.1 AAD28192.2 AAC99329.1 AAB80692.1 CAA57157.1 BAA02698.1 BAA02698.1 AAB805457.1 | SEQ ID NO. 2 AAA86979.1 CAA49994.1 AAD24857.1 | CAA83914.1 CAB66002.1 CAA06215.1 CAA49995.1 CAA52928.1 | SEQ ID NO. 2 AAF29773.1 AAF22518.1 AAF22519.1 AAG34795.1 AAG34850.1 AAG34842.1 AAG34842.1 AAG34830.1 AAG34830.1 |

| durum | 538 | i 1 1inum |
|--|--|---|
| Eschscholzia californica Berberis stolonifera Fagopyrum esculentum Oryza sativa Triticum aestivum Triticum turgidum subsp. Nicotiana tabacum Brassica napus Brassica rapa Oryza sativa Oryza sativa | | Secale cereale Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Mesembryanthemum crystallinum Pisum sativum Brassica napus Chinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea Spinacia oleracea |
| AF005655 AF049347 2688 D87984 AB053294 AF286593 AJ001903 X58527 U59379 AB010434 D21836 U92541 | AF051206 AF273844 U59380 Z70677 Z11803 AP02912 AF159386 AF159389 AF159388 AF159388 | AF186240 X80887 X78822 AF069314 X76269 AF018174 U35831 U76831 AF160870 X14959 X51463 X51462 X63537 AJ005841 |
| AAC39358.1 AAD17487.1 SEQ ID NO. BAAL3524.1 BAB20886.1 AAF88067.1 CAA05081.1 CAA41415.1 AAB53694.1 BAAC5681.1 BAAC5681.1 BAAC5681.1 BAAC5681.1 | AAC32111.1 AAG35777.1 alboglabra AAB53695.1 CAA74845.1 CAA74847.1 BAB39913.1 AAD49231.1 AAD49233.1 AAD49233.1 AAD33596.1 | AAD5 6954.1 CAA5 6850.1 CAA5 5390.1 AAC19392.1 CAA5 3900.1 AAC4 9358.1 AAB5 2409.1 AAB5 2409.1 CAA3 3082.1 CAA3 5827.1 CAA3 5826.1 CAA3 5826.1 |
| Brassica rapa subsp. pekinensis Vicia sativa Vicia sativa Catharanthus roseus Glycine max Pisum sativum Petunia x hybrida Nepeta racemosa Solanum melongena Persea americana Glycyrhiza echinata Glycine max Glycine max Glycine max | Torenta hybrida Glycine max Catharanthus roseus Zea mays Lycopersicon esculentum Zea mays Pisum sativum Glycine max Adiantum capillus-veneris | lia som som liv |
| AY029178 AF092917 AF030260 AJ238402 AF022457 Z49263 AF155332 Y09423 X70824 M32885 AB001380 AF022459 AB022733 AF022463 | AB028152 D83968 L19074 2683 Z34465 AF159296 AF159297 2684 AJ243308 X04782 AB027468 | 2685 AF15667 D16247 AF271892 X99937 AF079782 AB042644 AB042644 AB042643 ACO84218 2687 AF025430 S65550 |
| AAK31592.1 AAG33645.1 AAD10204.1 CAB41474.1 AAB94586.1 CAA89260.1 AAD56282.1 CAA70575.1 CAA70575.1 CAA70575.1 AAA32913.1 BAA22423.1 AAB94588.1 BAA74466.1 | | |

| W O 02/010033 | | | 1 € 17 € 50 17 20 00 5 |
|---|---|---|--|
| | iformis tum sis | ia is vinifera | Vitis vinifera |
| Solanum tuberosum Oryza sativa Manihot esculenta Manihot esculenta Manihot esculenta Manihot esculenta | Dorotheanthus bellidiformis Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Nicotiana tabacum Sorghum bicolor Petunia x hybrida Lycopersicon esculentum Scutellaria baicalensis | Verbena x hybrida Phaseolus lunatus Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis labrusca x Vitis Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera Vitis vinifera | Vitis vinifera Vitis vinifera Vitis labrusca x Vit: Citrus unshiu Trifolium repens Medicago sativa Medicago sativa Spinacia oleracea |
| M55191 D17765 2692 X77462 X77459 X77461 X77461 | Y18871 U32644 AF346431 AF190634 U32643 AF346432 AF199453 AB027455 X85138 AB027455 | AB013598 AF101972 AB047094 AB047096 AB047092 AF127218 AB047090 AB047099 AB047099 AB047097 AB047097 | AB047093 AF000372 AB047091 AB033758 2693 AJ011939 X90695 L36158 Y10469 |
| AAA63452.1 BAAO4611.1 SEQ ID NO. CAA54612.1 CAA54609.1 CAA54611.1 CAA54613.1 | CAB56231.1 AAB36653.1 AAK28303.1 AAF61647.1 AAB36652.1 AAKT7077.1 BAA89009.1 CAA59450.1 | BAA36423.1 BAA36423.1 BAB41021.1 BAB41023.1 BAB41025.1 BAB41019.1 BAB41019.1 BAB41017.1 BAB41026.1 BAB41022.1 BAB41022.1 | BAB41020.1 AAB81683.1 BAB41018.1 BAA93039.1 SEQ ID NO. CAAC9881.1 CAAC228.1 AAB41812.1 CAAT1495.1 |
| Pisum sativum Chlamydomonas reinhardtii Chlamydomonas reinhardtii Chlamydomonas reinhardtii Triticum aestivum Chlamydomonas reinhardtii | Lycopersicon pennellii Solanum berthaultii Solanum berthaultii Solanum berthaultii Hordeum vulgare Oryza sativa Lycopersicon esculentum Hordeum vulgare Hordeum vulgare | Oryza sallva Hordeum vulgare Sorghum bicolor Matricaria chamomilla Hordeum vulgare Oryza sativa Oryza sativa Sorghum bicolor Hordeum vulgare Oryza sativa Cicer arietinum Oryza sativa Sorghum bicolor | Vigna radiata Vigna radiata Pisum sativum Citrus x paradisi Ricinus communis Solanum tuberosum Ricinus communis Citrus x paradisi |
| U35830 X80888 X78821 X62335 AJ005840 U43609 | AE24864 AE00607 AE00608 Y09603 D17586 AE24284 J03897 X78878 | AF002553 AF061282 AF141384 Y09604 D17587 D10985 AF061282 X78876 AP001633 AJ271659 AF061283 | U49382 U49741 Z68130 2691 AF095521 Z32849 M55190 Z32850 AF095520 |
| AAC49357.1 CAA56851.1 CAA55398.1 CAA44209.1 CAA06735.1 AAB03681.1 | 25.1 10.1 10.1 10.1 10.1 10.1 10.1 10.1 1 | BABUS188.1 CAA70815.1 AAD22150.1 AAD42963.2 CAA70817.1 BAA04511.1 BAA04251.1 CAB58992.1 BAA94235.1 CAB71127.1 BAB19126.1 | AAA92062.1 AAA92064.1 CAA92216.1 SEQ ID NO. 3 AAC67587.1 CAA83682.1 AAA63451.1 CAA83683.1 |

| W O 02/010035 | 1 6 17 6501/20065 |
|---|---|
| Oryza sativa Arachis hypogaea Brassica napus Medicago sativa Medicago sativa Medicago sativa Medicago sativa Medicago sativa Nicotiana tabacum Medicago sativa Oryza sativa Catharanthus roseus Chlamydomonas reinhardtii Nicotiana tabacum Brassica oleracea Acetabularia cliftonii Medicago sativa Chlamydomonas reinhardtii Nicotiana tabacum Brassica oleracea Acetabularia cliftonii Medicago sativa Acetabularia cliftonii Micotiana tabacum Oryza sativa subsp. indica Nicotiana tabacum | Nicotiana tabacum Acetabularia cliftonii Oryza sativa subsp. indica Vicia faba Nicotiana tabacum Vicia faba Medicago sativa Oryza sativa subsp. indica Brassica napus Fagus sylvatica Helianthus annuus Hevea brasiliensis Oryza sativa subsp. indica Oryza sativa subsp. indica Oryza sativa subsp. indica Oryza sativa |
| X66125 M37637 2694 X57438 AJ002485 AJ002487 X80788 Z93768 AJ002486 AJ002486 AJ002486 AJ002486 AJ002486 AJ00232 AF156101 Z93769 X63558 Z28627 AJ002488 Z28637 AJ002488 | AJUN 1496 Z26654 ABD39917 ABD39916 Z93772 ABD39918 X70399 AF159061 X57439 AJ298829 Z26041 AF107464 AF283668 AF097182 AJ007333 U49113 |
| CAA46916.1 SEQ ID NO. CAA88254.1 CAA40686.1 CAA05491.1 CAA05493.1 CAA05492.1 CAA05492.1 BAA92244.1 BAA33545.1 AAA33545.1 AAA33545.1 CAA05494.1 CAA82264.1 CAA82264.1 CAA82264.1 CAA8266.1 | CAB46506.1 CAA81395.1 AAD22116.1 BAA92698.1 BAA92697.1 CABA9849.1 CAA40687.1 CAC11129.1 CAC11126.1 CAA81126.1 AAD09953.1 AAF86353.1 AAF86353.1 AAF86353.1 AAC72838.1 CAA07471.1 |
| Glycine max Glycine max Glycine max Scutellaria baicalensis Glycine max Medicago sativa Glycine max Zea mays Lycopersicon esculentum Nicotiana tabacum Phaseolus vulgaris Lycopersicon esculentum Lycopersicon esculentum Oryza sativa Spinacia oleracea Nicotiana tabacum Medicago sativa Spinacia oleracea Nicotiana tabacum Vigna angularis Oryza sativa Oryza sativa Spinacia oleracea | Ipomoea batatas Pinus sylvestris Glycine max Medicago sativa Spinacia oleracea Spinacia oleracea Spinacia oleracea Populus kitakamiensis Spinacia oleracea Arachis hypogaea Gossypium hirsutum Oryza sativa Hordeum vulgare Stylosanthes humilis Oryza sativa Medicago sativa Zea mays Spinacia oleracea |
| U51192 U51191 U51193 AB024437 U51194 X90693 AF007211 AJ401276 L136981 AF149277 Y19023 L13653 D13653 D14997 X71593 L13653 D14997 X71593 L13653 D13653 AF244921 D42064 D11337 AF247700 D49551 Y10470 | AL242/42 AE291667 AF145350 X90694 Y10462 Y10466 D11102 Y16776 M37636 AF155124 AF014468 AC003141 L77080 D16442 X90692 Y13905 Y13905 Y13464 |
| AAD11482.1 AAD111483.1 BAA77387.1 AAD11484.1 CAA62226.1 AAC98519.1 CAC21393.1 AAAC5637.1 BAAO7664.1 AAD37427.1 CAB67121.1 AAD37427.1 CAB67121.1 AAD37427.1 AAD37427.1 AAD37427.1 AAD37427.1 AAD37427.1 CAB6763.1 BAAO1950.1 BAAO1950.1 BAAO1950.1 CARF65464.2 BAAO1863.1 BAAO1863.1 BAAO1863.1 CARF65464.2 | CAB94692.1 AAG02215.1 AAG02215.1 CAA62227.1 CAA71492.1 BAA01877.1 CAA76374.2 AAB06183.1 AAD43561.1 AAC49819.1 CAA62225.1 CAA62225.1 CAA62225.1 CAA74203.1 |

| vv | WO 02/010055 FC1/US01/20065 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|-----------------------------|-------------------|-------------------|-------------------------|------------|------------|---------------------|-------------------|------------|----------------|--------------------|---------------------|-------------|-------------------|------------|-------------------|-------------|-----------------------|------------|-----------------|-------------------|-------------------|-------------------|------------------------|----------------------|----------------------|--------------------|---------------------------------|-------------------|-------------------|-------------------|----------------------|---------------------------|-------------------|-------------------|----------------|----------------------|------------|---------------|-------------------|
| Petroselinum crispum | Matricaria chamomilla | | | Lycopersicon esculentum | | | Catharanthus rosens | Nicotiana tabacum | | Brassica napus | Phaseolus vulgaris | Fragaria x ananassa | | Nicotiana tabacum | | Nicotiana tabacum | | Asparagus officinalis | flexa | Zea mays | icon esculentum | | | | Cucumis sativus | Citrullus lanatus | Phaseolus vulgaris | Mitochondrion Solanum tuberosum | | Spinacia oleracea | Spinacia oleracea | Spinacia oleracea | Chlamydomonas reinhardtii | Spinacia oleracea | Spinacia oleracea | | | | Pisum sativum | Petunia x hybrida |
| AF121354 | AB035271 | | 2698 | AJ004923 | | 2699 | X85206 | AB041519 | AF248055 | S68113 | U34333 | AF026382 | D86629 | AB041516 | AB035125 | D86721 | U73214 | X82413 | L20755 | X60432 | X61395 | X57076 | | 2701 | X73961 | U92815 | X66874 | S59747 | L03299 | AF039084 | AF035458 | AF035457 | X96502 | AF039083 | AF035456 | M99565 | AJ249329 | L08830 | X99515 | X06932 |
| AAD27591.1 | BAA87069.1 | | | CAA06223.1 | | SEQ ID NO. | CAA59472.1 | BAB16431.1 | AAF78903.1 | AAC60566.1 | AAC49369.1 | AAD01800.1 | BAA13150.1 | BAB16428.1 | BAA95941.1 | BAA13155.1 | AAB18205.1 | CAA57810.1 | AAA33132.1 | CAA42959.1 | CAA43666.1 | CAA40361.1 | | SEQ ID NO. | CAA52149.1 | AAC03416.1 | CAA47345.1 | AAC60559.2 | AAA33637.1 | AAB96660.1 | AAB91473.1 | AAB91472.1 | CAA65356.1 | AAB96659.1 | AAB91471.1 | AAA18570.1 | CAB72128.1 | AAA34139.1 | CAA67867.1 | CAA30018.1 |
| x dome | Fagus sylvatica | Malus x domestica | Malus x domestica | Vicia faba | Vicia faba | Vicia faba | Vicia faba | Vicia faba | | | Glycine max | Pisum sativum | Glycine max | Pisum sativum | | Pisum sativum | Glycine max | | | Cucumis sativus | Nicotiana tabacum | Nicotiana tabacum | Nicotiana tabacum | Pimpinella brachycarpa | Petroselinum crispum | Petroselinum crispum | Nicotiana tabacum | Avena fatua | Nicotiana tabacum | Oryza sativa | | Petroselinum crispum | Nicotiana tabacum | •= | Avena fatua | Betula pendula | Petroselinum crispum | | | Nicotiana tabacum |
| 247076 | AJ298828 | 247078 | Z47077 | AB038786 | AB038787 | AB038790 | AB038791 | AB038789 | | | - | X68215 | J03920 | X68216 | X68217 | m | AF169830 | 1 | 2696 | L44134 | AF096299 | AB020590 | AB026890 | AE080595 | 35 | U48831 | AB022693 | 248429 | AF096298 | AF193802 | U58540 | AF204925 | AB020023 | AB041520 | Z48431 | AJ279697 | U56834 | AF204926 | 377 | AF193770 |
| CAA87385.1 | CAC11128.1 | CAA87387.1 | CAA87386.1 | BAA92333.1 | BAA92334.1 | BAA92337.1 | BAA92338.1 | BAA92336.1 | | | AAA33945.1 | CAA48297.1 | AAA33944.1 | CAA48298.1 | CAA48299.1 | CAA48300.1 | AAD50278.1 | ; | | AAC37515.1 | AAD16139.1 | BAA77383.1 | BAA86031.1 | AAC31956.1 | AAD55974.1 | • | BAA82107.1 | CAA88326.1 | AAD16138.1 | AAF23898.1 | • | AAG35658.1 | BAA77358.1 | • | • | • | • | • | AAF61864.1 | AAF61863.1 |

| Triticum aestivum | Spinacia oleracea | Glycine max | Lycopersicon esculentum | Brassica napus | Cucumis sativus | Malus x domestica | Cucumis sativus | Oryza sativa | Spinacia oleracea | Spinacia oleracea | Spinacia oleracea | Spinacia oleracea |
|-------------------|-------------------|-------------|-------------------------|----------------|-----------------|-------------------|-----------------|--------------|-------------------|-------------------|-------------------|-------------------|
| AE005993 | AF034618 | X62799 | X54030 | AF035414 | AJ249331 | AF161180 | AJ249330 | X67711 | AF034617 | AF034616 | AF033852 | X61491 |
| AAB99745.1 | AAB88134.1 | CAA44620.1 | CAA37971.1 | AAB88009.1 | CAB72130.1 | AAE34134.1 | CAB72129.1 | CAA47948.1 | AAB88133.1 | AAB88132.1 | AAB97316.1 | CAA43711.1 |

What is claimed is:

- 1. A method of identifying a stress condition to which a plant cell has been exposed, the method comprising:
 - a) contacting nucleic acid molecules representative of expressed polynucleotides in the plant cell with an array of probes representative of the plant cell genome; and
 - b) detecting a profile of expressed polynucleotides in the plant cell characteristic of a stress response, thereby identifying the stress condition to which the plant cell was exposed.

10

- 2. The method of claim 1, wherein the stress condition is an abiotic stress condition.
- 3. The method of claim 2, wherein the abiotic stress is a cold stress condition, an osmotic stress condition, a saline stress condition, or a combination thereof.
 - 4. The method of claim 1, wherein the profile is characteristic of exposure to a single stress condition.
- 5. The method of claim 1, wherein the profile is characteristic of a cold stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812, and 814-1261.
- 25 6. The method of claim 1, wherein the profile is characteristic of a cold stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1-1261.
- 7. The method of claim 1, wherein the profile is characteristic of an osmotic stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2428-2585.

544

- 8. The method of claim 1, wherein the profile is characteristic of a saline stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2227-2427.
- 9. The method of claim 2, wherein the profile is characteristic of exposure to at least two abiotic stress conditions.
- 10. The method of claim 9, wherein the abiotic stress conditions are cold and osmotic stress conditions, and wherein the expressed polynucleotides comprise one or
 a plurality of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927, and 1929-1969.
 - 11. The method of claim 9, wherein the abiotic stress conditions are cold and osmotic stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1699-1969.
 - 12. The method of claim 9, wherein the abiotic stress conditions are cold and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1970-2226.

13. The method of claim 9, wherein the abiotic stress conditions are osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2586-2703.

- 14. The method of claim 9, wherein the abiotic stress conditions are cold, osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, and 1634-1698.
- 30 15. The method of claim 9, wherein the abiotic stress conditions are cold, osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1262-1698.

20

25

16. The method of claim 1, wherein the nucleic acid molecules representative of expressed polynucleotides in the plant cell are RNA molecules or cDNA molecules.

5

17. The method of claim 1, wherein the array of probes representative of the plant cell genome is immobilized on a microchip.

18. A method for determining whether a test plant has been exposed to an abiotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a plant stress-regulated gene, provided said gene does not comprise a nucleotide sequence of a polynucleotide as set forth in any of SEQ ID NOS:156, 229, 233, 558, 573, 606, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918 or 1928, or a nucleotide sequence complementary thereto,

whereby

20

15

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to an abiotic stress,

25

indicates that the test plant has been exposed to an abiotic stress, and whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to an abiotic stress.

546

- 19. The method of claim 18, wherein the abiotic stress is cold stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261 or a nucleotide sequence complementary thereto.
- 20. The method of claim 18, wherein the abiotic stress is saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 or a nucleotide sequence complementary thereto.
- 21. The method of claim 18, wherein the abiotic stress is osmotic stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in two or more of SEQ ID NOS:2428-2585 or a nucleotide sequence complementary thereto.
- 22. A method for determining whether a test plant has been exposed to a cold stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, or a nucleotide sequence complementary thereto,

whereby

5

10

15

20

25

30

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress,

indicates that the test plant has been exposed to a cold stress, and

547

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress.

23. A method for determining whether a test plant has been exposed to a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427, or a nucleotide sequence complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a saline stress,

indicates that the test plant has been exposed to a saline stress, and whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a saline stress.

24. A method for determining whether a test plant has been exposed to an osmotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in two or more of SEQ ID NOS:2428-2585, or a nucleotide sequence complementary thereto,

5

10

15

20

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to an osmotic stress,

indicates that the test plant has been exposed to an osmotic stress, and whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to an osmotic stress.

10

15

5

25. A method for determining whether a test plant has been exposed to a combination of abiotic stress conditions, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a combination of stress conditions,

20

25

indicates that the test plant has been exposed to a combination of abiotic stress conditions, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a combination of abiotic stress conditions.

30

26. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of a cold stress and an osmotic stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1699-1969, or a nucleotide sequence complementary thereto.

27. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of a cold stress and a saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1970-2226, or a nucleotide sequence complementary thereto.

5

28. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of an osmotic stress and a saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2586-2703, or a nucleotide sequence complementary thereto.

10

15

20

30

- 29. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of a cold stress, a saline stress and an osmotic stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1262-1698, or a nucleotide sequence complementary thereto.
- 30. A method for determining whether a test plant has been exposed to a cold stress and an osmotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1699-1969, or a nucleotide sequence complementary thereto,

25 whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress and an osmotic stress,

indicates that the test plant has been exposed to a cold stress and an osmotic stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress and an osmotic stress.

31. A method for determining whether a test plant has been exposed to a cold stress and a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1970-2226, or a nucleotide sequence complementary thereto,

whereby

10

15

20

25

30

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress and a saline stress,

indicates that the test plant has been exposed to a cold stress and a saline stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress and a saline stress.

32. A method for determining whether a test plant has been exposed to an osmotic stress and a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2586-2703, or a nucleotide sequence complementary thereto,

WO 02/016655

5

15

20

25

30

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to an osmotic stress and a saline stress,

indicates that the test plant has been exposed to an osmotic stress and a saline stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to an osmotic stress and a saline stress.

33. A method for determining whether a test plant has been exposed to a cold stress, a saline stress and an osmotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with a plurality of nucleic acid probes under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1262-1698, or a nucleotide sequence complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress, a saline stress, and an osmotic stress,

indicates that the test plant has been exposed to a cold stress, a saline stress and an osmotic stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress, a saline stress and an osmotic stress.

552

34. A method for determining whether a test plant has been exposed to a cold stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812, and 814-1261 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

10

5

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has been exposed to a cold stress, or wherein

15

detecting a level of expression that is less than at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

detecting a level of expression that is at least two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has not been exposed to a cold stress.

20

25

35. A method for determining whether a test plant has been exposed to a saline stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2226-2427 in cells of the test plant,

553

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress, or

5

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress,

indicates the test plant has been exposed to a saline stress, or wherein

10

15

20

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress,

indicates the test plant has not been exposed to a saline stress.

36. A method for determining whether a test plant has been exposed to an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2428-2585 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to an osmotic stress, or

25

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to an osmotic stress,

indicates the test plant has been exposed to a osmotic stress, or

wherein

detecting a level of expression that is less than about two-fold different from level of expression of the at least one polynucleotide in cells of a plant not exposed to an osmotic stress, or

5

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to an osmotic stress,

indicates the test plant has not been exposed to a osmotic stress.

10

37. A method for determining whether a test plant has been exposed to a cold stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1699-1969 in cells of the test plant,

wherein

15

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and an osmotic stress, or

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and an osmotic stress,

20

indicates the test plant has been exposed to a cold stress and an osmotic stress, or

wherein

25

detecting a level of expression that is less than about two-fold different from as a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and an osmotic stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and an osmotic stress,

30

indicates the test plant has not been exposed to a cold stress and an osmotic stress.

555

38. A method for determining whether a test plant has been exposed to a cold stress and a saline stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1970-2226 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and a saline stress, or

detecting a level of expression that is less than about two-fold different from as a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and a saline stress,

indicates the test plant has been exposed to a cold stress and a saline stress, or

wherein

15

20

25

30

10

5

detecting a level of expression that is less than about two-fold different from as a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and a saline stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and a saline stress,

indicates the test plant has not been exposed to a cold stress and a saline stress.

39. A method for determining whether a test plant has been exposed to a saline stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2586-2703 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress and an osmotic stress, or

556

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress and an osmotic stress,

indicates the test plant has been exposed to a saline stress and an osmotic stress, or

wherein

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress and an osmotic stress, or

10

5

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to saline stress and an osmotic stress,

indicates the test plant has not been exposed to a saline stress and an osmotic stress.

15

20

40. A method for determining whether a test plant has been exposed to a cold stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812, and 814-1261 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

25

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has been exposed to a cold stress, or wherein

30

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

557

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has not been exposed to a cold stress.

5

41. A method for determining whether a test plant has been exposed to a cold stress, a saline stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1262-1698 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, a saline stress and an osmotic stress, or

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress, a saline stress and an osmotic stress,

indicates the test plant has been exposed to a cold stress, a saline stress and an osmotic stress, or wherein

WHELE

20

25

15

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, a saline stress and an osmotic stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress, a saline stress and an osmotic stress,

indicates the test plant has not been exposed to a cold stress, a saline stress and an osmotic stress.

558

42. A method of producing a transgenic plant comprising plant cells that exhibit altered responsiveness to at least one stress condition, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into a plant cell genome, wherein the polynucleotide portion of the stress-regulated gene does not comprise a nucleotide sequence as set forth in any of SEQ ID NOS:156, 229, 233, 558, 573, 606, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918 or 1928, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cells to at least one stress condition, thereby producing a transgenic plant comprising plant cells that exhibit altered responsiveness to the stress condition.

5

10

- 43. The method of claim 42, wherein the stress condition is cold stress, and wherein the polynucleotide portion of a plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, 2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, and 3313-3955.
- 44. The method of claim 42, wherein the stress condition is saline stress, and wherein the polynucleotide portion of a plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 and 4910-5107.
 - 45. The method of claim 42, wherein the stress condition is osmotic stress, and wherein the polynucleotide portion of a plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2428-2585 and 5108-5263.

559

- 46. A method of producing a transgenic plant comprising plant cells that exhibit altered responsiveness to a combination of at least two stress conditions, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cells to a combination of at least two stress conditions, thereby producing a transgenic plant comprising plant cells that exhibit altered responsiveness to the stress conditions.
- 47. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and osmotic stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1669-1969 and 4389-4654.
- 48. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and osmotic stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927, 1929-1969, 4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.

20

5

49. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1970-2226 and4655-4909.

25

50. The method of claim 46, wherein the combination of at least two stress conditions is a combination of osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:2586-2703 and 5264-5379.

51. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1262-1698 and 3956-4388.

5

10

- 52. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1698, 3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.
- 53. The method of any of claim 42 to 52, wherein the polynucleotide portion of the plant stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof.
 - 54. The method of claim 53, wherein the stress-regulated polypeptide or functional peptide portion thereof increases the stress tolerance of the transgenic plant.
 - 55. The method of claim 53, wherein the stress-regulated polypeptide or functional peptide portion thereof decreases the stress tolerance of the transgenic plant.

25

- 56. The method of claim 53, wherein the polynucleotide portion of the plant stress-regulated gene is operatively linked to a heterologous promoter.
- 57. The method of any of claim 42 to 52, wherein the polynucleotide portion of the plant stress-regulated gene comprises a stress-regulated regulatory element.

- 58. The method of claim 57, wherein, upon introducing the stress-regulated regulatory element into the plant cell, the regulatory element integrates into the plant cell genome in a site-specific manner.
- 5 59. The method of claim 58, wherein, upon integrating into the plant cell genome, the regulatory element is operatively linked to a heterologous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element.
- 60. The method of claim 57, wherein the plant stress-regulated regulatory element is a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stress-regulated gene to the stress condition.
 - 61. The method of any of claim 42 to 60, wherein the stress an abiotic stress.
- 62. The method of claim 61, wherein the abiotic stress is selected from the group consisting of an abnormal level of cold, osmotic pressure, salinity, and a combination thereof.
 - 63. The method of claim 57, wherein the stress-regulated regulatory element is operatively linked to a polynucleotide encoding a detectable marker.
 - 64. A transgenic plant produced by the method of any of claims 42 to 63.
 - 65. A plant cell from the transgenic plant of claim 64, wherein said plant cell exhibits altered responsiveness to the stress condition or stress conditions.
 - 66. A seed produced by the transgenic plant of claim 64.

25

562

- 67. A cDNA or genomic DNA library prepared from the transgenic plant of claim 64, or from a plant cell from said transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition.
- 5 68. A method for monitoring a population of plants for exposure to a stress condition or combination of stress conditions, the method comprising:
 - a) introducing into the population of a plants a sentinel plant, wherein said sentinel plant is a transgenic plant of claim 64, which comprises plant cells containing a stress-regulated regulatory element is operatively linked to a polynucleotide encoding a detectable marker; and
 - b) examining the sentinel plant for expression of the detectable marker, which is indicative of exposure of the population of plants to a stress condition or combination of stress conditions,
 - thereby monitoring the population of plants for exposure to a stress condition or combination of stress conditions.
 - 69. The method of claim 68, wherein said stress condition or combination of stress conditions is an abiotic stress condition or combination of abiotic stress conditions.

20

10

15

70. The method of claim 68 or 69, wherein said stress condition or combination of stress conditions is cold stress, osmotic stress, saline stress, and a combination thereof.

25

71. The method of any of claims 68 to 70, wherein the stress condition is a cold stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-3955.

- 72. The method of any of claims 68 to 70, wherein the stress condition is a cold stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, and 3313-3955.
- 73. The method of any of claims 68 to 70, wherein the stress condition is a saline stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4910-5107.

10

20

30

- 74. The method of any of claims 68 to 70, wherein the stress condition is an osmotic stress condition, and wherein the regulatory comprises a nucleotide sequence as set forth in any of SEQ ID NOS:5108-5263.
- 75. The method of any of claims 68 to 70, wherein the combination of stress conditions is cold stress and osmotic stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NO. 4389-4654.
 - 76. The method of any of claim 68 to 70, wherein the combination of stress conditions is a cold stress and an osmotic stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.
- 77. The method of any of claims 68 to 70, wherein the combination of stress condition is a cold stress and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4655-5909.
 - 78. The method of any of claims 68 to 70, wherein the combination of stress conditions is an osmotic stress and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:5264-5379.

564

79. The method of any of claims 68 to 70, wherein the combination of stress conditions is a cold stress, an osmotic stress, and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:3956-4388.

5

10

- 80. The method of any of claims 68 to 70, wherein the combination of stress conditions is a cold stress, an osmotic stress, and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.
- 81. The method of any of claims 68 to 80, wherein the detectable marker is visibly detectable.
- 15 82. The method of any of claims 68 to 80, wherein said detectable marker comprises a luminescent detectable marker.
 - 83. The method of any of claims 68 to 80, wherein said detectable marker comprises a fluorescent detectable marker.

20

84. The method of claim 83, wherein said fluorescent detectable marker comprises a green fluorescent protein, a yellow fluorescent protein, a cyan fluorescent protein, a red fluorescent protein, or an enhanced or modified form thereof.

25

- 85. A method of selecting a plant having an altered resistance to an abiotic stress condition or a combination of abiotic stress conditions, the method comprising:
 - a) contacting nucleic acid molecules representative of expressed polynucleotides in a plant cell of a plant to be examined for having an altered resistance to an abiotic stress with a nucleic acid probes that selectively hybridizes under stringent conditions to a plant stress-regulated gene comprising a nucleotide sequence as set forth in any of SEQ ID NO:1-5379;

565

- b) detecting a level of selective hybridization of the nucleic acid probes to a nucleic acid molecule representative of an expressed polynucleotide in the plant cell, wherein the level of selective hybridization corresponds to the level of the expressed polynucleotide in the plant cell, which is indicative of resistance of the plant to an abiotic stress; and
- c) selecting a plant having a level of expression of a polynucleotide indicative of altered resistance to an abiotic stress condition.
- 86. The method of claim 85, wherein the abiotic stress condition is cold stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-1261 and 2704-3955.

5

15

20

25

- 87. The method of claim 85, wherein the abiotic stress condition is cold stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, 2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, and 3313-3955.
- 88. The method of claim 85, wherein the abiotic stress condition is saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 and 4910-5107.
- 89. The method of claim 85, wherein the abiotic stress condition is osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2428-2585 and 5108-5263.
- 90. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1669-1969 and 4389-4654.

566

- 91. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927, 1929-1969, 4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.
- 92. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1970-2226 and 4655-4909.
- 93. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2586-2703 and 5264-5379.
- 94. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1262-1698 and 3956-4388.
- 95. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1698, 3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.

5

10

15

567

- 96. A method of modulating the responsiveness of a plant cell to a stress condition, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, wherein said gene comprises a nucleotide sequence of a polynucleotide as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379, thereby modulating the responsiveness of the plant cell to a stress condition.
 - 97. The method of claim 96, wherein the responsiveness of the plant cell is increased upon exposure to the stress condition.

- 98. The method of claim 97, wherein increased responsiveness of the plant cell increases the stress tolerance of the plant cell to the stress condition.
- 99. The method of claim 96, wherein the responsiveness of the plant cell is decreased upon exposure to the stress condition.
 - 100. The method of claim 99, wherein decreased responsiveness of the plant cell increases the stress tolerance of the plant cell to the stress condition.
- 25 101. The method of claim 96, wherein the polynucleotide portion of the plant stress-regulated gene integrates into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition.
- 102. The method of claim 96, wherein the polynucleotide portion of the plant
 30 stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof.

568

- 103. The method of claim 102, wherein the stress-regulated polypeptide or functional peptide portion thereof increases the responsiveness of the plant cell to the stress condition.
- 5 104. The method of claim 102, wherein the polynucleotide portion of the plant stress-regulated gene is operatively linked to a heterologous promoter.
 - 105. The method of claim 102, wherein the polynucleotide portion of the plant stress-regulated gene contains a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts an endogenous plant stress-regulated gene, thereby modulating the responsiveness of said plant cell to the stress condition.
 - 106. The method of claim 105, wherein the endogenous plant stress-regulated gene encodes a maladaptive stress-regulated polypeptide, and wherein said plant cell exhibits increased tolerance to the stress condition.
 - 107. The method of claim 96, wherein the polynucleotide portion of the plant stress-regulated gene comprises a stress-regulated gene regulatory element.
- 108. The method of claim 107, wherein, the regulatory element is operatively linked to a heterologous nucleotide sequence, which, upon expression from the regulatory element in response to a stress condition, modulates the responsiveness of the plant cell to the stress condition.
- 25 109. The method of claim 108, wherein the heterologous nucleotide sequence encodes a stress-inducible transcription factor.
 - 110. The method of claim 109, wherein the transcription factor is DREB1A.

10

569

- 111. The method of claim 108, wherein the heterologous nucleotide sequence encodes a polynucleotide specific for a plant stress-regulated gene, said polynucleotide selected from the group consisting of an antisense molecule, a ribozyme, and a triplexing agent, which, upon expression in the plant cell, reduces or inhibits expression of a stress-regulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant cell to a stress condition.
- 112. The method of claim 108, wherein the heterologous nucleotide sequence encodes a recombinant polypeptide comprising a zinc finger domain and a transcription effector domain.
- 113. The method of claim 112, wherein the transcription effector domain is a transcription activator domain.
- 15 114. The method of claim 96, wherein the stress condition is cold stress, osmotic stress, saline stress, or a combination thereof.
- 115. A method of expressing a heterologous nucleotide sequence in a plant cell, the method comprising introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, wherein said regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379, whereby, upon exposure of the plant cell to stress condition, the heterologous nucleotide sequence is expressed in the plant cell.
 - 116. The method of claim 117, wherein the heterologous nucleotide sequence encodes a selectable marker.
 - 117. The method of claim 117, wherein the heterologous nucleotide sequence encodes a polypeptide that improves the nutritional value of the plant cell.

5

570

- 118. The method of claim 117, wherein the heterologous nucleotide sequence encodes a polypeptide that improves the ornamental value of the plant cell.
- 119. A method of modulating the activity of a biological pathway in a plant cell involving a plant stress-regulated polypeptide, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, wherein the plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634,
 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379, thereby modulating the activity of the biological pathway.
 - 120. A plant cell obtained by any of claims 96 to 121.
 - 121. A plant comprising the plant cell of claim 122.

20

- 122. A method of identifying a polynucleotide that modulates a stress response in a plant cell, the methods comprising:
 - a) contacting an array of probes representative of a plant cell genome and nucleic acid molecules expressed in plant cell exposed to the stress;

- b) detecting a nucleic acid molecule that is expressed at a level different from a level of expression in the absence of the stress;
- c) introducing the nucleic acid molecule of step b) into a plant cell; and
- d) detecting a modulated response of the plant cell of step c) to a

 stress, thereby identifying a polynucleotide that modulates a stress response in
 a plant cell.

571

- 123. The method of claim 124, wherein the stress is an abiotic stress.
- 124. The method of claim 125, wherein the abiotic stress is selected from the group consisting of an abnormal level of cold, osmotic pressure, and salinity.

5

15

20

25

- 125. The method of claim 124, wherein expression of the nucleic acid molecule increases the tolerance of the plant cell to the stress.
- 126. The method of claim 124, wherein, in step b), the nucleic acid molecule is expressed at a level that is less than the level of expression in the absence of the stress.
 - 127. A transgenic plant, which contains a transgene comprising a polynucleotide portion of plant stress-regulated gene, wherein the gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379.
 - 128. The transgenic plant of claim 129, wherein the transgenic plant exhibits altered responsiveness to a stress condition as compared to a corresponding wild-type plant.
 - 129. The transgenic plant of claim 130, wherein the transgene disrupts an endogenous stress-regulated gene in the plant, thereby reducing or inhibiting expression of the gene in response to a stress condition.

30

130. The transgenic plant of claim 130, wherein the plant exhibits increased tolerance to a stress condition.

572

- 131. The transgenic plant of claim 130, wherein the plant exhibits decreased tolerance to a stress condition.
- 5 132. The transgenic plant of any of claims 129 to 133, wherein the transgene comprises a coding sequence of a plant stress-regulated gene.
 - 133. The transgenic plant of claim 134, wherein the coding sequence is operatively linked to a heterologous regulatory element.

10

134. The transgenic plant of claim 135, wherein the regulatory element is a constitutively active regulatory element.

- 135. The transgenic plant of claim 135, wherein the regulatory element is anregulated regulatory element.
 - 136. The transgenic plant of claim 135, wherein the regulatory element is a tissue specific or phase specific regulatory element.
- 20 137. The transgenic plant of any of claims 129 to 131, wherein the transgene comprises a plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence.
- 138. The transgenic plant of claim 139, wherein the transgenic plant expresses a polypeptide encoded by the heterologous nucleotide sequence.
 - 139. The transgenic plant of claim 140, wherein the polypeptide improves the nutritional value or ornamental value of the plant.
- 30 140. The transgenic plant of any of claims 129 to 141, wherein the plant comprises multiple transgenes.

573

- 141. The transgenic plant of claim 142, wherein the multiple transgenes comprise multiple copies of the same transgene or comprise two or more different transgenes.
- 142. A plant stress-regulated gene regulatory element, wherein the gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379.
- 143. The plant stress-regulated gene regulatory element of claim 144,

 15 comprising a nucleotide sequence as set forth in any of SEQ ID NOS: 2704-2855,

 2857-2928, 2930-2932, 2934-3256, 3258-3304, 3306-3323, 3325-3333, 3335-3485,

 3487-3511, 3513-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279,,

 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, 4604-4612, and 4614
 5379, or a nucleotide sequence substantially similar thereto.

20

- 144. A method of identifying an agent that modulates the activity of the plant stress-regulated regulatory element of claim 144 or claim 145, the method comprising:
 - a) contacting the regulatory element with an agent suspected of having the ability to modulate the activity of the regulatory element; and

- b) detecting a change in the activity of the regulatory element, thereby identifying an agent that modulates the activity of the plant stress-regulated regulatory element.
- 145. The method of claim 146, wherein the regulatory element can beoperatively linked to a heterologous nucleotide sequence.

574

- 146. The method of claim 147, wherein the heterologous nucleotide sequence encodes a reporter molecule.
- 147. The method of any of claims 146 to 148, which is *in vitro* in a plant cellfree system, in a plant cell in culture, or in a plant *in situ*.
 - 148. The method of claim 149, wherein the plant is a transgenic plant, into which the plant stress-regulated regulatory element has been introduced.
- 10 149. The method of any of claims 146 to 150, wherein the agent is a stress mimic.
- 150. A method of modulating a stress-regulated response in a plant cell, the method comprising expressing in the plant cell a recombinant polypeptide that
 interacts specifically with a plant stress-regulated regulatory element of claim 144 or claim 145, thereby modulating a stress-regulated response in the plant.
 - 151. The method of claim 152, wherein the recombinant polypeptide comprises a zinc finger domain, which specifically interacts with the stress-regulated regulatory element, and a transcription effector domain, which effects expression of the regulatory element.
 - 152. The method of claim 153, wherein the effector domain is a transcription activation domain.

25

20

153. The method of claim 153, wherein the effector domain is a transcription repressor domain.

575

- 154. A method for identifying a polynucleotide involved in a stress response of a plant, the method comprising:
 - a) contacting nucleic acid molecules representative of expressed polynucleotides in plant cells of a plant exposed to a stress condition or combination of stress conditions with an array of probes representative of the plant cell genome; and
 - b) detecting a nucleic acid molecule that exhibits at least a two-fold change in the level of expression as compared to the level of the nucleic acid molecule in a corresponding plant cell of a plant that was not exposed to the stress condition, thereby identifying a polynucleotide involved in a stress response of the plant.
- 155. The method of claim 156, comprising identifying a plurality of polynucleotides involved in the stress response in the plant.

15

5

10

- 156. The method of claim 156 or 157, further comprising isolating the polynucleotide or plurality of polynucleotides.
- 157. A computer readable medium having stored thereon computerexecutable instructions for performing a method comprising:
 - a) receiving data on expression in a cell of a plant of a nucleic acid molecule having at least 70% sequence identity to a nucleotide sequence comprising any of SEQ ID NO. 1-5379; and
 - b) comparing the data on expression of the nucleic acid molecule with data on expression of the nucleic acid in a cell of a plant that has not been exposed to an abiotic stress, of a plant that has been exposed to an abiotic stress condition or combination of abiotic stress conditions, or of a combination of such plants.

30

576

158. The computer readable medium of claim 159, wherein the nucleic acid molecule comprises one of a plurality of nucleic acid molecules, and wherein the computer executable instructions are capable performing receiving and comparing of any or all of the plurality of nucleic acid molecules.

5

159. A computer-readable medium having stored thereon a data structure comprising:

sequence data for at least one nucleic acid molecule having at least 70% nucleic acid sequence identity to a polynucleotide having a nucleotide sequence as set forth in any of SEQ ID NO. 1-5379 or a nucleotide sequence complementary thereto; and

a module receiving the nucleic acid molecule sequence data, which compares the nucleic acid molecule sequence data to a least one other nucleic acid sequence.

15